



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 06:49 PM EDT

PDB ID : 1F8G
Title : THE X-RAY STRUCTURE OF NICOTINAMIDE NUCLEOTIDE TRANSHYDROGENASE FROM RHODOSPIRILLUM RUBRUM COMPLEXED WITH NAD⁺
Authors : Buckley, P.A.; Baz Jackson, J.; Schneider, T.; White, S.A.; Rice, D.W.; Baker, P.J.
Deposited on : 2000-06-30
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	384	84% 13% ...
1	B	384	82% 17% .
1	C	384	81% 15% ...
1	D	384	71% 23% ...

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 12733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NICOTINAMIDE NUCLEOTIDE TRANSHYDROGENASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	382	2795	1763	480	535	3	14	0	0	0
1	B	381	2792	1761	482	531	3	15	0	0	0
1	C	375	2759	1742	476	523	3	15	0	0	0
1	D	377	2770	1749	477	526	3	15	0	0	0

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	78	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	97	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	122	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	125	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	134	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	162	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	163	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	164	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	199	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	226	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	239	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	280	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	284	MSE	MET	MODIFIED RESIDUE	UNP Q60164
A	356	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	1	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	78	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	97	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	122	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	125	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	134	MSE	MET	MODIFIED RESIDUE	UNP Q60164

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	162	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	163	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	164	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	199	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	226	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	239	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	280	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	284	MSE	MET	MODIFIED RESIDUE	UNP Q60164
B	356	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	1	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	78	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	97	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	122	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	125	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	134	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	162	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	163	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	164	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	199	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	226	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	239	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	280	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	284	MSE	MET	MODIFIED RESIDUE	UNP Q60164
C	356	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	1	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	78	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	97	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	122	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	125	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	134	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	162	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	163	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	164	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	199	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	226	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	239	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	280	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	284	MSE	MET	MODIFIED RESIDUE	UNP Q60164
D	356	MSE	MET	MODIFIED RESIDUE	UNP Q60164

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: NICOTINAMIDE NUCLEOTIDE TRANSHYDROGENASE



- Molecule 1: NICOTINAMIDE NUCLEOTIDE TRANSHYDROGENASE




- Molecule 1: NICOTINAMIDE NUCLEOTIDE TRANSHYDROGENASE



- Molecule 1: NICOTINAMIDE NUCLEOTIDE TRANSHYDROGENASE

Chain D:  71% 23% ...



ALA

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.90Å 116.60Å 102.00Å 90.00° 104.22° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.00)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.210 , 0.260	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	12733	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2818	1.01	11/3798 (0.3%)
1	B	0.42	0/2814	1.01	4/3789 (0.1%)
1	C	0.44	1/2781 (0.0%)	1.02	8/3743 (0.2%)
1	D	0.39	0/2792	0.98	11/3760 (0.3%)
All	All	0.42	1/11205 (0.0%)	1.00	34/15090 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	377	PRO	N-CD	5.34	1.55	1.47

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	147	ARG	NE-CZ-NH1	7.61	124.11	120.30
1	B	366	THR	N-CA-CB	-7.40	96.23	110.30
1	C	263	THR	N-CA-CB	-7.20	96.63	110.30
1	A	237	LYS	CA-C-O	6.98	134.77	120.10
1	D	263	THR	N-CA-CB	-6.94	97.12	110.30
1	A	366	THR	N-CA-CB	-6.66	97.65	110.30
1	A	104	THR	N-CA-CB	-6.60	97.77	110.30
1	B	9	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	A	158	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	D	366	THR	N-CA-CB	-6.40	98.13	110.30
1	C	366	THR	N-CA-CB	-6.30	98.33	110.30
1	C	207	THR	N-CA-CB	-6.29	98.34	110.30
1	A	165	THR	N-CA-CB	-6.24	98.44	110.30
1	A	158	ARG	NE-CZ-NH2	-6.15	117.22	120.30
1	A	237	LYS	C-N-CA	6.15	137.08	121.70
1	D	76	ARG	NE-CZ-NH1	6.15	123.38	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	9	ARG	NE-CZ-NH2	5.99	123.29	120.30
1	D	9	ARG	CD-NE-CZ	5.91	131.87	123.60
1	B	47	ASP	CB-CG-OD1	5.90	123.61	118.30
1	B	147	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	A	158	ARG	CD-NE-CZ	5.79	131.71	123.60
1	C	326	ARG	NE-CZ-NH2	5.77	123.18	120.30
1	C	170	VAL	N-CA-CB	-5.72	98.92	111.50
1	D	106	ARG	CD-NE-CZ	5.61	131.45	123.60
1	D	163	MSE	CA-CB-CG	5.58	122.78	113.30
1	D	158	ARG	NE-CZ-NH1	-5.45	117.58	120.30
1	C	376	HIS	C-N-CD	5.44	139.82	128.40
1	A	141	SER	CB-CA-C	-5.38	99.89	110.10
1	C	170	VAL	CB-CA-C	5.34	121.55	111.40
1	D	170	VAL	CB-CA-C	5.34	121.55	111.40
1	D	106	ARG	NE-CZ-NH2	-5.29	117.65	120.30
1	A	237	LYS	CA-C-N	-5.21	105.73	117.20
1	D	266	LEU	CA-CB-CG	5.09	127.02	115.30
1	A	170	VAL	CB-CA-C	5.06	121.02	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2795	0	2911	36	0
1	B	2792	0	2916	47	0
1	C	2759	0	2887	39	0
1	D	2770	0	2897	75	0
2	A	44	0	26	0	0
2	B	35	0	19	3	0
2	C	35	0	19	1	0
2	D	44	0	26	0	0
3	A	406	0	0	4	0
3	B	398	0	0	3	0
3	C	389	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	266	0	0	5	0
All	All	12733	0	11701	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:263:THR:HG23	1:D:300:ASN:HD22	1.26	0.99
1:C:202:ASP:HB3	1:C:207:THR:HG21	1.48	0.94
1:D:263:THR:HG22	1:D:292:ASP:HA	1.53	0.90
1:A:97:MSE:HE1	1:A:343:LEU:HD13	1.52	0.90
1:A:162:MSE:SE	1:A:164:MSE:HE3	2.23	0.88
1:C:46:THR:HG23	1:C:49:ALA:H	1.37	0.88
1:D:1:MSE:HE1	1:D:354:LEU:HB2	1.57	0.85
1:C:349:LYS:HA	1:C:352:LYS:HG2	1.65	0.77
1:B:252:LEU:HD21	1:B:280:MSE:HG2	1.66	0.76
1:D:205:ALA:HA	1:D:226:MSE:HE2	1.66	0.75
1:D:263:THR:HG23	1:D:300:ASN:ND2	1.99	0.75
1:D:162:MSE:HG3	1:D:172:PRO:HD3	1.70	0.74
1:D:224:GLU:HA	1:D:227:LYS:HE2	1.71	0.72
1:D:120:TYR:HD2	1:D:366:THR:HG22	1.58	0.69
1:C:1:MSE:HE1	1:C:354:LEU:HD12	1.75	0.68
1:B:349:LYS:H	1:B:349:LYS:HD2	1.57	0.68
1:C:263:THR:HG23	1:C:300:ASN:HB2	1.77	0.67
1:D:202:ASP:HB3	1:D:207:THR:HG21	1.77	0.66
1:D:207:THR:HA	1:D:210:GLN:HE21	1.61	0.66
1:B:142:ASN:HD21	1:B:186:GLN:HE21	1.43	0.66
1:B:207:THR:HG22	1:B:218:PHE:HE1	1.61	0.66
1:C:362:THR:O	1:C:366:THR:HB	1.95	0.65
1:D:9:ARG:HB2	1:D:78:MSE:CE	2.26	0.65
1:D:277:THR:HG22	1:D:278:GLU:H	1.63	0.64
1:B:362:THR:O	1:B:366:THR:HB	1.98	0.64
1:A:207:THR:HA	1:A:210:GLN:HE21	1.64	0.62
1:D:162:MSE:HE3	1:D:164:MSE:HE3	1.80	0.62
1:C:263:THR:CG2	1:C:300:ASN:HB2	2.30	0.62
1:C:263:THR:HG23	1:C:300:ASN:OD1	1.99	0.62
1:A:376:HIS:HD2	1:A:378:ALA:H	1.47	0.61
1:D:165:THR:HG22	1:D:168:GLY:O	2.00	0.61
1:C:263:THR:HG22	1:C:292:ASP:HA	1.80	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:122:MSE:HE2	1:D:339:LEU:HD23	1.82	0.61
1:D:104:THR:HG22	1:D:105:ASN:ND2	2.15	0.61
1:D:263:THR:CG2	1:D:300:ASN:HB2	2.30	0.61
1:B:189:ALA:O	1:B:193:ARG:HG3	2.01	0.60
1:D:165:THR:HG23	1:D:167:ALA:H	1.67	0.60
1:D:375:VAL:O	1:D:376:HIS:HB3	2.02	0.59
1:A:374:ILE:HD13	1:A:379:LEU:O	2.04	0.57
1:B:207:THR:HG22	1:B:218:PHE:CE1	2.39	0.57
1:C:202:ASP:CB	1:C:207:THR:HG21	2.29	0.56
1:C:24:LYS:NZ	1:C:25:LYS:HG2	2.20	0.56
1:D:9:ARG:HB2	1:D:78:MSE:HE2	1.86	0.56
1:D:342:PHE:CE1	1:D:362:THR:HG23	2.40	0.56
1:D:263:THR:HG23	1:D:300:ASN:HB2	1.86	0.56
1:B:379:LEU:HG	3:B:2817:HOH:O	2.04	0.56
1:A:376:HIS:CD2	1:A:378:ALA:H	2.23	0.56
1:A:29:LEU:HD23	1:A:349:LYS:HE2	1.88	0.56
1:B:156:PHE:CE2	1:B:158:ARG:HB2	2.41	0.56
1:D:202:ASP:CB	1:D:207:THR:HG21	2.35	0.56
1:D:125:MSE:HE1	1:D:342:PHE:CD1	2.42	0.55
1:C:120:TYR:HD2	1:C:366:THR:HG22	1.71	0.55
1:B:160:PHE:N	1:B:161:PRO:HD2	2.22	0.54
1:D:19:SER:O	1:D:23:VAL:HG23	2.08	0.54
1:C:120:TYR:HB3	1:C:366:THR:HG23	1.89	0.54
1:D:204:ARG:O	1:D:207:THR:HB	2.08	0.53
1:D:1:MSE:HE3	1:D:31:PHE:CE2	2.44	0.53
1:B:203:VAL:O	1:B:226:MSE:HG3	2.09	0.53
1:B:220:THR:HG23	1:B:226:MSE:HE1	1.91	0.53
1:B:129:SER:O	1:B:132:GLN:HG2	2.10	0.52
1:C:24:LYS:HZ3	1:C:25:LYS:HG2	1.73	0.52
1:C:104:THR:HG22	1:C:105:ASN:ND2	2.24	0.52
1:A:120:TYR:HB3	1:A:366:THR:HG23	1.91	0.52
1:D:264:THR:HG22	1:D:293:LEU:HD12	1.90	0.52
1:B:132:GLN:HE21	1:D:166:ALA:HB1	1.74	0.51
1:D:162:MSE:CE	1:D:164:MSE:HE3	2.41	0.51
1:C:332:SER:HB2	1:C:333:PRO:HD3	1.91	0.51
1:D:72:TRP:CD1	1:D:97:MSE:HE3	2.45	0.51
1:A:241:GLU:O	1:A:245:LYS:HD3	2.11	0.51
1:D:165:THR:HG23	1:D:167:ALA:N	2.24	0.51
1:C:349:LYS:HA	1:C:352:LYS:HD3	1.92	0.50
1:A:165:THR:HG23	3:C:2545:HOH:O	2.11	0.50
1:B:120:TYR:HD2	1:B:366:THR:HG22	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:THR:HG22	1:A:167:ALA:H	1.77	0.49
1:B:279:GLU:O	1:B:282:THR:HB	2.11	0.49
1:D:142:ASN:HD21	1:D:186:GLN:HE21	1.60	0.49
1:B:205:ALA:CA	1:B:226:MSE:HG2	2.42	0.49
1:A:376:HIS:HE1	3:A:2675:HOH:O	1.96	0.49
1:A:279:GLU:O	1:A:282:THR:HB	2.13	0.49
1:C:105:ASN:O	1:C:108:VAL:HG12	2.12	0.49
1:B:252:LEU:O	1:B:256:VAL:HG23	2.12	0.49
1:C:3:ILE:HD11	1:C:72:TRP:CE2	2.48	0.48
1:B:204:ARG:NH2	2:B:2501:NAD:H3D	2.28	0.48
1:B:132:GLN:HG3	1:B:133:SER:N	2.29	0.48
1:C:24:LYS:HD2	3:C:2804:HOH:O	2.12	0.48
1:D:104:THR:HB	3:D:2599:HOH:O	2.14	0.48
1:D:106:ARG:N	1:D:107:PRO:HD2	2.29	0.48
1:A:158:ARG:HG2	1:C:329:ALA:HB3	1.96	0.48
1:D:360:ASP:OD1	1:D:362:THR:HB	2.14	0.48
1:B:329:ALA:HB3	1:D:158:ARG:HG2	1.96	0.48
1:B:202:ASP:HB3	1:B:207:THR:HG21	1.96	0.48
1:B:207:THR:HA	1:B:210:GLN:HE21	1.78	0.48
1:B:291:ILE:HD13	1:B:318:VAL:HB	1.96	0.47
1:C:222:ASP:HB3	1:C:225:ALA:HB3	1.96	0.47
1:D:162:MSE:CG	1:D:172:PRO:HD3	2.42	0.47
1:A:160:PHE:N	1:A:161:PRO:HD2	2.29	0.47
1:D:106:ARG:NH2	1:D:110:GLU:OE2	2.47	0.47
1:D:207:THR:HG22	1:D:218:PHE:CE1	2.49	0.47
1:C:24:LYS:HG3	1:C:25:LYS:N	2.30	0.47
1:D:133:SER:HB2	1:D:341:ASN:ND2	2.30	0.47
1:B:29:LEU:HB3	1:B:347:VAL:HG11	1.97	0.47
1:B:203:VAL:HG11	1:B:239:MSE:HG3	1.96	0.47
1:D:308:LYS:HD2	3:D:2709:HOH:O	2.13	0.47
1:D:120:TYR:HB3	1:D:366:THR:CG2	2.45	0.47
1:D:312:LYS:HD2	1:D:313:HIS:CD2	2.50	0.47
1:D:9:ARG:HB2	1:D:78:MSE:HE1	1.96	0.46
1:B:204:ARG:O	1:B:207:THR:HB	2.15	0.46
1:C:349:LYS:HA	1:C:352:LYS:CG	2.39	0.46
1:A:207:THR:HG22	1:A:218:PHE:CE1	2.51	0.46
1:B:158:ARG:HG2	1:D:329:ALA:HB3	1.97	0.46
1:C:218:PHE:HE2	1:C:226:MSE:HE1	1.80	0.46
1:D:277:THR:HG22	1:D:278:GLU:N	2.28	0.46
1:A:165:THR:CG2	1:A:167:ALA:H	2.29	0.45
1:C:204:ARG:O	1:C:207:THR:HB	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:241:GLU:HG3	1:B:245:LYS:HE3	1.98	0.45
1:C:246:LYS:HA	3:C:2736:HOH:O	2.15	0.45
1:C:342:PHE:CZ	1:C:366:THR:HG21	2.52	0.45
1:D:332:SER:HB2	1:D:333:PRO:HD3	1.99	0.45
1:A:63:GLN:HB2	3:A:2728:HOH:O	2.17	0.45
1:A:362:THR:O	1:A:366:THR:HB	2.17	0.45
1:C:160:PHE:N	1:C:161:PRO:HD2	2.32	0.45
1:D:358:LEU:HD21	1:D:370:ARG:NH1	2.32	0.45
1:A:204:ARG:O	1:A:207:THR:HB	2.17	0.45
1:A:125:MSE:SE	1:A:126:PRO:HD2	2.66	0.44
1:C:9:ARG:NH2	1:C:36:GLU:OE2	2.50	0.44
1:D:37:GLN:HG2	3:D:2642:HOH:O	2.17	0.44
1:B:176:LEU:HG	1:B:178:PHE:CE1	2.52	0.44
1:B:204:ARG:HH22	2:B:2501:NAD:H3D	1.81	0.44
1:C:156:PHE:CE2	1:C:158:ARG:HB2	2.52	0.44
1:D:58:ALA:HB3	1:D:64:ALA:HB2	1.98	0.44
1:C:236:ALA:HB2	2:C:2502:NAD:O2B	2.17	0.44
1:A:110:GLU:OE1	1:A:114:LYS:NZ	2.50	0.44
1:B:202:ASP:CB	1:B:207:THR:HG21	2.48	0.44
1:C:1:MSE:HE2	1:C:31:PHE:HE2	1.83	0.44
1:A:87:VAL:HG21	1:A:111:ALA:HB1	2.00	0.44
1:D:156:PHE:CZ	1:D:259:ASP:HB3	2.53	0.44
1:B:383:GLY:O	1:B:384:ALA:C	2.55	0.44
1:C:176:LEU:HG	1:C:178:PHE:CE2	2.53	0.44
1:D:228:THR:O	1:D:237:LYS:HE3	2.18	0.44
1:D:160:PHE:N	1:D:161:PRO:HD2	2.34	0.43
1:B:132:GLN:HG3	1:B:133:SER:H	1.84	0.43
1:D:120:TYR:CD2	1:D:366:THR:HG22	2.46	0.43
1:D:344:THR:HB	1:D:345:PRO:HD3	2.00	0.43
1:D:263:THR:CG2	1:D:292:ASP:HA	2.37	0.43
1:B:205:ALA:HA	1:B:226:MSE:HG2	2.01	0.43
1:D:362:THR:HG21	3:D:2527:HOH:O	2.19	0.43
1:A:241:GLU:OE2	1:A:244:ARG:HD3	2.19	0.42
1:B:234:GLY:O	2:B:2501:NAD:H4D	2.19	0.42
1:D:230:GLU:HB3	3:D:2690:HOH:O	2.19	0.42
1:C:18:ILE:HG13	1:C:19:SER:N	2.35	0.42
1:C:244:ARG:HG2	1:C:244:ARG:HH21	1.83	0.42
1:D:37:GLN:HB2	1:D:57:ILE:CG2	2.50	0.42
1:A:311:VAL:HB	3:A:2848:HOH:O	2.20	0.42
1:B:190:THR:O	1:B:193:ARG:HB2	2.19	0.42
1:D:60:THR:OG1	1:D:63:GLN:HG3	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:MSE:HB2	1:A:172:PRO:HD3	2.01	0.42
1:A:170:VAL:HG13	3:C:2559:HOH:O	2.18	0.42
1:B:226:MSE:HE2	3:B:2734:HOH:O	2.19	0.42
1:B:274:VAL:HG13	1:B:302:PRO:HD3	2.01	0.42
1:D:2:LYS:HD3	1:D:34:ILE:HD11	2.00	0.42
1:D:156:PHE:CE2	1:D:158:ARG:HB2	2.55	0.42
1:D:5:ILE:HG13	1:D:72:TRP:HB2	2.02	0.42
1:A:343:LEU:HD11	1:A:354:LEU:HD11	2.02	0.41
1:C:3:ILE:HD11	1:C:72:TRP:CD2	2.55	0.41
1:D:77:PRO:HB2	1:D:87:VAL:HG12	2.01	0.41
1:D:162:MSE:HG3	1:D:171:PRO:HA	2.02	0.41
1:D:207:THR:HG22	1:D:218:PHE:HE1	1.85	0.41
1:D:312:LYS:HD2	1:D:313:HIS:NE2	2.35	0.41
1:A:207:THR:HG22	1:A:218:PHE:HE1	1.84	0.41
1:C:127:ARG:HD2	1:C:235:TYR:CE1	2.55	0.41
1:C:323:VAL:N	1:C:324:PRO:CD	2.83	0.41
1:A:230:GLU:OE1	1:A:234:GLY:HA2	2.20	0.41
1:D:221:VAL:HG13	1:D:247:GLN:HA	2.01	0.41
1:A:244:ARG:HH12	1:A:245:LYS:HG3	1.86	0.41
1:B:120:TYR:HB3	1:B:366:THR:HG23	2.01	0.41
1:D:105:ASN:O	1:D:108:VAL:HG12	2.20	0.41
1:A:106:ARG:HA	1:A:106:ARG:HD2	1.75	0.41
1:D:176:LEU:HG	1:D:178:PHE:CE1	2.56	0.41
1:B:241:GLU:OE1	1:B:244:ARG:HD3	2.21	0.41
1:B:1:MSE:SE	1:B:353:THR:HA	2.71	0.41
1:A:156:PHE:CE2	1:A:158:ARG:HB2	2.56	0.40
1:B:323:VAL:N	1:B:324:PRO:CD	2.84	0.40
1:B:24:LYS:HG3	1:B:53:ALA:HB1	2.04	0.40
1:B:120:TYR:CD2	1:B:366:THR:HG22	2.56	0.40
1:B:193:ARG:HD2	3:B:2602:HOH:O	2.21	0.40
1:D:85:ASP:OD2	1:D:88:ALA:HB2	2.21	0.40
1:D:203:VAL:O	1:D:226:MSE:HG2	2.21	0.40
1:D:221:VAL:HG21	1:D:247:GLN:HG3	2.02	0.40
1:A:165:THR:HG22	1:A:167:ALA:N	2.36	0.40
1:A:170:VAL:HG22	3:C:2645:HOH:O	2.21	0.40
1:B:3:ILE:HA	1:B:70:VAL:O	2.20	0.40
1:D:279:GLU:O	1:D:282:THR:HB	2.22	0.40
1:A:114:LYS:HE3	3:A:2777:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	378/384 (98%)	370 (98%)	8 (2%)	0	100	100
1	B	377/384 (98%)	367 (97%)	10 (3%)	0	100	100
1	C	371/384 (97%)	357 (96%)	13 (4%)	1 (0%)	41	37
1	D	373/384 (97%)	360 (96%)	12 (3%)	1 (0%)	41	37
All	All	1499/1536 (98%)	1454 (97%)	43 (3%)	2 (0%)	51	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	223	ASP
1	D	376	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	293/281 (104%)	270 (92%)	23 (8%)	12	8
1	B	293/281 (104%)	281 (96%)	12 (4%)	30	28
1	C	291/281 (104%)	272 (94%)	19 (6%)	17	12
1	D	292/281 (104%)	272 (93%)	20 (7%)	16	11
All	All	1169/1124 (104%)	1095 (94%)	74 (6%)	18	13

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	VAL
1	A	37	GLN
1	A	56	THR
1	A	87	VAL
1	A	89	LEU
1	A	100	LEU
1	A	104	THR
1	A	106	ARG
1	A	164	MSE
1	A	165	THR
1	A	170	VAL
1	A	176	LEU
1	A	199	MSE
1	A	220	THR
1	A	224	GLU
1	A	244	ARG
1	A	266	LEU
1	A	281	VAL
1	A	285	LYS
1	A	289	VAL
1	A	357	LYS
1	A	359	GLU
1	A	366	THR
1	B	65	LEU
1	B	73	LYS
1	B	89	LEU
1	B	100	LEU
1	B	104	THR
1	B	141	SER
1	B	252	LEU
1	B	266	LEU
1	B	289	VAL
1	B	354	LEU
1	B	366	THR
1	B	382	GLN
1	C	35	VAL
1	C	81	GLU
1	C	84	THR
1	C	89	LEU
1	C	104	THR
1	C	170	VAL
1	C	207	THR
1	C	223	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	252	LEU
1	C	263	THR
1	C	266	LEU
1	C	281	VAL
1	C	282	THR
1	C	285	LYS
1	C	348	ASP
1	C	349	LYS
1	C	353	THR
1	C	354	LEU
1	C	366	THR
1	D	65	LEU
1	D	84	THR
1	D	89	LEU
1	D	104	THR
1	D	106	ARG
1	D	163	MSE
1	D	164	MSE
1	D	170	VAL
1	D	207	THR
1	D	242	GLU
1	D	252	LEU
1	D	257	LYS
1	D	263	THR
1	D	266	LEU
1	D	281	VAL
1	D	282	THR
1	D	289	VAL
1	D	362	THR
1	D	366	THR
1	D	368	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	210	GLN
1	A	247	GLN
1	A	300	ASN
1	A	320	HIS
1	A	338	ASN
1	A	376	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	382	GLN
1	B	132	GLN
1	B	142	ASN
1	B	210	GLN
1	B	247	GLN
1	B	313	HIS
1	B	382	GLN
1	C	105	ASN
1	C	210	GLN
1	D	132	GLN
1	D	142	ASN
1	D	186	GLN
1	D	210	GLN
1	D	247	GLN
1	D	300	ASN
1	D	338	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	B	2501	-	33,38,48	0.79	0	37,58,73	1.01	3 (8%)
2	NAD	C	2502	-	33,38,48	0.77	1 (3%)	37,58,73	1.08	4 (10%)
2	NAD	A	2500	-	42,48,48	1.08	3 (7%)	50,73,73	1.91	7 (14%)
2	NAD	D	2503	-	42,48,48	0.99	2 (4%)	50,73,73	1.91	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	B	2501	-	-	4/18/51/62	0/4/4/5
2	NAD	C	2502	-	-	2/18/51/62	0/4/4/5
2	NAD	A	2500	-	-	2/26/62/62	0/5/5/5
2	NAD	D	2503	-	-	1/26/62/62	0/5/5/5

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2500	NAD	C3N-C7N	3.87	1.56	1.50
2	D	2503	NAD	C3N-C7N	3.86	1.56	1.50
2	A	2500	NAD	C6N-N1N	2.72	1.42	1.35
2	D	2503	NAD	C6N-N1N	2.69	1.42	1.35
2	A	2500	NAD	C2A-N1A	2.21	1.38	1.33
2	C	2502	NAD	C2A-N1A	2.03	1.37	1.33

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2500	NAD	C5N-C4N-C3N	-6.21	112.99	120.34
2	D	2503	NAD	C5N-C4N-C3N	-5.96	113.29	120.34
2	A	2500	NAD	C6N-C5N-C4N	5.90	128.01	119.44
2	D	2503	NAD	C6N-C5N-C4N	5.77	127.82	119.44
2	D	2503	NAD	C5N-C6N-N1N	-4.89	113.38	120.40
2	A	2500	NAD	C5N-C6N-N1N	-4.72	113.63	120.40
2	A	2500	NAD	C2N-C3N-C4N	4.29	123.12	118.26
2	D	2503	NAD	C2N-C3N-C4N	4.06	122.86	118.26
2	A	2500	NAD	C4N-C3N-C7N	-3.57	111.48	121.04
2	B	2501	NAD	O4B-C1B-C2B	-3.28	102.14	106.93
2	D	2503	NAD	C4N-C3N-C7N	-3.05	112.88	121.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2503	NAD	C5A-C6A-N6A	3.03	124.96	120.35
2	D	2503	NAD	O4D-C1D-C2D	-2.99	102.56	106.93
2	A	2500	NAD	O4D-C1D-C2D	-2.92	102.66	106.93
2	D	2503	NAD	C3N-C7N-N7N	-2.82	114.37	117.75
2	B	2501	NAD	C5A-C6A-N6A	2.44	124.07	120.35
2	C	2502	NAD	O4D-C1D-C2D	-2.44	101.28	105.99
2	C	2502	NAD	O4B-C1B-C2B	-2.41	103.41	106.93
2	B	2501	NAD	O4D-C4D-C3D	-2.22	102.74	104.70
2	C	2502	NAD	O3D-C3D-C2D	-2.21	106.72	112.04
2	C	2502	NAD	C5A-C6A-N6A	2.10	123.54	120.35
2	A	2500	NAD	C2N-C3N-C7N	2.04	125.40	119.46

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2501	NAD	C5D-O5D-PN-O3
2	B	2501	NAD	C5D-O5D-PN-O1N
2	B	2501	NAD	O4D-C4D-C5D-O5D
2	B	2501	NAD	C3D-C4D-C5D-O5D
2	C	2502	NAD	O4D-C4D-C5D-O5D
2	C	2502	NAD	C3D-C4D-C5D-O5D
2	A	2500	NAD	O4D-C4D-C5D-O5D
2	A	2500	NAD	C3D-C4D-C5D-O5D
2	D	2503	NAD	C5B-O5B-PA-O1A


There are no ring outliers.


2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2501	NAD	3	0
2	C	2502	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.