



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 31, 2023 – 06:02 AM EDT

PDB ID : 1HKC
Title : RECOMBINANT HUMAN HEXOKINASE TYPE I COMPLEXED WITH
GLUCOSE AND PHOSPHATE
Authors : Aleshin, A.E.; Honzatko, R.B.
Deposited on : 1998-07-01
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.34
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.34


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	917	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	A	920	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7206 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called D-GLUCOSE 6-PHOSPHOTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	899	7032	4407	1241	1331	53	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	776	LEU	MET	SEE REMARK 999	UNP P19367

- Molecule 2 is beta-D-glucopyranose (three-letter code: BGC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	12	6	6	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total K 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	150	Total O 150 150	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-GLUCOSE 6-PHOSPHOTRANSFERASE



4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	175.09Å 175.09Å 99.47Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.80 49.66 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.8 (8.00-2.80) 98.4 (49.66-2.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.08 (at 2.81Å)	Xtrriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.174 , 0.241 0.183 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	42.4	Xtrriage
Anisotropy	0.165	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 62.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.089 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7206	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, PO4, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/7138	0.58	0/9606

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7032	0	7092	210	0
2	A	12	0	12	1	0
3	A	10	0	0	3	0
4	A	2	0	0	0	0
5	A	150	0	0	2	0
All	All	7206	0	7104	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:ASP:HB3	1:A:187:LYS:HG3	1.45	0.94
1:A:204:VAL:HG21	1:A:457:THR:HG23	1.54	0.88
1:A:241:GLU:HB2	1:A:244:HIS:HD2	1.36	0.87
1:A:814:ASP:HA	1:A:817:ILE:HD12	1.58	0.85
1:A:115:PRO:HD2	1:A:118:ILE:HD12	1.59	0.84
1:A:196:ARG:HG3	1:A:198:ASP:H	1.44	0.82
1:A:767:LEU:HG	1:A:818:LEU:HD23	1.63	0.80
1:A:346:LYS:HG3	1:A:347:GLU:HG3	1.65	0.78
1:A:232:THR:O	1:A:298:SER:HB2	1.84	0.76
1:A:676:LEU:HB3	1:A:860:VAL:HG12	1.68	0.74
1:A:248:VAL:HG21	1:A:255:MET:HE1	1.69	0.73
1:A:169:ILE:HG22	1:A:170:THR:HG23	1.71	0.72
1:A:241:GLU:HB2	1:A:244:HIS:CD2	2.23	0.71
1:A:462:ARG:HB3	1:A:462:ARG:HH11	1.55	0.71
1:A:797:LEU:HD21	1:A:817:ILE:HG13	1.73	0.71
1:A:617:ILE:HG13	1:A:618:THR:HG22	1.74	0.69
1:A:235:ASN:HB2	2:A:918:BGC:H5	1.75	0.69
1:A:468:ARG:HD2	1:A:472:GLU:OE2	1.93	0.68
1:A:139:GLU:HG3	1:A:144:LYS:HE3	1.74	0.68
1:A:193:ILE:HD13	1:A:201:ALA:HB3	1.77	0.67
1:A:196:ARG:HD3	1:A:199:TYR:CE1	2.29	0.67
1:A:492:ARG:HH11	1:A:492:ARG:HG3	1.58	0.67
1:A:204:VAL:CG2	1:A:457:THR:HG23	2.27	0.65
1:A:481:LYS:O	1:A:485:LEU:HG	1.94	0.65
1:A:541:LEU:HG	1:A:557:ASN:HB3	1.79	0.65
1:A:909:VAL:O	1:A:912:ARG:HG3	1.97	0.65
1:A:479:LEU:HD23	1:A:829:ARG:HG3	1.79	0.64
1:A:315:LYS:HG3	1:A:324:ILE:HD11	1.79	0.64
1:A:248:VAL:HG21	1:A:255:MET:CE	2.28	0.63
1:A:428:HIS:HB3	1:A:432:ARG:NH1	2.14	0.63
1:A:428:HIS:HB3	1:A:432:ARG:HH12	1.63	0.62
1:A:652:VAL:HB	1:A:905:THR:HG23	1.80	0.61
1:A:145:ASP:OD2	1:A:146:LYS:HG3	2.00	0.61
1:A:821:THR:O	1:A:825:VAL:HG23	2.01	0.61
1:A:828:ARG:O	1:A:832:GLN:HG3	2.01	0.61
1:A:518:ARG:HG2	1:A:519:THR:O	2.01	0.61
1:A:674:VAL:HB	1:A:858:VAL:HG22	1.81	0.60
1:A:445:SER:HB2	1:A:448:GLY:HA2	1.82	0.60
1:A:418:LYS:HD2	1:A:444:LEU:HD11	1.84	0.60
1:A:67:PHE:HE2	1:A:160:GLN:O	1.84	0.60
1:A:753:ILE:O	1:A:757:ILE:HG13	2.01	0.60
1:A:196:ARG:HD3	1:A:199:TYR:HE1	1.66	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:GLN:O	1:A:105:VAL:HG13	2.03	0.59
1:A:354:GLU:O	1:A:358:ARG:HG3	2.03	0.59
1:A:762:THR:O	1:A:770:GLY:HA2	2.02	0.59
1:A:718:LEU:O	1:A:722:ARG:HG3	2.03	0.59
1:A:323:ARG:HH11	1:A:323:ARG:HG2	1.67	0.58
1:A:184:ASP:CB	1:A:187:LYS:HG3	2.28	0.57
1:A:797:LEU:CD2	1:A:817:ILE:HG13	2.34	0.57
1:A:551:ARG:HH11	1:A:551:ARG:CG	2.17	0.57
1:A:18:GLN:HA	1:A:18:GLN:OE1	2.04	0.57
1:A:474:LEU:HD13	1:A:825:VAL:HG21	1.87	0.57
1:A:486:GLU:O	1:A:490:ARG:HG3	2.04	0.56
1:A:112:TYR:OH	1:A:137:PHE:HB2	2.05	0.56
1:A:97:VAL:HG11	1:A:455:MET:HE1	1.88	0.56
1:A:20:LYS:HG3	1:A:24:LYS:HE2	1.89	0.55
1:A:507:ALA:O	1:A:510:LYS:HE2	2.07	0.55
1:A:71:ILE:HG12	5:A:999:HOH:O	2.07	0.54
1:A:66:THR:OG1	1:A:256:CYS:HB3	2.07	0.54
1:A:295:LYS:HA	1:A:301:TYR:CD2	2.43	0.54
1:A:492:ARG:HH11	1:A:492:ARG:CG	2.18	0.54
1:A:723:THR:O	1:A:727:ARG:HG3	2.08	0.54
1:A:525:ASN:OD1	1:A:546:ARG:HA	2.07	0.53
1:A:673:GLU:O	1:A:686:TYR:HA	2.09	0.53
1:A:320:PHE:CD1	1:A:361:VAL:HG11	2.44	0.53
1:A:72:PRO:HA	1:A:76:GLU:OE2	2.09	0.52
1:A:712:PHE:O	1:A:741:TYR:HB2	2.09	0.52
1:A:570:THR:C	1:A:572:GLU:H	2.12	0.52
1:A:856:VAL:O	1:A:888:VAL:HA	2.09	0.52
1:A:615:ILE:HD12	1:A:615:ILE:N	2.25	0.52
1:A:168:LEU:HD11	1:A:170:THR:O	2.10	0.52
1:A:252:GLU:OE2	1:A:813:CYS:HB2	2.10	0.52
1:A:315:LYS:HG3	1:A:324:ILE:CD1	2.39	0.52
1:A:598:LEU:C	1:A:598:LEU:HD23	2.30	0.52
1:A:614:GLY:O	1:A:633:VAL:HG22	2.09	0.52
1:A:20:LYS:HE3	1:A:24:LYS:NZ	2.25	0.51
1:A:403:THR:CG2	1:A:404:PRO:HD2	2.40	0.51
1:A:405:ARG:NH2	1:A:439:ASP:HB3	2.25	0.51
1:A:838:MET:HE3	1:A:841:VAL:HB	1.93	0.51
1:A:221:ASP:OD1	1:A:223:HIS:HB2	2.11	0.51
1:A:356:LEU:O	1:A:359:LEU:HB2	2.10	0.51
1:A:279:ARG:O	1:A:283:ARG:HG3	2.10	0.51
1:A:514:SER:O	1:A:515:PHE:HB2	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:740:ARG:HH11	1:A:740:ARG:HG2	1.76	0.51
1:A:737:GLY:HA2	1:A:740:ARG:HE	1.75	0.51
1:A:93:LEU:HD22	1:A:450:GLY:HA3	1.92	0.50
1:A:740:ARG:HG2	1:A:740:ARG:NH1	2.26	0.50
1:A:80:PHE:CD1	1:A:80:PHE:N	2.78	0.50
1:A:20:LYS:O	1:A:24:LYS:HG3	2.11	0.50
1:A:20:LYS:HE3	1:A:24:LYS:HE2	1.93	0.50
1:A:716:GLY:O	1:A:719:ASP:HB2	2.12	0.50
1:A:720:ASP:OD1	1:A:721:ILE:HG23	2.12	0.49
1:A:838:MET:HE3	1:A:838:MET:HA	1.94	0.49
1:A:81:ILE:HG22	1:A:82:ALA:H	1.77	0.49
1:A:74:GLY:C	1:A:76:GLU:H	2.15	0.49
1:A:718:LEU:HD22	1:A:721:ILE:HD11	1.94	0.49
1:A:99:HIS:C	1:A:100:GLU:HG2	2.32	0.49
1:A:804:LEU:HD22	1:A:809:LEU:HD12	1.95	0.49
1:A:69:ARG:HH12	1:A:242:LEU:HD21	1.77	0.49
1:A:471:GLU:HA	1:A:471:GLU:OE1	2.12	0.49
1:A:376:THR:O	1:A:380:PHE:HB2	2.13	0.48
1:A:674:VAL:HG11	1:A:838:MET:CE	2.43	0.48
1:A:768:PHE:HA	1:A:769:ARG:CZ	2.43	0.48
1:A:134:LEU:HB3	1:A:199:TYR:OH	2.12	0.48
1:A:551:ARG:CG	1:A:551:ARG:NH1	2.76	0.48
1:A:121:GLY:O	1:A:177:ALA:HA	2.14	0.48
1:A:170:THR:HA	1:A:181:GLU:HG2	1.95	0.48
1:A:767:LEU:CG	1:A:818:LEU:HD23	2.38	0.48
1:A:853:ARG:NH1	1:A:887:ASN:HB2	2.29	0.48
1:A:420:HIS:HB3	1:A:423:TYR:HB2	1.95	0.48
1:A:77:LYS:HA	1:A:97:VAL:O	2.13	0.48
1:A:81:ILE:HG22	1:A:82:ALA:N	2.28	0.48
1:A:81:ILE:HD11	1:A:148:LEU:HD12	1.95	0.48
1:A:707:MET:O	1:A:708:GLU:HB2	2.13	0.48
1:A:492:ARG:CG	1:A:492:ARG:NH1	2.76	0.48
1:A:676:LEU:HD23	1:A:860:VAL:CG1	2.43	0.48
1:A:434:LEU:O	1:A:436:PRO:HD3	2.14	0.47
1:A:275:THR:O	1:A:279:ARG:HG3	2.14	0.47
1:A:663:MET:HG3	1:A:904:ILE:HG12	1.96	0.47
1:A:56:ASN:N	1:A:57:PRO:CD	2.77	0.47
1:A:361:VAL:HG12	1:A:362:GLU:N	2.30	0.47
1:A:67:PHE:CE2	1:A:161:SER:HA	2.50	0.47
1:A:323:ARG:HG2	1:A:323:ARG:NH1	2.29	0.47
1:A:570:THR:OG1	1:A:573:GLU:HG3	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:LYS:HE2	1:A:49:ASN:HD21	1.80	0.46
1:A:884:PRO:HD2	5:A:1026:HOH:O	2.16	0.46
1:A:862:GLY:HA2	3:A:920:PO4:O1	2.16	0.46
1:A:860:VAL:HG21	1:A:865:TYR:CZ	2.51	0.46
1:A:769:ARG:NH2	1:A:810:ASN:O	2.49	0.46
1:A:155:SER:HB3	1:A:209:ASP:CG	2.35	0.46
1:A:97:VAL:HG21	1:A:455:MET:CE	2.46	0.46
1:A:678:VAL:O	1:A:862:GLY:HA3	2.16	0.46
1:A:20:LYS:HE3	1:A:24:LYS:CE	2.46	0.46
1:A:53:ARG:HG3	1:A:53:ARG:HH11	1.80	0.45
1:A:259:THR:O	1:A:260:GLU:HB2	2.15	0.45
1:A:545:ILE:O	1:A:546:ARG:HD3	2.16	0.45
1:A:39:ILE:CD1	1:A:273:ILE:HD13	2.47	0.45
1:A:314:ALA:O	1:A:322:GLY:HA2	2.15	0.45
1:A:491:MET:O	1:A:495:MET:HG3	2.16	0.45
1:A:542:LEU:HD21	1:A:544:LYS:HE3	1.98	0.45
1:A:97:VAL:HG21	1:A:455:MET:HE3	1.98	0.45
1:A:495:MET:HE2	1:A:844:LYS:HD3	1.98	0.45
1:A:515:PHE:HA	1:A:703:MET:SD	2.56	0.45
1:A:138:MET:O	1:A:142:LYS:N	2.50	0.45
1:A:174:ARG:HH11	1:A:300:MET:HE3	1.82	0.45
1:A:209:ASP:OD1	1:A:209:ASP:N	2.48	0.45
1:A:320:PHE:CG	1:A:361:VAL:HG11	2.52	0.45
1:A:465:GLU:O	1:A:469:GLN:HG3	2.16	0.45
1:A:504:HIS:HB3	1:A:695:MET:HE2	1.99	0.45
1:A:639:ASP:HB3	1:A:643:ARG:HH21	1.82	0.44
1:A:462:ARG:HH11	1:A:462:ARG:CB	2.26	0.44
1:A:564:ILE:HG23	1:A:565:GLU:N	2.32	0.44
1:A:805:GLN:HA	1:A:809:LEU:O	2.16	0.44
1:A:242:LEU:C	1:A:244:HIS:H	2.19	0.44
1:A:785:LYS:HE3	1:A:867:LEU:HD13	1.98	0.44
1:A:293:PHE:HA	1:A:296:MET:HE2	1.99	0.44
1:A:445:SER:CB	1:A:448:GLY:HA2	2.47	0.44
1:A:665:CYS:HB2	1:A:893:SER:OG	2.18	0.44
1:A:570:THR:O	1:A:572:GLU:N	2.50	0.44
1:A:541:LEU:HG	1:A:557:ASN:CB	2.48	0.44
1:A:39:ILE:HD11	1:A:273:ILE:HD13	1.99	0.43
1:A:532:ASP:HB3	1:A:539:ARG:HG3	2.00	0.43
1:A:139:GLU:O	1:A:142:LYS:HG3	2.18	0.43
1:A:551:ARG:NH1	1:A:551:ARG:HG3	2.33	0.43
1:A:481:LYS:O	1:A:481:LYS:HG2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:ASN:O	1:A:355:ILE:HD12	2.17	0.43
1:A:93:LEU:N	1:A:93:LEU:HD12	2.33	0.43
1:A:412:VAL:CG2	1:A:442:PHE:HD1	2.32	0.43
1:A:155:SER:HB2	1:A:173:LYS:NZ	2.33	0.43
1:A:838:MET:CE	1:A:841:VAL:HB	2.49	0.43
1:A:134:LEU:O	1:A:138:MET:HG3	2.19	0.42
1:A:218:GLY:HA2	1:A:221:ASP:O	2.18	0.42
1:A:126:LEU:O	1:A:130:VAL:HG23	2.20	0.42
1:A:93:LEU:HD21	1:A:447:SER:OG	2.19	0.42
1:A:650:ASP:O	1:A:652:VAL:HG23	2.19	0.42
1:A:115:PRO:O	1:A:118:ILE:HB	2.19	0.42
1:A:555:MET:CE	1:A:899:LYS:HG3	2.49	0.42
1:A:214:MET:HE1	1:A:239:MET:HE1	2.02	0.42
1:A:264:PHE:O	1:A:293:PHE:HB2	2.20	0.42
1:A:801:ARG:O	1:A:805:GLN:HG3	2.20	0.42
1:A:64:LEU:HD21	1:A:169:ILE:HD11	2.02	0.41
1:A:88:SER:HG	3:A:919:PO4:P	2.42	0.41
1:A:141:ARG:HB3	1:A:143:ILE:HG12	2.02	0.41
1:A:146:LYS:HG3	1:A:146:LYS:H	1.58	0.41
1:A:810:ASN:HD22	1:A:810:ASN:HA	1.74	0.41
1:A:53:ARG:HG3	1:A:53:ARG:NH1	2.35	0.41
1:A:115:PRO:HB2	1:A:118:ILE:HG13	2.02	0.41
1:A:679:GLY:HA3	3:A:920:PO4:O1	2.21	0.41
1:A:909:VAL:HG23	1:A:910:ARG:N	2.35	0.41
1:A:248:VAL:HG11	1:A:255:MET:HE2	2.03	0.41
1:A:66:THR:HG21	1:A:211:VAL:CG2	2.50	0.41
1:A:17:ASP:O	1:A:21:LYS:HG3	2.20	0.41
1:A:74:GLY:O	1:A:76:GLU:N	2.54	0.41
1:A:403:THR:HG23	1:A:404:PRO:HD2	2.03	0.41
1:A:564:ILE:O	1:A:568:GLN:HG3	2.21	0.41
1:A:46:GLU:HB3	1:A:61:VAL:CG2	2.51	0.41
1:A:242:LEU:HD13	1:A:242:LEU:HA	1.93	0.41
1:A:443:LEU:HD12	1:A:443:LEU:HA	1.95	0.41
1:A:672:CYS:HA	1:A:857:THR:O	2.21	0.41
1:A:20:LYS:HA	1:A:20:LYS:HD2	1.77	0.40
1:A:74:GLY:C	1:A:76:GLU:N	2.74	0.40
1:A:405:ARG:HH22	1:A:439:ASP:HB3	1.86	0.40
1:A:524:GLU:O	1:A:547:SER:HB3	2.20	0.40
1:A:532:ASP:O	1:A:538:PHE:HB2	2.21	0.40
1:A:160:GLN:HB3	1:A:165:GLU:O	2.21	0.40
1:A:676:LEU:HD23	1:A:860:VAL:HG11	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:616:LEU:HD23	1:A:629:VAL:HA	2.03	0.40
1:A:669:GLU:HA	1:A:670:PRO:HD2	1.90	0.40
1:A:734:LEU:HD13	1:A:734:LEU:HA	1.95	0.40
1:A:795:LEU:HD23	1:A:795:LEU:HA	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	897/917 (98%)	841 (94%)	47 (5%)	9 (1%)	15 44

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	ASN
1	A	147	LYS
1	A	251	ASP
1	A	446	GLU
1	A	75	SER
1	A	243	ARG
1	A	605	PRO
1	A	651	VAL
1	A	448	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	774/788 (98%)	697 (90%)	77 (10%)	8 23

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	SER
1	A	70	SER
1	A	77	LYS
1	A	80	PHE
1	A	83	LEU
1	A	93	LEU
1	A	99	HIS
1	A	100	GLU
1	A	102	ASN
1	A	124	SER
1	A	141	ARG
1	A	142	LYS
1	A	143	ILE
1	A	146	LYS
1	A	155	SER
1	A	159	GLN
1	A	174	ARG
1	A	187	LYS
1	A	195	LYS
1	A	202	ASN
1	A	224	CYS
1	A	242	LEU
1	A	249	GLU
1	A	261	TRP
1	A	269	SER
1	A	281	ILE
1	A	300	MET
1	A	302	LEU
1	A	321	GLU
1	A	323	ARG
1	A	331	ARG
1	A	346	LYS
1	A	347	GLU
1	A	380	PHE
1	A	405	ARG
1	A	406	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	407	ARG
1	A	418	LYS
1	A	444	LEU
1	A	449	SER
1	A	468	ARG
1	A	492	ARG
1	A	510	LYS
1	A	518	ARG
1	A	539	ARG
1	A	549	LYS
1	A	550	LYS
1	A	551	ARG
1	A	553	VAL
1	A	565	GLU
1	A	568	GLN
1	A	606	CYS
1	A	644	ARG
1	A	662	MET
1	A	669	GLU
1	A	673	GLU
1	A	691	LYS
1	A	695	MET
1	A	709	TRP
1	A	740	ARG
1	A	767	LEU
1	A	769	ARG
1	A	779	ARG
1	A	785	LYS
1	A	797	LEU
1	A	801	ARG
1	A	810	ASN
1	A	813	CYS
1	A	843	ASP
1	A	848	ASN
1	A	853	ARG
1	A	883	SER
1	A	888	VAL
1	A	889	SER
1	A	899	LYS
1	A	910	ARG
1	A	912	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	ASN
1	A	102	ASN
1	A	103	GLN
1	A	104	ASN
1	A	160	GLN
1	A	202	ASN
1	A	244	HIS
1	A	466	GLN
1	A	810	ASN
1	A	848	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	919	-	4,4,4	1.81	2 (50%)	6,6,6	0.48	0
2	BGC	A	918	-	12,12,12	0.46	0	17,17,17	0.59	0
3	PO4	A	920	-	4,4,4	1.45	0	6,6,6	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	A	918	-	-	0/2/22/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	919	PO4	P-O3	-2.11	1.48	1.54
3	A	919	PO4	P-O4	-2.07	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	919	PO4	1	0
2	A	918	BGC	1	0
3	A	920	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	899/917 (98%)	-0.35	7 (0%) 86 81	6, 27, 75, 100	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	448	GLY	4.2
1	A	102	ASN	3.5
1	A	99	HIS	3.0
1	A	101	LYS	2.8
1	A	104	ASN	2.5
1	A	451	LYS	2.4
1	A	447	SER	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PO4	A	920	5/5	0.90	0.36	79,83,85,94	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	K	A	922	1/1	0.93	0.12	46,46,46,46	0
2	BGC	A	918	12/12	0.96	0.20	26,37,46,55	0
4	K	A	921	1/1	0.97	0.12	40,40,40,40	0
3	PO4	A	919	5/5	0.99	0.17	26,30,35,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.