



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2024 – 10:41 AM EDT

PDB ID : 1MJJ
Title : HIGH RESOLUTION CRYSTAL STRUCTURE OF THE COMPLEX OF THE FAB FRAGMENT OF ESTEROLYTIC ANTIBODY MS6-12 AND A TRANSITION-STATE ANALOG
Authors : Ruzheinikov, S.N.; Muranova, T.A.; Sedelnikova, S.E.; Partridge, L.J.; Blackburn, G.M.; Murray, I.A.; Kakinuma, H.; Takashi, N.; Shimazaki, K.; Sun, J.; Nishi, Y.; Rice, D.W.
Deposited on : 2002-08-28
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	
1	L	219	
2	B	227	

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.36.2

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	227	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a green segment on the left labeled '70%', a yellow segment in the middle labeled '21%', and a red segment on the right labeled '7%'. A small red square is positioned at the start of the bar, and a small black dot is at the end of the red segment.</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7570 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called IMMUNOGLOBULIN MS6-12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	218	Total 1693	C 1060	N 288	O 338	S 7	0	0	0
1	L	216	Total 1676	C 1051	N 285	O 333	S 7	0	0	0

- Molecule 2 is a protein called IMMUNOGLOBULIN MS6-12.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	211	Total 1609	C 1030	N 260	O 313	S 6	0	0	0
2	H	210	Total 1598	C 1024	N 256	O 312	S 6	0	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is N-{{2-({[1-(4-CARBOXYBUTANOYL)AMINO]-2-PHENYLETHYL}-HYDR OXYPHOSPHINYL)OXY}ACETYL}-2-PHENYLETHYLAMINE (three-letter code: HAL) (formula: C₂₃H₂₉N₂O₇P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 33 23 2 7 1	0	0
4	H	1	Total C N O P 33 23 2 7 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	278	Total O 278 278	0	0
5	B	291	Total O 291 291	0	0
5	L	135	Total O 135 135	0	0
5	H	209	Total O 209 209	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: IMMUNOGLOBULIN MS6-12




- Molecule 1: IMMUNOGLOBULIN MS6-12



- Molecule 2: IMMUNOGLOBULIN MS6-12



- Molecule 2: IMMUNOGLOBULIN MS6-12



SER	GLY	S136	S137	Y147	P151	L154	M162	S165	L166	F174	P175	Q179	L187	S190	V191	T192	V193	W199	P200	L205	L206	H212	S215	S216	T217	P227	ARG	GLY	PRO	THR	ILE	LYS	PRO	CYS	PRO	PRO	CYS	LYS
-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.28Å 93.84Å 142.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.10 10.01 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-2.10) 78.3 (10.01-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 2.01Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.178 , 0.256 0.171 , 0.247	Depositor DCC
R_{free} test set	2707 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	18.9	Xtrriage
Anisotropy	0.542	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 75.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7570	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.32 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.2413e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PCA, HAL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/1733	0.77	1/2355 (0.0%)
1	L	0.45	0/1716	0.73	0/2332
2	B	0.51	0/1648	0.78	0/2259
2	H	0.47	0/1637	0.77	1/2245 (0.0%)
All	All	0.48	0/6734	0.76	2/9191 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	LEU	CA-CB-CG	5.26	127.39	115.30
2	H	1	PCA	O-C-N	-5.13	114.49	122.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1693	0	1633	29	0
1	L	1676	0	1621	43	0
2	B	1609	0	1571	40	0
2	H	1598	0	1558	40	0
3	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	10	0	0	0	0
4	A	33	0	27	0	0
4	H	33	0	27	2	0
5	A	278	0	0	9	0
5	B	291	0	0	8	0
5	H	209	0	0	2	0
5	L	135	0	0	4	0
All	All	7570	0	6437	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:38:GLN:HE22	2:H:39:GLN:HE22	1.24	0.85
1:A:11:VAL:HG11	5:A:2176:HOH:O	1.77	0.84
1:A:38:GLN:HE22	2:B:39:GLN:HE22	1.27	0.80
1:L:7:ALA:HA	5:L:340:HOH:O	1.82	0.79
2:H:12:VAL:HG21	2:H:82(C):LEU:HD13	1.64	0.79
1:A:40:PRO:HB2	5:A:2056:HOH:O	1.85	0.76
1:A:136:LEU:HD21	1:A:146:VAL:HG22	1.69	0.75
1:L:3:VAL:H	1:L:26:SER:HB2	1.49	0.75
1:L:182:THR:OG1	1:L:185:GLU:HG3	1.86	0.75
2:B:12:VAL:HG21	2:B:82(C):LEU:HD22	1.67	0.74
1:A:197:THR:HG22	1:A:204:PRO:HB3	1.69	0.74
1:A:13:VAL:CG2	1:A:17:GLU:HB2	2.18	0.72
1:L:28:ASN:C	1:L:28:ASN:HD22	1.94	0.71
2:H:94:ASN:C	2:H:94:ASN:HD22	1.92	0.70
2:H:162:ASN:ND2	2:H:206:THR:H	1.88	0.70
2:B:23:LYS:HE3	5:B:2193:HOH:O	1.92	0.69
2:B:162:ASN:ND2	2:B:206:THR:H	1.90	0.69
1:L:136:LEU:HD21	1:L:146:VAL:HG22	1.75	0.69
2:B:94:ASN:C	2:B:94:ASN:HD22	1.96	0.68
1:L:72:THR:HG22	1:L:74:ARG:HG3	1.75	0.68
2:B:165:SER:OG	2:H:1:PCA:HG3	1.94	0.66
2:B:1:PCA:OE	5:B:2054:HOH:O	2.14	0.65
2:H:94:ASN:HD21	2:H:102:TYR:HB2	1.63	0.64
1:L:28:ASN:ND2	1:L:30:ASN:H	1.95	0.64
1:A:83:VAL:HG12	1:A:106:LEU:HD23	1.80	0.64
1:A:193:THR:HG23	1:A:208:SER:HB3	1.79	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:105:GLN:HG2	5:B:2188:HOH:O	1.98	0.63
2:H:105:GLN:HG2	5:H:1102:HOH:O	1.97	0.63
2:H:62:LYS:N	2:H:62:LYS:HE2	2.14	0.63
2:B:12:VAL:HG21	2:B:82(C):LEU:CD2	2.31	0.61
2:B:222:LYS:HE2	2:B:226:GLU:OE2	2.00	0.61
1:A:6:GLN:HE21	1:A:99:GLY:HA3	1.65	0.61
2:B:136:SER:HB2	5:B:2282:HOH:O	2.00	0.60
2:H:12:VAL:HG21	2:H:82(C):LEU:CD1	2.32	0.60
2:H:119:PRO:HB3	2:H:147:TYR:HB3	1.84	0.59
1:L:160:LEU:HG	2:H:179:GLN:OE1	2.03	0.59
1:L:183:LYS:O	1:L:187:GLU:HG2	2.03	0.58
1:L:59:PRO:HG2	1:L:62:PHE:HD1	1.69	0.58
2:B:105:GLN:HG3	5:B:2029:HOH:O	2.02	0.58
2:H:29:PHE:CD2	2:H:76:SER:HA	2.39	0.58
2:H:115:LYS:HG2	5:H:1105:HOH:O	2.02	0.58
1:A:197:THR:HG23	5:A:2133:HOH:O	2.02	0.58
1:L:7:ALA:O	1:L:9:PRO:HD3	2.04	0.57
2:B:194:THR:O	2:B:198:THR:HB	2.04	0.57
2:B:61:GLU:HA	2:B:64:LYS:HD2	1.87	0.57
1:L:27:LYS:HG2	1:L:27(A):SER:N	2.19	0.57
2:H:50:ASN:OD1	2:H:58:HIS:HB2	2.04	0.56
2:H:64:LYS:HB2	2:H:64:LYS:NZ	2.21	0.56
2:H:95:LYS:HE3	4:H:1002:HAL:O4	2.05	0.56
1:L:17:GLU:O	1:L:78:VAL:HG23	2.06	0.55
2:B:38:LYS:HB2	2:B:48:ILE:HD11	1.88	0.55
2:H:30:THR:HA	2:H:52(A):PRO:HB2	1.88	0.55
2:B:3:GLN:NE2	5:B:2186:HOH:O	2.38	0.55
2:H:47:TRP:CZ2	2:H:49:GLY:HA2	2.42	0.54
2:B:187:LEU:HD23	2:B:188:SER:N	2.22	0.54
2:B:152:VAL:CG2	2:B:187:LEU:HD13	2.37	0.54
1:L:136:LEU:CD2	1:L:146:VAL:HG22	2.38	0.54
1:L:6:GLN:NE2	1:L:101:GLY:H	2.05	0.54
1:L:59:PRO:HG2	1:L:62:PHE:CD1	2.43	0.54
2:H:162:ASN:HD21	2:H:206:THR:H	1.56	0.53
1:L:6:GLN:HE21	1:L:99:GLY:HA3	1.74	0.53
2:H:162:ASN:HD21	2:H:205:ILE:HA	1.74	0.53
2:B:64:LYS:HE2	5:B:2081:HOH:O	2.09	0.52
1:A:9:PRO:HD2	5:A:2016:HOH:O	2.08	0.52
2:B:61:GLU:HA	2:B:64:LYS:CD	2.39	0.52
2:B:162:ASN:HD21	2:B:205:ILE:HA	1.75	0.52
1:A:93:GLU:HG2	5:A:2202:HOH:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:61:GLU:CD	2:B:64:LYS:HD2	2.29	0.52
1:L:33:LEU:C	1:L:33:LEU:HD13	2.30	0.52
1:L:155:ARG:NH1	5:L:421:HOH:O	2.42	0.52
1:A:124:GLN:O	1:A:127:SER:HB3	2.09	0.52
1:L:28:ASN:HD22	1:L:30:ASN:H	1.57	0.51
1:L:72:THR:CG2	1:L:74:ARG:HG3	2.40	0.51
1:L:205:ILE:HD13	5:L:438:HOH:O	2.11	0.51
1:A:42:GLN:NE2	1:A:45:GLN:NE2	2.59	0.50
1:A:136:LEU:HD23	1:A:144:ILE:HD13	1.93	0.50
1:L:3:VAL:N	1:L:26:SER:HB2	2.24	0.50
2:H:61:GLU:HB2	2:H:62:LYS:HE2	1.93	0.50
2:B:94:ASN:HD21	2:B:102:TYR:HB2	1.77	0.49
2:H:212:HIS:HB3	2:H:217:THR:OG1	2.12	0.49
2:H:137:SER:HB2	2:H:193:VAL:O	2.12	0.49
2:H:8:GLY:HA2	2:H:105:GLN:HE22	1.78	0.48
2:B:29:PHE:CD2	2:B:76:SER:HA	2.48	0.48
2:B:162:ASN:HD21	2:B:206:THR:H	1.59	0.48
2:H:166:LEU:HD13	2:H:191:VAL:HG21	1.96	0.48
2:H:43:GLN:HA	2:H:43:GLN:NE2	2.28	0.48
1:L:78:VAL:HG12	1:L:106:LEU:HD11	1.95	0.48
2:H:54:SER:O	2:H:55:SER:HB2	2.14	0.47
2:B:94:ASN:O	2:B:101:PRO:HA	2.13	0.47
1:A:38:GLN:NE2	2:B:39:GLN:HE22	2.05	0.47
2:B:61:GLU:OE2	2:B:64:LYS:HD2	2.15	0.47
1:A:60:ASP:HB3	5:A:2248:HOH:O	2.15	0.47
2:H:34:ILE:HD13	2:H:94:ASN:HB3	1.96	0.47
2:H:94:ASN:C	2:H:94:ASN:ND2	2.66	0.47
1:A:13:VAL:HG23	1:A:17:GLU:HB2	1.93	0.47
2:B:187:LEU:HD23	2:B:187:LEU:C	2.36	0.46
1:L:200:THR:O	1:L:201:SER:HB2	2.14	0.46
1:L:61:ARG:NH1	1:L:82:ASP:OD2	2.38	0.46
1:A:80:ALA:O	1:A:83:VAL:HG22	2.14	0.46
1:A:117:ILE:HG13	1:A:134:CYS:SG	2.55	0.46
1:L:124:GLN:HG2	1:L:129:GLY:O	2.15	0.46
1:A:27:LYS:HE2	5:A:2039:HOH:O	2.16	0.46
2:B:30:THR:HA	2:B:52(A):PRO:HB2	1.98	0.46
2:B:215:SER:O	2:B:217:THR:HG23	2.15	0.46
2:H:12:VAL:HG11	2:H:18:VAL:HB	1.98	0.46
2:B:219:VAL:CG2	2:B:220:ASP:N	2.79	0.46
2:H:95:LYS:HE3	4:H:1002:HAL:P	2.55	0.45
2:H:199:TRP:CG	2:H:200:PRO:HA	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:54:LEU:HD11	1:L:58:VAL:CG1	2.46	0.45
1:L:50:ARG:HG2	1:L:50:ARG:O	2.15	0.45
1:L:28:ASN:C	1:L:28:ASN:ND2	2.66	0.45
1:A:135:PHE:CE2	2:B:190:SER:HB3	2.52	0.44
2:H:154:LEU:C	2:H:154:LEU:HD23	2.38	0.44
2:B:179:GLN:NE2	5:B:2021:HOH:O	2.34	0.44
1:A:50:ARG:HG2	5:A:2040:HOH:O	2.18	0.44
2:B:82(C):LEU:HD12	2:B:82(C):LEU:N	2.32	0.44
2:B:94:ASN:C	2:B:94:ASN:ND2	2.67	0.44
1:L:28:ASN:HD22	1:L:29:GLY:N	2.16	0.43
1:L:118:PHE:HA	1:L:119:PRO:HD3	1.83	0.43
1:L:27(B):LEU:O	1:L:31:THR:HA	2.18	0.43
2:H:215:SER:OG	2:H:217:THR:HG23	2.18	0.43
1:L:83:VAL:HG23	1:L:104:LEU:O	2.19	0.43
2:H:94:ASN:ND2	2:H:102:TYR:HB2	2.30	0.42
1:A:27(A):SER:HA	1:A:69:THR:HG22	2.01	0.42
2:B:174:PHE:HA	2:B:175:PRO:HD3	1.93	0.42
1:A:42:GLN:HE21	1:A:45:GLN:NE2	2.17	0.42
2:H:60:ASN:OD1	2:H:62:LYS:HG2	2.19	0.42
1:A:136:LEU:HD21	1:A:146:VAL:CG2	2.45	0.42
1:A:185:GLU:HG3	5:A:2147:HOH:O	2.20	0.42
1:L:6:GLN:HE21	1:L:99:GLY:CA	2.33	0.42
2:B:1:PCA:HG3	2:H:165:SER:OG	2.20	0.42
1:L:3:VAL:H	1:L:26:SER:CB	2.27	0.42
1:L:51:MET:O	1:L:51:MET:HG2	2.19	0.42
1:L:141:PRO:O	1:L:198:HIS:HE1	2.02	0.42
1:A:13:VAL:HG22	1:A:17:GLU:HB2	2.00	0.42
1:L:6:GLN:HE22	1:L:87:TYR:HA	1.85	0.41
1:L:135:PHE:CE2	2:H:190:SER:HB3	2.55	0.41
2:B:99:PHE:HA	2:B:101:PRO:HD3	1.69	0.41
1:L:181:LEU:HD23	5:L:421:HOH:O	2.19	0.41
2:B:219:VAL:HG22	2:B:220:ASP:N	2.35	0.41
1:L:18:SER:OG	1:L:76:SER:HA	2.20	0.41
2:H:174:PHE:HA	2:H:175:PRO:HD3	1.89	0.40
1:A:19:VAL:HG22	1:A:20:SER:N	2.37	0.40
2:H:52(A):PRO:HA	2:H:71:VAL:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/219 (99%)	210 (97%)	6 (3%)	0	100	100
1	L	214/219 (98%)	203 (95%)	9 (4%)	2 (1%)	17	12
2	B	207/227 (91%)	201 (97%)	6 (3%)	0	100	100
2	H	206/227 (91%)	197 (96%)	9 (4%)	0	100	100
All	All	843/892 (94%)	811 (96%)	30 (4%)	2 (0%)	47	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	201	SER
1	L	7	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/194 (100%)	188 (97%)	5 (3%)	46	50
1	L	191/194 (98%)	185 (97%)	6 (3%)	40	43
2	B	182/195 (93%)	176 (97%)	6 (3%)	38	40
2	H	181/195 (93%)	173 (96%)	8 (4%)	28	28
All	All	747/778 (96%)	722 (97%)	25 (3%)	38	40

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	ASP
1	A	160	LEU
1	A	185	GLU
1	A	206	VAL
1	A	208	SER
2	B	94	ASN
2	B	96	LEU
2	B	105	GLN
2	B	116	THR
2	B	151	PRO
2	B	166	LEU
1	L	22	SER
1	L	27(C)	LEU
1	L	27(E)	SER
1	L	28	ASN
1	L	91	HIS
1	L	160	LEU
2	H	28	THR
2	H	64	LYS
2	H	94	ASN
2	H	96	LEU
2	H	105	GLN
2	H	151	PRO
2	H	166	LEU
2	H	187	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	42	GLN
1	A	45	GLN
2	B	39	GLN
2	B	81	GLN
2	B	94	ASN
2	B	105	GLN
2	B	162	ASN
2	B	203	GLN
1	L	6	GLN
1	L	28	ASN
1	L	30	ASN
1	L	45	GLN
1	L	198	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	3	GLN
2	H	39	GLN
2	H	43	GLN
2	H	94	ASN
2	H	105	GLN
2	H	162	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PCA	B	1	2	7,8,9	1.41	1 (14%)	9,10,12	1.83	3 (33%)
2	PCA	H	1	2	7,8,9	1.40	1 (14%)	9,10,12	1.86	3 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCA	B	1	2	-	0/0/11/13	0/1/1/1
2	PCA	H	1	2	-	0/0/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	1	PCA	CB-CG	3.19	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	PCA	CB-CG	3.19	1.60	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1	PCA	O-C-CA	-2.95	117.05	124.78
2	B	1	PCA	O-C-CA	-2.87	117.27	124.78
2	B	1	PCA	CG-CD-N	2.80	115.64	108.39
2	H	1	PCA	CG-CD-N	2.79	115.62	108.39
2	H	1	PCA	OE-CD-CG	-2.56	122.30	126.76
2	B	1	PCA	OE-CD-CG	-2.54	122.33	126.76

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	PCA	2	0
2	H	1	PCA	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	2001	-	4,4,4	0.22	0	6,6,6	0.14	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HAL	H	1002	-	34,34,34	7.29	2 (5%)	39,44,44	1.38	4 (10%)
3	SO4	B	2002	-	4,4,4	0.28	0	6,6,6	0.18	0
3	SO4	B	2003	-	4,4,4	0.25	0	6,6,6	0.11	0
4	HAL	A	1001	-	34,34,34	6.81	3 (8%)	39,44,44	1.38	4 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HAL	A	1001	-	-	2/32/32/32	0/2/2/2
4	HAL	H	1002	-	-	1/32/32/32	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	1002	HAL	P-C5	-42.09	1.46	1.84
4	A	1001	HAL	P-C5	-39.26	1.49	1.84
4	H	1002	HAL	P-O4	-3.79	1.47	1.56
4	A	1001	HAL	P-O4	-3.33	1.48	1.56
4	A	1001	HAL	P-O2	2.03	1.60	1.57

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1002	HAL	O3-P-C5	-5.55	106.52	114.20
4	A	1001	HAL	O3-P-C5	-5.18	107.03	114.20
4	A	1001	HAL	C6-C5-N2	-4.17	106.47	111.39
4	H	1002	HAL	C6-C5-N2	-3.38	107.41	111.39
4	H	1002	HAL	O4-P-O3	3.19	119.36	111.58
4	A	1001	HAL	O4-P-O3	2.99	118.86	111.58
4	A	1001	HAL	O2-P-O3	-2.84	108.46	114.99
4	H	1002	HAL	O2-P-O3	-2.72	108.75	114.99

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1001	HAL	C4-O2-P-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	H	1002	HAL	C4-O2-P-O3
4	A	1001	HAL	N1-C3-C4-O2


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	1002	HAL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	218/219 (99%)	-0.59	0 100 100	10, 20, 36, 50	0
1	L	216/219 (98%)	-0.08	6 (2%) 53 59	15, 29, 55, 67	0
2	B	210/227 (92%)	-0.61	1 (0%) 91 92	9, 18, 32, 45	0
2	H	209/227 (92%)	-0.47	2 (0%) 82 85	11, 21, 38, 55	0
All	All	853/892 (95%)	-0.43	9 (1%) 80 84	9, 21, 44, 67	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	41	PRO	3.5
1	L	202	THR	2.4
1	L	60	ASP	2.4
2	H	42	GLY	2.3
2	B	41	PRO	2.3
1	L	77	ARG	2.2
1	L	74	ARG	2.1
1	L	76	SER	2.0
1	L	127	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PCA	H	1	8/9	0.82	0.21	19,20,23,27	0
2	PCA	B	1	8/9	0.88	0.17	24,27,29,32	0

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	B	2002	5/5	0.89	0.23	66,66,71,81	0
3	SO4	A	2001	5/5	0.95	0.17	51,52,64,66	0
4	HAL	H	1002	33/33	0.96	0.10	10,20,30,32	0
4	HAL	A	1001	33/33	0.97	0.07	3,16,29,34	0
3	SO4	B	2003	5/5	0.98	0.25	47,56,60,65	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.