

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 13, 2024 – 01:24 PM EDT

PDB ID	:	1NB8
Title	:	Structure of the catalytic domain of USP7 (HAUSP)
Authors	:	Hu, M.; Li, P.; Li, M.; Li, W.; Yao, T.; Wu, JW.; Gu, W.; Cohen, R.E.; Shi,
		Υ.
Deposited on	:	2002-12-02
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$		
Clashscore	141614	5643 (2.30-2.30)		
Ramachandran outliers	138981	5575(2.30-2.30)		
Sidechain outliers	138945	5575(2.30-2.30)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain						
1	А	353	47%	40%	7% • 6%				
1	В	353	65%	25%	• 6%				



## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 5714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	А	332	Total 2696	C 1709	N 461	O 510	S 7	Se 9	0	0	0
1	В	333	Total 2707	C 1715	N 465	O 511	${f S} 7$	Se 9	0	0	0

• Molecule 1 is a protein called Ubiquitin carboxyl-terminal hydrolase 7.

Chain	Residue Modelled Act		Actual	Comment	Reference
А	225	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	244	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	245	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	292	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	311	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	328	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	407	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	410	MSE	MET	MODIFIED RESIDUE	UNP Q93009
А	515	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	225	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	244	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	245	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	292	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	311	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	328	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	407	MSE	MET	MODIFIED RESIDUE	UNP Q93009
B	410	MSE	MET	MODIFIED RESIDUE	UNP Q93009
В	515	MSE	MET	MODIFIED RESIDUE	UNP Q93009

There are 18 discrepancies between the modelled and reference sequences:

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	139	Total O 139 139	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	В	172	Total O 172 172	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Chain A: 47% 40% 7% • 6% TYR ASP PRO PRO PRO THR THR THR ASP ASP ASP ASP EEU SER VAL ARG ARG LYS GLU GLU GLU GLU • Molecule 1: Ubiquitin carboxyl-terminal hydrolase 7 Chain B: 65% 25% 6%

Note EDS was not executed.

• Molecule 1: Ubiquitin carboxyl-terminal hydrolase 7



## 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 1 21 1	Depositor	
Cell constants	75.65Å 68.51Å 76.26Å	Depositor	
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $95.36^{\circ}$ $90.00^{\circ}$	Depositor	
Resolution (Å)	20.00 - 2.30	Depositor	
% Data completeness	(Not available) (20.00-2.30)	Depositor	
(in resolution range)	(1101 available) (20.00 2.00)		
$R_{merge}$	(Not available)	Depositor	
$R_{sym}$	(Not available)	Depositor	
Refinement program	CNS	Depositor	
$R, R_{free}$	0.222 , $0.279$	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	5714	wwPDB-VP	
Average B, all atoms $(Å^2)$	47.0	wwPDB-VP	



# 5 Model quality (i)

### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.42	0/2743	0.71	4/3679~(0.1%)	
1	В	0.45	1/2754~(0.0%)	0.72	0/3693	
All	All	0.43	1/5497~(0.0%)	0.71	4/7372~(0.1%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	223	CYS	CB-SG	5.04	1.90	1.82

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	А	210	HIS	N-CA-C	6.28	127.96	111.00
1	А	510	CYS	N-CA-C	6.07	127.39	111.00
1	А	235	THR	N-CA-C	-5.60	95.88	111.00
1	А	463	GLY	N-CA-C	5.15	125.97	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2696	0	2649	136	0
1	В	2707	0	2662	81	0
2	А	139	0	0	14	0



All

All

5714

Symm-Clashes

0

0

0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

217

5311

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:244:MSE:HG2	2:B:563:HOH:O	1.62	0.99
1:A:419:ILE:HG22	1:A:420:LYS:H	1.32	0.95
1:B:314:THR:HG22	1:B:316:VAL:H	1.32	0.94
1:B:410:MSE:HE2	1:B:421:ILE:HD11	1.49	0.93
1:A:359:ASN:ND2	1:A:361:PHE:HB3	1.86	0.91
1:A:408:ARG:NH2	1:A:512:ASN:HB2	1.89	0.88
1:B:419:ILE:HA	1:B:460:ASN:HD21	1.41	0.86
1:A:509:HIS:HB3	2:A:671:HOH:O	1.77	0.84
1:A:407:MSE:HG3	2:A:564:HOH:O	1.77	0.83
1:B:314:THR:CG2	1:B:316:VAL:H	1.93	0.82
1:B:240:LYS:HG2	1:B:244:MSE:HE2	1.63	0.80
1:A:408:ARG:HH22	1:A:512:ASN:HB2	1.46	0.79
1:A:545:GLN:HG2	2:A:696:HOH:O	1.87	0.75
1:B:407:MSE:HG3	2:B:562:HOH:O	1.87	0.75
1:A:442:PRO:O	1:A:443:LYS:HB2	1.86	0.74
1:A:354:ILE:HD12	1:A:406:LEU:HB3	1.71	0.71
1:A:526:GLU:O	1:A:529:GLN:HG3	1.90	0.71
1:A:547:GLU:O	1:A:551:GLU:HG3	1.89	0.71
1:A:387:GLN:HB3	2:A:580:HOH:O	1.90	0.70
1:B:410:MSE:HE2	1:B:421:ILE:CD1	2.22	0.69
1:A:331:TYR:HD2	1:A:340:ARG:HH21	1.41	0.69
1:A:320:ILE:HB	1:A:321:PRO:HD3	1.75	0.69
1:A:279:LEU:O	1:A:282:SER:HB3	1.92	0.68
1:A:227:SER:HB3	1:A:454:LEU:HD13	1.73	0.68
1:A:210:HIS:CG	1:A:211:THR:H	2.11	0.68
1:A:298:GLU:O	1:A:302:VAL:HG23	1.94	0.68
1:B:227:SER:HB3	1:B:454:LEU:HD13	1.74	0.67
1:A:256:VAL:HG22	1:A:282:SER:OG	1.94	0.67
1:A:405:GLN:OE1	1:A:515:MSE:HE3	1.95	0.67
1:B:459:ASP:O	1:B:460:ASN:HB2	1.92	0.67
1:A:334:CYS:HA	1:A:389:ALA:HB2	1.77	0.67
1:A:279:LEU:HD22	1:A:283:PHE:HE1	1.59	0.67



Continued from previous page...MolChainNon-HH(model)H(added)Clashes2B1720013

Interatomic Clash				
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:A:307:VAL:O	1:A:311:MSE:HG3	1.95	0.66	
1:A:277:LYS:O	1:A:281:LYS:HG3	1.96	0.66	
1:A:335:LYS:HD2	1:A:388:GLU:HB3	1.77	0.66	
1:B:470:ASN:ND2	1:B:473:GLY:HA2	2.12	0.64	
1:A:301:ARG:HG2	2:A:577:HOH:O	1.97	0.64	
1:A:419:ILE:HG22	1:A:420:LYS:N	2.10	0.64	
1:B:554:LYS:O	1:B:555:ARG:HB2	1.99	0.63	
1:A:448:TYR:HB3	1:A:518:TYR:HB3	1.81	0.63	
1:A:210:HIS:CD2	1:A:211:THR:H	2.17	0.63	
1:A:308:GLU:HB2	1:A:320:ILE:HG13	1.81	0.63	
1:B:211:THR:HG23	2:B:661:HOH:O	1.99	0.63	
1:A:532:THR:HG21	1:A:534:HIS:CD2	2.34	0.62	
1:B:448:TYR:HB3	1:B:518:TYR:HB3	1.80	0.62	
1:A:256:VAL:HB	1:A:257:PRO:HD3	1.81	0.62	
1:A:295:ASP:OD2	1:A:298:GLU:HG3	1.99	0.62	
1:A:454:LEU:HD22	1:A:467:VAL:HG23	1.82	0.62	
1:B:391:LYS:HE3	2:B:654:HOH:O	2.00	0.61	
1:B:279:LEU:HD22	1:B:283:PHE:HE1	1.65	0.60	
1:B:311:MSE:O	1:B:314:THR:HB	2.00	0.60	
1:B:209:LYS:HA	2:B:661:HOH:O	2.02	0.60	
1:A:359:ASN:HD22	1:A:361:PHE:HB3	1.66	0.60	
1:B:314:THR:HG22	1:B:316:VAL:N	2.11	0.60	
1:B:410:MSE:CE	1:B:421:ILE:HD11	2.28	0.60	
1:B:420:LYS:H	1:B:460:ASN:ND2	1.99	0.60	
1:A:538:GLN:O	1:A:542:GLU:HG3	2.02	0.60	
1:A:301:ARG:O	1:A:305:ASP:HB2	2.02	0.59	
1:A:242:VAL:HG13	1:A:245:MSE:HE2	1.84	0.59	
1:B:320:ILE:HB	1:B:321:PRO:HD3	1.83	0.59	
1:B:311:MSE:SE	1:B:316:VAL:HG12	2.53	0.59	
1:A:350:ILE:HB	1:A:404:LEU:HD23	1.85	0.59	
1:A:359:ASN:HD21	1:A:361:PHE:HB3	1.68	0.58	
1:A:210:HIS:CG	1:A:211:THR:N	2.71	0.58	
1:A:551:GLU:O	1:A:554:LYS:HD3	2.04	0.58	
1:A:354:ILE:HG12	1:A:425:PHE:CD2	2.38	0.58	
1:B:331:TYR:HE1	1:B:394:LYS:HD2	1.68	0.58	
1:B:298:GLU:O	1:B:302:VAL:HG23	2.03	0.58	
1:B:419:ILE:CA	1:B:460:ASN:HD21	2.15	0.58	
1:A:532:THR:HG22	1:A:533:ASP:N	2.19	0.58	
1:A:252:SER:HA	1:A:258:LEU:HD12	1.84	0.57	
1:A:225:MSE:HE1	1:A:276:THR:OG1	2.05	0.57	
1:B:381:ALA:HB3	1:B:384:HIS:HB2	1.87	0.57	



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:323:LEU:O	1:A:400:PRO:HD2	2.05	0.56
1:A:333:GLN:O	1:A:389:ALA:HB1	2.04	0.56
1:B:331:TYR:HB2	2:B:676:HOH:O	2.05	0.56
1:B:325:ARG:HD2	1:B:325:ARG:C	2.26	0.56
1:A:489:THR:OG1	1:A:492:GLU:HG3	2.05	0.56
1:B:279:LEU:HD22	1:B:283:PHE:CE1	2.41	0.56
1:B:295:ASP:OD2	1:B:298:GLU:HG3	2.06	0.56
1:A:359:ASN:HD22	1:A:361:PHE:H	1.53	0.55
1:A:378:LYS:HE2	1:A:388:GLU:HG3	1.88	0.55
1:B:227:SER:HB3	1:B:454:LEU:CD1	2.36	0.55
1:A:374:ASP:O	1:A:377:ASN:N	2.37	0.54
1:A:209:LYS:HD3	2:A:576:HOH:O	2.07	0.54
1:A:290:SER:O	1:A:294:HIS:HD2	1.91	0.54
1:B:500:GLY:O	1:B:509:HIS:N	2.40	0.54
1:A:248:GLU:HB3	1:A:539:GLN:NE2	2.22	0.54
1:B:457:SER:O	1:B:463:GLY:HA3	2.08	0.54
1:B:256:VAL:N	1:B:257:PRO:CD	2.71	0.54
1:A:325:ARG:HD2	2:A:572:HOH:O	2.07	0.53
1:A:217:LYS:CG	1:A:273:PRO:HB2	2.39	0.53
1:B:308:GLU:HB2	1:B:320:ILE:HG13	1.91	0.53
1:B:318:GLY:O	1:B:321:PRO:HD2	2.08	0.53
1:A:256:VAL:HB	1:A:306:ASN:HD22	1.74	0.53
1:A:360:ILE:HD11	1:A:516:LEU:CD1	2.38	0.53
1:B:338:ASP:O	1:B:339:TYR:HB2	2.09	0.53
1:A:216:LEU:HD23	1:A:274:VAL:HB	1.91	0.52
1:A:361:PHE:HE2	1:A:435:GLU:OE1	1.92	0.52
1:A:466:VAL:HG12	1:A:467:VAL:N	2.24	0.52
1:B:420:LYS:N	1:B:460:ASN:ND2	2.57	0.52
1:A:256:VAL:HA	1:A:282:SER:OG	2.09	0.52
1:A:354:ILE:CD1	1:A:406:LEU:HB3	2.39	0.52
1:B:393:VAL:HG12	1:B:394:LYS:N	2.25	0.51
1:A:311:MSE:O	1:A:317:GLU:HB2	2.10	0.51
1:A:357:LYS:HZ1	1:A:366:ASP:CG	2.14	0.51
1:B:554:LYS:O	1:B:555:ARG:CB	2.58	0.51
1:A:256:VAL:HB	1:A:306:ASN:ND2	2.26	0.51
1:B:551:GLU:O	1:B:554:LYS:HB2	2.11	0.51
1:A:422:ASN:HB3	2:A:684:HOH:O	2.11	0.51
1:A:217:LYS:CE	1:A:273:PRO:HB2	2.41	0.50
1:A:403:HIS:HE1	2:A:567:HOH:O	1.93	0.50
1:A:257:PRO:HD3	1:A:306:ASN:HD22	1.77	0.50
1:A:259:ALA:O	1:A:263:VAL:HG23	2.12	0.50



	lo us page	Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	distance (Å)		
1:A:466:VAL:CG1	1:A:467:VAL:N	2.74	0.50	
1:B:351:GLN:HB3	1:B:407:MSE:HE2	1.94	0.50	
1:B:474:ASP:OD2	1:B:476:LYS:HB2	2.11	0.50	
1:A:331:TYR:HE1	1:A:392:GLY:CA	2.25	0.50	
1:A:332:ILE:O	1:A:340:ARG:HA	2.12	0.50	
1:A:419:ILE:HA	2:A:675:HOH:O	2.12	0.50	
1:A:217:LYS:HE3	1:A:273:PRO:HB2	1.94	0.49	
1:A:455:VAL:HG13	1:A:512:ASN:O	2.12	0.49	
1:B:469:LEU:C	1:B:471:PRO:HD3	2.33	0.49	
1:A:217:LYS:HE3	1:A:273:PRO:O	2.12	0.49	
1:B:420:LYS:HE2	1:B:512:ASN:HD21	1.77	0.49	
1:A:273:PRO:HD3	2:A:589:HOH:O	2.12	0.49	
1:A:228:LEU:O	1:A:232:LEU:HG	2.13	0.49	
1:A:459:ASP:HB2	2:A:653:HOH:O	2.13	0.49	
1:B:500:GLY:N	1:B:509:HIS:N	2.61	0.49	
1:A:360:ILE:HD11	1:A:516:LEU:HD12	1.94	0.49	
1:A:364:PHE:O	1:A:368:VAL:HG22	2.13	0.49	
1:A:532:THR:HG22	1:A:533:ASP:H	1.76	0.49	
1:B:241:ALA:HB1	1:B:316:VAL:HG11	1.95	0.49	
1:B:331:TYR:CE1	1:B:394:LYS:HD2	2.48	0.48	
1:A:241:ALA:HA	1:A:316:VAL:HG21	1.95	0.48	
1:A:419:ILE:CG2	1:A:420:LYS:H	2.13	0.48	
1:A:551:GLU:O	1:A:554:LYS:HB3	2.13	0.48	
1:A:405:GLN:HE21	1:A:405:GLN:HB2	1.43	0.48	
1:B:290:SER:O	1:B:294:HIS:HD2	1.95	0.48	
1:A:243:TYR:CD1	1:A:536:ILE:HG12	2.49	0.48	
1:A:211:THR:HG22	1:A:213:TYR:H	1.78	0.48	
1:A:410:MSE:O	1:A:419:ILE:HD12	2.13	0.48	
1:B:328:MSE:O	1:B:344:ARG:HG2	2.14	0.48	
1:A:461:HIS:HD2	2:B:657:HOH:O	1.97	0.47	
1:B:297:GLN:H	1:B:297:GLN:HE21	1.63	0.47	
1:B:424:ARG:NH2	1:B:426:GLU:OE2	2.46	0.47	
1:A:464:HIS:CE1	1:A:481:ASP:OD1	2.68	0.47	
1:B:457:SER:O	1:B:463:GLY:CA	2.62	0.47	
1:A:290:SER:O	1:A:294:HIS:CD2	2.67	0.47	
1:A:359:ASN:HD22	1:A:361:PHE:N	2.12	0.47	
1:B:209:LYS:O	1:B:209:LYS:HG3	2.13	0.47	
1:B:251:ASP:OD2	1:B:254:LYS:HB2	2.14	0.47	
1:A:337:VAL:HG11	1:A:384:HIS:ND1	2.30	0.46	
1:B:381:ALA:CB	1:B:384:HIS:HB2	2.45	0.46	
1:A:217:LYS:HG2	1:A:273:PRO:HB2	1.96	0.46	



	loue page	Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	distance (Å)		
1:B:247:THR:HG21	1:B:261:GLN:OE1	2.14	0.46	
1:B:301:ARG:HG2	2:B:619:HOH:O	2.16	0.46	
1:B:501:HIS:C	1:B:501:HIS:CD2	2.89	0.46	
1:A:325:ARG:HG2	1:A:326:GLY:N	2.31	0.45	
1:B:256:VAL:HB	1:B:257:PRO:HD3	1.98	0.45	
1:A:245:MSE:HA	1:A:246:PRO:HD3	1.80	0.45	
1:A:263:VAL:HG21	1:A:279:LEU:HD12	1.98	0.45	
1:A:287:THR:OG1	1:A:290:SER:HB3	2.16	0.45	
1:A:327:LYS:HD3	1:A:346:ASP:OD1	2.17	0.45	
1:A:221:ALA:C	1:A:223:CYS:N	2.68	0.45	
1:A:357:LYS:NZ	1:A:366:ASP:CG	2.70	0.45	
1:A:398:LEU:HD12	1:A:437:LEU:HD11	1.99	0.45	
1:B:325:ARG:HG3	1:B:325:ARG:HH11	1.81	0.45	
1:A:334:CYS:HA	1:A:389:ALA:CB	2.44	0.44	
1:B:225:MSE:HG3	1:B:299:LEU:HD11	1.99	0.44	
1:A:469:LEU:C	1:A:471:PRO:HD3	2.36	0.44	
1:B:455:VAL:HG12	1:B:456:HIS:N	2.33	0.44	
1:B:375:GLY:N	2:B:726:HOH:O	2.40	0.44	
1:A:470:ASN:CG	1:A:470:ASN:O	2.55	0.44	
1:B:328:MSE:HG2	1:B:393:VAL:CG1	2.48	0.44	
1:B:314:THR:HG23	1:B:315:CYS:N	2.33	0.43	
1:A:218:ASN:C	1:A:218:ASN:HD22	2.22	0.43	
1:B:316:VAL:HG12	1:B:316:VAL:O	2.17	0.43	
1:B:354:ILE:HG13	1:B:355:LYS:N	2.32	0.43	
1:A:256:VAL:N	1:A:257:PRO:CD	2.81	0.43	
1:A:257:PRO:O	1:A:261:GLN:HG3	2.18	0.43	
1:B:314:THR:CG2	1:B:315:CYS:N	2.82	0.43	
1:A:211:THR:HG21	1:A:485:VAL:HG12	2.01	0.43	
1:A:419:ILE:CA	1:A:460:ASN:HD22	2.31	0.43	
1:B:326:GLY:HA3	1:B:347:TYR:CZ	2.53	0.43	
1:A:361:PHE:O	1:A:365:VAL:HG23	2.19	0.43	
1:B:210:HIS:CE1	1:B:487:ARG:H	2.37	0.43	
1:A:524:LEU:HD22	1:A:528:LEU:HD12	2.00	0.42	
1:B:269:HIS:NE2	1:B:533:ASP:OD2	2.47	0.42	
1:A:214:VAL:HG22	1:A:215:GLY:N	2.33	0.42	
1:A:281:LYS:HG2	1:A:286:GLU:OE2	2.18	0.42	
1:A:430:GLN:HB3	2:A:615:HOH:O	2.19	0.42	
1:A:396:LEU:HD23	1:A:438:GLN:HG3	2.01	0.42	
1:B:230:GLN:HE21	1:B:230:GLN:HA	1.84	0.42	
1:A:364:PHE:HB3	1:A:436:PHE:CE2	2.55	0.42	
1:B:332:ILE:O	1:B:340:ARG:HA	2.19	0.42	



A 4 1	A +	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:308:GLU:HA	1:A:311:MSE:HE2	2.02	0.42
1:A:374:ASP:O	1:A:378:LYS:N	2.53	0.42
1:A:454:LEU:HD22	1:A:467:VAL:CG2	2.47	0.41
1:A:495:GLU:H	1:A:495:GLU:HG2	1.48	0.41
1:B:405:GLN:HE21	1:B:405:GLN:HB2	1.56	0.41
1:A:246:PRO:O	1:A:310:LYS:HE3	2.20	0.41
1:A:329:VAL:HG22	1:A:344:ARG:HG2	2.02	0.41
1:B:240:LYS:HD2	2:B:615:HOH:O	2.20	0.41
1:B:260:LEU:HD23	1:B:260:LEU:HA	1.88	0.41
1:A:222:THR:O	1:A:223:CYS:HB2	2.20	0.41
1:A:224:TYR:HB2	1:A:296:VAL:CG1	2.50	0.41
1:A:441:ASP:HB2	2:A:596:HOH:O	2.21	0.41
1:B:555:ARG:HD2	2:B:711:HOH:O	2.20	0.41
1:A:441:ASP:O	1:A:441:ASP:OD2	2.39	0.41
1:A:224:TYR:OH	1:A:294:HIS:HB2	2.21	0.40
1:B:355:LYS:HG3	2:B:671:HOH:O	2.20	0.40
1:B:209:LYS:HE3	2:B:717:HOH:O	2.20	0.40
1:A:371:GLU:O	1:A:390:GLU:HA	2.21	0.40
1:A:431:LEU:HA	1:A:432:PRO:HD3	1.82	0.40
1:A:532:THR:CG2	1:A:534:HIS:CD2	3.04	0.40
1:A:242:VAL:HG12	1:A:261:GLN:HG2	2.04	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	326/353~(92%)	293~(90%)	26~(8%)	7~(2%)	7 5
1	В	327/353~(93%)	304 (93%)	20~(6%)	3~(1%)	17 20
All	All	653/706~(92%)	597 (91%)	46 (7%)	10 (2%)	10 10



Mol	Chain	Res	Type
1	А	460	ASN
1	А	510	CYS
1	В	460	ASN
1	А	375	GLY
1	А	407	MSE
1	А	438	GLN
1	В	339	TYR
1	А	252	SER
1	А	211	THR
1	В	288	LEU

All (10) Ramachandran outliers are listed below:

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Pe	erce	enti	les
1	А	299/311~(96%)	270~(90%)	29 (10%)		8	9	
1	В	300/311~(96%)	271~(90%)	29 (10%)		8	9	
All	All	599/622~(96%)	541 (90%)	58 (10%)		8	9	

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	210	HIS
1	А	218	ASN
1	А	228	LEU
1	А	248	GLU
1	А	258	LEU
1	А	260	LEU
1	А	279	LEU
1	А	296	VAL
1	А	299	LEU
1	А	300	CYS
1	А	306	ASN
1	А	309	ASN
1	А	331	TYR



Mol	Chain	Res	Type
1	А	354	ILE
1	А	377	ASN
1	А	390	GLU
1	А	402	LEU
1	А	405	GLN
1	А	434	ASP
1	А	438	GLN
1	А	454	LEU
1	А	457	SER
1	А	459	ASP
1	А	461	HIS
1	А	469	LEU
1	А	495	GLU
1	A	496	HIS
1	А	524	LEU
1	A	540	LEU
1	В	211	THR
1	В	228	LEU
1	В	229	LEU
1	В	238	LEU
1	В	250	ASP
1	В	252	SER
1	В	257	PRO
1	В	258	LEU
1	В	260	LEU
1	В	279	LEU
1	В	280	THR
1	В	297	GLN
1	В	299	LEU
1	В	314	THR
1	В	330	SER
1	В	342	ASP
1	В	359	ASN
1	В	374	ASP
1	В	402	LEU
1	В	405	GLN
1	В	454	LEU
1	В	459	ASP
1	В	461	HIS
1	В	469	LEU
1	В	496	HIS
1	В	512	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	В	524	LEU
1	В	538	GLN
1	В	551	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	210	HIS
1	А	218	ASN
1	А	230	GLN
1	А	237	GLN
1	А	268	GLN
1	А	269	HIS
1	А	294	HIS
1	А	306	ASN
1	А	333	GLN
1	А	359	ASN
1	А	403	HIS
1	А	405	GLN
1	А	451	HIS
1	А	534	HIS
1	А	539	GLN
1	А	545	GLN
1	В	210	HIS
1	В	230	GLN
1	В	237	GLN
1	В	268	GLN
1	В	294	HIS
1	В	297	GLN
1	В	359	ASN
1	В	405	GLN
1	В	447	ASN
1	В	460	ASN
1	В	470	ASN
1	В	501	HIS
1	В	512	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

#### 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

#### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

