



wwPDB X-ray Structure Validation Summary Report

Oct 12, 2021 – 09:16 AM EDT

PDB ID : 1XU9
Title : Crystal Structure of the Interface Closed Conformation of 11b-hydroxysteroid dehydrogenase isozyme 1
Authors : Hosfield, D.J.; Wu, Y.; Skene, R.J.; Hilger, M.; Jennings, A.; Snell, G.P.; Aertgeerts, K.
Deposited on : 2004-10-25
Resolution : 1.55 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1529 (1.56-1.56)
Ramachandran outliers	138981	1498 (1.56-1.56)
Sidechain outliers	138945	1495 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	286	
1	B	286	
1	C	286	
1	D	286	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Corticosteroid 11-beta-dehydrogenase, isozyme 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	269	Total 2109	C 1346	N 355	O 392	S 16	0	11	0
1	B	270	Total 2121	C 1355	N 357	O 392	S 17	0	12	0
1	C	258	Total 2012	C 1282	N 341	O 375	S 14	0	10	0
1	D	258	Total 2016	C 1283	N 339	O 377	S 17	0	12	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	MET	-	initiating methionine	UNP P28845
A	8	LYS	-	cloning artifact	UNP P28845
A	9	HIS	-	cloning artifact	UNP P28845
A	10	GLN	-	cloning artifact	UNP P28845
A	11	HIS	-	cloning artifact	UNP P28845
A	12	GLN	-	cloning artifact	UNP P28845
A	13	HIS	-	cloning artifact	UNP P28845
A	14	GLN	-	cloning artifact	UNP P28845
A	15	HIS	-	cloning artifact	UNP P28845
A	16	GLN	-	cloning artifact	UNP P28845
A	17	HIS	-	cloning artifact	UNP P28845
A	18	GLN	-	cloning artifact	UNP P28845
A	19	HIS	-	cloning artifact	UNP P28845
A	20	GLN	-	cloning artifact	UNP P28845
A	21	GLN	-	cloning artifact	UNP P28845
A	22	PRO	-	cloning artifact	UNP P28845
A	23	LEU	-	cloning artifact	UNP P28845
A	272	SER	CYS	engineered mutation	UNP P28845
B	7	MET	-	initiating methionine	UNP P28845
B	8	LYS	-	cloning artifact	UNP P28845
B	9	HIS	-	cloning artifact	UNP P28845

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	10	GLN	-	cloning artifact	UNP P28845
B	11	HIS	-	cloning artifact	UNP P28845
B	12	GLN	-	cloning artifact	UNP P28845
B	13	HIS	-	cloning artifact	UNP P28845
B	14	GLN	-	cloning artifact	UNP P28845
B	15	HIS	-	cloning artifact	UNP P28845
B	16	GLN	-	cloning artifact	UNP P28845
B	17	HIS	-	cloning artifact	UNP P28845
B	18	GLN	-	cloning artifact	UNP P28845
B	19	HIS	-	cloning artifact	UNP P28845
B	20	GLN	-	cloning artifact	UNP P28845
B	21	GLN	-	cloning artifact	UNP P28845
B	22	PRO	-	cloning artifact	UNP P28845
B	23	LEU	-	cloning artifact	UNP P28845
B	272	SER	CYS	engineered mutation	UNP P28845
C	7	MET	-	initiating methionine	UNP P28845
C	8	LYS	-	cloning artifact	UNP P28845
C	9	HIS	-	cloning artifact	UNP P28845
C	10	GLN	-	cloning artifact	UNP P28845
C	11	HIS	-	cloning artifact	UNP P28845
C	12	GLN	-	cloning artifact	UNP P28845
C	13	HIS	-	cloning artifact	UNP P28845
C	14	GLN	-	cloning artifact	UNP P28845
C	15	HIS	-	cloning artifact	UNP P28845
C	16	GLN	-	cloning artifact	UNP P28845
C	17	HIS	-	cloning artifact	UNP P28845
C	18	GLN	-	cloning artifact	UNP P28845
C	19	HIS	-	cloning artifact	UNP P28845
C	20	GLN	-	cloning artifact	UNP P28845
C	21	GLN	-	cloning artifact	UNP P28845
C	22	PRO	-	cloning artifact	UNP P28845
C	23	LEU	-	cloning artifact	UNP P28845
C	272	SER	CYS	engineered mutation	UNP P28845
D	7	MET	-	initiating methionine	UNP P28845
D	8	LYS	-	cloning artifact	UNP P28845
D	9	HIS	-	cloning artifact	UNP P28845
D	10	GLN	-	cloning artifact	UNP P28845
D	11	HIS	-	cloning artifact	UNP P28845
D	12	GLN	-	cloning artifact	UNP P28845
D	13	HIS	-	cloning artifact	UNP P28845
D	14	GLN	-	cloning artifact	UNP P28845
D	15	HIS	-	cloning artifact	UNP P28845

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	16	GLN	-	cloning artifact	UNP P28845
D	17	HIS	-	cloning artifact	UNP P28845
D	18	GLN	-	cloning artifact	UNP P28845
D	19	HIS	-	cloning artifact	UNP P28845
D	20	GLN	-	cloning artifact	UNP P28845
D	21	GLN	-	cloning artifact	UNP P28845
D	22	PRO	-	cloning artifact	UNP P28845
D	23	LEU	-	cloning artifact	UNP P28845
D	272	SER	CYS	engineered mutation	UNP P28845

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 3-[(3-CHOLAMIDOPROPYL)DIMETHYLAMMONIO]-1-PROPANESULFONATE (three-letter code: CPS) (formula: C₃₂H₅₈N₂O₇S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
			Total	C	N	O			S	
3	A	1	Total	42	32	2	7	1	0	0
3	B	1	Total	42	32	2	7	1	0	0
3	C	1	Total	42	32	2	7	1	0	0
3	D	1	Total	42	32	2	7	1	0	0

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	A	1	12	6	1	4	1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	350	Total 350	O 350	0	0
5	B	293	Total 293	O 293	0	0
5	C	339	Total 339	O 339	0	0
5	D	277	Total 277	O 277	0	0

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.43Å 152.67Å 73.92Å 90.00° 93.77° 90.00°	Depositor
Resolution (Å)	20.00 – 1.55	Depositor
% Data completeness (in resolution range)	92.1 (20.00-1.55)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.157 , 0.181	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	9889	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CPS, MES, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/2192	0.67	1/2960 (0.0%)
1	B	0.78	4/2205 (0.2%)	1.14	7/2977 (0.2%)
1	C	0.43	0/2087	0.65	0/2817
1	D	0.41	0/2101	0.63	1/2833 (0.0%)
All	All	0.54	4/8585 (0.0%)	0.80	9/11587 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	289	PHE	CD1-CE1	19.26	1.77	1.39
1	B	289	PHE	CB-CG	-15.72	1.24	1.51
1	B	289	PHE	CG-CD2	13.16	1.58	1.38
1	B	289	PHE	C-O	8.09	1.38	1.23

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	289	PHE	CB-CG-CD1	-35.98	95.61	120.80
1	B	289	PHE	CB-CG-CD2	32.85	143.80	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	289	PHE	CA-CB-CG	9.35	136.34	113.90
1	A	219	ASP	CB-CG-OD2	7.26	124.83	118.30
1	D	219	ASP	CB-CG-OD2	6.33	123.99	118.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	169	SER	Peptide
1	B	169	SER	Peptide
1	C	169	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2109	0	2145	29	0
1	B	2121	0	2161	29	0
1	C	2012	0	2054	12	0
1	D	2016	0	2056	11	0
2	A	48	0	26	0	0
2	B	48	0	26	0	0
2	C	48	0	26	0	0
2	D	48	0	26	1	0
3	A	42	0	58	0	0
3	B	42	0	58	1	0
3	C	42	0	58	3	0
3	D	42	0	58	3	0
4	A	12	0	12	0	0
5	A	350	0	0	19	0
5	B	293	0	0	7	0
5	C	339	0	0	11	0
5	D	277	0	0	6	0
All	All	9889	0	8764	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 79 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:289:PHE:CD1	1:B:289:PHE:CE1	1.77	1.67
1:A:126:LEU:HB2	1:B:289:PHE:CE1	1.42	1.52
1:A:126:LEU:CB	1:B:289:PHE:CE1	2.02	1.30
5:A:2739:HOH:O	1:B:289:PHE:CE1	1.98	1.16
5:A:2739:HOH:O	1:B:289:PHE:CD2	2.06	1.09

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	278/286 (97%)	268 (96%)	10 (4%)	0	100	100
1	B	280/286 (98%)	269 (96%)	10 (4%)	1 (0%)	34	14
1	C	264/286 (92%)	257 (97%)	7 (3%)	0	100	100
1	D	266/286 (93%)	257 (97%)	9 (3%)	0	100	100
All	All	1088/1144 (95%)	1051 (97%)	36 (3%)	1 (0%)	51	26

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	288	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/243 (98%)	233 (98%)	4 (2%)	60	32
1	B	239/243 (98%)	235 (98%)	4 (2%)	60	32
1	C	225/243 (93%)	222 (99%)	3 (1%)	69	44
1	D	228/243 (94%)	226 (99%)	2 (1%)	78	61
All	All	929/972 (96%)	916 (99%)	13 (1%)	71	41

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	289	PHE
1	C	69[A]	GLU
1	D	270	ASN
1	C	131	ASP
1	D	109	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 23 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	270	ASN
1	C	135	HIS
1	C	119	ASN
1	C	270	ASN
1	A	234	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CPS	A	5	-	45,45,45	1.42	2 (4%)	69,70,70	1.13	5 (7%)
2	NDP	B	2	-	45,52,52	1.56	5 (11%)	53,80,80	1.63	12 (22%)
4	MES	A	293	-	12,12,12	1.76	1 (8%)	14,16,16	1.36	1 (7%)
2	NDP	C	3	-	45,52,52	1.54	5 (11%)	53,80,80	1.67	12 (22%)
3	CPS	C	293	-	45,45,45	1.37	1 (2%)	69,70,70	1.21	4 (5%)
3	CPS	D	293	-	45,45,45	1.12	1 (2%)	69,70,70	1.16	3 (4%)
2	NDP	A	1	-	45,52,52	1.56	4 (8%)	53,80,80	1.71	13 (24%)
3	CPS	B	6	-	45,45,45	1.32	2 (4%)	69,70,70	1.23	6 (8%)
2	NDP	D	4	-	45,52,52	1.61	4 (8%)	53,80,80	1.73	15 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CPS	A	5	-	-	0/25/90/90	0/4/4/4
2	NDP	B	2	-	-	6/30/77/77	0/5/5/5
4	MES	A	293	-	-	0/6/14/14	0/1/1/1
2	NDP	C	3	-	-	6/30/77/77	0/5/5/5
3	CPS	C	293	-	-	1/25/90/90	0/4/4/4
3	CPS	D	293	-	-	6/25/90/90	0/4/4/4
2	NDP	A	1	-	-	5/30/77/77	0/5/5/5
3	CPS	B	6	-	-	6/25/90/90	0/4/4/4
2	NDP	D	4	-	-	8/30/77/77	0/5/5/5

The worst 5 of 25 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	5	CPS	C32-S	-8.04	1.66	1.77
3	C	293	CPS	C32-S	-7.95	1.66	1.77
3	B	6	CPS	C32-S	-7.55	1.66	1.77
3	D	293	CPS	C32-S	-6.45	1.68	1.77
2	D	4	NDP	C4A-N3A	5.89	1.43	1.35

The worst 5 of 71 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	293	CPS	O1S-S-C32	5.72	113.80	106.92
3	D	293	CPS	O3S-S-C32	5.24	113.22	106.92
2	A	1	NDP	O4D-C1D-N1N	4.39	116.64	108.06
2	D	4	NDP	N3A-C2A-N1A	-4.28	121.98	128.68
2	B	2	NDP	O4D-C1D-N1N	4.00	115.88	108.06

There are no chirality outliers.

5 of 38 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	NDP	O4D-C1D-N1N-C6N
2	B	2	NDP	O4D-C1D-N1N-C6N
2	C	3	NDP	O4D-C1D-N1N-C6N
2	D	4	NDP	O4D-C1D-N1N-C6N
3	C	293	CPS	C30-C31-C32-S


There are no ring outliers.




4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	293	CPS	3	0
3	D	293	CPS	3	0
3	B	6	CPS	1	0
2	D	4	NDP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.