

Full wwPDB X-ray Structure Validation Report (i)

Jun 16, 2024 – 07:14 AM EDT

PDB ID	:	1ZGC
Title	:	Crystal Structure of Torpedo Californica Acetylcholinesterase in Complex
		With an (RS)-Tacrine(10)-Hupyridone Inhibitor.
Authors	:	Haviv, H.; Wong, D.M.; Greenblatt, H.M.; Carlier, P.R.; Pang, Y.P.; Silman,
		I.; Sussman, J.L.; Israel Structural Proteomics Center (ISPC)
Deposited on	:	2005-04-21
Resolution	:	2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	543	% 77%	16%	• • •	
1	В	543	73%	19%		

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	A2E	В	1001	-	Х	-	-



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8854 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Acetylcholinesterase.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	528	Total 4174	C 2683	N 702	O 767	S 22	0	0	0
1	В	528	Total 4195	C 2697	N 707	O 769	S 22	0	0	0

• Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	Λ	1	Total C N O	0	0
2	Л	1	14 8 1 5	0	0
9	Λ	1	Total C N O	0	0
	Л	1	14 8 1 5	0	0
9	Λ	1	Total C N O	0	0
	Л	1	14 8 1 5	0	0
9	В	1	Total C N O	0	0
	D	1	14 8 1 5	0	0



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	В	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 3 is (5S)-5-{[10-(1,2,3,4-TETRAHYDROACRIDIN-9-YLAMINO)DECYL]AMI NO}-5,6,7,8-TETRAHYDROQUINOLIN-2(1H)-ONE (three-letter code: A2E) (formula: $C_{32}H_{44}N_4O$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total C N O 37 32 4 1	0	0
3	В	1	Total C N O 37 32 4 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	173	Total O 173 173	0	0
4	В	168	Total O 168 168	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Acetylcholinesterase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	91.00Å 105.54Å 150.45Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	34.50 - 2.10	Depositor
Resolution (A)	34.46 - 2.10	EDS
% Data completeness	99.2 (34.50-2.10)	Depositor
(in resolution range)	99.2 (34.46-2.10)	EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.28 (at 2.10 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.1.24, XTALVIEW	Depositor
P. P.	0.196 , 0.247	Depositor
Π, Π_{free}	0.208 , 0.257	DCC
R_{free} test set	4157 reflections $(4.93%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	23.3	Xtriage
Anisotropy	0.723	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.35 , 42.5	EDS
L-test for $twinning^2$	$ L > = 0.48, < L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8854	wwPDB-VP
Average B, all atoms $(Å^2)$	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 44.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4117e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: A2E, NAG $\,$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.60	46/4295~(1.1%)	1.33	43/5836~(0.7%)	
1	В	1.66	58/4316~(1.3%)	1.42	46/5861~(0.8%)	
All	All	1.63	104/8611~(1.2%)	1.37	89/11697~(0.8%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	1
All	All	0	3

All (104) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	51	LYS	CE-NZ	15.50	1.87	1.49
1	В	89	GLU	CD-OE1	14.84	1.42	1.25
1	В	82	GLU	CB-CG	10.87	1.72	1.52
1	В	175	MET	SD-CE	-10.78	1.17	1.77
1	А	11	LYS	CE-NZ	10.01	1.74	1.49
1	В	63	TYR	CD2-CE2	10.01	1.54	1.39
1	В	354	SER	CB-OG	-9.28	1.30	1.42
1	А	11	LYS	CD-CE	9.16	1.74	1.51
1	А	175	MET	SD-CE	-8.52	1.30	1.77
1	А	408	VAL	CB-CG1	-7.97	1.36	1.52
1	А	438	VAL	CB-CG2	7.82	1.69	1.52
1	В	457	ASN	CB-CG	7.77	1.69	1.51
1	В	448	PHE	CD1-CE1	7.68	1.54	1.39
1	А	129	VAL	CB-CG1	-7.68	1.36	1.52



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	129	VAL	CB-CG1	-7.56	1.36	1.52
1	В	455	GLU	CD-OE1	7.35	1.33	1.25
1	А	46	ARG	CB-CG	7.35	1.72	1.52
1	А	71	VAL	CB-CG1	7.19	1.68	1.52
1	В	89	GLU	CG-CD	7.05	1.62	1.51
1	В	11	LYS	CE-NZ	7.04	1.66	1.49
1	А	354	SER	CB-OG	-7.02	1.33	1.42
1	А	442	TYR	CD2-CE2	6.86	1.49	1.39
1	В	78	PHE	CE2-CZ	6.82	1.50	1.37
1	А	284	PHE	CD2-CE2	6.77	1.52	1.39
1	В	357	LYS	CD-CE	6.72	1.68	1.51
1	В	221	ARG	CD-NE	-6.72	1.35	1.46
1	А	295	VAL	CB-CG1	-6.65	1.38	1.52
1	В	11	LYS	CD-CE	6.65	1.67	1.51
1	В	518	VAL	CB-CG1	-6.62	1.39	1.52
1	В	221	ARG	NE-CZ	-6.61	1.24	1.33
1	А	375	TYR	CE2-CZ	-6.58	1.29	1.38
1	А	408	VAL	CB-CG2	-6.49	1.39	1.52
1	А	16	MET	SD-CE	-6.47	1.41	1.77
1	В	334	TYR	CD2-CE2	-6.43	1.29	1.39
1	А	371	VAL	CB-CG1	-6.42	1.39	1.52
1	В	515	ARG	CZ-NH1	6.36	1.41	1.33
1	В	9	ASN	CB-CG	6.36	1.65	1.51
1	В	63	TYR	CD1-CE1	6.35	1.48	1.39
1	В	27	ILE	CB-CG2	6.31	1.72	1.52
1	А	11	LYS	CB-CG	6.31	1.69	1.52
1	В	409	ASN	CB-CG	6.19	1.65	1.51
1	В	89	GLU	CB-CG	6.09	1.63	1.52
1	А	233	TRP	CB-CG	-6.08	1.39	1.50
1	А	88	ARG	CG-CD	6.07	1.67	1.51
1	В	51	LYS	CB-CG	6.02	1.68	1.52
1	В	58	TRP	CE3-CZ3	5.95	1.48	1.38
1	В	94	CYS	CB-SG	-5.94	1.72	1.81
1	А	281	VAL	CB-CG2	5.89	1.65	1.52
1	А	130	TYR	CD1-CE1	5.89	1.48	1.39
1	А	82	GLU	CD-OE1	-5.89	1.19	1.25
1	А	101	VAL	CA-CB	-5.88	1.42	1.54
1	A	442	TYR	CG-CD2	5.85	1.46	1.39
1	A	353	MET	SD-CE	5.84	2.10	1.77
1	А	140	GLU	CD-OE2	5.81	1.32	1.25
1	В	221	ARG	CG-CD	5.79	1.66	1.51
1	B	352	PHE	CE2-CZ	5.70	1.48	1.37



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
1	А	22	VAL	CB-CG2	-5.70	1.40	1.52
1	В	24	SER	CA-CB	5.68	1.61	1.52
1	В	89	GLU	CD-OE2	5.67	1.31	1.25
1	А	288	PHE	CD2-CE2	-5.61	1.28	1.39
1	А	467	ARG	CG-CD	5.59	1.66	1.51
1	В	400	VAL	CB-CG1	5.55	1.64	1.52
1	А	221	ARG	NE-CZ	-5.55	1.25	1.33
1	А	92	GLU	CG-CD	5.54	1.60	1.51
1	А	461	GLU	CG-CD	5.51	1.60	1.51
1	А	59	ASN	CB-CG	5.49	1.63	1.51
1	В	414	PHE	CE1-CZ	5.46	1.47	1.37
1	В	408	VAL	CB-CG1	-5.45	1.41	1.52
1	А	352	PHE	CD2-CE2	5.45	1.50	1.39
1	В	15	VAL	CB-CG1	-5.42	1.41	1.52
1	В	301	PHE	CE2-CZ	5.42	1.47	1.37
1	А	147	SER	CB-OG	5.40	1.49	1.42
1	В	426	ARG	CZ-NH2	5.39	1.40	1.33
1	А	52	LYS	CD-CE	5.38	1.64	1.51
1	В	43	MET	CG-SD	-5.37	1.67	1.81
1	В	168	VAL	CB-CG1	5.36	1.64	1.52
1	В	535	THR	CA-CB	5.36	1.67	1.53
1	В	395	VAL	CA-CB	-5.34	1.43	1.54
1	В	260	GLU	CG-CD	5.33	1.59	1.51
1	В	268	GLU	CG-CD	5.32	1.59	1.51
1	А	250	ARG	NE-CZ	5.30	1.40	1.33
1	А	434	GLU	CD-OE1	5.30	1.31	1.25
1	А	284	PHE	CG-CD1	5.29	1.46	1.38
1	В	191	PRO	CG-CD	5.27	1.68	1.50
1	В	432	TRP	CB-CG	-5.27	1.40	1.50
1	В	499	GLU	CD-OE1	5.25	1.31	1.25
1	В	411	TYR	CD1-CE1	-5.24	1.31	1.39
1	В	284	PHE	CE1-CZ	5.23	1.47	1.37
1	А	518	VAL	CB-CG1	-5.23	1.41	1.52
1	В	431	VAL	CB-CG2	5.19	1.63	1.52
1	В	82	GLU	CG-CD	-5.18	1.44	1.51
1	В	16	MET	SD-CE	5.17	2.06	1.77
1	В	455	GLU	CG-CD	5.17	1.59	1.51
1	В	458	TYR	CD2-CE2	5.17	1.47	1.39
1	А	163	GLU	CD-OE2	-5.16	1.20	1.25
1	В	129	VAL	CB-CG2	5.13	1.63	1.52
1	А	88	ARG	CB-CG	5.12	1.66	1.52
1	А	63	TYR	CD2-CE2	5.11	1.47	1.39



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	В	133	LYS	CD-CE	5.10	1.64	1.51
1	В	481	ASN	CB-CG	5.09	1.62	1.51
1	А	508	GLU	CG-CD	5.08	1.59	1.51
1	В	284	PHE	CG-CD1	5.05	1.46	1.38
1	А	492	TRP	CB-CG	5.04	1.59	1.50
1	А	461	GLU	CB-CG	5.00	1.61	1.52

All (89) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	221	ARG	NE-CZ-NH2	-25.43	107.59	120.30
1	В	221	ARG	NE-CZ-NH1	21.64	131.12	120.30
1	А	221	ARG	NE-CZ-NH2	-19.93	110.34	120.30
1	В	349	ARG	NE-CZ-NH2	-18.59	111.01	120.30
1	А	221	ARG	NE-CZ-NH1	15.85	128.23	120.30
1	А	349	ARG	NE-CZ-NH2	-13.78	113.41	120.30
1	В	515	ARG	NE-CZ-NH2	-13.77	113.42	120.30
1	В	349	ARG	NE-CZ-NH1	12.95	126.78	120.30
1	В	381	ASP	CB-CG-OD1	9.95	127.26	118.30
1	А	11	LYS	CD-CE-NZ	9.57	133.70	111.70
1	В	276	ASP	CB-CG-OD2	9.43	126.79	118.30
1	В	515	ARG	NE-CZ-NH1	9.36	124.98	120.30
1	А	531	LEU	CB-CG-CD1	9.02	126.33	111.00
1	А	349	ARG	NE-CZ-NH1	8.94	124.77	120.30
1	В	426	ARG	NE-CZ-NH1	-8.82	115.89	120.30
1	В	221	ARG	CD-NE-CZ	8.57	135.59	123.60
1	В	353	MET	CG-SD-CE	8.50	113.80	100.20
1	В	494	LEU	CA-CB-CG	8.45	134.74	115.30
1	А	518	VAL	CB-CA-C	-8.43	95.38	111.40
1	В	22	VAL	CB-CA-C	-8.12	95.97	111.40
1	А	88	ARG	CG-CD-NE	-8.01	94.97	111.80
1	А	93	ASP	CB-CG-OD1	7.93	125.44	118.30
1	В	354	SER	CB-CA-C	7.80	124.92	110.10
1	В	22	VAL	CG1-CB-CG2	7.77	123.33	110.90
1	В	365	ASP	CB-CG-OD2	7.76	125.28	118.30
1	В	518	VAL	CB-CA-C	-7.62	96.93	111.40
1	А	426	ARG	NE-CZ-NH1	-7.58	116.51	120.30
1	А	393	ASP	CB-CG-OD2	7.57	125.11	118.30
1	А	494	LEU	CA-CB-CG	7.55	132.68	115.30
1	А	83	MET	CG-SD-CE	7.48	112.16	100.20
1	A	354	SER	CB-CA-C	7.13	123.65	110.10
1	В	217	ASP	CB-CG-OD2	7.13	124.72	118.30



1	70	21
T	20	JU

Mol	Chain	\mathbf{Res}	Tvpe	Atoms	Z	Observed(^o)	Ideal(°)
1	B	11	LYS	CD-CE-NZ	7.04	127.90	111.70
1	A	243	ARG	CG-CD-NE	-7.03	97.03	111.80
1	B	129	VAL	CB-CA-C	-7.01	98.08	111.40
1	A	517	ARG	CG-CD-NE	-7.00	97.11	111.80
1	В	369	ASP	CB-CG-OD1	6.98	124.58	118.30
1	В	172	ASP	CB-CG-OD2	6.83	124.45	118.30
1	А	243	ARG	NE-CZ-NH2	-6.82	116.89	120.30
1	А	389	ASP	CB-CG-OD1	6.77	124.39	118.30
1	А	217	ASP	CB-CG-OD2	6.62	124.26	118.30
1	В	259	ASP	CB-CG-OD2	6.59	124.23	118.30
1	В	220	ARG	NE-CZ-NH1	6.49	123.54	120.30
1	А	392	ASP	CB-CG-OD2	6.48	124.13	118.30
1	А	22	VAL	CB-CA-C	-6.35	99.34	111.40
1	А	250	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	В	297	ASP	CB-CG-OD2	6.31	123.98	118.30
1	А	531	LEU	CA-CB-CG	6.30	129.79	115.30
1	А	353	MET	CG-SD-CE	6.28	110.25	100.20
1	А	289	ARG	NE-CZ-NH1	6.25	123.42	120.30
1	В	494	LEU	CB-CG-CD1	6.25	121.62	111.00
1	В	426	ARG	NE-CZ-NH2	6.10	123.35	120.30
1	А	360	VAL	CG1-CB-CG2	-6.03	101.25	110.90
1	А	285	ASP	CB-CG-OD2	6.02	123.72	118.30
1	В	342	ASP	CB-CG-OD2	6.02	123.72	118.30
1	А	250	ARG	NE-CZ-NH1	6.01	123.30	120.30
1	А	518	VAL	CG1-CB-CG2	5.98	120.47	110.90
1	А	221	ARG	CD-NE-CZ	5.89	131.84	123.60
1	В	511	LYS	CD-CE-NZ	-5.85	98.24	111.70
1	В	351	ASP	CB-CG-OD1	5.78	123.50	118.30
1	A	287	ILE	CG1-CB-CG2	5.73	124.01	111.40
1	A	71	VAL	CG1-CB-CG2	-5.71	101.76	110.90
1	В	453	VAL	CA-CB-CG2	5.70	119.45	110.90
1	В	392	ASP	CB-CG-OD2	5.70	123.43	118.30
1	A	287	ILE	CA-CB-CG2	5.68	122.26	110.90
1	A	295	VAL	CB-CA-C	-5.68	100.61	111.40
1	В	517	ARG	CA-CB-CG	-5.65	100.97	113.40
1	В	88	ARG	CG-CD-NE	-5.61	100.02	111.80
1	В	47	ARG	NE-CZ-NH2	-5.51	117.54	120.30
1	A	516	LEU	CB-CG-CD2	-5.47	101.70	111.00
1	A	438	VAL	CG1-CB-CG2	-5.42	102.23	110.90
1	A	426	ARG	NE-CZ-NH2	5.39	123.00	120.30
1	B	356	VAL	CG1-CB-CG2	5.39	119.53	110.90
1	В	82	GLU	CG-CD-OE2	5.38	129.05	118.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	88	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	В	289	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	В	243	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	В	276	ASP	CB-CG-OD1	-5.32	113.51	118.30
1	А	504	ASP	CB-CG-OD1	5.28	123.05	118.30
1	В	250	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	В	515	ARG	CG-CD-NE	5.24	122.79	111.80
1	В	93	ASP	CB-CG-OD2	5.23	123.01	118.30
1	А	358	LEU	CA-CB-CG	5.20	127.26	115.30
1	В	46	ARG	CB-CA-C	-5.15	100.11	110.40
1	А	452	LEU	CB-CG-CD2	5.13	119.72	111.00
1	В	505	LEU	CA-CB-CG	5.11	127.05	115.30
1	В	82	GLU	CG-CD-OE1	-5.10	108.11	118.30
1	А	388	ARG	NE-CZ-NH2	5.07	122.83	120.30
1	А	356	VAL	CA-CB-CG2	5.05	118.47	110.90

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	484	GLU	Peptide
1	А	490	SER	Peptide
1	В	440	HIS	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4174	0	3990	36	0
1	В	4195	0	4035	47	0
2	А	42	0	39	0	0
2	В	28	0	26	0	0
3	А	37	0	44	2	0
3	В	37	0	44	1	0
4	А	173	0	0	5	0
4	В	168	0	0	5	0
All	All	8854	0	8178	84	0





The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:11:LYS:CE	1:A:11:LYS:NZ	1.74	1.45
1:B:16:MET:CE	1:B:16:MET:SD	2.06	1.43
1:A:379:MET:SD	1:A:379:MET:CE	2.03	1.43
1:A:353:MET:SD	1:A:353:MET:CE	2.10	1.38
1:B:51:LYS:CE	1:B:51:LYS:NZ	1.87	1.34
1:B:175:MET:CE	1:B:175:MET:SD	1.17	1.27
1:B:175:MET:SD	1:B:175:MET:HE2	1.75	1.11
1:B:175:MET:SD	1:B:175:MET:HE1	1.75	1.08
1:B:175:MET:SD	1:B:175:MET:HE3	1.75	1.08
1:B:175:MET:CE	1:B:175:MET:CG	2.38	1.02
1:B:362:HIS:H	1:B:362:HIS:CD2	2.02	0.77
1:B:82:GLU:HG3	1:B:85:ASN:HD22	1.49	0.76
1:A:468:ARG:HD3	4:A:1583:HOH:O	1.86	0.74
1:B:26:HIS:O	1:B:27:ILE:HG23	1.92	0.70
1:B:471:HIS:CD2	1:B:475:THR:OG1	2.45	0.68
1:B:366:LEU:CD2	1:B:531:LEU:HD11	2.23	0.68
1:A:419:TYR:CZ	1:A:494:LEU:HD13	2.31	0.66
1:B:362:HIS:H	1:B:362:HIS:HD2	1.42	0.64
1:B:26:HIS:O	1:B:27:ILE:CG2	2.46	0.63
1:A:379:MET:CE	1:A:379:MET:CG	2.78	0.62
1:A:306:GLU:OE1	1:A:406:HIS:HE1	1.83	0.61
1:B:366:LEU:HD23	1:B:531:LEU:HD11	1.85	0.59
1:B:421:TYR:HB2	1:B:505:LEU:HD22	1.84	0.59
1:B:453:VAL:HG22	1:B:456:LEU:HG	1.84	0.59
1:A:7:LEU:HB2	1:A:16:MET:CE	2.33	0.58
1:A:265:CYS:HB2	4:A:1610:HOH:O	2.05	0.57
1:A:22:VAL:HG13	1:A:133:LYS:HG3	1.87	0.56
1:A:383:ASN:C	1:A:383:ASN:HD22	2.09	0.56
1:B:383:ASN:C	1:B:383:ASN:HD22	2.09	0.55
1:A:16:MET:HA	1:A:16:MET:HE2	1.87	0.55
1:A:452:LEU:HD13	1:A:467:ARG:NH2	2.21	0.55
1:A:228:SER:HB2	1:A:229:PRO:HD2	1.89	0.54
1:B:452:LEU:HD13	1:B:467:ARG:NH2	2.24	0.53
1:B:442:TYR:HE1	3:B:1001:A2E:H331	1.74	0.53
1:A:518:VAL:O	1:A:522:VAL:HG23	2.09	0.53
1:A:421:TYR:HB2	1:A:505:LEU:HD22	1.91	0.52
1:B:127:LEU:HD12	1:B:130:TYR:CE2	2.44	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:7:LEU:HB2	1:A:16:MET:HE1	1.92	0.52
1:A:272:GLN:HG3	4:A:1611:HOH:O	2.11	0.51
1:B:228:SER:HB2	1:B:229:PRO:HD2	1.91	0.51
1:B:452:LEU:HD13	1:B:467:ARG:CZ	2.41	0.51
1:B:159:HIS:HE1	1:B:297:ASP:O	1.94	0.51
1:B:272:GLN:NE2	4:B:4174:HOH:O	2.44	0.50
1:B:21:PRO:HA	1:B:26:HIS:HD2	1.77	0.50
1:A:47:ARG:HG2	1:A:171:LEU:CD1	2.42	0.49
1:B:272:GLN:HG3	4:B:4271:HOH:O	2.10	0.49
1:B:490:SER:HB2	4:B:4296:HOH:O	2.11	0.49
1:A:272:GLN:NE2	4:A:1527:HOH:O	2.45	0.49
1:B:51:LYS:NZ	1:B:51:LYS:CD	2.74	0.49
1:B:142:VAL:HG11	1:B:184:ILE:HD11	1.94	0.49
1:B:518:VAL:O	1:B:522:VAL:HG23	2.14	0.48
1:A:132:GLY:HA3	1:A:143:LEU:HD22	1.96	0.48
1:B:471:HIS:HD2	1:B:475:THR:OG1	1.95	0.48
1:B:451:PRO:HA	1:B:458:TYR:CD1	2.49	0.47
3:A:1002:A2E:H21	3:A:1002:A2E:H132	1.63	0.47
1:B:468:ARG:HD3	4:B:4192:HOH:O	2.15	0.46
1:A:247:GLU:OE2	4:A:1615:HOH:O	2.20	0.46
1:A:502:PHE:CZ	1:A:513:HIS:HB2	2.51	0.46
1:A:450:LEU:N	1:A:451:PRO:CD	2.79	0.46
1:B:383:ASN:HD21	1:B:385:ILE:HB	1.81	0.46
1:A:114:TRP:CZ3	1:A:198:GLY:HA2	2.51	0.45
1:B:419:TYR:CZ	1:B:494:LEU:HD13	2.51	0.45
1:A:442:TYR:HE1	3:A:1002:A2E:H331	1.82	0.45
1:A:321:LEU:O	1:A:420:LEU:HA	2.17	0.45
1:B:133:LYS:HE2	1:B:134:TYR:CZ	2.52	0.45
1:B:331:PHE:CE1	1:B:440:HIS:HD2	2.34	0.44
1:A:528:LEU:HB3	1:A:529:PRO:HD3	1.99	0.44
1:A:451:PRO:HA	1:A:458:TYR:CD1	2.52	0.44
1:B:223:ILE:HA	1:B:320:LEU:O	2.17	0.44
1:B:528:LEU:N	1:B:529:PRO:CD	2.81	0.44
1:A:430:LEU:HD11	1:A:442:TYR:CD2	2.53	0.43
1:B:331:PHE:HE1	1:B:440:HIS:HD2	1.66	0.43
1:B:468:ARG:HD2	4:B:4315:HOH:O	2.18	0.43
1:A:47:ARG:HG2	1:A:171:LEU:HD13	2.00	0.43
1:B:258:SER:OG	1:B:261:GLU:HG3	2.20	0.42
1:B:247:GLU:OE2	1:B:250:ARG:NH2	2.46	0.42
1:B:357:LYS:HD3	1:B:368:LEU:HD11	2.01	0.42
1:A:282:LEU:HD23	1:A:282:LEU:HA	1.87	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:SER:HB3	1:A:7:LEU:HB3	2.01	0.41
1:A:508:GLU:HB3	1:A:509:PRO:HD2	2.03	0.41
1:A:197:PHE:HB3	1:A:223:ILE:HB	2.02	0.40
1:B:527:PHE:O	1:B:528:LEU:C	2.58	0.40
1:B:196:ILE:HD13	1:B:196:ILE:HG21	1.91	0.40
1:A:197:PHE:CB	1:A:223:ILE:HB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	524/543~(96%)	507~(97%)	17 (3%)	0	100	100
1	В	524/543~(96%)	503~(96%)	21 (4%)	0	100	100
All	All	1048/1086~(96%)	1010 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	449/474~(95%)	423 (94%)	26~(6%)	20 17
1	В	453/474~(96%)	423 (93%)	30~(7%)	16 14



Continued from previous page...

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
All	All	902/948~(95%)	846 (94%)	56~(6%)	18	15	

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	4	SER
1	А	12	SER
1	А	15	VAL
1	А	22	VAL
1	А	108	SER
1	А	143	LEU
1	А	194	VAL
1	А	197	PHE
1	А	221	ARG
1	А	287	ILE
1	А	288	PHE
1	А	295	VAL
1	А	316	LYS
1	А	330	PHE
1	А	340	SER
1	А	358	LEU
1	А	383	ASN
1	А	408	VAL
1	А	434	GLU
1	А	473	TRP
1	А	491	LYS
1	А	494	LEU
1	А	505	LEU
1	А	517	ARG
1	А	518	VAL
1	А	531	LEU
1	В	12	SER
1	В	19	ARG
1	В	49	GLU
1	В	82	GLU
1	В	89	GLU
1	В	108	SER
1	В	129	VAL
1	В	140	GLU
1	В	221	ARG
1	В	243	ARG
1	В	270	LYS



Mol	Chain	Res	Type
1	В	288	PHE
1	В	294	PRO
1	В	295	VAL
1	В	321	LEU
1	В	330	PHE
1	В	340	SER
1	В	354	SER
1	В	358	LEU
1	В	362	HIS
1	В	365	ASP
1	В	383	ASN
1	В	426	ARG
1	В	450	LEU
1	В	453	VAL
1	В	473	TRP
1	В	490	SER
1	В	494	LEU
1	В	505	LEU
1	В	518	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	9	ASN
1	А	159	HIS
1	А	181	HIS
1	А	257	ASN
1	А	272	GLN
1	А	383	ASN
1	А	406	HIS
1	В	26	HIS
1	В	68	GLN
1	В	159	HIS
1	В	181	HIS
1	В	272	GLN
1	В	362	HIS
1	В	383	ASN
1	В	457	ASN
1	В	471	HIS
1	В	526	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	pe Chain Res I		Tink	В	Bond lengths			ond ang	gles
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	А	1059	1	$14,\!14,\!15$	1.87	4 (28%)	17,19,21	<mark>3.68</mark>	7 (41%)
2	NAG	А	1457	1	$14,\!14,\!15$	1.13	0	17,19,21	2.86	8 (47%)
3	A2E	В	1001	-	41,41,41	3.80	24 (58%)	47,54,54	2.97	16 (34%)
2	NAG	В	4162	1	$14,\!14,\!15$	1.22	1 (7%)	17,19,21	2.41	6 (35%)
3	A2E	А	1002	-	41,41,41	3.65	20 (48%)	47,54,54	2.51	19 (40%)
2	NAG	В	1592	1	14,14,15	2.22	7 (50%)	17,19,21	<mark>3.18</mark>	12 (70%)
2	NAG	А	1416	1	14,14,15	1.20	3 (21%)	17,19,21	1.78	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	А	1059	1	-	2/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	А	1457	1	-	4/6/23/26	0/1/1/1
3	A2E	В	1001	-	-	13/15/32/32	0/5/5/5
2	NAG	В	4162	1	-	2/6/23/26	0/1/1/1
3	A2E	А	1002	-	-	12/15/32/32	0/5/5/5
2	NAG	В	1592	1	-	2/6/23/26	0/1/1/1
2	NAG	А	1416	1	-	2/6/23/26	0/1/1/1

All (59) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	В	1001	A2E	C35-C34	9.19	1.55	1.36
3	А	1002	A2E	C33-C26	-8.75	1.37	1.50
3	А	1002	A2E	C24-C25	8.31	1.52	1.39
3	В	1001	A2E	C36-C37	8.13	1.53	1.36
3	В	1001	A2E	C33-C26	-7.38	1.39	1.50
3	В	1001	A2E	C34-C28	7.23	1.53	1.41
3	В	1001	A2E	C35-C36	6.93	1.53	1.38
3	В	1001	A2E	C30-C25	-6.85	1.41	1.51
3	А	1002	A2E	C30-C25	-6.80	1.41	1.51
3	А	1002	A2E	C35-C34	6.76	1.50	1.36
3	А	1002	A2E	C36-C37	5.84	1.48	1.36
3	В	1001	A2E	C24-C25	5.48	1.48	1.39
3	А	1002	A2E	C35-C36	5.23	1.49	1.38
3	В	1001	A2E	C24-C29	4.96	1.51	1.43
3	А	1002	A2E	C26-N27	4.88	1.38	1.32
3	А	1002	A2E	C29-C28	4.77	1.50	1.42
3	А	1002	A2E	C37-C29	4.56	1.51	1.42
3	А	1002	A2E	C24-C29	4.36	1.50	1.43
3	А	1002	A2E	C31-C30	-4.36	1.36	1.51
3	В	1001	A2E	C4-C5	4.31	1.47	1.41
3	В	1001	A2E	C29-C28	4.20	1.49	1.42
3	А	1002	A2E	C4-C5	4.11	1.46	1.41
3	А	1002	A2E	C2-C3	4.02	1.59	1.53
3	А	1002	A2E	C13-N12	3.93	1.55	1.47
3	А	1002	A2E	C3-N12	3.93	1.52	1.47
3	В	1001	A2E	C37-C29	3.74	1.49	1.42
3	В	1001	A2E	C3-N12	3.63	1.52	1.47
3	Α	1002	A2E	C31-C32	-3.62	1.38	1.51
2	В	1592	NAG	C4-C5	3.61	1.60	1.53
3	В	1001	A2E	C31-C30	-3.59	1.38	1.51
3	А	1002	A2E	C34-C28	3.54	1.47	1.41



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	1059	NAG	O5-C1	3.54	1.49	1.43
2	В	1592	NAG	C1-C2	3.48	1.57	1.52
3	А	1002	A2E	C4-C3	3.36	1.55	1.52
3	А	1002	A2E	O11-C9	3.30	1.32	1.24
2	А	1059	NAG	C1-C2	3.27	1.56	1.52
2	А	1059	NAG	O5-C5	3.23	1.49	1.43
3	В	1001	A2E	C32-C33	-3.17	1.40	1.51
3	В	1001	A2E	C28-N27	-3.15	1.32	1.37
3	В	1001	A2E	C8-C9	3.14	1.40	1.37
3	В	1001	A2E	C6-C5	3.13	1.55	1.50
2	В	1592	NAG	C3-C2	3.07	1.58	1.52
3	В	1001	A2E	C2-C3	3.05	1.58	1.53
3	А	1002	A2E	C32-C33	-3.04	1.40	1.51
3	В	1001	A2E	C4-C3	2.96	1.54	1.52
2	В	4162	NAG	O5-C5	2.96	1.49	1.43
3	В	1001	A2E	C13-N12	2.87	1.53	1.47
3	В	1001	A2E	C31-C32	-2.86	1.41	1.51
3	В	1001	A2E	C9-N10	2.77	1.37	1.33
3	В	1001	A2E	O11-C9	2.75	1.31	1.24
2	В	1592	NAG	O5-C5	2.75	1.48	1.43
2	В	1592	NAG	C6-C5	2.70	1.60	1.51
3	В	1001	A2E	C25-C26	2.57	1.44	1.40
2	А	1059	NAG	C6-C5	2.35	1.59	1.51
2	A	1416	NAG	O5-C5	2.33	1.48	1.43
2	В	1592	NAG	C4-C3	2.28	1.58	1.52
2	В	1592	NAG	C2-N2	2.28	1.50	1.46
2	A	1416	NAG	C4-C5	2.25	1.57	1.53
2	А	1416	NAG	C1-C2	2.16	1.55	1.52

Continued from previous page...

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	А	1059	NAG	C1-O5-C5	9.01	124.25	112.19
2	А	1059	NAG	O5-C5-C6	8.84	124.86	107.66
3	В	1001	A2E	C36-C35-C34	-8.08	109.59	120.40
2	А	1457	NAG	C1-O5-C5	7.10	121.70	112.19
3	В	1001	A2E	C35-C34-C28	-7.05	110.45	120.09
3	В	1001	A2E	C35-C36-C37	-6.59	111.59	120.40
3	В	1001	A2E	C26-N27-C28	6.49	125.36	117.67
3	В	1001	A2E	C4-C5-N10	-6.45	119.18	123.53
2	B	1592	NAG	C1-O5-C5	5.65	119.76	112.19
3	А	1002	A2E	C36-C37-C29	-5.48	113.51	120.91



1	7	\sim	\cap
T	$\mathbf{\Delta}$	G	U

Continued from previous page...

Mol	Chain	Res	Type	Atoms	$\mathbf{Z} = \mathbf{Observed}(^{o})$		$Ideal(^{o})$
2	В	4162	NAG	C1-O5-C5	5.13	119.06	112.19
3	А	1002	A2E	C32-C33-C26	5.12	121.45	113.48
3	А	1002	A2E	C35-C36-C37	-5.03	113.67	120.40
3	А	1002	A2E	C4-C5-N10	-4.84	120.27	123.53
2	А	1457	NAG	C1-C2-N2	-4.63	103.14	110.43
3	А	1002	A2E	C26-N27-C28	4.63	123.15	117.67
3	В	1001	A2E	C36-C37-C29	-4.51	114.82	120.91
3	А	1002	A2E	C36-C35-C34	-4.49	114.39	120.40
2	В	1592	NAG	O7-C7-C8	-4.48	114.08	122.05
3	В	1001	A2E	C5-N10-C9	4.46	123.91	117.63
3	В	1001	A2E	C32-C33-C26	4.41	120.34	113.48
2	В	1592	NAG	O6-C6-C5	4.34	126.11	111.33
3	А	1002	A2E	C35-C34-C28	-4.29	114.23	120.09
2	В	1592	NAG	C4-C3-C2	4.26	117.27	111.02
3	А	1002	A2E	C5-N10-C9	4.22	123.58	117.63
2	А	1059	NAG	O6-C6-C5	4.21	125.68	111.33
2	А	1059	NAG	O3-C3-C2	4.16	118.04	109.40
2	А	1457	NAG	O5-C1-C2	4.16	117.72	111.29
3	А	1002	A2E	C31-C30-C25	4.14	121.25	112.84
2	В	4162	NAG	O5-C1-C2	-3.95	105.17	111.29
2	А	1416	NAG	O5-C5-C6	3.91	115.26	107.66
3	В	1001	A2E	C31-C30-C25	3.90	120.78	112.84
2	В	1592	NAG	C8-C7-N2	3.86	122.52	116.12
2	В	4162	NAG	O4-C4-C5	3.85	118.80	109.32
2	А	1457	NAG	O5-C5-C6	3.76	114.99	107.66
2	В	4162	NAG	C1-C2-N2	3.62	116.13	110.43
3	В	1001	A2E	C6-C5-N10	3.53	120.66	115.85
2	В	1592	NAG	C1-C2-N2	3.53	116.00	110.43
3	В	1001	A2E	C34-C28-C29	3.53	122.94	119.13
3	В	1001	A2E	C25-C26-N27	-3.45	121.22	123.66
2	В	1592	NAG	O3-C3-C2	-3.38	102.38	109.40
3	A	1002	A2E	C25-C26-N27	-3.37	121.27	123.66
3	В	1001	A2E	C29-C24-N23	3.27	132.04	121.86
2	А	1416	NAG	O4-C4-C5	3.24	117.30	109.32
2	В	1592	NAG	O4-C4-C3	3.21	117.95	110.38
3	A	1002	A2E	C6-C5-N10	3.17	120.16	115.85
2	В	4162	NAG	O5-C5-C6	3.11	113.71	107.66
2	A	1457	NAG	O6-C6-C5	2.97	121.45	111.33
2	A	1416	NAG	C1-C2-N2	2.92	115.03	110.43
2	B	1592	NAG	O5-C5-C6	2.88	113.27	107.66
2	A	1059	NAG	C2-N2-C7	2.87	126.75	122.90
2	В	4162	NAG	O4-C4-C3	2.80	116.98	110.38



Mol	Chain	\mathbf{Res}	Type	Atoms		$Observed(^{o})$	$ $ Ideal $(^{o})$ $ $
3	А	1002	A2E	C24-C25-C26	2.80	120.40	118.68
2	А	1059	NAG	O5-C1-C2	-2.78	106.99	111.29
2	А	1457	NAG	C4-C3-C2	2.77	115.08	111.02
3	А	1002	A2E	C7-C4-C5	-2.73	115.69	117.52
3	А	1002	A2E	C33-C26-C25	-2.72	118.62	121.40
2	А	1457	NAG	C2-N2-C7	2.69	126.50	122.90
3	А	1002	A2E	C8-C9-N10	-2.64	118.00	123.48
3	В	1001	A2E	C2-C3-C4	2.53	115.45	111.83
2	В	1592	NAG	O4-C4-C5	2.51	115.52	109.32
2	В	1592	NAG	C3-C4-C5	2.51	114.79	110.23
3	А	1002	A2E	C2-C3-C4	2.43	115.31	111.83
2	А	1416	NAG	O3-C3-C4	-2.37	104.78	110.38
3	В	1001	A2E	C8-C9-N10	-2.32	118.67	123.48
3	А	1002	A2E	C30-C25-C26	-2.29	118.75	120.90
2	А	1059	NAG	O4-C4-C5	2.25	114.86	109.32
2	А	1457	NAG	O4-C4-C5	2.24	114.85	109.32
2	В	1592	NAG	O3-C3-C4	-2.21	105.16	110.38
3	А	1002	A2E	C29-C24-N23	2.20	128.71	121.86
3	А	1002	A2E	C33-C26-N27	2.17	120.11	116.75
3	В	1001	A2E	C30-C25-C26	-2.06	118.97	120.90

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	1002	A2E	C4-C3-N12-C13
3	А	1002	A2E	C2-C3-N12-C13
2	В	4162	NAG	O5-C5-C6-O6
2	А	1416	NAG	O5-C5-C6-O6
2	А	1059	NAG	C4-C5-C6-O6
2	В	1592	NAG	C4-C5-C6-O6
2	А	1457	NAG	C8-C7-N2-C2
3	В	1001	A2E	C20-C21-C22-N23
2	А	1457	NAG	O5-C5-C6-O6
2	А	1457	NAG	C4-C5-C6-O6
2	А	1457	NAG	O7-C7-N2-C2
2	В	4162	NAG	C4-C5-C6-O6
2	А	1416	NAG	C4-C5-C6-O6
3	А	1002	A2E	C16-C17-C18-C19
3	А	1002	A2E	C15-C16-C17-C18
3	А	1002	A2E	C20-C21-C22-N23
3	В	1001	A2E	C16-C17-C18-C19



1	700	
T	2GU	

Mol	Chain	Res	Type	Atoms
3	В	1001	A2E	C2-C3-N12-C13
2	В	1592	NAG	O5-C5-C6-O6
2	А	1059	NAG	O5-C5-C6-O6
3	В	1001	A2E	C17-C18-C19-C20
3	А	1002	A2E	C21-C22-N23-C24
3	А	1002	A2E	C14-C15-C16-C17
3	В	1001	A2E	C29-C24-N23-C22
3	А	1002	A2E	C19-C20-C21-C22
3	А	1002	A2E	C13-C14-C15-C16
3	В	1001	A2E	C15-C16-C17-C18
3	В	1001	A2E	C13-C14-C15-C16
3	А	1002	A2E	C14-C13-N12-C3
3	В	1001	A2E	N12-C13-C14-C15
3	А	1002	A2E	C17-C18-C19-C20
3	В	1001	A2E	C21-C22-N23-C24
3	В	1001	A2E	C4-C3-N12-C13
3	В	1001	A2E	C25-C24-N23-C22
3	В	1001	A2E	C14-C13-N12-C3
3	В	1001	A2E	C19-C20-C21-C22
3	А	1002	A2E	C29-C24-N23-C22

Continued from previous page...

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	1001	A2E	1	0
3	А	1002	A2E	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RS	\mathbf{RZ}	>2	$OWAB(Å^2)$	Q<0.9
1	А	528/543~(97%)	-0.28	7 (1%)	77	80	15, 25, 38, 53	0
1	В	528/543~(97%)	-0.35	3~(0%)	89	91	12, 24, 38, 63	0
All	All	1056/1086~(97%)	-0.31	10 (0%)	84	86	12, 24, 38, 63	0

All (10) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	535	THR	5.9
1	В	257	ASN	3.7
1	А	201	ALA	2.9
1	А	485	PRO	2.6
1	А	534	ALA	2.5
1	А	4	SER	2.4
1	А	204	ALA	2.1
1	А	509	PRO	2.1
1	А	535	THR	2.0
1	В	201	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	NAG	А	1457	14/15	0.72	0.36	69,75,77,78	0
2	NAG	А	1059	14/15	0.76	0.20	62,68,70,70	0
2	NAG	В	1592	14/15	0.83	0.16	42,46,49,54	0
2	NAG	А	1416	14/15	0.87	0.15	39,48,58,59	0
2	NAG	В	4162	14/15	0.87	0.15	37,42,49,51	0
3	A2E	В	1001	37/37	0.87	0.23	19,27,40,41	12
3	A2E	А	1002	37/37	0.88	0.26	16,25,39,41	12

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

