



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 07:15 PM EDT

PDB ID : 3IBF
Title : Crystal structure of unliganded caspase-7
Authors : Agniswamy, J.
Deposited on : 2009-07-15
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	173	 6% 54% 25% 19%
1	C	173	 6% 59% 21% 16%
2	B	97	 24% 66% 29% 5%
2	D	97	 15% 64% 31% 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Caspase-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	140	1100	691	188	210	11	0	0	0
1	C	145	1144	717	199	217	11	0	0	0

- Molecule 2 is a protein called Caspase-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	92	758	487	128	139	4	0	0	0
2	D	92	758	487	128	139	4	0	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total 13	O 13	0	0
3	B	6	Total 6	O 6	0	0
3	C	22	Total 22	O 22	0	0
3	D	3	Total 3	O 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Caspase-7



- Molecule 1: Caspase-7




- Molecule 2: Caspase-7



- Molecule 2: Caspase-7





4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	89.20Å 89.20Å 185.37Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.50 48.25 – 2.50	Depositor EDS
% Data completeness (in resolution range)	92.6 (50.00-2.50) 84.8 (48.25-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.98 (at 2.51Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.204 , 0.235 0.198 , 0.226	Depositor DCC
R_{free} test set	2752 reflections (9.92%)	wwPDB-VP
Wilson B-factor (Å ²)	58.9	Xtrriage
Anisotropy	0.536	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3804	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1117	0.60	1/1496 (0.1%)
1	C	0.42	0/1162	0.66	2/1557 (0.1%)
2	B	0.36	0/780	0.59	0/1054
2	D	0.39	0/780	0.63	0/1054
All	All	0.39	0/3839	0.62	3/5161 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	152	GLY	N-CA-C	-5.89	98.37	113.10
1	C	452	GLY	N-CA-C	-5.63	99.02	113.10
1	C	422	LEU	CA-CB-CG	5.32	127.53	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1100	0	1086	46	0
1	C	1144	0	1132	34	0
2	B	758	0	731	26	0
2	D	758	0	731	21	0
3	A	13	0	0	0	0
3	B	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	22	0	0	0	0
3	D	3	0	0	0	0
All	All	3804	0	3680	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LYS:HD3	1:A:80:LYS:H	1.34	0.92
1:A:80:LYS:H	1:A:80:LYS:CD	1.92	0.81
1:A:163:THR:HG21	2:B:221:PHE:HE1	1.49	0.78
1:A:80:LYS:HD3	1:A:80:LYS:N	2.02	0.74
1:C:355:VAL:HG13	1:C:356:PRO:HD2	1.71	0.73
1:C:495:ILE:O	1:C:496:GLN:HB3	1.87	0.72
1:C:355:VAL:CG1	1:C:356:PRO:HD2	2.20	0.71
1:A:175:LEU:CD1	2:B:213:ILE:HD11	2.20	0.70
2:D:533:ARG:HA	2:D:539:SER:HA	1.75	0.69
2:D:566:ASN:OD1	2:D:589:PRO:HB2	1.91	0.69
1:C:449:VAL:HB	1:C:456:VAL:HG13	1.74	0.68
1:C:397:LEU:HD13	1:C:440:ILE:HG21	1.75	0.67
1:C:354:ARG:HB3	1:C:359:GLN:HE22	1.60	0.66
2:B:233:ARG:HA	2:B:239:SER:HA	1.77	0.66
1:A:191:LEU:HB3	2:B:285:LYS:HD2	1.79	0.65
1:C:436:CYS:HB3	1:C:478:PRO:HG2	1.81	0.63
1:A:124:LYS:O	1:A:128:GLU:HG3	1.99	0.62
1:A:136:CYS:HB3	1:A:178:PRO:HG2	1.81	0.62
2:B:257:GLU:OE2	2:B:258:ILE:HG22	1.99	0.62
1:C:475:LEU:O	1:C:476:GLU:HB2	2.00	0.61
2:B:244:ALA:O	2:B:248:ILE:HG12	2.01	0.60
2:D:546:CYS:O	2:D:550:GLU:HG3	2.02	0.60
2:D:560:GLN:O	2:D:564:ARG:HG3	2.02	0.60
2:D:561:ILE:O	2:D:565:VAL:HG23	2.03	0.59
2:D:534:SER:HB2	2:D:537:ARG:HB2	1.87	0.57
1:C:463:THR:HG21	2:D:521:PHE:HE2	1.69	0.57
2:B:260:GLN:HG2	2:D:598:GLU:OE2	2.05	0.57
1:A:176:GLU:HG2	2:B:213:ILE:HD13	1.85	0.56
1:C:495:ILE:HG13	1:C:496:GLN:N	2.21	0.55
2:B:271:ARG:HH11	2:B:271:ARG:HG2	1.72	0.55
1:A:73:ILE:HB	1:A:141:LEU:HD23	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:216:GLU:HB2	2:D:588:ILE:HG21	1.87	0.54
1:A:194:GLY:HA2	2:D:513:ILE:O	2.08	0.54
1:A:119:MET:O	1:A:123:LEU:HD23	2.09	0.53
2:B:239:SER:O	2:B:243:GLN:HG3	2.10	0.52
2:D:513:ILE:N	2:D:513:ILE:HD12	2.24	0.52
1:C:357:THR:HG22	1:C:357:THR:O	2.09	0.51
1:A:195:ILE:O	1:A:196:GLN:HG3	2.11	0.51
1:A:193:ASP:OD1	2:B:285:LYS:HE3	2.10	0.51
1:C:352:ARG:N	1:C:352:ARG:CD	2.74	0.51
2:B:226:VAL:HG23	2:B:229:TYR:CD1	2.46	0.51
1:C:464:ALA:O	1:C:467:ARG:HG3	2.11	0.50
1:C:423:LEU:HD12	1:C:462:LEU:HD22	1.93	0.50
1:C:495:ILE:HG13	1:C:496:GLN:H	1.75	0.50
2:B:283:HIS:CD2	2:B:284:GLU:HG3	2.46	0.50
1:A:175:LEU:HD11	2:B:213:ILE:HD11	1.92	0.50
2:D:557:GLU:HG3	2:D:598:GLU:HB3	1.94	0.50
1:C:431:HIS:HB2	1:C:473:THR:OG1	2.13	0.49
1:A:84:MET:HE2	1:A:144:HIS:HB3	1.93	0.49
1:A:136:CYS:CB	1:A:178:PRO:HG2	2.41	0.49
1:A:184:GLN:O	1:A:184:GLN:HG3	2.12	0.49
2:D:557:GLU:OE2	2:D:558:ILE:HG22	2.12	0.49
2:B:214:PRO:HG3	2:D:586:LYS:HB3	1.94	0.49
1:A:163:THR:HG22	1:A:181:PHE:CE2	2.48	0.49
2:D:552:HIS:HB3	2:D:556:LEU:HG	1.95	0.48
2:D:571:ARG:HG2	2:D:571:ARG:HH11	1.78	0.48
1:A:60:TYR:CD2	2:B:297:LYS:HB2	2.48	0.48
1:C:384:MET:HB3	1:C:444:HIS:CD2	2.49	0.48
1:A:141:LEU:HB3	1:A:150:ILE:CD1	2.44	0.48
1:A:84:MET:HB3	1:A:144:HIS:CD2	2.48	0.48
1:A:142:LEU:HD23	1:A:184:GLN:HB3	1.96	0.47
1:A:163:THR:HG21	2:B:221:PHE:CE1	2.39	0.47
1:C:354:ARG:HB3	1:C:359:GLN:NE2	2.25	0.47
1:A:195:ILE:HD11	1:C:472:LYS:HE3	1.97	0.47
1:C:393:ASP:HB3	2:D:542:VAL:HG11	1.96	0.47
1:A:73:ILE:HD12	1:A:141:LEU:CD2	2.45	0.47
1:A:175:LEU:O	1:A:176:GLU:HB2	2.15	0.47
2:D:534:SER:CB	2:D:537:ARG:HB2	2.44	0.46
1:C:411:TYR:CG	1:C:422:LEU:HD11	2.50	0.46
1:A:171:CYS:SG	1:A:174:LEU:HD12	2.55	0.46
1:A:98:PHE:CE1	1:A:108:VAL:HG13	2.51	0.46
1:A:78:PHE:N	1:A:78:PHE:CD1	2.84	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:266:ASN:OD1	2:B:289:PRO:HB2	2.16	0.45
1:C:360:TYR:CD1	1:C:478:PRO:HD3	2.51	0.45
1:A:195:ILE:HG13	1:A:196:GLN:N	2.32	0.45
1:A:97:LEU:HD13	1:A:140:ILE:HG21	1.99	0.45
1:C:491:LEU:HD23	2:D:530:TYR:HB3	1.99	0.45
2:B:288:ILE:O	2:B:288:ILE:HG23	2.17	0.44
1:A:178:PRO:HG3	2:B:299:LEU:HD13	2.00	0.44
1:A:196:GLN:HG3	1:A:196:GLN:OXT	2.18	0.44
1:C:401:PHE:O	1:C:406:PHE:HB2	2.17	0.44
1:A:195:ILE:HG23	1:C:475:LEU:HD21	1.99	0.43
2:D:512:LYS:C	2:D:513:ILE:HD12	2.39	0.43
1:C:369:LYS:HD2	1:C:409:ILE:HD12	1.99	0.43
1:C:398:PHE:CD1	1:C:398:PHE:C	2.91	0.43
1:C:463:THR:HG22	1:C:481:PHE:CE2	2.54	0.43
2:D:539:SER:O	2:D:543:GLN:HG3	2.18	0.43
1:A:144:HIS:O	1:A:151:TYR:HB2	2.19	0.42
1:A:195:ILE:HG21	1:C:475:LEU:HD11	2.01	0.42
1:C:436:CYS:CB	1:C:478:PRO:HG2	2.48	0.42
1:A:73:ILE:HD12	1:A:141:LEU:HD21	2.01	0.42
2:B:271:ARG:HG2	2:B:271:ARG:NH1	2.33	0.42
2:B:276:GLN:HA	2:B:283:HIS:ND1	2.34	0.42
2:B:212:LYS:HE2	1:C:493:ASP:O	2.20	0.42
1:A:60:TYR:CD1	1:A:178:PRO:HD3	2.54	0.41
1:A:120:GLN:NE2	1:A:162:LEU:HD23	2.35	0.41
2:B:255:ASP:OD2	2:B:255:ASP:N	2.53	0.41
1:A:145:GLY:O	1:A:186:CYS:HB2	2.21	0.41
1:A:146:GLU:O	1:A:147:GLU:C	2.59	0.41
1:A:158:PRO:HB2	1:A:161:ASP:OD2	2.21	0.41
2:B:233:ARG:O	2:B:235:PRO:HD3	2.21	0.41
1:A:195:ILE:CG2	1:C:475:LEU:HD11	2.51	0.40
1:C:352:ARG:HB2	1:C:353:ASP:H	1.45	0.40
1:A:125:LYS:HD3	1:A:125:LYS:HA	1.88	0.40
1:A:175:LEU:HD11	1:C:495:ILE:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	138/173 (80%)	133 (96%)	5 (4%)	0	100	100
1	C	143/173 (83%)	134 (94%)	8 (6%)	1 (1%)	22	39
2	B	90/97 (93%)	84 (93%)	5 (6%)	1 (1%)	14	26
2	D	90/97 (93%)	86 (96%)	3 (3%)	1 (1%)	14	26
All	All	461/540 (85%)	437 (95%)	21 (5%)	3 (1%)	22	39

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	356	PRO
2	B	272	HIS
2	D	572	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	120/152 (79%)	114 (95%)	6 (5%)	24	46
1	C	125/152 (82%)	116 (93%)	9 (7%)	14	28
2	B	84/88 (96%)	84 (100%)	0	100	100
2	D	84/88 (96%)	81 (96%)	3 (4%)	35	61
All	All	413/480 (86%)	395 (96%)	18 (4%)	28	52

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	LYS
1	A	81	VAL
1	A	86	VAL
1	A	92	LYS
1	A	122	LEU
1	A	196	GLN
1	C	352	ARG
1	C	353	ASP
1	C	356	PRO
1	C	395	GLU
1	C	398	PHE
1	C	403	SER
1	C	408	VAL
1	C	422	LEU
1	C	473	THR
2	D	555	ASP
2	D	568	ARG
2	D	603	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	88	ASN
1	A	120	GLN
1	A	148	ASN
1	A	196	GLN
2	B	281	HIS
1	C	359	GLN
2	D	572	HIS
2	D	581	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	140/173 (80%)	0.54	11 (7%) 12 12	50, 77, 120, 134	0
1	C	145/173 (83%)	0.62	10 (6%) 16 17	44, 59, 112, 129	0
2	B	92/97 (94%)	1.18	23 (25%) 0 0	46, 71, 137, 145	0
2	D	92/97 (94%)	1.01	15 (16%) 1 1	45, 69, 132, 138	0
All	All	469/540 (86%)	0.78	59 (12%) 3 3	44, 68, 127, 145	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	580	PRO	8.1
1	A	195	ILE	7.4
2	B	282	PHE	7.2
2	D	582	PHE	6.3
1	C	355	VAL	6.0
1	C	356	PRO	5.8
2	D	579	ASP	5.8
1	A	194	GLY	5.8
2	B	281	HIS	5.7
2	B	278	ASP	5.4
2	B	280	PRO	5.3
2	B	279	ASP	5.0
2	D	578	ASP	4.8
2	B	283	HIS	4.7
2	B	277	SER	4.6
1	C	353	ASP	4.5
2	B	275	SER	4.5
2	D	581	HIS	4.5
2	B	276	GLN	4.4
2	B	274	GLU	4.3
1	A	196	GLN	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	191	LEU	4.3
2	D	577	SER	4.0
2	D	575	SER	4.0
2	D	574	GLU	4.0
1	C	354	ARG	3.9
2	B	272	HIS	3.9
2	D	576	GLN	3.9
1	C	494	GLY	3.8
2	D	603	GLN	3.7
1	C	493	ASP	3.6
1	A	78	PHE	3.5
2	B	237	ARG	3.5
2	B	284	GLU	3.4
2	D	513	ILE	3.3
1	C	492	ASP	3.3
2	D	584	GLU	3.3
1	A	192	ASP	3.2
2	D	583	HIS	3.2
2	D	512	LYS	3.2
2	B	236	GLY	3.1
2	B	235	PRO	3.1
1	A	190	GLU	3.1
2	B	230	TYR	3.0
1	A	193	ASP	2.9
2	B	234	SER	2.7
2	B	232	TRP	2.6
2	B	240	TRP	2.4
2	B	273	PHE	2.3
2	B	285	LYS	2.3
1	A	147	GLU	2.3
1	C	495	ILE	2.3
2	D	572	HIS	2.2
1	C	496	GLN	2.2
2	B	303	GLN	2.2
1	A	82	THR	2.1
1	A	84	MET	2.1
2	B	233	ARG	2.0
1	C	439	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.