



wwPDB EM Validation Summary Report ⓘ

Feb 13, 2024 – 06:27 AM EST

PDB ID : 3J81
EMDB ID : EMD-2763
Title : CryoEM structure of a partial yeast 48S preinitiation complex
Authors : Hussain, T.; Llacer, J.L.; Fernandez, I.S.; Savva, C.G.; Ramakrishnan, V.
Deposited on : 2014-08-29
Resolution : 4.00 Å(reported)
Based on initial models : 3V11, 3U5B, 3U5C

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |
| RNA backbone | 4643 | 859 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | 2 | 1799 | 53% 46% |
| 2 | A | 254 | 66% 14% 19% |
| 3 | B | 255 | 73% 11% 16% |
| 4 | C | 259 | 72% 11% 16% |
| 5 | D | 237 | 79% 15% 6% |
| 6 | E | 261 | 85% 14% |
| 7 | F | 227 | 73% 17% 9% |
| 8 | G | 236 | 86% 9% |










Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 9 | H | 190 | 84% 13% |
| 10 | I | 201 | 82% 12% 6% |
| 11 | J | 188 | 81% 16% |
| 12 | K | 106 | 6% 72% 18% 9% |
| 13 | L | 156 | 9% 83% 16% |
| 14 | M | 134 | 10% 78% 10% 13% |
| 15 | N | 151 | 5% 81% 17% .. |
| 16 | O | 137 | 81% 11% 7% |
| 17 | P | 140 | 70% 14% 15% |
| 18 | Q | 143 | 81% 16% .. |
| 19 | R | 136 | 79% 9% 12% |
| 20 | S | 146 | 5% 84% 16% |
| 21 | T | 144 | 88% 12% |
| 22 | U | 117 | 5% 75% 15% 9% |
| 23 | V | 87 | 80% 17% |
| 24 | W | 130 | 86% 11% .. |
| 25 | X | 145 | 83% 16% .. |
| 26 | Y | 135 | 88% 11% |
| 27 | Z | 108 | 14% 61% 35% |
| 28 | a | 119 | 69% 11% 18% |
| 29 | b | 82 | 87% 11% .. |
| 30 | c | 67 | 82% 10% 7% |
| 31 | f | 150 | 38% 7% 54% |
| 32 | g | 326 | 88% 9% |
| 33 | d | 56 | 79% 16% 5% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 34 | e | 63 |  |
| 35 | h | 25 |  |
| 36 | 1 | 75 |  |
| 37 | 3 | 25 |  |
| 38 | i | 153 |  |
| 39 | j | 300 |  |
| 40 | m | 108 |  |
| 41 | k | 527 |  |
| 42 | l | 285 |  |

2 Entry composition [i](#)

There are 45 unique types of molecules in this entry. The entry contains 83760 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| | | | Total | C | N | O | P | | |
| 1 | 2 | 1780 | 37797 | 16892 | 6658 | 12467 | 1780 | 0 | 0 |

- Molecule 2 is a protein called uS2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 2 | A | 207 | 1625 | 1040 | 286 | 297 | 2 | 0 | 0 |

- Molecule 3 is a protein called eS1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 3 | B | 215 | 1727 | 1092 | 314 | 318 | 3 | 0 | 0 |

- Molecule 4 is a protein called uS5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 4 | C | 217 | 1629 | 1041 | 287 | 297 | 4 | 0 | 0 |

- Molecule 5 is a protein called uS3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 5 | D | 223 | 1744 | 1108 | 313 | 318 | 5 | 0 | 0 |

- Molecule 6 is a protein called eS4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 6 | E | 260 | 2078 | 1322 | 393 | 359 | 4 | 0 | 0 |

- Molecule 7 is a protein called uS7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 7 | F | 206 | 1609 | 1008 | 298 | 300 | 3 | 0 | 0 |

- Molecule 8 is a protein called eS6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 8 | G | 226 | 1812 | 1134 | 348 | 326 | 4 | 0 | 0 |

- Molecule 9 is a protein called eS7.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| | | | Total | C | N | O | | |
| 9 | H | 184 | 1483 | 950 | 270 | 263 | 0 | 0 |

- Molecule 10 is a protein called eS8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 10 | I | 188 | 1493 | 926 | 301 | 265 | 1 | 0 | 0 |

- Molecule 11 is a protein called uS4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 11 | J | 182 | 1471 | 929 | 287 | 254 | 1 | 0 | 0 |

- Molecule 12 is a protein called eS10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 12 | K | 96 | 809 | 533 | 129 | 146 | 1 | 0 | 0 |

- Molecule 13 is a protein called uS17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 13 | L | 155 | 1248 | 798 | 237 | 210 | 3 | 0 | 0 |

- Molecule 14 is a protein called eS12.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 14 | M | 117 | Total | C | N | O | 0 | 0 |
| | | | 885 | 553 | 161 | 171 | | |

- Molecule 15 is a protein called uS15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15 | N | 150 | Total | C | N | O | S | 0 | 0 |
| | | | 1187 | 756 | 223 | 206 | 2 | | |

- Molecule 16 is a protein called uS11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 16 | O | 127 | Total | C | N | O | S | 0 | 0 |
| | | | 942 | 578 | 188 | 173 | 3 | | |

- Molecule 17 is a protein called uS19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17 | P | 119 | Total | C | N | O | S | 0 | 0 |
| | | | 943 | 604 | 171 | 163 | 5 | | |

- Molecule 18 is a protein called uS9.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 18 | Q | 141 | Total | C | N | O | 0 | 0 |
| | | | 1105 | 709 | 204 | 192 | | |

- Molecule 19 is a protein called eS17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19 | R | 120 | Total | C | N | O | S | 0 | 0 |
| | | | 959 | 598 | 178 | 180 | 3 | | |

- Molecule 20 is a protein called uS13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20 | S | 145 | Total | C | N | O | S | 0 | 0 |
| | | | 1193 | 741 | 240 | 210 | 2 | | |

- Molecule 21 is a protein called eS19.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 21 | T | 143 | Total | C | N | O | 0 | 0 |
| | | | 1110 | 693 | 210 | 207 | | |

- Molecule 22 is a protein called uS10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22 | U | 106 | Total | C | N | O | S | 0 | 0 |
| | | | 845 | 540 | 152 | 152 | 1 | | |

- Molecule 23 is a protein called eS21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 23 | V | 87 | Total | C | N | O | S | 0 | 0 |
| | | | 687 | 424 | 126 | 135 | 2 | | |

- Molecule 24 is a protein called uS8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 24 | W | 129 | Total | C | N | O | S | 0 | 0 |
| | | | 1021 | 651 | 187 | 180 | 3 | | |

- Molecule 25 is a protein called uS12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 25 | X | 144 | Total | C | N | O | S | 0 | 0 |
| | | | 1119 | 708 | 218 | 191 | 2 | | |

- Molecule 26 is a protein called eS24.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 26 | Y | 134 | Total | C | N | O | 0 | 0 |
| | | | 1061 | 665 | 207 | 189 | | |

- Molecule 27 is a protein called eS25.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 27 | Z | 70 | Total | C | N | O | S | 0 | 0 |
| | | | 558 | 355 | 104 | 98 | 1 | | |

- Molecule 28 is a protein called eS26.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 28 | a | 97 | Total | C | N | O | S | 0 | 0 |
| | | | 770 | 475 | 163 | 127 | 5 | | |

- Molecule 29 is a protein called eS27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 29 | b | 81 | Total | C | N | O | S | 0 | 0 |
| | | | 609 | 379 | 112 | 113 | 5 | | |

- Molecule 30 is a protein called eS28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 30 | c | 62 | Total | C | N | O | S | 0 | 0 |
| | | | 487 | 301 | 97 | 88 | 1 | | |

- Molecule 31 is a protein called eS31.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 31 | f | 69 | Total | C | N | O | S | 0 | 0 |
| | | | 546 | 351 | 101 | 90 | 4 | | |

- Molecule 32 is a protein called RACK1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 32 | g | 318 | Total | C | N | O | S | 0 | 0 |
| | | | 2466 | 1561 | 430 | 470 | 5 | | |

- Molecule 33 is a protein called uS14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 33 | d | 53 | Total | C | N | O | S | 0 | 0 |
| | | | 446 | 280 | 89 | 76 | 1 | | |

- Molecule 34 is a protein called eS30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 34 | e | 54 | Total | C | N | O | S | 0 | 0 |
| | | | 433 | 271 | 88 | 73 | 1 | | |

- Molecule 35 is a protein called eL41.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 35 | h | 25 | Total | C | N | O | S | 0 | 0 |
| | | | 233 | 142 | 63 | 27 | 1 | | |

- Molecule 36 is a RNA chain called Met-tRNAi.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 36 | 1 | 74 | Total | C | N | O | P | 0 | 0 |
| | | | 1584 | 706 | 291 | 513 | 74 | | |

- Molecule 37 is a RNA chain called mRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|-------|
| 37 | 3 | 22 | Total | C | N | O | P | 0 | 0 |
| | | | 447 | 201 | 62 | 162 | 22 | | |

- Molecule 38 is a protein called eIF1A.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 38 | i | 111 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 542 | 170 | 167 | 5 | | |

- Molecule 39 is a protein called eIF2 alpha.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 39 | j | 252 | Total | C | N | O | S | 0 | 0 |
| | | | 2025 | 1294 | 336 | 386 | 9 | | |

- Molecule 40 is a protein called eIF1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40 | m | 90 | Total | C | N | O | S | 0 | 0 |
| | | | 716 | 452 | 132 | 128 | 4 | | |

- Molecule 41 is a protein called eIF2 gamma.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---------|-------|
| 41 | k | 365 | Total | C | N | O | 0 | 0 |
| | | | 1798 | 1068 | 365 | 365 | | |

- Molecule 42 is a protein called eIF2 beta.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---------|-------|
| 42 | 1 | 17 | Total | C | N | O | 0 | 0 |
| | | | 84 | 50 | 17 | 17 | | |


- Molecule 43 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 43 | 2 | 80 | Total | Mg | 0 |
| | | | 80 | 80 | |
| 43 | G | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |

- Molecule 44 is ZINC ION (three-letter code: ZN) (formula: Zn).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 44 | a | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 44 | b | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 44 | f | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |

- Molecule 45 is METHIONINE (three-letter code: MET) (formula: C₅H₁₁NO₂S).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|---|---|---|---|---------|
| 45 | k | 1 | Total | C | N | O | S | 0 |
| | | | 8 | 5 | 1 | 1 | 1 | |

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 18S rRNA






• Molecule 2: uS2








• Molecule 3: eS1




• Molecule 4: uS5




• Molecule 5: uS3




• Molecule 6: eS4




• Molecule 7: uS7





• Molecule 8: eS6





• Molecule 9: eS7




• Molecule 10: eS8



• Molecule 11: uS4




• Molecule 12: eS10









• Molecule 13: uS17





• Molecule 14: eS12





• Molecule 15: uS15




• Molecule 16: uS11




• Molecule 17: uS19




• Molecule 18: uS9







• Molecule 19: eS17




• Molecule 20: uS13





• Molecule 21: eS19




• Molecule 22: uS10




• Molecule 23: eS21



• Molecule 24: uS8





• Molecule 25: uS12







• Molecule 26: eS24





• Molecule 27: eS25





• Molecule 28: eS26





• Molecule 29: eS27




• Molecule 30: eS28





• Molecule 31: eS31








• Molecule 32: RACK1





• Molecule 33: uS14




• Molecule 34: eS30



• Molecule 35: eL41




• Molecule 36: Met-tRNAi




• Molecule 37: mRNA












• Molecule 38: eIF1A



• Molecule 39: eIF2 alpha



• Molecule 40: eIF1



• Molecule 41: eIF2 gamma

4 Experimental information

| Property | Value | Source |
|--------------------------------------|-------------------------|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 29698 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | Each particle | Depositor |
| Microscope | FEI POLARA 300 | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 28 | Depositor |
| Minimum defocus (nm) | 1600 | Depositor |
| Maximum defocus (nm) | 4000 | Depositor |
| Magnification | 104478 | Depositor |
| Image detector | FEI FALCON II (4k x 4k) | Depositor |
| Maximum map value | 0.467 | Depositor |
| Minimum map value | -0.164 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.023 | Depositor |
| Recommended contour level | 0.065 | Depositor |
| Map size (\AA) | 402.0, 402.0, 402.0 | wwPDB |
| Map dimensions | 300, 300, 300 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 1.34, 1.34, 1.34 | Depositor |

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------|-------------|----------------|
| | | RMSZ | # $ Z > 5$ | RMSZ | # $ Z > 5$ |
| 1 | 2 | 0.25 | 0/42269 | 0.67 | 6/65862 (0.0%) |
| 2 | A | 0.42 | 0/1665 | 0.73 | 1/2276 (0.0%) |
| 3 | B | 0.40 | 0/1752 | 0.67 | 1/2360 (0.0%) |
| 4 | C | 0.39 | 0/1659 | 0.68 | 1/2252 (0.0%) |
| 5 | D | 0.41 | 0/1769 | 0.69 | 0/2378 |
| 6 | E | 0.39 | 0/2122 | 0.66 | 2/2861 (0.1%) |
| 7 | F | 0.41 | 0/1628 | 0.75 | 1/2198 (0.0%) |
| 8 | G | 0.39 | 0/1835 | 0.66 | 2/2451 (0.1%) |
| 9 | H | 0.40 | 0/1507 | 0.69 | 0/2028 |
| 10 | I | 0.40 | 0/1519 | 0.66 | 1/2033 (0.0%) |
| 11 | J | 0.41 | 0/1495 | 0.73 | 0/2001 |
| 12 | K | 0.47 | 0/831 | 0.72 | 0/1123 |
| 13 | L | 0.40 | 0/1276 | 0.64 | 0/1718 |
| 14 | M | 0.41 | 0/891 | 0.69 | 0/1201 |
| 15 | N | 0.42 | 0/1210 | 0.75 | 1/1628 (0.1%) |
| 16 | O | 0.38 | 0/953 | 0.67 | 0/1279 |
| 17 | P | 0.41 | 0/962 | 0.69 | 1/1294 (0.1%) |
| 18 | Q | 0.42 | 0/1125 | 0.70 | 1/1510 (0.1%) |
| 19 | R | 0.41 | 0/969 | 0.70 | 0/1299 |
| 20 | S | 0.40 | 0/1212 | 0.73 | 0/1629 |
| 21 | T | 0.39 | 0/1129 | 0.68 | 0/1520 |
| 22 | U | 0.39 | 0/857 | 0.66 | 0/1158 |
| 23 | V | 0.39 | 0/696 | 0.69 | 0/938 |
| 24 | W | 0.39 | 0/1039 | 0.69 | 0/1399 |
| 25 | X | 0.41 | 0/1137 | 0.71 | 0/1516 |
| 26 | Y | 0.38 | 0/1075 | 0.64 | 0/1433 |
| 27 | Z | 0.41 | 0/567 | 0.65 | 0/762 |
| 28 | a | 0.38 | 0/782 | 0.71 | 0/1047 |
| 29 | b | 0.38 | 0/619 | 0.66 | 0/837 |
| 30 | c | 0.36 | 0/489 | 0.67 | 0/655 |
| 31 | f | 0.43 | 0/559 | 0.70 | 1/747 (0.1%) |
| 32 | g | 0.40 | 0/2521 | 0.61 | 0/3431 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------------|-------------|------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 33 | d | 0.44 | 0/457 | 0.65 | 0/607 |
| 34 | e | 0.42 | 0/440 | 0.69 | 0/586 |
| 35 | h | 0.35 | 0/234 | 0.79 | 0/300 |
| 36 | 1 | 0.25 | 0/1771 | 0.65 | 0/2760 |
| 37 | 3 | 0.28 | 0/493 | 0.71 | 0/761 |
| 38 | i | 0.38 | 0/894 | 0.67 | 0/1188 |
| 39 | j | 0.41 | 0/2053 | 0.66 | 0/2762 |
| 40 | m | 0.39 | 0/724 | 0.65 | 0/968 |
| 41 | k | 0.47 | 1/1791 (0.1%) | 0.74 | 1/2480 (0.0%) |
| 42 | l | 0.42 | 0/83 | 0.69 | 0/114 |
| All | All | 0.34 | 1/89059 (0.0%) | 0.67 | 20/129350 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 10 | I | 0 | 1 |
| 15 | N | 0 | 1 |
| 25 | X | 0 | 1 |
| 41 | k | 0 | 2 |
| All | All | 0 | 5 |

All (1) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 41 | k | 497 | GLU | N-CA | 5.42 | 1.57 | 1.46 |

The worst 5 of 20 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|------|-------------|----------|
| 41 | k | 497 | GLU | N-CA-C | 8.38 | 133.61 | 111.00 |
| 1 | 2 | 685 | A | C2'-C3'-O3' | 7.22 | 125.38 | 109.50 |
| 17 | P | 56 | LEU | CA-CB-CG | 5.95 | 128.98 | 115.30 |
| 1 | 2 | 1198 | G | C2'-C3'-O3' | 5.93 | 123.19 | 113.70 |
| 4 | C | 192 | LEU | CA-CB-CG | 5.91 | 128.90 | 115.30 |

There are no chirality outliers.

All (5) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 10 | I | 183 | TYR | Peptide |
| 15 | N | 22 | ALA | Peptide |
| 25 | X | 63 | GLN | Peptide |
| 41 | k | 179 | CYS | Peptide |
| 41 | k | 495 | ILE | Mainchain |

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|----|
| 2 | A | 205/254 (81%) | 168 (82%) | 26 (13%) | 11 (5%) | 2 | 21 |
| 3 | B | 213/255 (84%) | 176 (83%) | 23 (11%) | 14 (7%) | 1 | 17 |
| 4 | C | 215/259 (83%) | 182 (85%) | 23 (11%) | 10 (5%) | 2 | 23 |
| 5 | D | 221/237 (93%) | 202 (91%) | 13 (6%) | 6 (3%) | 5 | 34 |
| 6 | E | 258/261 (99%) | 223 (86%) | 25 (10%) | 10 (4%) | 3 | 26 |
| 7 | F | 204/227 (90%) | 169 (83%) | 24 (12%) | 11 (5%) | 2 | 21 |
| 8 | G | 224/236 (95%) | 194 (87%) | 24 (11%) | 6 (3%) | 5 | 34 |
| 9 | H | 182/190 (96%) | 145 (80%) | 23 (13%) | 14 (8%) | 1 | 14 |
| 10 | I | 184/201 (92%) | 159 (86%) | 21 (11%) | 4 (2%) | 6 | 37 |
| 11 | J | 180/188 (96%) | 150 (83%) | 21 (12%) | 9 (5%) | 2 | 22 |
| 12 | K | 94/106 (89%) | 74 (79%) | 12 (13%) | 8 (8%) | 1 | 12 |
| 13 | L | 153/156 (98%) | 128 (84%) | 16 (10%) | 9 (6%) | 1 | 19 |
| 14 | M | 113/134 (84%) | 86 (76%) | 21 (19%) | 6 (5%) | 2 | 21 |
| 15 | N | 148/151 (98%) | 127 (86%) | 11 (7%) | 10 (7%) | 1 | 17 |
| 16 | O | 125/137 (91%) | 96 (77%) | 24 (19%) | 5 (4%) | 3 | 26 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|-----------|----------|-------------|-----|
| 17 | P | 117/140 (84%) | 95 (81%) | 15 (13%) | 7 (6%) | 1 | 19 |
| 18 | Q | 139/143 (97%) | 115 (83%) | 13 (9%) | 11 (8%) | 1 | 14 |
| 19 | R | 116/136 (85%) | 101 (87%) | 11 (10%) | 4 (3%) | 3 | 30 |
| 20 | S | 143/146 (98%) | 119 (83%) | 16 (11%) | 8 (6%) | 2 | 20 |
| 21 | T | 141/144 (98%) | 129 (92%) | 9 (6%) | 3 (2%) | 7 | 39 |
| 22 | U | 104/117 (89%) | 88 (85%) | 8 (8%) | 8 (8%) | 1 | 14 |
| 23 | V | 85/87 (98%) | 69 (81%) | 9 (11%) | 7 (8%) | 1 | 13 |
| 24 | W | 127/130 (98%) | 107 (84%) | 14 (11%) | 6 (5%) | 2 | 23 |
| 25 | X | 142/145 (98%) | 111 (78%) | 22 (16%) | 9 (6%) | 1 | 18 |
| 26 | Y | 132/135 (98%) | 115 (87%) | 13 (10%) | 4 (3%) | 4 | 32 |
| 27 | Z | 68/108 (63%) | 58 (85%) | 9 (13%) | 1 (2%) | 10 | 45 |
| 28 | a | 95/119 (80%) | 71 (75%) | 17 (18%) | 7 (7%) | 1 | 15 |
| 29 | b | 79/82 (96%) | 65 (82%) | 11 (14%) | 3 (4%) | 3 | 27 |
| 30 | c | 60/67 (90%) | 55 (92%) | 4 (7%) | 1 (2%) | 9 | 43 |
| 31 | f | 67/150 (45%) | 47 (70%) | 14 (21%) | 6 (9%) | 1 | 12 |
| 32 | g | 312/326 (96%) | 270 (86%) | 32 (10%) | 10 (3%) | 4 | 31 |
| 33 | d | 51/56 (91%) | 39 (76%) | 10 (20%) | 2 (4%) | 3 | 26 |
| 34 | e | 52/63 (82%) | 40 (77%) | 8 (15%) | 4 (8%) | 1 | 14 |
| 35 | h | 23/25 (92%) | 23 (100%) | 0 | 0 | 100 | 100 |
| 38 | i | 109/153 (71%) | 90 (83%) | 16 (15%) | 3 (3%) | 5 | 33 |
| 39 | j | 246/300 (82%) | 213 (87%) | 21 (8%) | 12 (5%) | 2 | 22 |
| 40 | m | 88/108 (82%) | 80 (91%) | 6 (7%) | 2 (2%) | 6 | 37 |
| 41 | k | 351/527 (67%) | 270 (77%) | 56 (16%) | 25 (7%) | 1 | 16 |
| 42 | l | 15/285 (5%) | 11 (73%) | 4 (27%) | 0 | 100 | 100 |
| All | All | 5581/6684 (84%) | 4660 (84%) | 645 (12%) | 276 (5%) | 4 | 22 |

5 of 276 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | A | 29 | VAL |
| 4 | C | 96 | ARG |
| 4 | C | 141 | VAL |
| 4 | C | 235 | TRP |
| 5 | D | 4 | ILE |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 2 | A | 175/211 (83%) | 145 (83%) | 30 (17%) | 2 | 13 |
| 3 | B | 196/228 (86%) | 181 (92%) | 15 (8%) | 13 | 40 |
| 4 | C | 176/203 (87%) | 154 (88%) | 22 (12%) | 4 | 22 |
| 5 | D | 185/196 (94%) | 156 (84%) | 29 (16%) | 2 | 16 |
| 6 | E | 223/224 (100%) | 197 (88%) | 26 (12%) | 5 | 24 |
| 7 | F | 174/194 (90%) | 145 (83%) | 29 (17%) | 2 | 14 |
| 8 | G | 192/200 (96%) | 174 (91%) | 18 (9%) | 8 | 31 |
| 9 | H | 164/170 (96%) | 154 (94%) | 10 (6%) | 18 | 47 |
| 10 | I | 148/159 (93%) | 130 (88%) | 18 (12%) | 5 | 23 |
| 11 | J | 153/158 (97%) | 132 (86%) | 21 (14%) | 3 | 20 |
| 12 | K | 88/96 (92%) | 75 (85%) | 13 (15%) | 3 | 17 |
| 13 | L | 136/137 (99%) | 120 (88%) | 16 (12%) | 5 | 24 |
| 14 | M | 93/109 (85%) | 86 (92%) | 7 (8%) | 13 | 41 |
| 15 | N | 127/128 (99%) | 109 (86%) | 18 (14%) | 3 | 19 |
| 16 | O | 96/104 (92%) | 84 (88%) | 12 (12%) | 4 | 22 |
| 17 | P | 101/117 (86%) | 86 (85%) | 15 (15%) | 3 | 17 |
| 18 | Q | 117/119 (98%) | 102 (87%) | 15 (13%) | 4 | 22 |
| 19 | R | 109/124 (88%) | 99 (91%) | 10 (9%) | 9 | 32 |
| 20 | S | 128/129 (99%) | 113 (88%) | 15 (12%) | 5 | 24 |
| 21 | T | 117/118 (99%) | 103 (88%) | 14 (12%) | 5 | 23 |
| 22 | U | 96/107 (90%) | 85 (88%) | 11 (12%) | 5 | 25 |
| 23 | V | 73/73 (100%) | 61 (84%) | 12 (16%) | 2 | 14 |
| 24 | W | 110/111 (99%) | 96 (87%) | 14 (13%) | 4 | 22 |
| 25 | X | 119/120 (99%) | 103 (87%) | 16 (13%) | 4 | 21 |
| 26 | Y | 108/109 (99%) | 97 (90%) | 11 (10%) | 7 | 28 |
| 27 | Z | 60/88 (68%) | 57 (95%) | 3 (5%) | 24 | 52 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|-----------|-------------|----|
| 28 | a | 82/100 (82%) | 72 (88%) | 10 (12%) | 5 | 23 |
| 29 | b | 71/72 (99%) | 63 (89%) | 8 (11%) | 6 | 25 |
| 30 | c | 54/59 (92%) | 48 (89%) | 6 (11%) | 6 | 26 |
| 31 | f | 57/133 (43%) | 50 (88%) | 7 (12%) | 4 | 23 |
| 32 | g | 265/272 (97%) | 245 (92%) | 20 (8%) | 13 | 41 |
| 33 | d | 46/48 (96%) | 39 (85%) | 7 (15%) | 3 | 16 |
| 34 | e | 47/55 (86%) | 38 (81%) | 9 (19%) | 1 | 9 |
| 35 | h | 23/23 (100%) | 20 (87%) | 3 (13%) | 4 | 22 |
| 38 | i | 93/130 (72%) | 81 (87%) | 12 (13%) | 4 | 22 |
| 39 | j | 226/270 (84%) | 190 (84%) | 36 (16%) | 2 | 16 |
| 40 | m | 77/96 (80%) | 70 (91%) | 7 (9%) | 9 | 33 |
| All | All | 4505/4990 (90%) | 3960 (88%) | 545 (12%) | 8 | 23 |

5 of 545 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 32 | g | 188 | LEU |
| 33 | d | 41 | GLN |
| 32 | g | 151 | TRP |
| 39 | j | 123 | LEU |
| 10 | I | 181 | ASP |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 55 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 18 | Q | 100 | GLN |
| 24 | W | 12 | ASN |
| 39 | j | 238 | GLN |
| 33 | d | 20 | GLN |
| 18 | Q | 139 | GLN |

5.3.3 RNA [i](#)

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1 | 2 | 1778/1799 (98%) | 807 (45%) | 139 (7%) |
| 36 | 1 | 73/75 (97%) | 34 (46%) | 6 (8%) |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 37 | 3 | 21/25 (84%) | 18 (85%) | 6 (28%) |
| All | All | 1872/1899 (98%) | 859 (45%) | 151 (8%) |

5 of 859 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | 2 | 2 | A |
| 1 | 2 | 3 | U |
| 1 | 2 | 4 | C |
| 1 | 2 | 5 | U |
| 1 | 2 | 8 | U |

5 of 151 RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 1 | 2 | 1514 | A |
| 36 | 1 | 47 | U |
| 1 | 2 | 1566 | C |
| 1 | 2 | 1711 | G |
| 37 | 3 | 22 | C |

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 85 ligands modelled in this entry, 84 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 45 | MET | k | 601 | - | 6,7,8 | 0.46 | 0 | 2,7,9 | 0.35 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|----------|-------|
| 45 | MET | k | 601 | - | - | 1/5/6/8 | - |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|------------|
| 45 | k | 601 | MET | N-CA-CB-CG |

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-2763. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 148



Y Index: 133




Z Index: 145


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.065. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 912 nm³; this corresponds to an approximate mass of 824 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 4.00 | - | - |
| Author-provided FSC curve | 3.99 | 5.23 | 4.13 |
| Unmasked-calculated* | - | - | - |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-2763 and PDB model 3J81. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.065 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.065).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















The table lists the average atom inclusion at the recommended contour level (0.065) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.8040 |  0.3260 |
| 1 |  0.4250 |  0.1400 |
| 2 |  0.9160 |  0.3460 |
| 3 |  0.4340 |  0.2930 |
| A |  0.8470 |  0.3670 |
| B |  0.8410 |  0.3410 |
| C |  0.8070 |  0.3760 |
| D |  0.7970 |  0.3470 |
| E |  0.8050 |  0.3770 |
| F |  0.7870 |  0.3340 |
| G |  0.8300 |  0.3140 |
| H |  0.7870 |  0.3140 |
| I |  0.8070 |  0.3450 |
| J |  0.8150 |  0.3620 |
| K |  0.8040 |  0.3260 |
| L |  0.7650 |  0.3730 |
| M |  0.7230 |  0.2410 |
| N |  0.8000 |  0.3400 |
| O |  0.8340 |  0.3590 |
| P |  0.8090 |  0.3190 |
| Q |  0.8020 |  0.3540 |
| R |  0.8130 |  0.3400 |
| S |  0.7660 |  0.3040 |
| T |  0.8230 |  0.3260 |
| U |  0.7770 |  0.3530 |
| V |  0.8310 |  0.3750 |
| W |  0.8120 |  0.3880 |
| X |  0.8480 |  0.4070 |
| Y |  0.8380 |  0.3520 |
| Z |  0.6080 |  0.2240 |
| a |  0.8330 |  0.3810 |
| b |  0.8140 |  0.3500 |
| c |  0.8090 |  0.3950 |
| d |  0.8430 |  0.3840 |
| e |  0.7850 |  0.3640 |



Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| f |  0.8010 |  0.2860 |
| g |  0.8270 |  0.3350 |
| h |  0.4720 |  0.2570 |
| i |  0.6910 |  0.3310 |
| j |  0.0690 |  0.0950 |
| k |  0.0140 |  0.0250 |
| l |  0.0000 |  0.0230 |
| m |  0.1360 |  0.1940 |