



wwPDB X-ray Structure Validation Summary Report

Feb 15, 2024 – 05:48 PM EST

PDB ID : 3QPB
Title : Crystal Structure of Streptococcus Pyogenes Uridine Phosphorylase Reveals a Subclass of the NP-I Superfamily
Authors : Tran, T.H.; Christoffersen, S.; Parker, W.B.; Piskur, J.; Serra, I.; Terreni, M.; Ealick, S.E.
Deposited on : 2011-02-11
Resolution : 1.82 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	7484 (1.84-1.80)
Clashscore	141614	8401 (1.84-1.80)
Ramachandran outliers	138981	8290 (1.84-1.80)
Sidechain outliers	138945	8290 (1.84-1.80)
RSRZ outliers	127900	7371 (1.84-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div>
1	B	282	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div>
1	C	282	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div>
1	D	282	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div>
1	E	282	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	F	282		80%	9% 11%
1	G	282		76%	11% 12%
1	H	282		77%	11% 11%
1	I	282		80%	8% 11%
1	J	282		77%	10% 12%
1	K	282		77%	11% 12%
1	L	282		77%	10% 12%
1	M	282		73%	14% 12%
1	N	282		75%	13% 12%
1	O	282		74%	12% 12%
1	P	282		76%	12% 12%
1	Q	282		75%	12% 12%
1	R	282		74%	13% 13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	URA	A	1255	-	X	-	-
3	URA	B	1255	-	X	-	-
3	URA	C	1255	-	X	-	-
3	URA	D	1255	-	X	-	-
3	URA	E	1255	-	X	-	-
3	URA	F	1255	-	X	-	-
3	URA	G	1255	-	X	-	-
3	URA	H	1255	-	X	-	-
3	URA	I	1255	-	X	-	-
3	URA	J	1255	-	X	-	-
3	URA	K	1255	-	X	-	-
3	URA	L	1255	-	X	-	-
3	URA	M	1255	-	X	-	-
3	URA	N	1255	-	X	-	-
3	URA	O	1255	-	X	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	URA	P	1255	-	X	-	-
3	URA	Q	1255	-	X	-	-
3	URA	R	1255	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 37086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	1879	1177	325	365	12	0	0	0
1	B	250	1879	1177	325	365	12	0	0	0
1	C	254	1910	1196	329	373	12	0	0	0
1	D	249	1870	1171	323	364	12	0	0	0
1	E	249	1870	1171	323	364	12	0	0	0
1	F	251	1888	1182	326	368	12	0	0	0
1	G	249	1872	1172	324	364	12	0	0	0
1	H	250	1879	1177	325	365	12	0	0	0
1	I	250	1879	1177	325	365	12	0	0	0
1	J	248	1863	1166	322	363	12	0	0	0
1	K	249	1870	1171	323	364	12	0	0	0
1	L	249	1872	1172	324	364	12	0	0	0
1	M	249	1870	1171	323	364	12	0	0	0
1	N	249	1872	1172	324	364	12	0	0	0
1	O	249	1872	1172	324	364	12	0	0	0
1	P	248	1863	1166	322	363	12	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	Q	248	1854	1160	319	363	12	0	0	0
1	R	246	1849	1160	319	358	12	0	0	0

There are 414 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	expression tag	UNP Q5XA29
A	-21	GLY	-	expression tag	UNP Q5XA29
A	-20	SER	-	expression tag	UNP Q5XA29
A	-19	ASP	-	expression tag	UNP Q5XA29
A	-18	LYS	-	expression tag	UNP Q5XA29
A	-17	ILE	-	expression tag	UNP Q5XA29
A	-16	HIS	-	expression tag	UNP Q5XA29
A	-15	HIS	-	expression tag	UNP Q5XA29
A	-14	HIS	-	expression tag	UNP Q5XA29
A	-13	HIS	-	expression tag	UNP Q5XA29
A	-12	HIS	-	expression tag	UNP Q5XA29
A	-11	HIS	-	expression tag	UNP Q5XA29
A	-10	SER	-	expression tag	UNP Q5XA29
A	-9	SER	-	expression tag	UNP Q5XA29
A	-8	GLY	-	expression tag	UNP Q5XA29
A	-7	GLU	-	expression tag	UNP Q5XA29
A	-6	ASN	-	expression tag	UNP Q5XA29
A	-5	LEU	-	expression tag	UNP Q5XA29
A	-4	TYR	-	expression tag	UNP Q5XA29
A	-3	PHE	-	expression tag	UNP Q5XA29
A	-2	GLN	-	expression tag	UNP Q5XA29
A	-1	GLY	-	expression tag	UNP Q5XA29
A	0	HIS	-	expression tag	UNP Q5XA29
B	-22	MET	-	expression tag	UNP Q5XA29
B	-21	GLY	-	expression tag	UNP Q5XA29
B	-20	SER	-	expression tag	UNP Q5XA29
B	-19	ASP	-	expression tag	UNP Q5XA29
B	-18	LYS	-	expression tag	UNP Q5XA29
B	-17	ILE	-	expression tag	UNP Q5XA29
B	-16	HIS	-	expression tag	UNP Q5XA29
B	-15	HIS	-	expression tag	UNP Q5XA29
B	-14	HIS	-	expression tag	UNP Q5XA29
B	-13	HIS	-	expression tag	UNP Q5XA29
B	-12	HIS	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-11	HIS	-	expression tag	UNP Q5XA29
B	-10	SER	-	expression tag	UNP Q5XA29
B	-9	SER	-	expression tag	UNP Q5XA29
B	-8	GLY	-	expression tag	UNP Q5XA29
B	-7	GLU	-	expression tag	UNP Q5XA29
B	-6	ASN	-	expression tag	UNP Q5XA29
B	-5	LEU	-	expression tag	UNP Q5XA29
B	-4	TYR	-	expression tag	UNP Q5XA29
B	-3	PHE	-	expression tag	UNP Q5XA29
B	-2	GLN	-	expression tag	UNP Q5XA29
B	-1	GLY	-	expression tag	UNP Q5XA29
B	0	HIS	-	expression tag	UNP Q5XA29
C	-22	MET	-	expression tag	UNP Q5XA29
C	-21	GLY	-	expression tag	UNP Q5XA29
C	-20	SER	-	expression tag	UNP Q5XA29
C	-19	ASP	-	expression tag	UNP Q5XA29
C	-18	LYS	-	expression tag	UNP Q5XA29
C	-17	ILE	-	expression tag	UNP Q5XA29
C	-16	HIS	-	expression tag	UNP Q5XA29
C	-15	HIS	-	expression tag	UNP Q5XA29
C	-14	HIS	-	expression tag	UNP Q5XA29
C	-13	HIS	-	expression tag	UNP Q5XA29
C	-12	HIS	-	expression tag	UNP Q5XA29
C	-11	HIS	-	expression tag	UNP Q5XA29
C	-10	SER	-	expression tag	UNP Q5XA29
C	-9	SER	-	expression tag	UNP Q5XA29
C	-8	GLY	-	expression tag	UNP Q5XA29
C	-7	GLU	-	expression tag	UNP Q5XA29
C	-6	ASN	-	expression tag	UNP Q5XA29
C	-5	LEU	-	expression tag	UNP Q5XA29
C	-4	TYR	-	expression tag	UNP Q5XA29
C	-3	PHE	-	expression tag	UNP Q5XA29
C	-2	GLN	-	expression tag	UNP Q5XA29
C	-1	GLY	-	expression tag	UNP Q5XA29
C	0	HIS	-	expression tag	UNP Q5XA29
D	-22	MET	-	expression tag	UNP Q5XA29
D	-21	GLY	-	expression tag	UNP Q5XA29
D	-20	SER	-	expression tag	UNP Q5XA29
D	-19	ASP	-	expression tag	UNP Q5XA29
D	-18	LYS	-	expression tag	UNP Q5XA29
D	-17	ILE	-	expression tag	UNP Q5XA29
D	-16	HIS	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-15	HIS	-	expression tag	UNP Q5XA29
D	-14	HIS	-	expression tag	UNP Q5XA29
D	-13	HIS	-	expression tag	UNP Q5XA29
D	-12	HIS	-	expression tag	UNP Q5XA29
D	-11	HIS	-	expression tag	UNP Q5XA29
D	-10	SER	-	expression tag	UNP Q5XA29
D	-9	SER	-	expression tag	UNP Q5XA29
D	-8	GLY	-	expression tag	UNP Q5XA29
D	-7	GLU	-	expression tag	UNP Q5XA29
D	-6	ASN	-	expression tag	UNP Q5XA29
D	-5	LEU	-	expression tag	UNP Q5XA29
D	-4	TYR	-	expression tag	UNP Q5XA29
D	-3	PHE	-	expression tag	UNP Q5XA29
D	-2	GLN	-	expression tag	UNP Q5XA29
D	-1	GLY	-	expression tag	UNP Q5XA29
D	0	HIS	-	expression tag	UNP Q5XA29
E	-22	MET	-	expression tag	UNP Q5XA29
E	-21	GLY	-	expression tag	UNP Q5XA29
E	-20	SER	-	expression tag	UNP Q5XA29
E	-19	ASP	-	expression tag	UNP Q5XA29
E	-18	LYS	-	expression tag	UNP Q5XA29
E	-17	ILE	-	expression tag	UNP Q5XA29
E	-16	HIS	-	expression tag	UNP Q5XA29
E	-15	HIS	-	expression tag	UNP Q5XA29
E	-14	HIS	-	expression tag	UNP Q5XA29
E	-13	HIS	-	expression tag	UNP Q5XA29
E	-12	HIS	-	expression tag	UNP Q5XA29
E	-11	HIS	-	expression tag	UNP Q5XA29
E	-10	SER	-	expression tag	UNP Q5XA29
E	-9	SER	-	expression tag	UNP Q5XA29
E	-8	GLY	-	expression tag	UNP Q5XA29
E	-7	GLU	-	expression tag	UNP Q5XA29
E	-6	ASN	-	expression tag	UNP Q5XA29
E	-5	LEU	-	expression tag	UNP Q5XA29
E	-4	TYR	-	expression tag	UNP Q5XA29
E	-3	PHE	-	expression tag	UNP Q5XA29
E	-2	GLN	-	expression tag	UNP Q5XA29
E	-1	GLY	-	expression tag	UNP Q5XA29
E	0	HIS	-	expression tag	UNP Q5XA29
F	-22	MET	-	expression tag	UNP Q5XA29
F	-21	GLY	-	expression tag	UNP Q5XA29
F	-20	SER	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-19	ASP	-	expression tag	UNP Q5XA29
F	-18	LYS	-	expression tag	UNP Q5XA29
F	-17	ILE	-	expression tag	UNP Q5XA29
F	-16	HIS	-	expression tag	UNP Q5XA29
F	-15	HIS	-	expression tag	UNP Q5XA29
F	-14	HIS	-	expression tag	UNP Q5XA29
F	-13	HIS	-	expression tag	UNP Q5XA29
F	-12	HIS	-	expression tag	UNP Q5XA29
F	-11	HIS	-	expression tag	UNP Q5XA29
F	-10	SER	-	expression tag	UNP Q5XA29
F	-9	SER	-	expression tag	UNP Q5XA29
F	-8	GLY	-	expression tag	UNP Q5XA29
F	-7	GLU	-	expression tag	UNP Q5XA29
F	-6	ASN	-	expression tag	UNP Q5XA29
F	-5	LEU	-	expression tag	UNP Q5XA29
F	-4	TYR	-	expression tag	UNP Q5XA29
F	-3	PHE	-	expression tag	UNP Q5XA29
F	-2	GLN	-	expression tag	UNP Q5XA29
F	-1	GLY	-	expression tag	UNP Q5XA29
F	0	HIS	-	expression tag	UNP Q5XA29
G	-22	MET	-	expression tag	UNP Q5XA29
G	-21	GLY	-	expression tag	UNP Q5XA29
G	-20	SER	-	expression tag	UNP Q5XA29
G	-19	ASP	-	expression tag	UNP Q5XA29
G	-18	LYS	-	expression tag	UNP Q5XA29
G	-17	ILE	-	expression tag	UNP Q5XA29
G	-16	HIS	-	expression tag	UNP Q5XA29
G	-15	HIS	-	expression tag	UNP Q5XA29
G	-14	HIS	-	expression tag	UNP Q5XA29
G	-13	HIS	-	expression tag	UNP Q5XA29
G	-12	HIS	-	expression tag	UNP Q5XA29
G	-11	HIS	-	expression tag	UNP Q5XA29
G	-10	SER	-	expression tag	UNP Q5XA29
G	-9	SER	-	expression tag	UNP Q5XA29
G	-8	GLY	-	expression tag	UNP Q5XA29
G	-7	GLU	-	expression tag	UNP Q5XA29
G	-6	ASN	-	expression tag	UNP Q5XA29
G	-5	LEU	-	expression tag	UNP Q5XA29
G	-4	TYR	-	expression tag	UNP Q5XA29
G	-3	PHE	-	expression tag	UNP Q5XA29
G	-2	GLN	-	expression tag	UNP Q5XA29
G	-1	GLY	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP Q5XA29
H	-22	MET	-	expression tag	UNP Q5XA29
H	-21	GLY	-	expression tag	UNP Q5XA29
H	-20	SER	-	expression tag	UNP Q5XA29
H	-19	ASP	-	expression tag	UNP Q5XA29
H	-18	LYS	-	expression tag	UNP Q5XA29
H	-17	ILE	-	expression tag	UNP Q5XA29
H	-16	HIS	-	expression tag	UNP Q5XA29
H	-15	HIS	-	expression tag	UNP Q5XA29
H	-14	HIS	-	expression tag	UNP Q5XA29
H	-13	HIS	-	expression tag	UNP Q5XA29
H	-12	HIS	-	expression tag	UNP Q5XA29
H	-11	HIS	-	expression tag	UNP Q5XA29
H	-10	SER	-	expression tag	UNP Q5XA29
H	-9	SER	-	expression tag	UNP Q5XA29
H	-8	GLY	-	expression tag	UNP Q5XA29
H	-7	GLU	-	expression tag	UNP Q5XA29
H	-6	ASN	-	expression tag	UNP Q5XA29
H	-5	LEU	-	expression tag	UNP Q5XA29
H	-4	TYR	-	expression tag	UNP Q5XA29
H	-3	PHE	-	expression tag	UNP Q5XA29
H	-2	GLN	-	expression tag	UNP Q5XA29
H	-1	GLY	-	expression tag	UNP Q5XA29
H	0	HIS	-	expression tag	UNP Q5XA29
I	-22	MET	-	expression tag	UNP Q5XA29
I	-21	GLY	-	expression tag	UNP Q5XA29
I	-20	SER	-	expression tag	UNP Q5XA29
I	-19	ASP	-	expression tag	UNP Q5XA29
I	-18	LYS	-	expression tag	UNP Q5XA29
I	-17	ILE	-	expression tag	UNP Q5XA29
I	-16	HIS	-	expression tag	UNP Q5XA29
I	-15	HIS	-	expression tag	UNP Q5XA29
I	-14	HIS	-	expression tag	UNP Q5XA29
I	-13	HIS	-	expression tag	UNP Q5XA29
I	-12	HIS	-	expression tag	UNP Q5XA29
I	-11	HIS	-	expression tag	UNP Q5XA29
I	-10	SER	-	expression tag	UNP Q5XA29
I	-9	SER	-	expression tag	UNP Q5XA29
I	-8	GLY	-	expression tag	UNP Q5XA29
I	-7	GLU	-	expression tag	UNP Q5XA29
I	-6	ASN	-	expression tag	UNP Q5XA29
I	-5	LEU	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	-4	TYR	-	expression tag	UNP Q5XA29
I	-3	PHE	-	expression tag	UNP Q5XA29
I	-2	GLN	-	expression tag	UNP Q5XA29
I	-1	GLY	-	expression tag	UNP Q5XA29
I	0	HIS	-	expression tag	UNP Q5XA29
J	-22	MET	-	expression tag	UNP Q5XA29
J	-21	GLY	-	expression tag	UNP Q5XA29
J	-20	SER	-	expression tag	UNP Q5XA29
J	-19	ASP	-	expression tag	UNP Q5XA29
J	-18	LYS	-	expression tag	UNP Q5XA29
J	-17	ILE	-	expression tag	UNP Q5XA29
J	-16	HIS	-	expression tag	UNP Q5XA29
J	-15	HIS	-	expression tag	UNP Q5XA29
J	-14	HIS	-	expression tag	UNP Q5XA29
J	-13	HIS	-	expression tag	UNP Q5XA29
J	-12	HIS	-	expression tag	UNP Q5XA29
J	-11	HIS	-	expression tag	UNP Q5XA29
J	-10	SER	-	expression tag	UNP Q5XA29
J	-9	SER	-	expression tag	UNP Q5XA29
J	-8	GLY	-	expression tag	UNP Q5XA29
J	-7	GLU	-	expression tag	UNP Q5XA29
J	-6	ASN	-	expression tag	UNP Q5XA29
J	-5	LEU	-	expression tag	UNP Q5XA29
J	-4	TYR	-	expression tag	UNP Q5XA29
J	-3	PHE	-	expression tag	UNP Q5XA29
J	-2	GLN	-	expression tag	UNP Q5XA29
J	-1	GLY	-	expression tag	UNP Q5XA29
J	0	HIS	-	expression tag	UNP Q5XA29
K	-22	MET	-	expression tag	UNP Q5XA29
K	-21	GLY	-	expression tag	UNP Q5XA29
K	-20	SER	-	expression tag	UNP Q5XA29
K	-19	ASP	-	expression tag	UNP Q5XA29
K	-18	LYS	-	expression tag	UNP Q5XA29
K	-17	ILE	-	expression tag	UNP Q5XA29
K	-16	HIS	-	expression tag	UNP Q5XA29
K	-15	HIS	-	expression tag	UNP Q5XA29
K	-14	HIS	-	expression tag	UNP Q5XA29
K	-13	HIS	-	expression tag	UNP Q5XA29
K	-12	HIS	-	expression tag	UNP Q5XA29
K	-11	HIS	-	expression tag	UNP Q5XA29
K	-10	SER	-	expression tag	UNP Q5XA29
K	-9	SER	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	-8	GLY	-	expression tag	UNP Q5XA29
K	-7	GLU	-	expression tag	UNP Q5XA29
K	-6	ASN	-	expression tag	UNP Q5XA29
K	-5	LEU	-	expression tag	UNP Q5XA29
K	-4	TYR	-	expression tag	UNP Q5XA29
K	-3	PHE	-	expression tag	UNP Q5XA29
K	-2	GLN	-	expression tag	UNP Q5XA29
K	-1	GLY	-	expression tag	UNP Q5XA29
K	0	HIS	-	expression tag	UNP Q5XA29
L	-22	MET	-	expression tag	UNP Q5XA29
L	-21	GLY	-	expression tag	UNP Q5XA29
L	-20	SER	-	expression tag	UNP Q5XA29
L	-19	ASP	-	expression tag	UNP Q5XA29
L	-18	LYS	-	expression tag	UNP Q5XA29
L	-17	ILE	-	expression tag	UNP Q5XA29
L	-16	HIS	-	expression tag	UNP Q5XA29
L	-15	HIS	-	expression tag	UNP Q5XA29
L	-14	HIS	-	expression tag	UNP Q5XA29
L	-13	HIS	-	expression tag	UNP Q5XA29
L	-12	HIS	-	expression tag	UNP Q5XA29
L	-11	HIS	-	expression tag	UNP Q5XA29
L	-10	SER	-	expression tag	UNP Q5XA29
L	-9	SER	-	expression tag	UNP Q5XA29
L	-8	GLY	-	expression tag	UNP Q5XA29
L	-7	GLU	-	expression tag	UNP Q5XA29
L	-6	ASN	-	expression tag	UNP Q5XA29
L	-5	LEU	-	expression tag	UNP Q5XA29
L	-4	TYR	-	expression tag	UNP Q5XA29
L	-3	PHE	-	expression tag	UNP Q5XA29
L	-2	GLN	-	expression tag	UNP Q5XA29
L	-1	GLY	-	expression tag	UNP Q5XA29
L	0	HIS	-	expression tag	UNP Q5XA29
M	-22	MET	-	expression tag	UNP Q5XA29
M	-21	GLY	-	expression tag	UNP Q5XA29
M	-20	SER	-	expression tag	UNP Q5XA29
M	-19	ASP	-	expression tag	UNP Q5XA29
M	-18	LYS	-	expression tag	UNP Q5XA29
M	-17	ILE	-	expression tag	UNP Q5XA29
M	-16	HIS	-	expression tag	UNP Q5XA29
M	-15	HIS	-	expression tag	UNP Q5XA29
M	-14	HIS	-	expression tag	UNP Q5XA29
M	-13	HIS	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	-12	HIS	-	expression tag	UNP Q5XA29
M	-11	HIS	-	expression tag	UNP Q5XA29
M	-10	SER	-	expression tag	UNP Q5XA29
M	-9	SER	-	expression tag	UNP Q5XA29
M	-8	GLY	-	expression tag	UNP Q5XA29
M	-7	GLU	-	expression tag	UNP Q5XA29
M	-6	ASN	-	expression tag	UNP Q5XA29
M	-5	LEU	-	expression tag	UNP Q5XA29
M	-4	TYR	-	expression tag	UNP Q5XA29
M	-3	PHE	-	expression tag	UNP Q5XA29
M	-2	GLN	-	expression tag	UNP Q5XA29
M	-1	GLY	-	expression tag	UNP Q5XA29
M	0	HIS	-	expression tag	UNP Q5XA29
N	-22	MET	-	expression tag	UNP Q5XA29
N	-21	GLY	-	expression tag	UNP Q5XA29
N	-20	SER	-	expression tag	UNP Q5XA29
N	-19	ASP	-	expression tag	UNP Q5XA29
N	-18	LYS	-	expression tag	UNP Q5XA29
N	-17	ILE	-	expression tag	UNP Q5XA29
N	-16	HIS	-	expression tag	UNP Q5XA29
N	-15	HIS	-	expression tag	UNP Q5XA29
N	-14	HIS	-	expression tag	UNP Q5XA29
N	-13	HIS	-	expression tag	UNP Q5XA29
N	-12	HIS	-	expression tag	UNP Q5XA29
N	-11	HIS	-	expression tag	UNP Q5XA29
N	-10	SER	-	expression tag	UNP Q5XA29
N	-9	SER	-	expression tag	UNP Q5XA29
N	-8	GLY	-	expression tag	UNP Q5XA29
N	-7	GLU	-	expression tag	UNP Q5XA29
N	-6	ASN	-	expression tag	UNP Q5XA29
N	-5	LEU	-	expression tag	UNP Q5XA29
N	-4	TYR	-	expression tag	UNP Q5XA29
N	-3	PHE	-	expression tag	UNP Q5XA29
N	-2	GLN	-	expression tag	UNP Q5XA29
N	-1	GLY	-	expression tag	UNP Q5XA29
N	0	HIS	-	expression tag	UNP Q5XA29
O	-22	MET	-	expression tag	UNP Q5XA29
O	-21	GLY	-	expression tag	UNP Q5XA29
O	-20	SER	-	expression tag	UNP Q5XA29
O	-19	ASP	-	expression tag	UNP Q5XA29
O	-18	LYS	-	expression tag	UNP Q5XA29
O	-17	ILE	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
O	-16	HIS	-	expression tag	UNP Q5XA29
O	-15	HIS	-	expression tag	UNP Q5XA29
O	-14	HIS	-	expression tag	UNP Q5XA29
O	-13	HIS	-	expression tag	UNP Q5XA29
O	-12	HIS	-	expression tag	UNP Q5XA29
O	-11	HIS	-	expression tag	UNP Q5XA29
O	-10	SER	-	expression tag	UNP Q5XA29
O	-9	SER	-	expression tag	UNP Q5XA29
O	-8	GLY	-	expression tag	UNP Q5XA29
O	-7	GLU	-	expression tag	UNP Q5XA29
O	-6	ASN	-	expression tag	UNP Q5XA29
O	-5	LEU	-	expression tag	UNP Q5XA29
O	-4	TYR	-	expression tag	UNP Q5XA29
O	-3	PHE	-	expression tag	UNP Q5XA29
O	-2	GLN	-	expression tag	UNP Q5XA29
O	-1	GLY	-	expression tag	UNP Q5XA29
O	0	HIS	-	expression tag	UNP Q5XA29
P	-22	MET	-	expression tag	UNP Q5XA29
P	-21	GLY	-	expression tag	UNP Q5XA29
P	-20	SER	-	expression tag	UNP Q5XA29
P	-19	ASP	-	expression tag	UNP Q5XA29
P	-18	LYS	-	expression tag	UNP Q5XA29
P	-17	ILE	-	expression tag	UNP Q5XA29
P	-16	HIS	-	expression tag	UNP Q5XA29
P	-15	HIS	-	expression tag	UNP Q5XA29
P	-14	HIS	-	expression tag	UNP Q5XA29
P	-13	HIS	-	expression tag	UNP Q5XA29
P	-12	HIS	-	expression tag	UNP Q5XA29
P	-11	HIS	-	expression tag	UNP Q5XA29
P	-10	SER	-	expression tag	UNP Q5XA29
P	-9	SER	-	expression tag	UNP Q5XA29
P	-8	GLY	-	expression tag	UNP Q5XA29
P	-7	GLU	-	expression tag	UNP Q5XA29
P	-6	ASN	-	expression tag	UNP Q5XA29
P	-5	LEU	-	expression tag	UNP Q5XA29
P	-4	TYR	-	expression tag	UNP Q5XA29
P	-3	PHE	-	expression tag	UNP Q5XA29
P	-2	GLN	-	expression tag	UNP Q5XA29
P	-1	GLY	-	expression tag	UNP Q5XA29
P	0	HIS	-	expression tag	UNP Q5XA29
Q	-22	MET	-	expression tag	UNP Q5XA29
Q	-21	GLY	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
Q	-20	SER	-	expression tag	UNP Q5XA29
Q	-19	ASP	-	expression tag	UNP Q5XA29
Q	-18	LYS	-	expression tag	UNP Q5XA29
Q	-17	ILE	-	expression tag	UNP Q5XA29
Q	-16	HIS	-	expression tag	UNP Q5XA29
Q	-15	HIS	-	expression tag	UNP Q5XA29
Q	-14	HIS	-	expression tag	UNP Q5XA29
Q	-13	HIS	-	expression tag	UNP Q5XA29
Q	-12	HIS	-	expression tag	UNP Q5XA29
Q	-11	HIS	-	expression tag	UNP Q5XA29
Q	-10	SER	-	expression tag	UNP Q5XA29
Q	-9	SER	-	expression tag	UNP Q5XA29
Q	-8	GLY	-	expression tag	UNP Q5XA29
Q	-7	GLU	-	expression tag	UNP Q5XA29
Q	-6	ASN	-	expression tag	UNP Q5XA29
Q	-5	LEU	-	expression tag	UNP Q5XA29
Q	-4	TYR	-	expression tag	UNP Q5XA29
Q	-3	PHE	-	expression tag	UNP Q5XA29
Q	-2	GLN	-	expression tag	UNP Q5XA29
Q	-1	GLY	-	expression tag	UNP Q5XA29
Q	0	HIS	-	expression tag	UNP Q5XA29
R	-22	MET	-	expression tag	UNP Q5XA29
R	-21	GLY	-	expression tag	UNP Q5XA29
R	-20	SER	-	expression tag	UNP Q5XA29
R	-19	ASP	-	expression tag	UNP Q5XA29
R	-18	LYS	-	expression tag	UNP Q5XA29
R	-17	ILE	-	expression tag	UNP Q5XA29
R	-16	HIS	-	expression tag	UNP Q5XA29
R	-15	HIS	-	expression tag	UNP Q5XA29
R	-14	HIS	-	expression tag	UNP Q5XA29
R	-13	HIS	-	expression tag	UNP Q5XA29
R	-12	HIS	-	expression tag	UNP Q5XA29
R	-11	HIS	-	expression tag	UNP Q5XA29
R	-10	SER	-	expression tag	UNP Q5XA29
R	-9	SER	-	expression tag	UNP Q5XA29
R	-8	GLY	-	expression tag	UNP Q5XA29
R	-7	GLU	-	expression tag	UNP Q5XA29
R	-6	ASN	-	expression tag	UNP Q5XA29
R	-5	LEU	-	expression tag	UNP Q5XA29
R	-4	TYR	-	expression tag	UNP Q5XA29
R	-3	PHE	-	expression tag	UNP Q5XA29
R	-2	GLN	-	expression tag	UNP Q5XA29

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	-1	GLY	-	expression tag	UNP Q5XA29
R	0	HIS	-	expression tag	UNP Q5XA29

- Molecule 2 is 1-O-phosphono-alpha-D-ribofuranose (three-letter code: R1P) (formula: C₅H₁₁O₈P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			14	5	8	1		
2	B	1	Total	C	O	P	0	0
			14	5	8	1		
2	C	1	Total	C	O	P	0	0
			14	5	8	1		
2	D	1	Total	C	O	P	0	0
			14	5	8	1		
2	E	1	Total	C	O	P	0	0
			14	5	8	1		
2	F	1	Total	C	O	P	0	0
			14	5	8	1		
2	G	1	Total	C	O	P	0	0
			14	5	8	1		
2	H	1	Total	C	O	P	0	0
			14	5	8	1		
2	I	1	Total	C	O	P	0	0
			14	5	8	1		
2	J	1	Total	C	O	P	0	0
			14	5	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	K	1	Total	C	O	P	0	0
			14	5	8	1		
2	L	1	Total	C	O	P	0	0
			14	5	8	1		
2	M	1	Total	C	O	P	0	0
			14	5	8	1		
2	N	1	Total	C	O	P	0	0
			14	5	8	1		
2	O	1	Total	C	O	P	0	0
			14	5	8	1		
2	P	1	Total	C	O	P	0	0
			14	5	8	1		
2	Q	1	Total	C	O	P	0	0
			14	5	8	1		
2	R	1	Total	C	O	P	0	0
			14	5	8	1		

- Molecule 3 is URACIL (three-letter code: URA) (formula: C₄H₄N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	2	2		
3	B	1	Total	C	N	O	0	0
			8	4	2	2		
3	C	1	Total	C	N	O	0	0
			8	4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	N	O	0	0
			8	4	2	2		
3	E	1	Total	C	N	O	0	0
			8	4	2	2		
3	F	1	Total	C	N	O	0	0
			8	4	2	2		
3	G	1	Total	C	N	O	0	0
			8	4	2	2		
3	H	1	Total	C	N	O	0	0
			8	4	2	2		
3	I	1	Total	C	N	O	0	0
			8	4	2	2		
3	J	1	Total	C	N	O	0	0
			8	4	2	2		
3	K	1	Total	C	N	O	0	0
			8	4	2	2		
3	L	1	Total	C	N	O	0	0
			8	4	2	2		
3	M	1	Total	C	N	O	0	0
			8	4	2	2		
3	N	1	Total	C	N	O	0	0
			8	4	2	2		
3	O	1	Total	C	N	O	0	0
			8	4	2	2		
3	P	1	Total	C	N	O	0	0
			8	4	2	2		
3	Q	1	Total	C	N	O	0	0
			8	4	2	2		
3	R	1	Total	C	N	O	0	0
			8	4	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	172	Total	O	0	0
			172	172		
4	B	176	Total	O	0	0
			176	176		
4	C	213	Total	O	0	0
			213	213		
4	D	170	Total	O	0	0
			170	170		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	198	Total 198	O 198	0	0
4	F	207	Total 207	O 207	0	0
4	G	181	Total 181	O 181	0	0
4	H	151	Total 151	O 151	0	0
4	I	191	Total 191	O 191	0	0
4	J	199	Total 199	O 199	0	0
4	K	189	Total 189	O 189	0	0
4	L	188	Total 188	O 188	0	0
4	M	114	Total 114	O 114	0	0
4	N	120	Total 120	O 120	0	0
4	O	129	Total 129	O 129	0	0
4	P	103	Total 103	O 103	0	0
4	Q	139	Total 139	O 139	0	0
4	R	139	Total 139	O 139	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase










- Molecule 1: Uridine phosphorylase






- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase






- Molecule 1: Uridine phosphorylase











• Molecule 1: Uridine phosphorylase






• Molecule 1: Uridine phosphorylase





• Molecule 1: Uridine phosphorylase





• Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	92.02Å 91.58Å 170.18Å 78.46° 82.33° 60.12°	Depositor
Resolution (Å)	50.00 – 1.82 43.28 – 1.82	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-1.82) 95.2 (43.28-1.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.69 (at 1.82Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.177 , 0.203 0.173 , 0.172	Depositor DCC
R_{free} test set	20029 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	11.6	Xtrriage
Anisotropy	0.636	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.009 for h-k,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	37086	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: R1P, URA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/1911	0.60	0/2588
1	B	0.29	0/1911	0.60	0/2588
1	C	0.30	0/1943	0.61	0/2631
1	D	0.30	0/1902	0.61	0/2577
1	E	0.30	0/1902	0.60	0/2577
1	F	0.30	0/1920	0.61	0/2600
1	G	0.29	0/1904	0.60	0/2578
1	H	0.29	0/1911	0.60	0/2588
1	I	0.29	0/1911	0.60	0/2588
1	J	0.30	0/1895	0.61	0/2567
1	K	0.30	0/1902	0.61	0/2577
1	L	0.30	0/1904	0.60	0/2578
1	M	0.28	0/1902	0.56	0/2577
1	N	0.27	0/1904	0.56	0/2578
1	O	0.28	0/1904	0.56	0/2578
1	P	0.27	0/1895	0.56	0/2567
1	Q	0.28	0/1886	0.58	0/2556
1	R	0.27	0/1879	0.57	0/2542
All	All	0.29	0/34286	0.59	0/46435

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1879	0	1861	23	0
1	B	1879	0	1861	27	0
1	C	1910	0	1884	21	0
1	D	1870	0	1848	26	0
1	E	1870	0	1848	19	0
1	F	1888	0	1867	15	0
1	G	1872	0	1852	27	0
1	H	1879	0	1861	26	0
1	I	1879	0	1861	17	0
1	J	1863	0	1839	19	0
1	K	1870	0	1848	19	0
1	L	1872	0	1852	22	0
1	M	1870	0	1848	30	0
1	N	1872	0	1852	27	0
1	O	1872	0	1852	31	0
1	P	1863	0	1839	27	0
1	Q	1854	0	1819	25	0
1	R	1849	0	1837	34	0
2	A	14	0	0	0	0
2	B	14	0	0	0	0
2	C	14	0	0	0	0
2	D	14	0	0	0	0
2	E	14	0	0	0	0
2	F	14	0	0	0	0
2	G	14	0	0	0	0
2	H	14	0	0	0	0
2	I	14	0	0	0	0
2	J	14	0	0	0	0
2	K	14	0	0	0	0
2	L	14	0	0	0	0
2	M	14	0	0	0	0
2	N	14	0	0	0	0
2	O	14	0	0	0	0
2	P	14	0	0	0	0
2	Q	14	0	0	0	0
2	R	14	0	0	0	0
3	A	8	0	3	0	0
3	B	8	0	3	0	0
3	C	8	0	3	0	0
3	D	8	0	3	0	0
3	E	8	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	8	0	3	0	0
3	G	8	0	3	0	0
3	H	8	0	3	0	0
3	I	8	0	3	0	0
3	J	8	0	3	0	0
3	K	8	0	3	0	0
3	L	8	0	3	0	0
3	M	8	0	3	0	0
3	N	8	0	3	0	0
3	O	8	0	3	0	0
3	P	8	0	3	0	0
3	Q	8	0	3	0	0
3	R	8	0	3	0	0
4	A	172	0	0	3	0
4	B	176	0	0	1	0
4	C	213	0	0	3	0
4	D	170	0	0	0	0
4	E	198	0	0	0	0
4	F	207	0	0	2	0
4	G	181	0	0	1	0
4	H	151	0	0	2	0
4	I	191	0	0	2	0
4	J	199	0	0	1	0
4	K	189	0	0	2	0
4	L	188	0	0	1	0
4	M	114	0	0	0	0
4	N	120	0	0	0	0
4	O	129	0	0	1	0
4	P	103	0	0	0	0
4	Q	139	0	0	2	0
4	R	139	0	0	0	0
All	All	37086	0	33383	421	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 421 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:168:GLN:HE21	1:Q:223:GLN:HE22	1.08	0.92
1:A:252:LEU:HG	4:A:2806:HOH:O	1.70	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:106:LYS:NZ	1:R:107:GLY:H	1.67	0.90
1:P:95:VAL:HG11	1:P:242:ILE:HD13	1.57	0.87
1:F:239:GLU:HG3	1:F:243:GLN:HE21	1.43	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/282 (88%)	240 (97%)	8 (3%)	0	100	100
1	B	248/282 (88%)	240 (97%)	8 (3%)	0	100	100
1	C	252/282 (89%)	246 (98%)	6 (2%)	0	100	100
1	D	247/282 (88%)	240 (97%)	7 (3%)	0	100	100
1	E	247/282 (88%)	241 (98%)	6 (2%)	0	100	100
1	F	249/282 (88%)	243 (98%)	6 (2%)	0	100	100
1	G	247/282 (88%)	240 (97%)	7 (3%)	0	100	100
1	H	248/282 (88%)	240 (97%)	8 (3%)	0	100	100
1	I	248/282 (88%)	241 (97%)	7 (3%)	0	100	100
1	J	246/282 (87%)	237 (96%)	9 (4%)	0	100	100
1	K	247/282 (88%)	238 (96%)	9 (4%)	0	100	100
1	L	247/282 (88%)	239 (97%)	8 (3%)	0	100	100
1	M	247/282 (88%)	239 (97%)	8 (3%)	0	100	100
1	N	247/282 (88%)	240 (97%)	7 (3%)	0	100	100
1	O	247/282 (88%)	240 (97%)	7 (3%)	0	100	100
1	P	246/282 (87%)	241 (98%)	5 (2%)	0	100	100
1	Q	246/282 (87%)	241 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	R	242/282 (86%)	236 (98%)	6 (2%)	0	100	100
All	All	4449/5076 (88%)	4322 (97%)	127 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/224 (88%)	190 (97%)	6 (3%)	40	25
1	B	196/224 (88%)	192 (98%)	4 (2%)	55	43
1	C	199/224 (89%)	194 (98%)	5 (2%)	47	33
1	D	195/224 (87%)	190 (97%)	5 (3%)	46	32
1	E	195/224 (87%)	192 (98%)	3 (2%)	65	55
1	F	197/224 (88%)	194 (98%)	3 (2%)	65	55
1	G	195/224 (87%)	188 (96%)	7 (4%)	35	19
1	H	196/224 (88%)	193 (98%)	3 (2%)	65	55
1	I	196/224 (88%)	192 (98%)	4 (2%)	55	43
1	J	194/224 (87%)	191 (98%)	3 (2%)	65	55
1	K	195/224 (87%)	190 (97%)	5 (3%)	46	32
1	L	195/224 (87%)	191 (98%)	4 (2%)	53	41
1	M	195/224 (87%)	188 (96%)	7 (4%)	35	19
1	N	195/224 (87%)	192 (98%)	3 (2%)	65	55
1	O	195/224 (87%)	189 (97%)	6 (3%)	40	25
1	P	194/224 (87%)	189 (97%)	5 (3%)	46	32
1	Q	192/224 (86%)	187 (97%)	5 (3%)	46	32
1	R	193/224 (86%)	190 (98%)	3 (2%)	62	53
All	All	3513/4032 (87%)	3432 (98%)	81 (2%)	50	37

5 of 81 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	234	MET
1	P	222	ASN
1	N	120	GLU
1	O	222	ASN
1	Q	170	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 86 such sidechains are listed below:

Mol	Chain	Res	Type
1	L	243	GLN
1	P	141	ASN
1	M	61	ASN
1	N	243	GLN
1	Q	141	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	R1P	Q	1254	-	13,14,14	0.91	0	20,21,21	0.78	1 (5%)
2	R1P	D	1254	-	13,14,14	0.91	0	20,21,21	0.81	1 (5%)
3	URA	D	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.24	6 (66%)
2	R1P	B	1254	-	13,14,14	0.91	0	20,21,21	0.88	1 (5%)
3	URA	C	1255	-	8,8,8	1.92	3 (37%)	9,10,10	3.23	6 (66%)
3	URA	K	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.26	6 (66%)
3	URA	M	1255	-	8,8,8	1.88	3 (37%)	9,10,10	3.24	6 (66%)
2	R1P	O	1254	-	13,14,14	0.90	0	20,21,21	0.82	1 (5%)
3	URA	E	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.23	6 (66%)
3	URA	O	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.24	6 (66%)
2	R1P	K	1254	-	13,14,14	0.91	0	20,21,21	0.82	1 (5%)
2	R1P	G	1254	-	13,14,14	0.91	0	20,21,21	0.81	1 (5%)
3	URA	A	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.24	6 (66%)
3	URA	P	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.24	6 (66%)
2	R1P	E	1254	-	13,14,14	0.90	0	20,21,21	0.83	1 (5%)
2	R1P	P	1254	-	13,14,14	0.91	0	20,21,21	0.84	1 (5%)
3	URA	F	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.21	6 (66%)
2	R1P	A	1254	-	13,14,14	0.92	0	20,21,21	0.81	1 (5%)
2	R1P	C	1254	-	13,14,14	0.91	0	20,21,21	0.83	1 (5%)
2	R1P	F	1254	-	13,14,14	0.91	0	20,21,21	0.81	1 (5%)
3	URA	R	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.24	6 (66%)
3	URA	H	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.25	6 (66%)
3	URA	J	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.22	6 (66%)
3	URA	G	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.18	6 (66%)
2	R1P	J	1254	-	13,14,14	0.92	0	20,21,21	0.83	1 (5%)
3	URA	N	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.25	6 (66%)
2	R1P	H	1254	-	13,14,14	0.90	0	20,21,21	0.80	1 (5%)
3	URA	L	1255	-	8,8,8	1.91	3 (37%)	9,10,10	3.24	6 (66%)
2	R1P	M	1254	-	13,14,14	0.90	0	20,21,21	0.85	1 (5%)
2	R1P	N	1254	-	13,14,14	0.90	0	20,21,21	0.85	1 (5%)
2	R1P	I	1254	-	13,14,14	0.91	0	20,21,21	0.83	1 (5%)
2	R1P	R	1254	-	13,14,14	0.90	0	20,21,21	0.89	1 (5%)
2	R1P	L	1254	-	13,14,14	0.91	0	20,21,21	0.82	1 (5%)
3	URA	I	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.25	6 (66%)
3	URA	Q	1255	-	8,8,8	1.89	3 (37%)	9,10,10	3.23	6 (66%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	URA	B	1255	-	8,8,8	1.90	3 (37%)	9,10,10	3.23	6 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	R1P	Q	1254	-	-	0/6/23/23	0/1/1/1
2	R1P	D	1254	-	-	0/6/23/23	0/1/1/1
3	URA	D	1255	-	-	-	0/1/1/1
2	R1P	B	1254	-	-	0/6/23/23	0/1/1/1
3	URA	C	1255	-	-	-	0/1/1/1
3	URA	K	1255	-	-	-	0/1/1/1
3	URA	M	1255	-	-	-	0/1/1/1
2	R1P	O	1254	-	-	0/6/23/23	0/1/1/1
3	URA	E	1255	-	-	-	0/1/1/1
3	URA	O	1255	-	-	-	0/1/1/1
2	R1P	K	1254	-	-	0/6/23/23	0/1/1/1
2	R1P	G	1254	-	-	0/6/23/23	0/1/1/1
3	URA	A	1255	-	-	-	0/1/1/1
3	URA	P	1255	-	-	-	0/1/1/1
2	R1P	E	1254	-	-	0/6/23/23	0/1/1/1
2	R1P	P	1254	-	-	2/6/23/23	0/1/1/1
3	URA	F	1255	-	-	-	0/1/1/1
2	R1P	A	1254	-	-	0/6/23/23	0/1/1/1
2	R1P	C	1254	-	-	0/6/23/23	0/1/1/1
2	R1P	F	1254	-	-	0/6/23/23	0/1/1/1
3	URA	R	1255	-	-	-	0/1/1/1
3	URA	H	1255	-	-	-	0/1/1/1
3	URA	J	1255	-	-	-	0/1/1/1
3	URA	G	1255	-	-	-	0/1/1/1
2	R1P	J	1254	-	-	0/6/23/23	0/1/1/1
3	URA	N	1255	-	-	-	0/1/1/1
2	R1P	H	1254	-	-	1/6/23/23	0/1/1/1
3	URA	L	1255	-	-	-	0/1/1/1
2	R1P	M	1254	-	-	1/6/23/23	0/1/1/1
2	R1P	N	1254	-	-	2/6/23/23	0/1/1/1
2	R1P	I	1254	-	-	0/6/23/23	0/1/1/1
2	R1P	R	1254	-	-	3/6/23/23	0/1/1/1
2	R1P	L	1254	-	-	0/6/23/23	0/1/1/1
3	URA	I	1255	-	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	URA	Q	1255	-	-	-	0/1/1/1
3	URA	B	1255	-	-	-	0/1/1/1

The worst 5 of 54 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	1255	URA	C6-N1	2.94	1.40	1.36
3	O	1255	URA	C6-N1	2.93	1.40	1.36
3	C	1255	URA	C6-N1	2.92	1.40	1.36
3	K	1255	URA	C6-N1	2.90	1.40	1.36
3	L	1255	URA	C6-N1	2.90	1.40	1.36

The worst 5 of 126 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	1255	URA	C4-N3-C2	-5.79	119.96	125.70
3	D	1255	URA	C4-N3-C2	-5.78	119.97	125.70
3	I	1255	URA	C4-N3-C2	-5.78	119.97	125.70
3	R	1255	URA	C4-N3-C2	-5.77	119.97	125.70
3	N	1255	URA	C4-N3-C2	-5.75	120.00	125.70

There are no chirality outliers.

5 of 9 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	N	1254	R1P	C1-O1-P-O1P
2	N	1254	R1P	C1-O1-P-O2P
2	P	1254	R1P	C1-O1-P-O1P
2	R	1254	R1P	C1-O1-P-O1P
2	M	1254	R1P	C1-O1-P-O2P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/282 (88%)	-0.21	5 (2%) 65 61	4, 10, 24, 35	0
1	B	250/282 (88%)	-0.40	3 (1%) 79 76	4, 10, 22, 31	0
1	C	254/282 (90%)	-0.42	1 (0%) 92 91	3, 8, 19, 30	0
1	D	249/282 (88%)	-0.39	1 (0%) 92 91	3, 9, 23, 34	0
1	E	249/282 (88%)	-0.41	2 (0%) 86 84	4, 9, 20, 28	0
1	F	251/282 (89%)	-0.39	4 (1%) 72 68	4, 9, 21, 37	0
1	G	249/282 (88%)	-0.33	4 (1%) 72 68	4, 10, 21, 32	0
1	H	250/282 (88%)	-0.19	8 (3%) 47 42	4, 11, 25, 36	0
1	I	250/282 (88%)	-0.26	4 (1%) 72 68	4, 10, 24, 34	0
1	J	248/282 (87%)	-0.44	3 (1%) 79 76	3, 9, 19, 28	0
1	K	249/282 (88%)	-0.42	2 (0%) 86 84	3, 9, 21, 30	0
1	L	249/282 (88%)	-0.36	4 (1%) 72 68	3, 9, 20, 32	0
1	M	249/282 (88%)	-0.03	7 (2%) 53 48	9, 16, 29, 35	0
1	N	249/282 (88%)	0.07	10 (4%) 38 32	8, 16, 32, 43	0
1	O	249/282 (88%)	-0.03	5 (2%) 65 61	8, 16, 31, 38	0
1	P	248/282 (87%)	0.09	12 (4%) 30 25	8, 17, 34, 45	0
1	Q	248/282 (87%)	-0.30	3 (1%) 79 76	7, 13, 25, 37	0
1	R	246/282 (87%)	-0.11	10 (4%) 37 31	7, 14, 31, 46	0
All	All	4487/5076 (88%)	-0.25	88 (1%) 65 61	3, 11, 26, 46	0

The worst 5 of 88 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	P	234	MET	7.8
1	R	234	MET	6.3
1	P	12	TYR	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	234	MET	5.2
1	P	236	HIS	5.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	R1P	R	1254	14/14	0.77	0.20	36,38,40,40	0
2	R1P	P	1254	14/14	0.87	0.16	26,30,31,32	0
2	R1P	N	1254	14/14	0.88	0.14	24,25,26,27	0
2	R1P	M	1254	14/14	0.93	0.12	18,21,23,23	0
2	R1P	G	1254	14/14	0.93	0.12	14,18,19,20	0
2	R1P	E	1254	14/14	0.94	0.11	10,15,18,19	0
2	R1P	H	1254	14/14	0.94	0.12	16,18,19,20	0
2	R1P	O	1254	14/14	0.94	0.11	16,20,21,22	0
2	R1P	I	1254	14/14	0.94	0.10	10,14,15,16	0
2	R1P	L	1254	14/14	0.94	0.11	12,15,17,17	0
3	URA	O	1255	8/8	0.94	0.09	16,18,18,19	0
2	R1P	K	1254	14/14	0.95	0.10	10,13,14,16	0
2	R1P	A	1254	14/14	0.95	0.11	13,18,19,19	0
2	R1P	B	1254	14/14	0.95	0.12	13,16,17,18	0
3	URA	C	1255	8/8	0.95	0.09	8,11,12,14	0
2	R1P	J	1254	14/14	0.95	0.10	11,14,17,17	0
3	URA	P	1255	8/8	0.95	0.10	17,19,19,20	0
2	R1P	F	1254	14/14	0.96	0.09	9,11,13,15	0
3	URA	F	1255	8/8	0.96	0.08	8,10,12,14	0
3	URA	G	1255	8/8	0.96	0.09	10,14,15,17	0
3	URA	M	1255	8/8	0.96	0.08	15,17,18,18	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	R1P	D	1254	14/14	0.96	0.10	9,12,14,15	0
2	R1P	C	1254	14/14	0.96	0.10	11,15,18,21	0
3	URA	R	1255	8/8	0.96	0.08	19,22,22,23	0
3	URA	J	1255	8/8	0.97	0.08	9,11,13,14	0
3	URA	K	1255	8/8	0.97	0.07	8,12,13,16	0
3	URA	E	1255	8/8	0.97	0.07	10,12,13,16	0
3	URA	N	1255	8/8	0.97	0.06	19,21,22,22	0
3	URA	A	1255	8/8	0.97	0.07	10,11,13,13	0
2	R1P	Q	1254	14/14	0.97	0.08	10,13,14,14	0
3	URA	Q	1255	8/8	0.97	0.08	11,12,13,14	0
3	URA	H	1255	8/8	0.97	0.08	9,12,15,15	0
3	URA	D	1255	8/8	0.98	0.07	9,11,13,14	0
3	URA	L	1255	8/8	0.98	0.06	10,11,12,12	0
3	URA	I	1255	8/8	0.98	0.07	12,14,15,16	0
3	URA	B	1255	8/8	0.98	0.07	11,15,15,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.