



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 16, 2024 – 04:40 PM EDT

PDB ID : 4WZJ
Title : Spliceosomal U4 snRNP core domain
Authors : Leung, A.K.W.; Nagai, K.; Li, J.
Deposited on : 2014-11-19
Resolution : 3.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1257 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)
RNA backbone	3102	1017 (4.20-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	125	
1	AA	125	
1	AAA	125	
1	AAAA	125	
1	H	125	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	HH	125	3% 67% 33%
1	HHH	125	2% 67% 33%
1	HHHH	125	2% 65% 34%
1	O	125	11% 66% 34%
1	OO	125	5% 65% 35%
1	OOO	125	3% 66% 34%
1	OOOO	125	5% 66% 34%
2	B	95	7% 88% 9%
2	BB	95	1% 73% 25%
2	BBB	95	11% 73% 25%
2	BBBB	95	3% 77% 22%
2	I	95	7% 73% 24%
2	II	95	6% 78% 21%
2	III	95	5% 73% 25%
2	III	95	8% 77% 21%
2	P	95	4% 74% 25%
2	PP	95	5% 74% 25%
2	PPP	95	4% 73% 25%
2	PPPP	95	9% 76% 21%
3	C	118	68% 31%
3	CC	118	1% 68% 31%
3	CCC	118	1% 68% 31%
3	CCCC	118	2% 68% 31%
3	J	118	68% 31%
3	JJ	118	2% 68% 31%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	JJJ	118	68% 31%
3	JJJJ	118	68% 31%
3	Q	118	68% 31%
3	QQ	118	68% 31%
3	QQQ	118	68% 31%
3	QQQQ	118	68% 31%
4	D	118	81% 18%
4	DD	118	78% 17%
4	DDD	118	81% 17%
4	DDDD	118	85% 12%
4	K	118	80% 15%
4	KK	118	86% 12%
4	KKK	118	80% 16%
4	KKKK	118	85% 12%
4	R	118	81% 17%
4	RR	118	80% 17%
4	RRR	118	81% 17%
4	RRRR	118	79% 17%
5	F	86	85% 14%
5	FF	86	87% 13%
5	FFF	86	86% 14%
5	FFFF	86	84% 14%
5	M	86	90% 8%
5	MM	86	90% 7%
5	MMM	86	87% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	MMMM	86	87% 9%
5	T	86	88% 12%
5	TT	86	87% 9%
5	TTT	86	85% 12%
5	TTTT	86	88% 10%
6	E	92	86% 14%
6	EE	92	86% 14%
6	EEE	92	86% 14%
6	EEEE	92	86% 14%
6	L	92	85% 14%
6	LL	92	86% 14%
6	LLL	92	86% 14%
6	LLLL	92	84% 16%
6	S	92	86% 14%
6	SS	92	86% 14%
6	SSS	92	86% 14%
6	SSSS	92	86% 14%
7	G	76	96% ..
7	GG	76	96% ..
7	GGG	76	95% ..
7	GGGG	76	95% ..
7	N	76	96% ..
7	NN	76	97% .
7	NNN	76	96% ..
7	NNNN	76	95% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	U	76	 11% 93% . .
7	UU	76	 7% 96% . .
7	UUU	76	 12% 93% . .
7	UUUU	76	 7% 96% . .
8	V	68	 % 93% 7%
8	VV	68	 88% 12%
8	VVV	68	 % 91% 9%
8	VVVV	68	 94% 6%
8	X	68	 93% 7%
8	XX	68	 87% 10% .
8	XXX	68	 94% . .
8	XXXX	68	 90% 9% .
8	Y	68	 % 91% 9%
8	YY	68	 94% 6%
8	YYY	68	 % 93% 6% .
8	YYYY	68	 93% 7%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 71485 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	83	Total 652	C 409	N 115	O 122	S 6	0	0	0
1	H	84	Total 658	C 412	N 116	O 124	S 6	0	0	0
1	O	83	Total 652	C 409	N 115	O 122	S 6	0	0	0
1	AA	83	Total 652	C 409	N 115	O 122	S 6	0	0	0
1	HH	84	Total 653	C 409	N 115	O 123	S 6	0	0	0
1	OO	81	Total 637	C 400	N 112	O 119	S 6	0	0	0
1	AAA	83	Total 648	C 406	N 114	O 122	S 6	0	0	0
1	HHH	84	Total 658	C 412	N 116	O 124	S 6	0	0	0
1	OOO	82	Total 646	C 406	N 114	O 120	S 6	0	0	0
1	AAAA	82	Total 646	C 406	N 114	O 120	S 6	0	0	0
1	HHHH	82	Total 643	C 403	N 113	O 121	S 6	0	0	0
1	OOOO	82	Total 646	C 406	N 114	O 120	S 6	0	0	0

- Molecule 2 is a protein called Small nuclear ribonucleoprotein-associated proteins B and B'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	86	Total 690	C 434	N 126	O 123	S 7	0	0	0
2	I	72	Total 574	C 364	N 103	O 100	S 7	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	71	Total	C	N	O	S	0	0	0
			569	361	102	99	7			
2	BB	71	Total	C	N	O	S	0	0	0
			565	358	101	99	7			
2	II	75	Total	C	N	O	S	0	0	0
			585	370	105	103	7			
2	PP	71	Total	C	N	O	S	0	0	0
			569	361	102	99	7			
2	BBB	71	Total	C	N	O	S	0	0	0
			565	358	101	99	7			
2	III	71	Total	C	N	O	S	0	0	0
			565	358	101	99	7			
2	PPP	71	Total	C	N	O	S	0	0	0
			559	355	98	99	7			
2	BBBB	74	Total	C	N	O	S	0	0	0
			592	375	106	104	7			
2	IIII	75	Total	C	N	O	S	0	0	0
			602	381	109	105	7			
2	PPPP	75	Total	C	N	O	S	0	0	0
			598	381	107	103	7			

- Molecule 3 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	J	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	Q	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	CC	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	JJ	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	QQ	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	CCC	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	JJJ	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	QQQ	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	CCCC	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	JJJJ	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			
3	QQQQ	82	Total	C	N	O	S	0	0	0
			649	413	113	119	4			

- Molecule 4 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	97	Total	C	N	O	S	0	0	0
			776	488	143	140	5			
4	K	100	Total	C	N	O	S	0	0	0
			796	499	149	143	5			
4	R	98	Total	C	N	O	S	0	0	0
			787	494	147	141	5			
4	DD	98	Total	C	N	O	S	0	0	0
			783	491	146	141	5			
4	KK	104	Total	C	N	O	S	0	0	0
			838	526	155	152	5			
4	RR	98	Total	C	N	O	S	0	0	0
			787	494	147	141	5			
4	DDD	98	Total	C	N	O	S	0	0	0
			787	494	147	141	5			
4	KKK	99	Total	C	N	O	S	0	0	0
			786	494	146	141	5			
4	RRR	98	Total	C	N	O	S	0	0	0
			787	494	147	141	5			
4	DDDD	104	Total	C	N	O	S	0	0	0
			838	526	155	152	5			
4	KKKK	104	Total	C	N	O	S	0	0	0
			838	526	155	152	5			
4	RRRR	98	Total	C	N	O	S	0	0	0
			787	494	147	141	5			

- Molecule 5 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	F	74	Total	C	N	O	S	0	0	0
			576	373	95	103	5			
5	M	79	Total	C	N	O	S	0	0	0
			609	392	100	112	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	T	76	Total	C	N	O	S	0	0	0
			594	383	97	109	5			
5	FF	75	Total	C	N	O	S	0	0	0
			585	378	96	106	5			
5	MM	80	Total	C	N	O	S	0	0	0
			621	399	101	115	6			
5	TT	78	Total	C	N	O	S	0	0	0
			596	385	99	107	5			
5	FFF	74	Total	C	N	O	S	0	0	0
			576	373	95	103	5			
5	MMM	76	Total	C	N	O	S	0	0	0
			590	381	97	107	5			
5	TTT	76	Total	C	N	O	S	0	0	0
			590	381	97	107	5			
5	FFFF	74	Total	C	N	O	S	0	0	0
			576	373	95	103	5			
5	MMMM	78	Total	C	N	O	S	0	0	0
			604	389	99	111	5			
5	TTTT	77	Total	C	N	O	S	0	0	0
			599	386	98	110	5			

- Molecule 6 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	L	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	S	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	EE	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	LL	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	SS	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	EEE	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	LLL	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	SSS	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	EEEE	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			
6	LLLL	77	Total	C	N	O	S	0	0	0
			638	405	113	115	5			
6	SSSS	79	Total	C	N	O	S	0	0	0
			652	412	116	119	5			

- Molecule 7 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	N	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	U	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	GG	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	NN	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	UU	74	Total	C	N	O	S	0	0	0
			571	361	101	103	6			
7	GGG	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	NNN	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	UUU	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	GGGG	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	NNNN	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			
7	UUUU	74	Total	C	N	O	S	0	0	0
			577	364	104	103	6			

- Molecule 8 is a RNA chain called U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor..

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	V	68	Total	C	N	O	P	0	0	0
			1453	650	263	473	67			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	X	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	Y	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	VV	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	XX	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	YY	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	VVV	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	XXX	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	YYY	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	VVVV	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	XXXX	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0
8	YYYY	68	Total 1453	C 650	N 263	O 473	P 67	0	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	R	1	Total 1	O 1	0	0
9	DD	1	Total 1	O 1	0	0
9	RR	1	Total 1	O 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Small nuclear ribonucleoprotein Sm D3




- Molecule 1: Small nuclear ribonucleoprotein Sm D3




- Molecule 1: Small nuclear ribonucleoprotein Sm D3




- Molecule 1: Small nuclear ribonucleoprotein Sm D3




- Molecule 1: Small nuclear ribonucleoprotein Sm D3








- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'




- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'




- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'




- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 2: Small nuclear ribonucleoprotein-associated proteins B and B'





- Molecule 3: Small nuclear ribonucleoprotein Sm D1








- Molecule 4: Small nuclear ribonucleoprotein Sm D2





- Molecule 4: Small nuclear ribonucleoprotein Sm D2





- Molecule 4: Small nuclear ribonucleoprotein Sm D2





- Molecule 4: Small nuclear ribonucleoprotein Sm D2




- Molecule 4: Small nuclear ribonucleoprotein Sm D2




- Molecule 4: Small nuclear ribonucleoprotein Sm D2




- Molecule 4: Small nuclear ribonucleoprotein Sm D2




- Molecule 4: Small nuclear ribonucleoprotein Sm D2




- Molecule 4: Small nuclear ribonucleoprotein Sm D2




- Molecule 5: Small nuclear ribonucleoprotein F




- Molecule 5: Small nuclear ribonucleoprotein F



- Molecule 5: Small nuclear ribonucleoprotein F



- Molecule 5: Small nuclear ribonucleoprotein F




- Molecule 5: Small nuclear ribonucleoprotein F

Chain MM:  90% 7%





- Molecule 5: Small nuclear ribonucleoprotein F

Chain TT:  87% 9%




- Molecule 5: Small nuclear ribonucleoprotein F

Chain FFF:  86% 14%




- Molecule 5: Small nuclear ribonucleoprotein F

Chain MMM:  87% 12%




- Molecule 5: Small nuclear ribonucleoprotein F

Chain TTT:  2% 85% 12%




- Molecule 5: Small nuclear ribonucleoprotein F

Chain FFFF:  1% 84% 14%




- Molecule 5: Small nuclear ribonucleoprotein F


Chain MMMM:  87% 9%




- Molecule 5: Small nuclear ribonucleoprotein F




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E



- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 6: Small nuclear ribonucleoprotein E




- Molecule 7: Small nuclear ribonucleoprotein G








- Molecule 7: Small nuclear ribonucleoprotein G




- Molecule 7: Small nuclear ribonucleoprotein G



- Molecule 7: Small nuclear ribonucleoprotein G




- Molecule 7: Small nuclear ribonucleoprotein G




- Molecule 7: Small nuclear ribonucleoprotein G



- Molecule 7: Small nuclear ribonucleoprotein G



- Molecule 7: Small nuclear ribonucleoprotein G




- Molecule 7: Small nuclear ribonucleoprotein G



- Molecule 7: Small nuclear ribonucleoprotein G





- Molecule 7: Small nuclear ribonucleoprotein G



- Molecule 7: Small nuclear ribonucleoprotein G



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.




- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.







- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.




- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.

Chain XXX:  94%




- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.

Chain YYY:  93%



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.

Chain VVVV:  94%



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.

Chain XXXX:  90%



- Molecule 8: U4 small nuclear RNA variant: Native sequence 85-145, of which nucleotides 97-104 are replaced with GAAA tetraloop and nucleotides 134-137 are replaced with GAAA tetraloop receptor.

Chain YYYY:  93%



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	248.01Å 248.01Å 251.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	66.15 – 3.60 66.15 – 3.48	Depositor EDS
% Data completeness (in resolution range)	83.1 (66.15-3.60) 75.9 (66.15-3.48)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 3.49Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.177 , 0.224 0.179 , 0.176	Depositor DCC
R_{free} test set	8492 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	84.3	Xtrriage
Anisotropy	0.018	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 35.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.32$, $\langle L^2 \rangle = 0.15$	Xtrriage
Estimated twinning fraction	0.309 for -h,-k,l 0.306 for h,-h-k,-l 0.306 for -k,-h,-l	Xtrriage
Reported twinning fraction	0.218 for H, K, L 0.282 for -K, -H, -L 0.283 for K, H, -L 0.216 for -h,-k,l	Depositor
Outliers	0 of 169321 reflections	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	71485	wwPDB-VP
Average B, all atoms (Å ²)	128.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/660	0.67	0/889
1	AA	0.45	0/660	0.69	0/889
1	AAA	0.46	0/656	0.71	1/885 (0.1%)
1	AAAA	0.49	0/654	0.69	0/881
1	H	0.50	0/666	0.71	0/897
1	HH	0.49	0/661	0.68	0/892
1	HHH	0.49	0/666	0.67	0/897
1	HHHH	0.45	0/651	0.71	1/878 (0.1%)
1	O	0.45	0/660	0.68	0/889
1	OO	0.44	0/645	0.66	0/870
1	OOO	0.46	0/654	0.67	0/881
1	OOOO	0.44	0/654	0.69	0/881
2	B	0.53	0/700	0.82	0/933
2	BB	0.56	0/573	0.81	1/765 (0.1%)
2	BBB	0.49	0/573	0.73	0/765
2	BBBB	0.50	0/600	0.84	0/799
2	I	0.56	0/582	0.83	2/776 (0.3%)
2	II	0.49	0/593	0.77	0/793
2	III	0.61	2/573 (0.3%)	0.76	1/765 (0.1%)
2	III	0.61	0/610	0.84	1/813 (0.1%)
2	P	0.46	0/577	0.74	0/769
2	PP	0.49	0/577	0.69	0/769
2	PPP	0.49	0/567	0.92	3/758 (0.4%)
2	PPPP	0.46	0/607	0.73	0/810
3	C	0.56	0/657	0.77	0/888
3	CC	0.55	0/657	0.78	0/888
3	CCC	0.56	0/657	0.76	0/888
3	CCCC	0.54	0/657	0.76	0/888
3	J	0.54	0/657	0.76	0/888
3	JJ	0.53	0/657	0.76	0/888
3	JJJ	0.53	0/657	0.75	0/888
3	JJJJ	0.54	0/657	0.78	0/888
3	Q	0.52	0/657	0.74	0/888
3	QQ	0.53	0/657	0.76	0/888

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	QQQ	0.56	0/657	0.77	0/888
3	QQQQ	0.51	0/657	0.75	0/888
4	D	0.69	0/786	0.86	0/1053
4	DD	0.66	0/793	0.88	1/1063 (0.1%)
4	DDD	0.62	0/797	0.86	1/1067 (0.1%)
4	DDDD	0.62	0/849	0.88	1/1136 (0.1%)
4	K	0.69	0/806	0.88	4/1079 (0.4%)
4	KK	0.65	0/849	0.84	1/1136 (0.1%)
4	KKK	0.63	0/796	0.86	2/1064 (0.2%)
4	KKKK	0.76	0/849	0.93	2/1136 (0.2%)
4	R	0.63	0/797	0.85	1/1067 (0.1%)
4	RR	0.68	1/797 (0.1%)	0.89	2/1067 (0.2%)
4	RRR	0.63	0/797	0.84	1/1067 (0.1%)
4	RRRR	0.66	0/797	0.89	2/1067 (0.2%)
5	F	0.81	0/588	0.83	0/795
5	FF	0.72	0/597	0.80	0/807
5	FFF	0.69	0/588	0.82	0/795
5	FFFF	0.70	0/588	0.85	2/795 (0.3%)
5	M	0.73	0/621	0.81	0/840
5	MM	0.74	0/633	0.83	0/855
5	MMM	0.68	0/602	0.80	0/814
5	MMMM	0.76	0/616	0.84	0/833
5	T	0.72	0/606	0.80	0/819
5	TT	0.71	0/608	0.82	0/823
5	TTT	0.74	0/602	0.77	0/814
5	TTTT	0.69	0/611	0.79	0/826
6	E	0.61	0/660	0.83	0/886
6	EE	0.60	0/660	0.86	0/886
6	EEE	0.63	0/660	0.86	0/886
6	EEEE	0.62	0/660	0.86	0/886
6	L	0.59	0/660	0.86	1/886 (0.1%)
6	LL	0.57	0/660	0.82	0/886
6	LLL	0.58	0/660	0.82	0/886
6	LLLL	0.66	0/646	0.85	0/867
6	S	0.60	0/660	0.83	0/886
6	SS	0.62	0/660	0.84	0/886
6	SSS	0.57	0/660	0.83	0/886
6	SSSS	0.59	0/660	0.80	0/886
7	G	0.52	0/584	0.78	0/779
7	GG	0.54	0/584	0.78	0/779
7	GGG	0.49	0/584	0.75	0/779
7	GGGG	0.50	0/584	0.79	1/779 (0.1%)
7	N	0.50	0/584	0.77	0/779

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
7	NN	0.52	0/584	0.79	0/779
7	NNN	0.49	0/584	0.83	2/779 (0.3%)
7	NNNN	0.55	0/584	0.82	2/779 (0.3%)
7	U	0.49	0/584	0.79	2/779 (0.3%)
7	UU	0.48	0/578	0.74	0/772
7	UUU	0.53	0/584	0.81	1/779 (0.1%)
7	UUUU	0.49	0/584	0.76	0/779
8	V	0.59	1/1626 (0.1%)	0.80	3/2534 (0.1%)
8	VV	0.53	0/1626	0.79	7/2534 (0.3%)
8	VVV	0.46	0/1626	0.80	5/2534 (0.2%)
8	VVVV	0.53	0/1626	0.76	4/2534 (0.2%)
8	X	0.58	1/1626 (0.1%)	0.83	6/2534 (0.2%)
8	XX	0.46	0/1626	0.81	8/2534 (0.3%)
8	XXX	0.42	0/1626	0.76	4/2534 (0.2%)
8	XXXX	0.51	0/1626	0.99	12/2534 (0.5%)
8	Y	0.46	0/1626	0.78	6/2534 (0.2%)
8	YY	0.43	0/1626	0.75	4/2534 (0.2%)
8	YYY	0.41	0/1626	0.75	4/2534 (0.2%)
8	YYYY	0.48	0/1626	0.77	4/2534 (0.2%)
All	All	0.56	5/74296 (0.0%)	0.80	106/103980 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	PPPP	0	1
4	D	0	1
4	DD	0	1
4	DDD	0	1
4	DDDD	0	1
4	K	0	1
4	KK	0	1
4	KKK	0	1
4	KKKK	0	1
4	R	0	1
4	RR	0	1
4	RRR	0	1
4	RRRR	0	1
5	M	0	1
5	MM	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
5	MMM	0	1
5	MMMM	0	1
5	TT	0	2
5	TTT	0	1
8	V	0	1
8	VVVV	0	1
All	All	0	23

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	RR	20	GLU	CB-CG	6.88	1.65	1.52
8	X	8	C	O3'-P	-6.72	1.53	1.61
2	III	47	GLU	CD-OE1	5.94	1.32	1.25
8	V	7	A	O3'-P	-5.39	1.54	1.61
2	III	47	GLU	CD-OE2	-5.10	1.20	1.25

The worst 5 of 106 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	XXXX	48	U	O5'-P-OP2	-23.61	82.36	110.70
2	PPP	25	ARG	NE-CZ-NH2	-11.55	114.52	120.30
8	XXXX	18	G	O5'-P-OP2	-11.18	95.64	105.70
2	PPP	25	ARG	NE-CZ-NH1	10.24	125.42	120.30
8	XXX	47	A	C2'-C3'-O3'	-9.57	88.44	109.50

There are no chirality outliers.

5 of 23 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	112	ASN	Peptide
4	DD	112	ASN	Peptide
4	K	112	ASN	Peptide
5	M	3	LEU	Peptide
4	R	112	ASN	Peptide

5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	81/125 (65%)	80 (99%)	1 (1%)	0	100	100
1	AA	81/125 (65%)	78 (96%)	3 (4%)	0	100	100
1	AAA	81/125 (65%)	80 (99%)	1 (1%)	0	100	100
1	AAAA	80/125 (64%)	78 (98%)	2 (2%)	0	100	100
1	H	82/125 (66%)	81 (99%)	1 (1%)	0	100	100
1	HH	82/125 (66%)	78 (95%)	4 (5%)	0	100	100
1	HHH	82/125 (66%)	81 (99%)	1 (1%)	0	100	100
1	HHHH	80/125 (64%)	78 (98%)	2 (2%)	0	100	100
1	O	81/125 (65%)	80 (99%)	1 (1%)	0	100	100
1	OO	79/125 (63%)	78 (99%)	1 (1%)	0	100	100
1	OOO	80/125 (64%)	78 (98%)	2 (2%)	0	100	100
1	OOOO	80/125 (64%)	79 (99%)	1 (1%)	0	100	100
2	B	84/95 (88%)	82 (98%)	2 (2%)	0	100	100
2	BB	67/95 (70%)	66 (98%)	1 (2%)	0	100	100
2	BBB	67/95 (70%)	66 (98%)	1 (2%)	0	100	100
2	BBBB	70/95 (74%)	69 (99%)	1 (1%)	0	100	100
2	I	68/95 (72%)	66 (97%)	2 (3%)	0	100	100
2	II	71/95 (75%)	70 (99%)	1 (1%)	0	100	100
2	III	67/95 (70%)	65 (97%)	2 (3%)	0	100	100
2	IIII	71/95 (75%)	70 (99%)	1 (1%)	0	100	100
2	P	67/95 (70%)	65 (97%)	2 (3%)	0	100	100
2	PP	67/95 (70%)	65 (97%)	2 (3%)	0	100	100
2	PPP	67/95 (70%)	66 (98%)	1 (2%)	0	100	100
2	PPPP	71/95 (75%)	69 (97%)	2 (3%)	0	100	100
3	C	80/118 (68%)	77 (96%)	3 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	CC	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	CCC	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	CCCC	80/118 (68%)	78 (98%)	2 (2%)	0	100	100
3	J	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	JJ	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	JJJ	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	JJJJ	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	Q	80/118 (68%)	77 (96%)	3 (4%)	0	100	100
3	QQ	80/118 (68%)	78 (98%)	2 (2%)	0	100	100
3	QQQ	80/118 (68%)	78 (98%)	2 (2%)	0	100	100
3	QQQQ	80/118 (68%)	78 (98%)	2 (2%)	0	100	100
4	D	95/118 (80%)	91 (96%)	4 (4%)	0	100	100
4	DD	96/118 (81%)	92 (96%)	3 (3%)	1 (1%)	15	55
4	DDD	96/118 (81%)	92 (96%)	4 (4%)	0	100	100
4	DDDD	102/118 (86%)	98 (96%)	4 (4%)	0	100	100
4	K	98/118 (83%)	93 (95%)	4 (4%)	1 (1%)	15	55
4	KK	102/118 (86%)	98 (96%)	4 (4%)	0	100	100
4	KKK	97/118 (82%)	93 (96%)	4 (4%)	0	100	100
4	KKKK	102/118 (86%)	98 (96%)	4 (4%)	0	100	100
4	R	96/118 (81%)	92 (96%)	4 (4%)	0	100	100
4	RR	96/118 (81%)	90 (94%)	6 (6%)	0	100	100
4	RRR	96/118 (81%)	92 (96%)	4 (4%)	0	100	100
4	RRRR	96/118 (81%)	92 (96%)	4 (4%)	0	100	100
5	F	72/86 (84%)	68 (94%)	4 (6%)	0	100	100
5	FF	73/86 (85%)	69 (94%)	4 (6%)	0	100	100
5	FFF	72/86 (84%)	69 (96%)	3 (4%)	0	100	100
5	FFFF	72/86 (84%)	69 (96%)	3 (4%)	0	100	100
5	M	77/86 (90%)	73 (95%)	4 (5%)	0	100	100
5	MM	78/86 (91%)	74 (95%)	4 (5%)	0	100	100
5	MMM	74/86 (86%)	69 (93%)	5 (7%)	0	100	100
5	MMMM	76/86 (88%)	69 (91%)	6 (8%)	1 (1%)	12	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	T	74/86 (86%)	70 (95%)	4 (5%)	0	100	100
5	TT	76/86 (88%)	73 (96%)	3 (4%)	0	100	100
5	TTT	74/86 (86%)	70 (95%)	3 (4%)	1 (1%)	11	48
5	TTTT	75/86 (87%)	71 (95%)	4 (5%)	0	100	100
6	E	77/92 (84%)	76 (99%)	1 (1%)	0	100	100
6	EE	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	EEE	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	EEEE	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	L	77/92 (84%)	74 (96%)	3 (4%)	0	100	100
6	LL	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	LLL	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	LLLL	75/92 (82%)	74 (99%)	1 (1%)	0	100	100
6	S	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	SS	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	SSS	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
6	SSSS	77/92 (84%)	75 (97%)	2 (3%)	0	100	100
7	G	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	GG	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	GGG	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	GGGG	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	N	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	NN	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	NNN	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	NNNN	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	U	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	UU	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	UUU	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
7	UUUU	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
All	All	6617/8520 (78%)	6400 (97%)	213 (3%)	4 (0%)	51	83

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	DD	85	LYS
5	TTT	75	VAL
4	K	117	GLY
5	MMMM	75	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	73/100 (73%)	73 (100%)	0	100	100
1	AA	73/100 (73%)	73 (100%)	0	100	100
1	AAA	72/100 (72%)	72 (100%)	0	100	100
1	AAAA	72/100 (72%)	72 (100%)	0	100	100
1	H	74/100 (74%)	73 (99%)	1 (1%)	67	85
1	HH	72/100 (72%)	72 (100%)	0	100	100
1	HHH	74/100 (74%)	74 (100%)	0	100	100
1	HHHH	72/100 (72%)	72 (100%)	0	100	100
1	O	73/100 (73%)	73 (100%)	0	100	100
1	OO	71/100 (71%)	71 (100%)	0	100	100
1	OOO	72/100 (72%)	72 (100%)	0	100	100
1	OOOO	72/100 (72%)	72 (100%)	0	100	100
2	B	77/85 (91%)	75 (97%)	2 (3%)	46	74
2	BB	63/85 (74%)	62 (98%)	1 (2%)	62	83
2	BBB	63/85 (74%)	61 (97%)	2 (3%)	39	70
2	BBBB	66/85 (78%)	65 (98%)	1 (2%)	65	84
2	I	64/85 (75%)	62 (97%)	2 (3%)	40	71
2	II	63/85 (74%)	62 (98%)	1 (2%)	62	83
2	III	63/85 (74%)	62 (98%)	1 (2%)	62	83
2	IIII	67/85 (79%)	66 (98%)	1 (2%)	65	84
2	P	64/85 (75%)	63 (98%)	1 (2%)	62	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	PP	64/85 (75%)	63 (98%)	1 (2%)	62	83
2	PPP	62/85 (73%)	62 (100%)	0	100	100
2	PPPP	67/85 (79%)	65 (97%)	2 (3%)	41	71
3	C	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	CC	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	CCC	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	CCCC	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	J	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	JJ	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	JJJ	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	JJJJ	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	Q	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	QQ	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	QQQ	77/100 (77%)	75 (97%)	2 (3%)	46	74
3	QQQQ	77/100 (77%)	75 (97%)	2 (3%)	46	74
4	D	90/110 (82%)	88 (98%)	2 (2%)	52	77
4	DD	90/110 (82%)	85 (94%)	5 (6%)	21	56
4	DDD	91/110 (83%)	90 (99%)	1 (1%)	73	88
4	DDDD	97/110 (88%)	95 (98%)	2 (2%)	53	78
4	K	91/110 (83%)	89 (98%)	2 (2%)	52	77
4	KK	97/110 (88%)	96 (99%)	1 (1%)	76	88
4	KKK	90/110 (82%)	89 (99%)	1 (1%)	73	88
4	KKKK	97/110 (88%)	95 (98%)	2 (2%)	53	78
4	R	91/110 (83%)	90 (99%)	1 (1%)	73	88
4	RR	91/110 (83%)	90 (99%)	1 (1%)	73	88
4	RRR	91/110 (83%)	90 (99%)	1 (1%)	73	88
4	RRRR	91/110 (83%)	89 (98%)	2 (2%)	52	77
5	F	63/74 (85%)	62 (98%)	1 (2%)	62	83
5	FF	64/74 (86%)	64 (100%)	0	100	100
5	FFF	63/74 (85%)	63 (100%)	0	100	100
5	FFFF	63/74 (85%)	62 (98%)	1 (2%)	62	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	M	65/74 (88%)	64 (98%)	1 (2%)	65	84
5	MM	67/74 (90%)	67 (100%)	0	100	100
5	MMM	64/74 (86%)	64 (100%)	0	100	100
5	MMMM	65/74 (88%)	64 (98%)	1 (2%)	65	84
5	T	65/74 (88%)	65 (100%)	0	100	100
5	TT	63/74 (85%)	62 (98%)	1 (2%)	62	83
5	TTT	64/74 (86%)	63 (98%)	1 (2%)	62	83
5	TTTT	65/74 (88%)	65 (100%)	0	100	100
6	E	74/84 (88%)	74 (100%)	0	100	100
6	EE	74/84 (88%)	74 (100%)	0	100	100
6	EEE	74/84 (88%)	74 (100%)	0	100	100
6	EEEE	74/84 (88%)	74 (100%)	0	100	100
6	L	74/84 (88%)	74 (100%)	0	100	100
6	LL	74/84 (88%)	74 (100%)	0	100	100
6	LLL	74/84 (88%)	74 (100%)	0	100	100
6	LLLL	72/84 (86%)	72 (100%)	0	100	100
6	S	74/84 (88%)	74 (100%)	0	100	100
6	SS	74/84 (88%)	74 (100%)	0	100	100
6	SSS	74/84 (88%)	74 (100%)	0	100	100
6	SSSS	74/84 (88%)	74 (100%)	0	100	100
7	G	64/66 (97%)	63 (98%)	1 (2%)	62	83
7	GG	64/66 (97%)	63 (98%)	1 (2%)	62	83
7	GGG	64/66 (97%)	62 (97%)	2 (3%)	40	71
7	GGGG	64/66 (97%)	63 (98%)	1 (2%)	62	83
7	N	64/66 (97%)	63 (98%)	1 (2%)	62	83
7	NN	64/66 (97%)	64 (100%)	0	100	100
7	NNN	64/66 (97%)	64 (100%)	0	100	100
7	NNNN	64/66 (97%)	63 (98%)	1 (2%)	62	83
7	U	64/66 (97%)	62 (97%)	2 (3%)	40	71
7	UU	63/66 (96%)	62 (98%)	1 (2%)	62	83
7	UUU	64/66 (97%)	62 (97%)	2 (3%)	40	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
7	UUUU	64/66 (97%)	63 (98%)	1 (2%)	62 83
All	All	6108/7428 (82%)	6028 (99%)	80 (1%)	69 86

5 of 80 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	UUU	22	ASN
5	MMMM	52	ASP
2	BBBB	13	ILE
7	GGGG	22	ASN
3	QQQQ	40	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

Mol	Chain	Res	Type
7	GG	65	ASN
6	LL	27	ASN
1	HH	23	ASN
2	II	76	ASN
7	NN	65	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
8	V	67/68 (98%)	0	0
8	VV	67/68 (98%)	2 (2%)	1 (1%)
8	VVV	67/68 (98%)	1 (1%)	0
8	VVVV	67/68 (98%)	0	0
8	X	67/68 (98%)	0	0
8	XX	67/68 (98%)	3 (4%)	2 (2%)
8	XXX	67/68 (98%)	1 (1%)	1 (1%)
8	XXXX	67/68 (98%)	2 (2%)	0
8	Y	67/68 (98%)	2 (2%)	0
8	YY	67/68 (98%)	1 (1%)	0
8	YYY	67/68 (98%)	2 (2%)	0
8	YYYY	67/68 (98%)	1 (1%)	0
All	All	804/816 (98%)	15 (1%)	4 (0%)

5 of 15 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	Y	8	C
8	Y	68	G
8	VV	8	C
8	VV	68	G
8	XX	8	C

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
8	VV	67	G
8	XX	47	A
8	XX	67	G
8	XXX	47	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	83/125 (66%)	0.26	4 (4%) 30 19	58, 143, 193, 230	0
1	AA	83/125 (66%)	0.09	1 (1%) 79 66	82, 130, 175, 210	0
1	AAA	83/125 (66%)	0.06	5 (6%) 21 12	63, 130, 180, 217	0
1	AAAA	82/125 (65%)	0.18	4 (4%) 29 18	56, 136, 187, 201	0
1	H	84/125 (67%)	0.31	5 (5%) 21 12	58, 144, 210, 248	0
1	HH	84/125 (67%)	0.17	4 (4%) 30 19	84, 139, 195, 231	0
1	HHH	84/125 (67%)	0.21	2 (2%) 59 42	70, 143, 195, 230	0
1	HHHH	82/125 (65%)	0.10	2 (2%) 59 42	71, 142, 192, 240	0
1	O	83/125 (66%)	0.69	14 (16%) 1 1	92, 164, 222, 306	0
1	OO	81/125 (64%)	0.25	6 (7%) 14 9	64, 143, 192, 213	0
1	OOO	82/125 (65%)	0.28	4 (4%) 29 18	74, 146, 192, 214	0
1	OOOO	82/125 (65%)	0.36	6 (7%) 15 9	50, 152, 202, 231	0
2	B	86/95 (90%)	0.31	7 (8%) 12 7	72, 139, 198, 223	0
2	BB	71/95 (74%)	0.25	1 (1%) 75 61	63, 125, 171, 191	0
2	BBB	71/95 (74%)	0.63	10 (14%) 2 2	78, 136, 190, 273	1 (1%)
2	BBBB	74/95 (77%)	0.21	3 (4%) 37 24	57, 128, 164, 201	0
2	I	72/95 (75%)	0.34	7 (9%) 7 4	79, 131, 178, 240	0
2	II	75/95 (78%)	0.32	6 (8%) 12 7	68, 126, 202, 302	0
2	III	71/95 (74%)	0.28	5 (7%) 16 9	60, 129, 183, 202	0
2	IIII	75/95 (78%)	0.46	8 (10%) 6 3	89, 154, 220, 250	0
2	P	71/95 (74%)	0.29	4 (5%) 24 14	82, 146, 184, 219	0
2	PP	71/95 (74%)	0.39	5 (7%) 16 9	84, 138, 195, 207	0
2	PPP	71/95 (74%)	0.16	4 (5%) 24 14	79, 137, 191, 204	0
2	PPPP	75/95 (78%)	0.54	9 (12%) 4 3	63, 135, 191, 222	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
3	C	82/118 (69%)	-0.02	0 100 100	70, 104, 135, 172	0
3	CC	82/118 (69%)	-0.05	1 (1%) 79 66	57, 91, 139, 162	0
3	CCC	82/118 (69%)	0.05	1 (1%) 79 66	43, 96, 151, 213	0
3	CCCC	82/118 (69%)	0.09	2 (2%) 59 42	56, 99, 159, 214	0
3	J	82/118 (69%)	-0.00	0 100 100	51, 102, 146, 168	0
3	JJ	82/118 (69%)	0.03	2 (2%) 59 42	56, 104, 168, 212	0
3	JJJ	82/118 (69%)	-0.07	1 (1%) 79 66	57, 101, 144, 178	0
3	JJJJ	82/118 (69%)	0.05	0 100 100	49, 90, 150, 191	0
3	Q	82/118 (69%)	0.13	1 (1%) 79 66	57, 108, 151, 275	0
3	QQ	82/118 (69%)	-0.02	0 100 100	46, 98, 152, 208	0
3	QQQ	82/118 (69%)	0.03	0 100 100	46, 103, 157, 174	0
3	QQQQ	82/118 (69%)	0.03	1 (1%) 79 66	64, 103, 178, 220	0
4	D	97/118 (82%)	0.00	3 (3%) 49 33	48, 93, 168, 229	0
4	DD	98/118 (83%)	0.14	4 (4%) 37 24	57, 106, 187, 244	0
4	DDD	98/118 (83%)	0.13	5 (5%) 28 17	34, 92, 211, 237	0
4	DDDD	104/118 (88%)	0.18	7 (6%) 17 10	36, 96, 184, 219	0
4	K	100/118 (84%)	0.02	3 (3%) 50 34	29, 99, 180, 200	0
4	KK	104/118 (88%)	0.09	6 (5%) 23 13	45, 106, 191, 249	0
4	KKK	99/118 (83%)	-0.04	0 100 100	59, 110, 173, 200	0
4	KKKK	104/118 (88%)	0.06	4 (3%) 40 26	47, 100, 198, 262	0
4	R	98/118 (83%)	0.04	3 (3%) 49 33	48, 103, 175, 212	0
4	RR	98/118 (83%)	0.06	5 (5%) 28 17	49, 100, 207, 227	0
4	RRR	98/118 (83%)	0.41	7 (7%) 16 9	26, 95, 263, 292	0
4	RRRR	98/118 (83%)	0.02	3 (3%) 49 33	36, 96, 189, 246	0
5	F	74/86 (86%)	-0.01	0 100 100	25, 74, 117, 136	0
5	FF	75/86 (87%)	-0.04	0 100 100	25, 88, 149, 188	0
5	FFF	74/86 (86%)	0.11	0 100 100	47, 89, 139, 166	0
5	FFFF	74/86 (86%)	0.10	1 (1%) 75 61	42, 88, 131, 165	0
5	M	79/86 (91%)	0.05	2 (2%) 57 41	45, 90, 153, 171	0
5	MM	80/86 (93%)	-0.10	0 100 100	39, 89, 139, 167	0
5	MMM	76/86 (88%)	0.13	0 100 100	45, 97, 143, 167	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
5	MMMM	78/86 (90%)	-0.07	0 100 100	37, 85, 136, 165	0
5	T	76/86 (88%)	0.10	2 (2%) 56 40	49, 94, 153, 219	0
5	TT	78/86 (90%)	-0.08	0 100 100	45, 89, 138, 174	0
5	TTT	76/86 (88%)	0.13	2 (2%) 56 40	46, 91, 142, 213	0
5	TTTT	77/86 (89%)	0.05	2 (2%) 56 40	44, 92, 156, 203	0
6	E	79/92 (85%)	-0.06	0 100 100	46, 100, 142, 181	0
6	EE	79/92 (85%)	0.06	1 (1%) 77 63	53, 102, 159, 210	0
6	EEE	79/92 (85%)	0.10	2 (2%) 57 41	51, 100, 158, 195	0
6	EEEE	79/92 (85%)	0.04	1 (1%) 77 63	54, 96, 149, 168	0
6	L	79/92 (85%)	0.14	3 (3%) 40 26	57, 100, 157, 221	0
6	LL	79/92 (85%)	0.04	1 (1%) 77 63	62, 103, 154, 173	0
6	LLL	79/92 (85%)	0.27	4 (5%) 28 17	57, 114, 193, 234	0
6	LLLL	77/92 (83%)	-0.03	2 (2%) 56 40	42, 91, 157, 190	0
6	S	79/92 (85%)	0.09	2 (2%) 57 41	47, 112, 180, 205	0
6	SS	79/92 (85%)	-0.01	0 100 100	52, 98, 157, 202	0
6	SSS	79/92 (85%)	0.09	4 (5%) 28 17	58, 109, 179, 203	0
6	SSSS	79/92 (85%)	0.17	3 (3%) 40 26	51, 107, 180, 227	0
7	G	74/76 (97%)	0.24	0 100 100	58, 130, 187, 200	0
7	GG	74/76 (97%)	0.12	4 (5%) 25 16	45, 120, 173, 204	0
7	GGG	74/76 (97%)	0.17	3 (4%) 37 24	64, 133, 182, 222	0
7	GGGG	74/76 (97%)	0.16	4 (5%) 25 16	57, 129, 183, 233	0
7	N	74/76 (97%)	0.31	5 (6%) 17 10	76, 128, 186, 212	0
7	NN	74/76 (97%)	0.24	5 (6%) 17 10	70, 120, 172, 243	0
7	NNN	74/76 (97%)	0.31	3 (4%) 37 24	75, 142, 187, 214	0
7	NNNN	74/76 (97%)	0.31	5 (6%) 17 10	63, 111, 186, 233	0
7	U	74/76 (97%)	0.38	8 (10%) 5 3	86, 132, 212, 239	0
7	UU	74/76 (97%)	0.31	5 (6%) 17 10	61, 133, 181, 226	0
7	UUU	74/76 (97%)	0.49	9 (12%) 4 3	50, 141, 213, 254	0
7	UUUU	74/76 (97%)	0.33	5 (6%) 17 10	74, 144, 188, 206	0
8	V	68/68 (100%)	-0.63	1 (1%) 73 60	67, 171, 209, 272	0
8	VV	68/68 (100%)	-0.60	0 100 100	63, 148, 219, 272	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
8	VVV	68/68 (100%)	-0.63	1 (1%) 73 60	75, 163, 213, 248	0
8	VVVV	68/68 (100%)	-0.60	0 100 100	67, 168, 222, 263	0
8	X	68/68 (100%)	-0.60	0 100 100	81, 164, 218, 272	0
8	XX	68/68 (100%)	-0.60	0 100 100	74, 161, 218, 267	0
8	XXX	68/68 (100%)	-0.66	0 100 100	85, 158, 210, 221	0
8	XXXX	68/68 (100%)	-0.55	0 100 100	69, 158, 220, 249	0
8	Y	68/68 (100%)	-0.62	1 (1%) 73 60	79, 173, 228, 245	0
8	YY	68/68 (100%)	-0.61	0 100 100	81, 155, 229, 291	0
8	YYY	68/68 (100%)	-0.57	1 (1%) 73 60	78, 164, 247, 310	0
8	YYYY	68/68 (100%)	-0.62	0 100 100	83, 164, 226, 341	0
All	All	7623/9336 (81%)	0.07	277 (3%) 42 28	25, 118, 195, 341	1 (0%)

The worst 5 of 277 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	1	MET	8.9
4	RRR	83	GLY	7.8
4	RRR	82	LYS	7.8
2	II	4	GLY	7.4
4	KKKK	83	GLY	7.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.