



## wwPDB EM Validation Summary Report ⓘ

Nov 27, 2022 – 01:15 AM EST

PDB ID : 5KPV  
EMDB ID : EMD-8280  
Title : Structure of RelA bound to ribosome in presence of A/R tRNA (Structure II)  
Authors : Loveland, A.B.; Bah, E.; Madireddy, R.; Zhang, Y.; Brilot, A.F.; Grigorieff, N.; Korostelev, A.A.  
Deposited on : 2016-07-05  
Resolution : 4.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	43% 53% ..
2	B	209	45% 53% .
3	C	201	39% 55% 6%
4	D	179	34% 62% ...
5	E	177	46% 52% ..
6	F	149	42% 54% 9%
7	G	165	25% 21% 52% 6% 21%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	142	14% 27% 67% 5% ..
9	I	142	44% 54% .
10	J	123	37% 61% ..
11	K	144	43% 53% ..
12	L	136	49% 47% .
13	M	127	43% 47% 5% 6%
14	N	117	35% 63% ..
15	O	115	42% 56% ..
16	P	118	41% 56% ..
17	Q	103	30% 62% 8%
18	R	110	46% 50% .
19	S	100	39% 51% . 7%
20	T	104	25% 68% 5% .
21	U	94	36% 61% .
22	V	85	52% 35% . 12%
23	W	78	44% 55% .
24	X	63	29% 63% 8%
25	Y	59	44% 54% .
26	Z	70	37% 49% 9% 6%
27	1	57	32% 58% 9% .
28	2	55	47% 44% 9%
29	3	46	46% 52% .
30	4	65	46% 51% ..
31	5	38	34% 55% 11%
32	6	241	17% 37% 49% . 10%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	7	233	
34	8	206	
35	9	167	
36	10	135	
37	11	179	
38	12	130	
39	13	130	
40	14	103	
41	15	129	
42	16	124	
43	17	118	
44	18	101	
45	19	89	
46	20	82	
47	21	84	
48	22	75	
49	23	92	
50	24	87	
51	25	71	
52	26	1539	
53	27	2903	
54	28	120	
55	29	20	
56	30	76	
57	31	77	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
58	32	77	
59	33	750	

## 2 Entry composition [i](#)

There are 59 unique types of molecules in this entry. The entry contains 154603 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	271	2082	1288	423	364	7	0	0

- Molecule 2 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	209	1565	979	288	294	4	0	0

- Molecule 3 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	201	1552	974	283	290	5	0	0

- Molecule 4 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	177	1410	899	249	256	6	0	0

- Molecule 5 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	176	1323	832	243	246	2	0	0

- Molecule 6 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	149	1111	699	197	214	1	0	0

- Molecule 7 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	131	988	625	175	183	5	0	0

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	141	1032	651	179	196	6	0	0

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	142	1129	714	212	199	4	0	0

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	122	938	587	180	165	6	0	0

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	143	1045	649	206	189	1	0	0

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	136	1074	686	205	177	6	0	0

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	120	960	593	196	166	5	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	N	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	P	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	T	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 21 is a protein called 50S ribosomal protein L25.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	1	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	2	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	3	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	4	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	5	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 32 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	6	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	7	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	8	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	9	157	1156	719	218	213	6	0	0

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	10	100	817	515	148	148	6	0	0

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	11	151	1181	735	227	215	4	0	0

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	12	129	979	616	173	184	6	0	0

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	13	127	1022	634	206	179	3	0	0

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	14	98	786	493	150	142	1	0	0

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	15	116	869	535	173	158	3	0	0

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	16	123	955	590	196	165	4	0	0

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	17	114	883	546	178	156	3	0	0

- Molecule 44 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	18	100	805	499	164	139	3	0	0

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	19	88	714	439	144	130	1	0	0

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	20	82	649	406	128	114	1	0	0

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	21	80	648	411	121	113	3	0	0

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	22	65	535	339	100	95	1	0	0

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	23	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	24	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 51 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	25	65	Total	C	N	O	S	0	0
			544	335	117	91	1		

- Molecule 52 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	26	1539	Total	C	N	O	P	0	0
			33016	14725	6052	10700	1539		

- Molecule 53 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	27	2903	Total	C	N	O	P	0	0
			62322	27801	11468	20150	2903		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
27	747	C	U	conflict	GB 802133627
27	1847	G	A	conflict	GB 802133627

- Molecule 54 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	28	120	Total	C	N	O	P	0	0
			2572	1145	471	836	120		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
28	120	A	-	conflict	GB 1028475309

- Molecule 55 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
55	29	20	432	195	86	132	19	0	0

- Molecule 56 is a RNA chain called A-site tRNAPhe.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
56	30	76	1623	723	290	534	76	0	0

- Molecule 57 is a RNA chain called P-site tRNAfMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
57	31	77	1644	732	297	538	77	0	0

- Molecule 58 is a RNA chain called E-site tRNAfMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
58	32	77	1643	732	297	537	77	0	0

- Molecule 59 is a protein called GTP pyrophosphokinase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	33	675	4911	3070	904	915	22	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
33	-5	MET	-	expression tag	UNP P0AG20
33	-4	HIS	-	expression tag	UNP P0AG20
33	-3	HIS	-	expression tag	UNP P0AG20
33	-2	HIS	-	expression tag	UNP P0AG20
33	-1	HIS	-	expression tag	UNP P0AG20
33	0	HIS	-	expression tag	UNP P0AG20
33	1	HIS	-	expression tag	UNP P0AG20

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 50S ribosomal protein L2




#### • Molecule 2: 50S ribosomal protein L3




#### • Molecule 3: 50S ribosomal protein L4







• Molecule 4: 50S ribosomal protein L5



• Molecule 5: 50S ribosomal protein L6





• Molecule 6: 50S ribosomal protein L9




• Molecule 7: 50S ribosomal protein L10








• Molecule 8: 50S ribosomal protein L11



• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14




• Molecule 11: 50S ribosomal protein L15

Chain K:  43% 53%




• Molecule 12: 50S ribosomal protein L16

Chain L:  49% 47%



• Molecule 13: 50S ribosomal protein L17

Chain M:  43% 47% 5% 6%




• Molecule 14: 50S ribosomal protein L18

Chain N:  35% 63%




• Molecule 15: 50S ribosomal protein L19


Chain O:  42% 56%




• Molecule 16: 50S ribosomal protein L20





• Molecule 17: 50S ribosomal protein L21




• Molecule 18: 50S ribosomal protein L22



• Molecule 19: 50S ribosomal protein L23



• Molecule 20: 50S ribosomal protein L24






• Molecule 21: 50S ribosomal protein L25





• Molecule 22: 50S ribosomal protein L27




• Molecule 23: 50S ribosomal protein L28



• Molecule 24: 50S ribosomal protein L29




• Molecule 25: 50S ribosomal protein L30




• Molecule 26: 50S ribosomal protein L31





• Molecule 27: 50S ribosomal protein L32



• Molecule 28: 50S ribosomal protein L33




• Molecule 29: 50S ribosomal protein L34



• Molecule 30: 50S ribosomal protein L35




• Molecule 31: 50S ribosomal protein L36




• Molecule 32: 30S ribosomal protein S2






• Molecule 33: 30S ribosomal protein S3




• Molecule 34: 30S ribosomal protein S4





• Molecule 35: 30S ribosomal protein S5







• Molecule 36: 30S ribosomal protein S6



• Molecule 37: 30S ribosomal protein S7




• Molecule 38: 30S ribosomal protein S8




• Molecule 39: 30S ribosomal protein S9








• Molecule 40: 30S ribosomal protein S10



• Molecule 41: 30S ribosomal protein S11




• Molecule 42: 30S ribosomal protein S12





• Molecule 43: 30S ribosomal protein S13









• Molecule 44: 30S ribosomal protein S14




• Molecule 45: 30S ribosomal protein S15



• Molecule 46: 30S ribosomal protein S16




• Molecule 47: 30S ribosomal protein S17




• Molecule 48: 30S ribosomal protein S18







• Molecule 49: 30S ribosomal protein S19




• Molecule 50: 30S ribosomal protein S20




• Molecule 51: 30S ribosomal protein S21





• Molecule 52: 16S ribosomal RNA








• Molecule 53: 23S ribosomal RNA





C2452	U2390	U2262	A2199	U2182	G2070	A2009	G1949	A1885	U1820	C1760	U1692	A1630	C1564
A2453	G2391	C2263	C2200	G2133	A2070	G2010	G1950	G1888	A1821	C1761	U1693	G1631	C1565
G2454	A2392	C2264	G2201	A2134	C2072	U2011	U1951	A1889	G1822	A1762	C1694	A1632	A1566
C2455	U2393	U2265	U2202	A2135	C2073	G2012	A1952	G1890	G1823	G1763	G1695	G1633	G1567
C2456	C2332	A2266	G2203	U2136	U2074	A2013	A1953	A1890	G1824	C1764	G1696	A1634	G1568
U2457	A2333	A2267	G2204	G2137	U2075	A2014	G1954	G1891	U1825	U1765	G1697	A1635	A1569
G2458	A2335	A2268	G2205	U2144	C2078	A2015	U1955	C1892	G1826	G1766	A1698	U1636	A1570
A2459	G2336	G2208	C2206	G2145	C2079	U2016	U1956	C1893	A1827	C1767	G1699	A1637	A1571
U2460	U2398	G2271	C2209	C2146	U2079	U2017	U1957	C1894	G1828	C1768	A1700	A1638	A1572
A2461	C2399	U2272	U2210	A2146	A2080	G2018	C1958	C1895	A1829	U1769	A1701	C1639	C1573
C2462	G2400	A2273	A2211	A2147	U2081	A2019	G1959	C1896	C1830	G1770	G1702	A1640	C1574
C2463	U2401	G2274	U2212	G2148	A2082	A2020	A1960	G1897	G1831	C1771	G1703	A1641	C1575
A2464	G2341	A2275	U2213	U2149	G2083	C2021	C1961	G1898	G1832	A1772	C1704	G1642	U1576
C2465	C2342	A2276	C2214	G2152	C2084	U2022	C1962	A1899	C1833	A1773	A1705	G1577	G1577
C2466	U2343	G2279	C2215	G2153	U2086	G2023	U1963	A1900	C1837	C1774	C1706	C1646	U1578
C2467	G2405	G2280	G2216	C2154	U2088	C2024	G1964	A1901	G1837	U1775	G1707	U1647	A1579
A2468	A2406	G2281	G2217	A2154	A2089	C2025	C1965	C1902	C1838	G1776	C1708	U1648	A1580
A2469	A2407	G2282	G2218	U2155	A2088	U2026	A1966	G1903	G1839	U1777	U1709	G1649	G1581
G2470	U2408	A2284	U2219	G2156	C2089	G2027	C1967	G1904	G1840	U1778	G1710	A1650	C1582
A2471	G2409	C2285	U2220	G2157	A2090	U2028	C1968	C1905	U1841	U1779	A1711	G1651	G1583
G2472	G2349	G2286	U2221	A2158	C2091	G2029	A1969	G1906	G1842	A1780	U1712	A1652	C1585
C2475	C2350	A2287	C2222	C2160	U2092	A2030	U1970	G1907	C1843	U1781	G1715	G1653	A1586
A2476	A2411	G2288	G2223	G2161	G2093	A2031	A1971	C1908	C1844	U1782	G1716	A1654	G1587
U2477	G2412	G2289	G2224	C2162	A2094	U2034	G1972	C1909	G1845	A1783	U1717	A1655	G1588
A2478	G2415	U2291	C2226	A2163	A2095	G2035	C1974	A1911	G1846	A1784	A1717	G1656	U1589
U2479	C2356	G2292	C2227	C2164	C2096	G2036	G1975	A1912	G1847	A1785	G1718	U1657	A1590
C2480	G2357	G2293	G2228	C2165	A2097	C2036	U1976	C1914	A1848	A1786	G1719	G1658	A1591
G2481	A2418	G2294	U2229	U2166	U2098	A2037	C1977	G1922	G1849	A1787	U1720	G1659	C1592
A2482	U2419	C2295	G2230	G2167	U2099	G2038	A1978	U1923	G1850	C1788	G1721	A1660	A1593
C2483	C2420	U2296	U2231	U2168	C2100	U2039	U1979	C1924	G1851	A1789	A1722	G1661	U1594
G2485	G2361	A2297	C2232	A2169	G2101	G2041	U1980	C1925	A1853	C1790	C1728	G1662	C1595
C2486	C2362	A2298	U2233	A2170	C2102	U2042	A1981	U1926	G1854	A1791	U1728	G1663	A1596
G2487	G2363	U2299	G2234	U2172	C2105	C2043	U1982	A1927	G1857	G1792	U1729	A1664	A1597
U2488	C2364	C2300	G2235	A2173	U2106	C2044	G1983	C1928	C1858	A1794	C1730	A1665	A1598
G2489	G2365	C2301	G2236	C2174	U2107	G2045	C1984	U1929	G1859	C1795	C1732	G1666	U1599
C2490	A2366	U2302	G2238	C2175	U2109	G2046	C1985	C1924	U1859	U1796	G1733	A1668	C1600
U2491	G2367	G2303	G2239	C2176	G2110	G2047	C1986	U1925	G1860	G1797	U1736	A1669	G1601
U2492	C2368	G2304	U2240	A2176	G2111	G2048	A1987	U1926	G1861	U1798	U1737	A1670	U1602
G2493	A2369	A2241	A2241	C2177	G2112	G2049	G1988	A1927	G1862	G1799	G1737	A1671	A1603
A2430	G2370	G2242	G2242	C2178	U2111	C2050	C1989	C1928	G1863	C1800	A1738	A1672	C1605
U2431	U2371	U2243	U2243	A2179	U2113	A2051	G1990	G1929	G1864	A1801	A1739	G1673	C1606
A2432	G2372	U2244	U2244	C2179	A2114	A2052	U1991	U1930	A1866	A1802	G1740	G1674	C1607
C2433	U2373	U2245	U2245	G2182	G2115	G2053	G1992	U1931	C1868	A1803	C1741	C1675	A1608
A2435	C2374	G2246	G2246	A2183	G2116	A2054	U1993	A1932	G1869	C1804	U1742	A1676	A1609
G2436	G2375	A2247	A2247	A2184	A2117	C2055	C1994	G1933	C1870	A1805	G1743	A1677	A1610
C2437	A2376	C2248	C2248	U2185	U2118	G2056	U1995	C1934	A1871	C1806	A1744	A1678	C1611
U2438	A2377	U2249	U2249	G2186	G2119	G2057	U1996	G1935	A1872	G1807	A1745	A1679	C1612
A2439	A2378	G2250	G2250	U2187	G2120	A2058	C1997	A1936	G1873	A1808	A1746	G1680	G1613
G2439	G2379	G2251	G2251	U2188	A2059	A2059	A1998	C1937	C1874	A1809	U1747	A1681	A1614
U2441	C2380	G2252	G2252	U2189	G2122	A2060	C1999	A1938	G1875	A1810	U1748	G1682	C1615
C2442	A2381	G2253	G2253	A2190	G2123	G2061	C2000	U1939	A1876	G1811	G1748	U1683	A1616
G2443	U2320	C2254	C2254	A2191	G2124	A2062	C2001	U1940	A1877	G1812	G1752	G1684	C1617
C2444	A2321	U2255	G2255	U2192	G2125	C2063	G2002	G1943	G1878	G1813	G1753	C1685	A1618
G2445	G2323	U2256	U2256	U2193	A2126	C2064	A2004	U1944	C1879	G1814	A1754	C1686	A1619
A2446	U2324	U2257	U2257	U2194	G2127	C2065	G2005	U1945	U1880	A1815	A1755	G1687	G1620
C2447	G2325	C2258	C2258	U2195	G2128	C2066	A2006	G1946	C1881	C1816	G1756	U1688	U1621
U2448	C2326	U2259	U2259	U2196	U2129	G2067	C2006	U1946	U1882	G1817	A1757	A1689	G1622
A2450	A2327	G2260	G2260	U2197	U2130	U2068	U2007	C1947	U1883	U1818	U1758	A1690	G1623
C2451	A2328	C2261	C2261	A2198	U2131	G2069	C2008	G1948	G1884	A1819	A1759	C1691	G1623









## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	46935	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	1.6	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	30488	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.503	Depositor
Minimum map value	-0.155	Depositor
Average map value	-0.006	Depositor
Map value standard deviation	0.042	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	393.6, 393.6, 393.6	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82, 0.82, 0.82	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/2121	0.71	0/2852
2	B	0.37	0/1586	0.70	0/2134
3	C	0.39	0/1571	0.70	0/2113
4	D	0.35	0/1434	0.62	0/1926
5	E	0.32	0/1343	0.65	0/1816
6	F	0.40	0/1122	0.66	0/1515
7	G	0.45	0/1001	0.79	3/1350 (0.2%)
8	H	0.42	0/1046	0.79	1/1410 (0.1%)
9	I	0.33	0/1152	0.64	0/1551
10	J	0.32	0/947	0.68	0/1268
11	K	0.34	0/1054	0.71	1/1403 (0.1%)
12	L	0.36	0/1093	0.64	0/1460
13	M	0.35	0/973	0.65	1/1301 (0.1%)
14	N	0.33	0/902	0.63	0/1209
15	O	0.35	0/929	0.67	0/1242
16	P	0.38	0/960	0.60	0/1278
17	Q	0.36	0/829	0.79	1/1107 (0.1%)
18	R	0.32	0/864	0.67	0/1156
19	S	0.34	0/744	0.76	0/994
20	T	0.35	0/787	0.68	0/1051
21	U	0.35	0/766	0.66	1/1025 (0.1%)
22	V	0.39	0/582	0.68	0/769
23	W	0.34	0/635	0.65	0/848
24	X	0.32	0/510	0.62	0/677
25	Y	0.33	0/453	0.68	0/605
26	Z	0.40	0/531	0.76	0/709
27	1	0.31	0/450	0.71	0/599
28	2	0.38	0/416	0.68	0/554
29	3	0.39	0/380	0.67	0/498
30	4	0.35	0/513	0.62	0/676
31	5	0.33	0/303	0.74	0/397
32	6	0.40	0/1735	0.67	1/2338 (0.0%)
33	7	0.35	0/1651	0.64	0/2225
34	8	0.33	0/1665	0.68	2/2227 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
35	9	0.33	0/1169	0.67	0/1573
36	10	0.35	0/835	0.75	1/1128 (0.1%)
37	11	0.32	0/1195	0.62	0/1602
38	12	0.35	0/989	0.70	0/1326
39	13	0.35	0/1034	0.71	0/1375
40	14	0.35	0/796	0.71	1/1077 (0.1%)
41	15	0.36	0/885	0.73	1/1195 (0.1%)
42	16	0.36	0/969	0.76	1/1300 (0.1%)
43	17	0.31	0/892	0.70	0/1193
44	18	0.46	0/817	0.61	0/1088
45	19	0.32	0/722	0.58	0/964
46	20	0.37	0/659	0.71	0/884
47	21	0.35	0/657	0.72	0/881
48	22	0.38	0/544	0.62	0/731
49	23	0.36	0/652	0.72	0/877
50	24	0.33	0/671	0.55	0/888
51	25	0.41	0/550	0.73	1/728 (0.1%)
52	26	0.51	1/36967 (0.0%)	0.72	4/57666 (0.0%)
53	27	0.54	3/69801 (0.0%)	0.72	7/108894 (0.0%)
54	28	0.41	1/2876 (0.0%)	0.71	1/4483 (0.0%)
55	29	0.97	0/486	0.74	0/757
56	30	0.65	1/1813 (0.1%)	0.77	0/2823
57	31	0.44	1/1836 (0.1%)	0.70	0/2859
58	32	0.89	2/1835 (0.1%)	0.77	1/2857 (0.0%)
59	33	0.65	6/4985 (0.1%)	1.09	37/6770 (0.5%)
All	All	0.50	15/167683 (0.0%)	0.72	66/250202 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
52	26	0	13
53	27	0	34
56	30	0	1
59	33	0	3
All	All	0	51

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	33	156	ARG	CZ-NH2	-10.66	1.19	1.33
59	33	152	LYS	CD-CE	-7.76	1.31	1.51
53	27	1379	U	O3'-P	-7.76	1.51	1.61
59	33	17	PRO	CA-CB	-7.25	1.39	1.53
52	26	2	A	OP3-P	-7.00	1.52	1.61

The worst 5 of 66 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	33	156	ARG	NE-CZ-NH1	19.76	130.18	120.30
59	33	156	ARG	NH1-CZ-NH2	-13.83	104.19	119.40
59	33	17	PRO	N-CA-CB	-11.16	89.90	103.30
59	33	17	PRO	CA-CB-CG	10.28	124.33	104.80
59	33	63	VAL	CG1-CB-CG2	-9.25	96.11	110.90

There are no chirality outliers.

5 of 51 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
52	26	130	A	Sidechain
52	26	159	G	Sidechain
52	26	266	G	Sidechain
52	26	820	U	Sidechain
52	26	88	U	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2082	0	2157	183	0
2	B	1565	0	1616	121	0
3	C	1552	0	1619	137	0
4	D	1410	0	1447	150	0
5	E	1323	0	1374	88	0
6	F	1111	0	1148	83	0
7	G	988	0	1025	124	0
8	H	1032	0	1088	136	0
9	I	1129	0	1162	89	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	J	938	0	1012	90	0
11	K	1045	0	1117	89	0
12	L	1074	0	1157	70	0
13	M	960	0	1000	75	0
14	N	892	0	923	73	0
15	O	917	0	965	78	0
16	P	947	0	1022	94	0
17	Q	816	0	839	90	0
18	R	857	0	922	52	0
19	S	738	0	807	55	0
20	T	779	0	834	79	0
21	U	753	0	780	71	0
22	V	575	0	592	29	0
23	W	625	0	655	45	0
24	X	509	0	543	60	0
25	Y	449	0	491	41	0
26	Z	522	0	521	52	0
27	1	444	0	461	52	0
28	2	409	0	440	20	0
29	3	377	0	418	33	0
30	4	504	0	574	33	0
31	5	302	0	343	30	0
32	6	1704	0	1732	124	0
33	7	1624	0	1699	111	0
34	8	1643	0	1710	168	0
35	9	1156	0	1199	110	0
36	10	817	0	808	98	0
37	11	1181	0	1240	97	0
38	12	979	0	1034	84	0
39	13	1022	0	1070	130	0
40	14	786	0	828	92	0
41	15	869	0	878	89	0
42	16	955	0	1019	118	0
43	17	883	0	944	97	0
44	18	805	0	847	95	0
45	19	714	0	737	54	0
46	20	649	0	666	87	0
47	21	648	0	691	52	0
48	22	535	0	552	54	0
49	23	637	0	665	71	0
50	24	665	0	714	67	0
51	25	544	0	579	80	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
52	26	33016	0	16617	1573	0
53	27	62322	0	31345	2882	0
54	28	2572	0	1302	116	0
55	29	432	0	218	14	0
56	30	1623	0	821	75	0
57	31	1644	0	836	46	0
58	32	1643	0	836	66	0
59	33	4911	0	4550	655	0
All	All	154603	0	105189	8829	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

The worst 5 of 8829 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
53:27:45:G:H5''	53:27:46:G:H5'	1.22	1.18
59:33:17:PRO:HB3	59:33:39:TRP:NE1	1.57	1.17
7:G:55:VAL:HA	53:27:1084:A:H5'	1.26	1.15
53:27:1702:G:H2'	53:27:1703:G:H5''	1.15	1.14
59:33:24:LEU:HD21	59:33:70:SER:HA	1.19	1.12

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/273 (98%)	218 (81%)	41 (15%)	10 (4%)	3	27
2	B	207/209 (99%)	172 (83%)	28 (14%)	7 (3%)	3	29
3	C	199/201 (99%)	147 (74%)	32 (16%)	20 (10%)	0	9

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	175/179 (98%)	143 (82%)	27 (15%)	5 (3%)	4	32
5	E	174/177 (98%)	149 (86%)	20 (12%)	5 (3%)	4	32
6	F	147/149 (99%)	108 (74%)	20 (14%)	19 (13%)	0	4
7	G	129/165 (78%)	93 (72%)	25 (19%)	11 (8%)	1	13
8	H	139/142 (98%)	104 (75%)	25 (18%)	10 (7%)	1	16
9	I	140/142 (99%)	120 (86%)	14 (10%)	6 (4%)	2	24
10	J	120/123 (98%)	97 (81%)	16 (13%)	7 (6%)	1	20
11	K	141/144 (98%)	110 (78%)	20 (14%)	11 (8%)	1	14
12	L	134/136 (98%)	113 (84%)	15 (11%)	6 (4%)	2	23
13	M	118/127 (93%)	91 (77%)	22 (19%)	5 (4%)	3	24
14	N	114/117 (97%)	98 (86%)	15 (13%)	1 (1%)	17	54
15	O	112/115 (97%)	93 (83%)	15 (13%)	4 (4%)	3	28
16	P	115/118 (98%)	103 (90%)	7 (6%)	5 (4%)	2	24
17	Q	101/103 (98%)	77 (76%)	16 (16%)	8 (8%)	1	14
18	R	108/110 (98%)	87 (81%)	15 (14%)	6 (6%)	2	20
19	S	91/100 (91%)	71 (78%)	16 (18%)	4 (4%)	2	24
20	T	100/104 (96%)	79 (79%)	14 (14%)	7 (7%)	1	16
21	U	92/94 (98%)	76 (83%)	11 (12%)	5 (5%)	2	21
22	V	73/85 (86%)	65 (89%)	7 (10%)	1 (1%)	11	45
23	W	75/78 (96%)	67 (89%)	6 (8%)	2 (3%)	5	33
24	X	61/63 (97%)	49 (80%)	7 (12%)	5 (8%)	1	13
25	Y	56/59 (95%)	52 (93%)	4 (7%)	0	100	100
26	Z	64/70 (91%)	47 (73%)	7 (11%)	10 (16%)	0	3
27	1	54/57 (95%)	43 (80%)	6 (11%)	5 (9%)	0	12
28	2	48/55 (87%)	41 (85%)	7 (15%)	0	100	100
29	3	44/46 (96%)	32 (73%)	11 (25%)	1 (2%)	6	36
30	4	62/65 (95%)	51 (82%)	8 (13%)	3 (5%)	2	22
31	5	36/38 (95%)	26 (72%)	5 (14%)	5 (14%)	0	4
32	6	216/241 (90%)	170 (79%)	32 (15%)	14 (6%)	1	18
33	7	204/233 (88%)	175 (86%)	22 (11%)	7 (3%)	3	29
34	8	203/206 (98%)	157 (77%)	30 (15%)	16 (8%)	1	14

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	9	155/167 (93%)	109 (70%)	33 (21%)	13 (8%)	1	12
36	10	98/135 (73%)	77 (79%)	14 (14%)	7 (7%)	1	16
37	11	149/179 (83%)	123 (83%)	14 (9%)	12 (8%)	1	13
38	12	127/130 (98%)	110 (87%)	8 (6%)	9 (7%)	1	16
39	13	125/130 (96%)	93 (74%)	19 (15%)	13 (10%)	0	8
40	14	96/103 (93%)	76 (79%)	15 (16%)	5 (5%)	2	21
41	15	114/129 (88%)	90 (79%)	13 (11%)	11 (10%)	0	10
42	16	121/124 (98%)	95 (78%)	13 (11%)	13 (11%)	0	7
43	17	112/118 (95%)	88 (79%)	14 (12%)	10 (9%)	1	12
44	18	98/101 (97%)	72 (74%)	21 (21%)	5 (5%)	2	21
45	19	86/89 (97%)	70 (81%)	11 (13%)	5 (6%)	1	20
46	20	80/82 (98%)	59 (74%)	18 (22%)	3 (4%)	3	26
47	21	78/84 (93%)	54 (69%)	19 (24%)	5 (6%)	1	18
48	22	63/75 (84%)	50 (79%)	5 (8%)	8 (13%)	0	5
49	23	77/92 (84%)	64 (83%)	11 (14%)	2 (3%)	5	34
50	24	83/87 (95%)	75 (90%)	6 (7%)	2 (2%)	6	35
51	25	63/71 (89%)	40 (64%)	19 (30%)	4 (6%)	1	19
59	33	663/750 (88%)	557 (84%)	60 (9%)	46 (7%)	1	16
All	All	6509/6970 (93%)	5226 (80%)	879 (14%)	404 (6%)	3	19

5 of 404 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	86	GLU
2	B	102	ALA
3	C	6	LYS
3	C	11	ALA
3	C	57	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	216/218 (99%)	215 (100%)	1 (0%)	88	93
2	B	164/164 (100%)	164 (100%)	0	100	100
3	C	165/165 (100%)	165 (100%)	0	100	100
4	D	148/150 (99%)	146 (99%)	2 (1%)	67	80
5	E	137/138 (99%)	137 (100%)	0	100	100
6	F	114/114 (100%)	114 (100%)	0	100	100
7	G	100/123 (81%)	100 (100%)	0	100	100
8	H	109/110 (99%)	107 (98%)	2 (2%)	59	77
9	I	116/116 (100%)	116 (100%)	0	100	100
10	J	103/104 (99%)	102 (99%)	1 (1%)	76	85
11	K	102/103 (99%)	102 (100%)	0	100	100
12	L	109/109 (100%)	109 (100%)	0	100	100
13	M	100/103 (97%)	99 (99%)	1 (1%)	76	85
14	N	86/87 (99%)	86 (100%)	0	100	100
15	O	99/100 (99%)	99 (100%)	0	100	100
16	P	89/90 (99%)	89 (100%)	0	100	100
17	Q	84/84 (100%)	83 (99%)	1 (1%)	71	83
18	R	93/93 (100%)	93 (100%)	0	100	100
19	S	80/84 (95%)	80 (100%)	0	100	100
20	T	83/85 (98%)	82 (99%)	1 (1%)	71	83
21	U	78/78 (100%)	78 (100%)	0	100	100
22	V	57/63 (90%)	57 (100%)	0	100	100
23	W	67/68 (98%)	67 (100%)	0	100	100
24	X	55/55 (100%)	55 (100%)	0	100	100
25	Y	48/49 (98%)	48 (100%)	0	100	100
26	Z	59/62 (95%)	58 (98%)	1 (2%)	60	78
27	1	47/48 (98%)	47 (100%)	0	100	100
28	2	45/49 (92%)	45 (100%)	0	100	100
29	3	38/38 (100%)	38 (100%)	0	100	100
30	4	51/52 (98%)	50 (98%)	1 (2%)	55	73
31	5	34/34 (100%)	34 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
32	6	180/199 (90%)	178 (99%)	2 (1%)	73	84
33	7	170/190 (90%)	169 (99%)	1 (1%)	86	92
34	8	172/173 (99%)	172 (100%)	0	100	100
35	9	119/126 (94%)	117 (98%)	2 (2%)	60	78
36	10	87/116 (75%)	85 (98%)	2 (2%)	50	70
37	11	124/147 (84%)	123 (99%)	1 (1%)	81	88
38	12	104/105 (99%)	103 (99%)	1 (1%)	76	85
39	13	105/107 (98%)	104 (99%)	1 (1%)	76	85
40	14	86/90 (96%)	86 (100%)	0	100	100
41	15	89/99 (90%)	89 (100%)	0	100	100
42	16	103/104 (99%)	103 (100%)	0	100	100
43	17	92/96 (96%)	92 (100%)	0	100	100
44	18	83/84 (99%)	80 (96%)	3 (4%)	35	60
45	19	76/77 (99%)	75 (99%)	1 (1%)	69	81
46	20	65/65 (100%)	65 (100%)	0	100	100
47	21	74/78 (95%)	73 (99%)	1 (1%)	67	80
48	22	56/65 (86%)	55 (98%)	1 (2%)	59	77
49	23	70/79 (89%)	70 (100%)	0	100	100
50	24	65/66 (98%)	65 (100%)	0	100	100
51	25	55/61 (90%)	54 (98%)	1 (2%)	59	77
59	33	452/635 (71%)	449 (99%)	3 (1%)	84	90
All	All	5303/5698 (93%)	5272 (99%)	31 (1%)	86	92

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
35	9	80	LEU
51	25	36	PHE
36	10	47	LEU
59	33	338	ILE
45	19	86	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 128 such sidechains are listed below:

Mol	Chain	Res	Type
50	24	47	GLN
59	33	88	ASN
16	P	58	GLN
16	P	55	GLN
59	33	264	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
52	26	1538/1539 (99%)	205 (13%)	9 (0%)
53	27	2902/2903 (99%)	447 (15%)	24 (0%)
54	28	119/120 (99%)	14 (11%)	1 (0%)
55	29	19/20 (95%)	5 (26%)	1 (5%)
56	30	75/76 (98%)	19 (25%)	0
57	31	76/77 (98%)	8 (10%)	0
58	32	76/77 (98%)	19 (25%)	1 (1%)
All	All	4805/4812 (99%)	717 (14%)	36 (0%)

5 of 717 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
52	26	4	U
52	26	6	G
52	26	9	G
52	26	19	A
52	26	22	G

5 of 36 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
53	27	2406	A
58	32	20	U
53	27	2655	G
53	27	2867	G
53	27	490	C

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8280. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


### 6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 250




Y Index: 247




Z Index: 226


### 6.3.2 Raw map



X Index: 250



Y Index: 249



Z Index: 226

The images above show the largest variance slices of the map in three orthogonal directions.



## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1983  $\text{nm}^3$ ; this corresponds to an approximate mass of 1791 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.244 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.244 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.75	6.65	4.96

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.75 differs from the reported value 4.1 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-8280 and PDB model 5KPV. Per-residue inclusion information can be found in section 3 on page 15.


### 9.1 Map-model overlay [i](#)



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)

This section was not generated.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).






































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary


























The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	 0.9164
1	 0.8762
10	 0.8769
11	 0.8566
12	 0.8490
13	 0.8846
14	 0.7989
15	 0.8651
16	 0.7915
17	 0.8461
18	 0.8450
19	 0.8565
2	 0.7282
20	 0.8708
21	 0.8513
22	 0.8930
23	 0.8808
24	 0.8677
25	 0.7350
26	 0.9883
27	 0.9921
28	 0.9938
29	 0.7685
3	 0.8845
30	 0.8743
31	 0.9580
32	 0.7267
33	 0.4050
4	 0.8187
5	 0.8219
6	 0.5654
7	 0.8035
8	 0.8233
9	 0.8430
A	 0.8462



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion
B	 0.8479
C	 0.7855
D	 0.8543
E	 0.8736
F	 0.4763
G	 0.5702
H	 0.7231
I	 0.8573
J	 0.8039
K	 0.8730
L	 0.8253
M	 0.8720
N	 0.8899
O	 0.8547
P	 0.8700
Q	 0.8808
R	 0.8110
S	 0.8657
T	 0.8814
U	 0.8794
V	 0.8605
W	 0.8586
X	 0.8551
Y	 0.8535
Z	 0.8356