



wwPDB EM Validation Summary Report ⓘ

Nov 8, 2022 – 08:06 AM EST

PDB ID : 6OKP
EMDB ID : EMD-20100
Title : B41 SOSIP.664 in complex with the silent-face antibody SF12 and V3-targeting antibody 10-1074
Authors : Barnes, C.O.; Bjorkman, P.J.
Deposited on : 2019-04-14
Resolution : 3.28 Å (reported)
Based on initial model : 6CH9

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	76% 23%
1	B	153	76% 23%
1	C	153	76% 23%
2	D	516	86% 12%
2	E	516	87% 12%
2	F	516	87% 12%
3	K	244	43% 55% 45%
4	L	214	28% 46% 53%
5	M	241	10% 52% 46%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	O	241	
5	Q	241	
6	N	212	
6	P	212	
6	R	212	
7	G	8	
8	H	9	
8	r	9	
8	s	9	
9	I	7	
9	Z	7	
9	i	7	
9	j	7	
10	J	2	
10	T	2	
10	V	2	
10	W	2	
10	X	2	
10	Y	2	
10	b	2	
10	d	2	
10	e	2	
10	f	2	
10	k	2	
10	m	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	o	2	 50% 50%
10	p	2	 50% 50%
10	q	2	 100%
11	S	3	 33% 67% 67%
11	U	3	 67% 100%
11	a	3	 33% 67% 67%
11	c	3	 67% 67% 33%
11	l	3	 67% 33% 67%
11	n	3	 67% 100%
12	g	7	 14% 29% 71%
13	h	6	 50% 50%

2 Entry composition i

There are 14 unique types of molecules in this entry. The entry contains 22857 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	118	960	608	163	182	7	0	0
1	B	118	960	608	163	182	7	0	0
1	C	118	960	608	163	182	7	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	559	PRO	ILE	conflict	UNP B3UEZ6
A	605	CYS	THR	conflict	UNP B3UEZ6
B	559	PRO	ILE	conflict	UNP B3UEZ6
B	605	CYS	THR	conflict	UNP B3UEZ6
C	559	PRO	ILE	conflict	UNP B3UEZ6
C	605	CYS	THR	conflict	UNP B3UEZ6

- Molecule 2 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	D	456	3569	2239	631	673	26	0	0
2	E	455	3559	2234	629	670	26	0	0
2	F	456	3569	2239	631	673	26	0	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	MET	-	expression tag	UNP B3UES2
D	-3	ASP	-	expression tag	UNP B3UES2
D	-2	ALA	-	expression tag	UNP B3UES2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	MET	-	expression tag	UNP B3UES2
D	0	LYS	-	expression tag	UNP B3UES2
D	1	ARG	-	expression tag	UNP B3UES2
D	2	GLY	-	expression tag	UNP B3UES2
D	3	LEU	-	expression tag	UNP B3UES2
D	4	CYS	-	expression tag	UNP B3UES2
D	5	CYS	-	expression tag	UNP B3UES2
D	6	VAL	-	expression tag	UNP B3UES2
D	7	LEU	-	expression tag	UNP B3UES2
D	8	LEU	-	expression tag	UNP B3UES2
D	9	LEU	-	expression tag	UNP B3UES2
D	10	CYS	-	expression tag	UNP B3UES2
D	11	GLY	-	expression tag	UNP B3UES2
D	12	ALA	-	expression tag	UNP B3UES2
D	13	VAL	-	expression tag	UNP B3UES2
D	14	PHE	-	expression tag	UNP B3UES2
D	15	VAL	-	expression tag	UNP B3UES2
D	16	SER	-	expression tag	UNP B3UES2
D	17	PRO	-	expression tag	UNP B3UES2
D	18	SER	-	expression tag	UNP B3UES2
D	19	GLN	-	expression tag	UNP B3UES2
D	20	GLU	-	expression tag	UNP B3UES2
D	21	ILE	-	expression tag	UNP B3UES2
D	22	HIS	-	expression tag	UNP B3UES2
D	23	ALA	-	expression tag	UNP B3UES2
D	24	ARG	-	expression tag	UNP B3UES2
D	25	PHE	-	expression tag	UNP B3UES2
D	26	ARG	-	expression tag	UNP B3UES2
D	27	ARG	-	expression tag	UNP B3UES2
D	28	GLY	-	expression tag	UNP B3UES2
D	29	ALA	-	expression tag	UNP B3UES2
D	30	ARG	-	expression tag	UNP B3UES2
D	501	CYS	ALA	conflict	UNP B3UES2
E	-4	MET	-	expression tag	UNP B3UES2
E	-3	ASP	-	expression tag	UNP B3UES2
E	-2	ALA	-	expression tag	UNP B3UES2
E	-1	MET	-	expression tag	UNP B3UES2
E	0	LYS	-	expression tag	UNP B3UES2
E	1	ARG	-	expression tag	UNP B3UES2
E	2	GLY	-	expression tag	UNP B3UES2
E	3	LEU	-	expression tag	UNP B3UES2
E	4	CYS	-	expression tag	UNP B3UES2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	5	CYS	-	expression tag	UNP B3UES2
E	6	VAL	-	expression tag	UNP B3UES2
E	7	LEU	-	expression tag	UNP B3UES2
E	8	LEU	-	expression tag	UNP B3UES2
E	9	LEU	-	expression tag	UNP B3UES2
E	10	CYS	-	expression tag	UNP B3UES2
E	11	GLY	-	expression tag	UNP B3UES2
E	12	ALA	-	expression tag	UNP B3UES2
E	13	VAL	-	expression tag	UNP B3UES2
E	14	PHE	-	expression tag	UNP B3UES2
E	15	VAL	-	expression tag	UNP B3UES2
E	16	SER	-	expression tag	UNP B3UES2
E	17	PRO	-	expression tag	UNP B3UES2
E	18	SER	-	expression tag	UNP B3UES2
E	19	GLN	-	expression tag	UNP B3UES2
E	20	GLU	-	expression tag	UNP B3UES2
E	21	ILE	-	expression tag	UNP B3UES2
E	22	HIS	-	expression tag	UNP B3UES2
E	23	ALA	-	expression tag	UNP B3UES2
E	24	ARG	-	expression tag	UNP B3UES2
E	25	PHE	-	expression tag	UNP B3UES2
E	26	ARG	-	expression tag	UNP B3UES2
E	27	ARG	-	expression tag	UNP B3UES2
E	28	GLY	-	expression tag	UNP B3UES2
E	29	ALA	-	expression tag	UNP B3UES2
E	30	ARG	-	expression tag	UNP B3UES2
E	501	CYS	ALA	conflict	UNP B3UES2
F	-4	MET	-	expression tag	UNP B3UES2
F	-3	ASP	-	expression tag	UNP B3UES2
F	-2	ALA	-	expression tag	UNP B3UES2
F	-1	MET	-	expression tag	UNP B3UES2
F	0	LYS	-	expression tag	UNP B3UES2
F	1	ARG	-	expression tag	UNP B3UES2
F	2	GLY	-	expression tag	UNP B3UES2
F	3	LEU	-	expression tag	UNP B3UES2
F	4	CYS	-	expression tag	UNP B3UES2
F	5	CYS	-	expression tag	UNP B3UES2
F	6	VAL	-	expression tag	UNP B3UES2
F	7	LEU	-	expression tag	UNP B3UES2
F	8	LEU	-	expression tag	UNP B3UES2
F	9	LEU	-	expression tag	UNP B3UES2
F	10	CYS	-	expression tag	UNP B3UES2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	11	GLY	-	expression tag	UNP B3UES2
F	12	ALA	-	expression tag	UNP B3UES2
F	13	VAL	-	expression tag	UNP B3UES2
F	14	PHE	-	expression tag	UNP B3UES2
F	15	VAL	-	expression tag	UNP B3UES2
F	16	SER	-	expression tag	UNP B3UES2
F	17	PRO	-	expression tag	UNP B3UES2
F	18	SER	-	expression tag	UNP B3UES2
F	19	GLN	-	expression tag	UNP B3UES2
F	20	GLU	-	expression tag	UNP B3UES2
F	21	ILE	-	expression tag	UNP B3UES2
F	22	HIS	-	expression tag	UNP B3UES2
F	23	ALA	-	expression tag	UNP B3UES2
F	24	ARG	-	expression tag	UNP B3UES2
F	25	PHE	-	expression tag	UNP B3UES2
F	26	ARG	-	expression tag	UNP B3UES2
F	27	ARG	-	expression tag	UNP B3UES2
F	28	GLY	-	expression tag	UNP B3UES2
F	29	ALA	-	expression tag	UNP B3UES2
F	30	ARG	-	expression tag	UNP B3UES2
F	501	CYS	ALA	conflict	UNP B3UES2

- Molecule 3 is a protein called 10-1074 Heavy Chain,10-1074 Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	K	133	1041	657	175	205	4	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	221	HIS	-	expression tag	UNP S6B291
K	222	HIS	-	expression tag	UNP S6B291
K	223	HIS	-	expression tag	UNP S6B291
K	224	HIS	-	expression tag	UNP S6B291
K	225	HIS	-	expression tag	UNP S6B291

- Molecule 4 is a protein called 10-1074 Light Chain,10-1074 Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	L	101	779	486	143	147	3	0	0

- Molecule 5 is a protein called SF12 Heavy Chain,SF12 Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	M	131	Total 1019	C 653	N 173	O 190	S 3	0	0
5	O	131	Total 1019	C 653	N 173	O 190	S 3	0	0
5	Q	131	Total 1019	C 653	N 173	O 190	S 3	0	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	221	HIS	-	expression tag	UNP S6B291
M	222	HIS	-	expression tag	UNP S6B291
M	223	HIS	-	expression tag	UNP S6B291
M	224	HIS	-	expression tag	UNP S6B291
O	221	HIS	-	expression tag	UNP S6B291
O	222	HIS	-	expression tag	UNP S6B291
O	223	HIS	-	expression tag	UNP S6B291
O	224	HIS	-	expression tag	UNP S6B291
Q	221	HIS	-	expression tag	UNP S6B291
Q	222	HIS	-	expression tag	UNP S6B291
Q	223	HIS	-	expression tag	UNP S6B291
Q	224	HIS	-	expression tag	UNP S6B291

- Molecule 6 is a protein called SF12 Light Chain,SF12 Light Chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	N	104	Total 797	C 497	N 146	O 152	S 2	0	0
6	P	104	Total 797	C 497	N 146	O 152	S 2	0	0
6	R	104	Total 797	C 497	N 146	O 152	S 2	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	G	8	94	52	2	40	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	H	9	105	58	2	45	0	0
8	r	9	105	58	2	45	0	0
8	s	9	105	58	2	45	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	I	7	83	46	2	35	0	0
9	Z	7	83	46	2	35	0	0
9	i	7	83	46	2	35	0	0
9	j	7	83	46	2	35	0	0

- Molecule 10 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	J	2	28	16	2	10	0	0
10	T	2	28	16	2	10	0	0
10	V	2	28	16	2	10	0	0
10	W	2	28	16	2	10	0	0
10	X	2	28	16	2	10	0	0
10	Y	2	28	16	2	10	0	0
10	b	2	28	16	2	10	0	0
10	d	2	28	16	2	10	0	0
10	e	2	28	16	2	10	0	0
10	f	2	28	16	2	10	0	0
10	k	2	28	16	2	10	0	0
10	m	2	28	16	2	10	0	0
10	o	2	28	16	2	10	0	0
10	p	2	28	16	2	10	0	0
10	q	2	28	16	2	10	0	0

- Molecule 11 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	S	3	39	22	2	15	0	0
11	U	3	39	22	2	15	0	0
11	a	3	39	22	2	15	0	0
11	c	3	39	22	2	15	0	0
11	l	3	39	22	2	15	0	0
11	n	3	39	22	2	15	0	0

- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	g	7	83	46	2	35	0	0

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	h	6	72	40	2	30	0	0

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
14	A	1	28	16	2	10	0
14	A	1	28	16	2	10	0
14	B	1	28	16	2	10	0
14	B	1	28	16	2	10	0
14	C	1	28	16	2	10	0
14	C	1	28	16	2	10	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0
14	D	1	126	72	9	45	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
14	D	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	E	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0
14	F	1	Total 126	C 72	N 9	O 45	0

1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  22% 100%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s:  22% 100%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  29% 71%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7


- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  14% 29% 71%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-

D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50%
100%

MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  50%
50% 50%


MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  50% 50%

MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%

MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 50%

 MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  50% 50% 50%

 MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  50% 50%


 MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  50% 50% 50%

 MAG1
MAG2

- Molecule 10: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  100%

 MAG1
MAG2

- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  33% 67% 67%

 MAG1
MAG2
BM3

- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 12: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h: 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	301920	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.142	Depositor
Minimum map value	-0.077	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.022	Depositor
Map size (Å)	279.04, 279.04, 279.04	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.09, 1.09, 1.09	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/979	0.59	0/1327
1	B	0.42	0/979	0.59	0/1327
1	C	0.42	0/979	0.59	0/1327
2	D	0.44	0/3645	0.66	3/4958 (0.1%)
2	E	0.44	0/3635	0.65	2/4944 (0.0%)
2	F	0.44	0/3645	0.65	3/4958 (0.1%)
3	K	0.28	0/1066	0.54	0/1451
4	L	0.26	0/800	0.62	1/1087 (0.1%)
5	M	0.35	0/1050	0.66	2/1432 (0.1%)
5	O	0.35	0/1050	0.66	2/1432 (0.1%)
5	Q	0.35	0/1050	0.66	2/1432 (0.1%)
6	N	0.27	0/811	0.52	0/1098
6	P	0.27	0/811	0.52	0/1098
6	R	0.27	0/811	0.52	0/1098
All	All	0.39	0/21311	0.63	15/28969 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
2	D	0	2
2	E	0	2
2	F	0	1
4	L	0	1
5	M	0	2
5	O	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
5	Q	0	2
All	All	0	15

There are no bond length outliers.

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	116	LEU	CA-CB-CG	7.77	133.18	115.30
2	E	116	LEU	CA-CB-CG	7.64	132.87	115.30
2	D	116	LEU	CA-CB-CG	7.01	131.41	115.30
5	O	31	LEU	CA-CB-CG	6.34	129.89	115.30
5	M	31	LEU	CA-CB-CG	6.32	129.84	115.30

There are no chirality outliers.

5 of 15 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	625	ASN	Peptide
1	B	625	ASN	Peptide
1	C	625	ASN	Peptide
2	D	392	ASN	Peptide
2	D	69	TRP	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	114/153 (74%)	104 (91%)	9 (8%)	1 (1%)	17 50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	114/153 (74%)	104 (91%)	9 (8%)	1 (1%)	17	50
1	C	114/153 (74%)	104 (91%)	9 (8%)	1 (1%)	17	50
2	D	450/516 (87%)	383 (85%)	65 (14%)	2 (0%)	34	67
2	E	449/516 (87%)	382 (85%)	67 (15%)	0	100	100
2	F	450/516 (87%)	391 (87%)	59 (13%)	0	100	100
3	K	131/244 (54%)	126 (96%)	5 (4%)	0	100	100
4	L	99/214 (46%)	86 (87%)	13 (13%)	0	100	100
5	M	129/241 (54%)	117 (91%)	11 (8%)	1 (1%)	19	52
5	O	129/241 (54%)	117 (91%)	11 (8%)	1 (1%)	19	52
5	Q	129/241 (54%)	117 (91%)	11 (8%)	1 (1%)	19	52
6	N	102/212 (48%)	95 (93%)	7 (7%)	0	100	100
6	P	102/212 (48%)	95 (93%)	7 (7%)	0	100	100
6	R	102/212 (48%)	95 (93%)	7 (7%)	0	100	100
All	All	2614/3824 (68%)	2316 (89%)	290 (11%)	8 (0%)	44	72

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	628	TRP
1	B	628	TRP
1	C	628	TRP
5	M	100(B)	ASP
5	O	100(B)	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	104/130 (80%)	104 (100%)	0	100	100
1	B	104/130 (80%)	104 (100%)	0	100	100
1	C	104/130 (80%)	104 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	401/453 (88%)	397 (99%)	4 (1%)	76	85
2	E	399/453 (88%)	397 (100%)	2 (0%)	88	93
2	F	401/453 (88%)	398 (99%)	3 (1%)	84	90
3	K	116/214 (54%)	116 (100%)	0	100	100
4	L	80/178 (45%)	80 (100%)	0	100	100
5	M	109/207 (53%)	107 (98%)	2 (2%)	59	78
5	O	109/207 (53%)	107 (98%)	2 (2%)	59	78
5	Q	109/207 (53%)	107 (98%)	2 (2%)	59	78
6	N	86/183 (47%)	86 (100%)	0	100	100
6	P	86/183 (47%)	86 (100%)	0	100	100
6	R	86/183 (47%)	86 (100%)	0	100	100
All	All	2294/3311 (69%)	2279 (99%)	15 (1%)	84	90

5 of 15 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	F	182	VAL
5	Q	95	LEU
2	F	397	ASN
5	Q	100(A)	PHE
5	O	95	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
4	L	42	GLN
6	R	30	ASN
6	P	30	ASN
2	E	98	ASN
2	F	397	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

124 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	G	1	2,7	14,14,15	0.45	0	17,19,21	0.69	0
7	NAG	G	2	7	14,14,15	0.24	0	17,19,21	0.58	0
7	BMA	G	3	7	11,11,12	0.71	0	15,15,17	1.09	0
7	MAN	G	4	7	11,11,12	1.06	1 (9%)	15,15,17	1.46	3 (20%)
7	MAN	G	5	7	11,11,12	0.84	0	15,15,17	1.01	2 (13%)
7	MAN	G	6	7	11,11,12	1.28	2 (18%)	15,15,17	1.80	5 (33%)
7	MAN	G	7	7	11,11,12	0.92	0	15,15,17	1.28	2 (13%)
7	MAN	G	8	7	11,11,12	0.77	0	15,15,17	1.13	2 (13%)
8	NAG	H	1	8,2	14,14,15	0.25	0	17,19,21	1.44	3 (17%)
8	NAG	H	2	8	14,14,15	0.94	1 (7%)	17,19,21	1.22	3 (17%)
8	BMA	H	3	8	11,11,12	0.69	0	15,15,17	1.07	1 (6%)
8	MAN	H	4	8	11,11,12	0.79	1 (9%)	15,15,17	1.47	2 (13%)
8	MAN	H	5	8	11,11,12	0.88	0	15,15,17	1.52	2 (13%)
8	MAN	H	6	8	11,11,12	0.93	1 (9%)	15,15,17	1.02	1 (6%)
8	MAN	H	7	8	11,11,12	0.99	1 (9%)	15,15,17	1.45	2 (13%)
8	MAN	H	8	8	11,11,12	0.64	0	15,15,17	1.11	2 (13%)
8	MAN	H	9	8	11,11,12	0.91	0	15,15,17	1.04	1 (6%)
9	NAG	I	1	2,9	14,14,15	0.52	0	17,19,21	0.49	0
9	NAG	I	2	9	14,14,15	0.30	0	17,19,21	0.56	0
9	BMA	I	3	9	11,11,12	0.92	0	15,15,17	1.95	4 (26%)
9	MAN	I	4	9	11,11,12	1.19	1 (9%)	15,15,17	1.89	2 (13%)
9	MAN	I	5	9	11,11,12	1.03	0	15,15,17	1.26	2 (13%)
9	MAN	I	6	9	11,11,12	1.22	1 (9%)	15,15,17	1.04	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	MAN	I	7	9	11,11,12	0.97	1 (9%)	15,15,17	1.01	2 (13%)
10	NAG	J	1	2,10	14,14,15	0.44	0	17,19,21	0.56	0
10	NAG	J	2	10	14,14,15	0.89	1 (7%)	17,19,21	0.53	0
11	NAG	S	1	11,2	14,14,15	0.27	0	17,19,21	0.73	0
11	NAG	S	2	11	14,14,15	0.46	0	17,19,21	1.05	1 (5%)
11	BMA	S	3	11	11,11,12	0.74	0	15,15,17	0.92	2 (13%)
10	NAG	T	1	2,10	14,14,15	0.21	0	17,19,21	0.44	0
10	NAG	T	2	10	14,14,15	0.46	0	17,19,21	0.94	1 (5%)
11	NAG	U	1	11,2	14,14,15	0.65	1 (7%)	17,19,21	1.22	2 (11%)
11	NAG	U	2	11	14,14,15	0.37	0	17,19,21	1.00	1 (5%)
11	BMA	U	3	11	11,11,12	0.68	0	15,15,17	0.88	1 (6%)
10	NAG	V	1	2,10	14,14,15	0.30	0	17,19,21	0.55	0
10	NAG	V	2	10	14,14,15	0.47	0	17,19,21	0.98	1 (5%)
10	NAG	W	1	2,10	14,14,15	0.63	1 (7%)	17,19,21	0.65	0
10	NAG	W	2	10	14,14,15	0.57	0	17,19,21	0.89	1 (5%)
10	NAG	X	1	2,10	14,14,15	0.28	0	17,19,21	0.74	1 (5%)
10	NAG	X	2	10	14,14,15	0.44	0	17,19,21	0.93	1 (5%)
10	NAG	Y	1	2,10	14,14,15	0.65	0	17,19,21	0.72	0
10	NAG	Y	2	10	14,14,15	0.38	0	17,19,21	0.44	0
9	NAG	Z	1	2,9	14,14,15	0.37	0	17,19,21	0.42	0
9	NAG	Z	2	9	14,14,15	0.27	0	17,19,21	0.55	0
9	BMA	Z	3	9	11,11,12	0.77	0	15,15,17	1.11	2 (13%)
9	MAN	Z	4	9	11,11,12	1.07	0	15,15,17	2.26	3 (20%)
9	MAN	Z	5	9	11,11,12	0.78	0	15,15,17	1.21	2 (13%)
9	MAN	Z	6	9	11,11,12	1.13	1 (9%)	15,15,17	0.98	1 (6%)
9	MAN	Z	7	9	11,11,12	0.89	0	15,15,17	0.90	1 (6%)
11	NAG	a	1	11,2	14,14,15	0.30	0	17,19,21	0.54	0
11	NAG	a	2	11	14,14,15	0.43	0	17,19,21	1.06	2 (11%)
11	BMA	a	3	11	11,11,12	0.76	0	15,15,17	0.89	1 (6%)
10	NAG	b	1	2,10	14,14,15	0.21	0	17,19,21	0.50	0
10	NAG	b	2	10	14,14,15	0.42	0	17,19,21	0.98	1 (5%)
11	NAG	c	1	11,2	14,14,15	0.51	0	17,19,21	1.17	1 (5%)
11	NAG	c	2	11	14,14,15	0.34	0	17,19,21	0.54	0
11	BMA	c	3	11	11,11,12	0.77	0	15,15,17	0.76	0
10	NAG	d	1	2,10	14,14,15	0.40	0	17,19,21	0.63	0
10	NAG	d	2	10	14,14,15	0.37	0	17,19,21	0.97	1 (5%)
10	NAG	e	1	2,10	14,14,15	0.69	1 (7%)	17,19,21	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	NAG	e	2	10	14,14,15	0.57	0	17,19,21	0.90	1 (5%)
10	NAG	f	1	2,10	14,14,15	0.30	0	17,19,21	0.79	1 (5%)
10	NAG	f	2	10	14,14,15	0.43	0	17,19,21	0.91	1 (5%)
12	NAG	g	1	12,2	14,14,15	0.36	0	17,19,21	0.57	0
12	NAG	g	2	12	14,14,15	0.37	0	17,19,21	0.67	0
12	BMA	g	3	12	11,11,12	0.76	0	15,15,17	1.69	4 (26%)
12	MAN	g	4	12	11,11,12	0.52	0	15,15,17	1.30	1 (6%)
12	MAN	g	5	12	11,11,12	0.85	0	15,15,17	1.01	2 (13%)
12	MAN	g	6	12	11,11,12	0.89	0	15,15,17	1.21	2 (13%)
12	MAN	g	7	12	11,11,12	0.76	0	15,15,17	1.31	2 (13%)
13	NAG	h	1	13,2	14,14,15	0.26	0	17,19,21	0.50	0
13	NAG	h	2	13	14,14,15	0.57	0	17,19,21	0.75	0
13	BMA	h	3	13	11,11,12	0.90	0	15,15,17	0.96	0
13	MAN	h	4	13	11,11,12	0.75	0	15,15,17	1.35	2 (13%)
13	MAN	h	5	13	11,11,12	1.15	1 (9%)	15,15,17	0.98	2 (13%)
13	MAN	h	6	13	11,11,12	0.82	0	15,15,17	1.34	2 (13%)
9	NAG	i	1	2,9	14,14,15	0.55	0	17,19,21	0.65	0
9	NAG	i	2	9	14,14,15	0.36	0	17,19,21	0.55	0
9	BMA	i	3	9	11,11,12	0.77	0	15,15,17	0.84	0
9	MAN	i	4	9	11,11,12	1.36	2 (18%)	15,15,17	1.20	2 (13%)
9	MAN	i	5	9	11,11,12	0.67	0	15,15,17	1.15	2 (13%)
9	MAN	i	6	9	11,11,12	0.77	0	15,15,17	1.11	2 (13%)
9	MAN	i	7	9	11,11,12	0.70	0	15,15,17	1.09	2 (13%)
9	NAG	j	1	2,9	14,14,15	0.47	0	17,19,21	0.46	0
9	NAG	j	2	9	14,14,15	0.30	0	17,19,21	0.55	0
9	BMA	j	3	9	11,11,12	1.33	2 (18%)	15,15,17	1.78	4 (26%)
9	MAN	j	4	9	11,11,12	1.02	1 (9%)	15,15,17	1.75	3 (20%)
9	MAN	j	5	9	11,11,12	0.73	0	15,15,17	1.17	2 (13%)
9	MAN	j	6	9	11,11,12	1.29	2 (18%)	15,15,17	1.03	1 (6%)
9	MAN	j	7	9	11,11,12	0.75	0	15,15,17	1.10	2 (13%)
10	NAG	k	1	2,10	14,14,15	0.30	0	17,19,21	0.67	0
10	NAG	k	2	10	14,14,15	0.67	1 (7%)	17,19,21	0.58	0
11	NAG	l	1	11,2	14,14,15	0.29	0	17,19,21	0.56	0
11	NAG	l	2	11	14,14,15	0.45	0	17,19,21	1.09	2 (11%)
11	BMA	l	3	11	11,11,12	0.82	0	15,15,17	0.91	2 (13%)
10	NAG	m	1	2,10	14,14,15	0.20	0	17,19,21	0.50	0
10	NAG	m	2	10	14,14,15	0.48	0	17,19,21	0.99	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	NAG	n	1	11,2	14,14,15	0.79	1 (7%)	17,19,21	1.25	1 (5%)
11	NAG	n	2	11	14,14,15	0.50	0	17,19,21	0.84	1 (5%)
11	BMA	n	3	11	11,11,12	0.86	0	15,15,17	0.84	1 (6%)
10	NAG	o	1	2,10	14,14,15	0.25	0	17,19,21	0.57	0
10	NAG	o	2	10	14,14,15	0.37	0	17,19,21	1.02	2 (11%)
10	NAG	p	1	2,10	14,14,15	0.59	0	17,19,21	0.56	0
10	NAG	p	2	10	14,14,15	0.58	0	17,19,21	0.90	1 (5%)
10	NAG	q	1	2,10	14,14,15	0.30	0	17,19,21	0.83	1 (5%)
10	NAG	q	2	10	14,14,15	0.35	0	17,19,21	1.01	1 (5%)
8	NAG	r	1	8,2	14,14,15	0.25	0	17,19,21	1.58	3 (17%)
8	NAG	r	2	8	14,14,15	1.63	2 (14%)	17,19,21	1.20	1 (5%)
8	BMA	r	3	8	11,11,12	0.74	0	15,15,17	1.05	1 (6%)
8	MAN	r	4	8	11,11,12	0.84	1 (9%)	15,15,17	1.32	2 (13%)
8	MAN	r	5	8	11,11,12	0.69	0	15,15,17	1.27	2 (13%)
8	MAN	r	6	8	11,11,12	0.72	0	15,15,17	1.19	2 (13%)
8	MAN	r	7	8	11,11,12	0.89	0	15,15,17	1.26	2 (13%)
8	MAN	r	8	8	11,11,12	0.96	1 (9%)	15,15,17	1.54	4 (26%)
8	MAN	r	9	8	11,11,12	1.00	1 (9%)	15,15,17	1.00	1 (6%)
8	NAG	s	1	8,2	14,14,15	0.26	0	17,19,21	1.40	3 (17%)
8	NAG	s	2	8	14,14,15	1.46	1 (7%)	17,19,21	1.24	1 (5%)
8	BMA	s	3	8	11,11,12	0.76	0	15,15,17	1.06	2 (13%)
8	MAN	s	4	8	11,11,12	0.96	0	15,15,17	1.12	3 (20%)
8	MAN	s	5	8	11,11,12	0.84	0	15,15,17	1.23	2 (13%)
8	MAN	s	6	8	11,11,12	0.80	1 (9%)	15,15,17	1.01	1 (6%)
8	MAN	s	7	8	11,11,12	0.87	0	15,15,17	1.41	2 (13%)
8	MAN	s	8	8	11,11,12	0.71	0	15,15,17	1.17	2 (13%)
8	MAN	s	9	8	11,11,12	0.81	0	15,15,17	1.02	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	G	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	G	2	7	-	0/6/23/26	0/1/1/1
7	BMA	G	3	7	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	G	4	7	-	0/2/19/22	0/1/1/1
7	MAN	G	5	7	-	2/2/19/22	0/1/1/1
7	MAN	G	6	7	-	0/2/19/22	0/1/1/1
7	MAN	G	7	7	-	2/2/19/22	1/1/1/1
7	MAN	G	8	7	-	2/2/19/22	0/1/1/1
8	NAG	H	1	8,2	-	1/6/23/26	0/1/1/1
8	NAG	H	2	8	-	4/6/23/26	0/1/1/1
8	BMA	H	3	8	-	0/2/19/22	0/1/1/1
8	MAN	H	4	8	-	0/2/19/22	0/1/1/1
8	MAN	H	5	8	-	2/2/19/22	0/1/1/1
8	MAN	H	6	8	-	2/2/19/22	0/1/1/1
8	MAN	H	7	8	-	2/2/19/22	1/1/1/1
8	MAN	H	8	8	-	0/2/19/22	0/1/1/1
8	MAN	H	9	8	-	2/2/19/22	0/1/1/1
9	NAG	I	1	2,9	-	2/6/23/26	0/1/1/1
9	NAG	I	2	9	-	1/6/23/26	0/1/1/1
9	BMA	I	3	9	-	1/2/19/22	0/1/1/1
9	MAN	I	4	9	-	0/2/19/22	0/1/1/1
9	MAN	I	5	9	-	1/2/19/22	0/1/1/1
9	MAN	I	6	9	-	2/2/19/22	1/1/1/1
9	MAN	I	7	9	-	0/2/19/22	0/1/1/1
10	NAG	J	1	2,10	-	0/6/23/26	0/1/1/1
10	NAG	J	2	10	-	0/6/23/26	0/1/1/1
11	NAG	S	1	11,2	-	1/6/23/26	0/1/1/1
11	NAG	S	2	11	-	1/6/23/26	0/1/1/1
11	BMA	S	3	11	-	0/2/19/22	0/1/1/1
10	NAG	T	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	T	2	10	-	3/6/23/26	0/1/1/1
11	NAG	U	1	11,2	-	3/6/23/26	0/1/1/1
11	NAG	U	2	11	-	1/6/23/26	0/1/1/1
11	BMA	U	3	11	-	2/2/19/22	0/1/1/1
10	NAG	V	1	2,10	-	1/6/23/26	0/1/1/1
10	NAG	V	2	10	-	2/6/23/26	0/1/1/1
10	NAG	W	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	W	2	10	-	2/6/23/26	0/1/1/1
10	NAG	X	1	2,10	-	1/6/23/26	0/1/1/1
10	NAG	X	2	10	-	3/6/23/26	0/1/1/1
10	NAG	Y	1	2,10	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	Y	2	10	-	0/6/23/26	0/1/1/1
9	NAG	Z	1	2,9	-	2/6/23/26	0/1/1/1
9	NAG	Z	2	9	-	2/6/23/26	0/1/1/1
9	BMA	Z	3	9	-	1/2/19/22	0/1/1/1
9	MAN	Z	4	9	-	0/2/19/22	0/1/1/1
9	MAN	Z	5	9	-	1/2/19/22	0/1/1/1
9	MAN	Z	6	9	-	2/2/19/22	0/1/1/1
9	MAN	Z	7	9	-	0/2/19/22	0/1/1/1
11	NAG	a	1	11,2	-	1/6/23/26	0/1/1/1
11	NAG	a	2	11	-	1/6/23/26	0/1/1/1
11	BMA	a	3	11	-	2/2/19/22	0/1/1/1
10	NAG	b	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	b	2	10	-	1/6/23/26	0/1/1/1
11	NAG	c	1	11,2	-	3/6/23/26	0/1/1/1
11	NAG	c	2	11	-	2/6/23/26	0/1/1/1
11	BMA	c	3	11	-	2/2/19/22	0/1/1/1
10	NAG	d	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	d	2	10	-	2/6/23/26	0/1/1/1
10	NAG	e	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	e	2	10	-	3/6/23/26	0/1/1/1
10	NAG	f	1	2,10	-	1/6/23/26	0/1/1/1
10	NAG	f	2	10	-	3/6/23/26	0/1/1/1
12	NAG	g	1	12,2	-	0/6/23/26	0/1/1/1
12	NAG	g	2	12	-	0/6/23/26	0/1/1/1
12	BMA	g	3	12	-	0/2/19/22	0/1/1/1
12	MAN	g	4	12	-	2/2/19/22	0/1/1/1
12	MAN	g	5	12	-	2/2/19/22	0/1/1/1
12	MAN	g	6	12	-	0/2/19/22	0/1/1/1
12	MAN	g	7	12	-	1/2/19/22	0/1/1/1
13	NAG	h	1	13,2	-	2/6/23/26	0/1/1/1
13	NAG	h	2	13	-	2/6/23/26	0/1/1/1
13	BMA	h	3	13	-	1/2/19/22	0/1/1/1
13	MAN	h	4	13	-	2/2/19/22	0/1/1/1
13	MAN	h	5	13	-	2/2/19/22	1/1/1/1
13	MAN	h	6	13	-	0/2/19/22	0/1/1/1
9	NAG	i	1	2,9	-	2/6/23/26	0/1/1/1
9	NAG	i	2	9	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	BMA	i	3	9	-	2/2/19/22	0/1/1/1
9	MAN	i	4	9	-	0/2/19/22	0/1/1/1
9	MAN	i	5	9	-	1/2/19/22	0/1/1/1
9	MAN	i	6	9	-	0/2/19/22	0/1/1/1
9	MAN	i	7	9	-	0/2/19/22	0/1/1/1
9	NAG	j	1	2,9	-	2/6/23/26	0/1/1/1
9	NAG	j	2	9	-	1/6/23/26	0/1/1/1
9	BMA	j	3	9	-	1/2/19/22	0/1/1/1
9	MAN	j	4	9	-	0/2/19/22	0/1/1/1
9	MAN	j	5	9	-	1/2/19/22	0/1/1/1
9	MAN	j	6	9	-	2/2/19/22	1/1/1/1
9	MAN	j	7	9	-	0/2/19/22	0/1/1/1
10	NAG	k	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	k	2	10	-	2/6/23/26	0/1/1/1
11	NAG	l	1	11,2	-	1/6/23/26	0/1/1/1
11	NAG	l	2	11	-	1/6/23/26	0/1/1/1
11	BMA	l	3	11	-	0/2/19/22	0/1/1/1
10	NAG	m	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	m	2	10	-	3/6/23/26	0/1/1/1
11	NAG	n	1	11,2	-	2/6/23/26	0/1/1/1
11	NAG	n	2	11	-	2/6/23/26	0/1/1/1
11	BMA	n	3	11	-	1/2/19/22	0/1/1/1
10	NAG	o	1	2,10	-	0/6/23/26	0/1/1/1
10	NAG	o	2	10	-	3/6/23/26	0/1/1/1
10	NAG	p	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	p	2	10	-	2/6/23/26	0/1/1/1
10	NAG	q	1	2,10	-	2/6/23/26	0/1/1/1
10	NAG	q	2	10	-	1/6/23/26	0/1/1/1
8	NAG	r	1	8,2	-	3/6/23/26	0/1/1/1
8	NAG	r	2	8	-	2/6/23/26	0/1/1/1
8	BMA	r	3	8	-	2/2/19/22	0/1/1/1
8	MAN	r	4	8	-	0/2/19/22	0/1/1/1
8	MAN	r	5	8	-	2/2/19/22	0/1/1/1
8	MAN	r	6	8	-	1/2/19/22	0/1/1/1
8	MAN	r	7	8	-	2/2/19/22	1/1/1/1
8	MAN	r	8	8	-	2/2/19/22	0/1/1/1
8	MAN	r	9	8	-	0/2/19/22	0/1/1/1
8	NAG	s	1	8,2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	s	2	8	-	0/6/23/26	0/1/1/1
8	BMA	s	3	8	-	0/2/19/22	0/1/1/1
8	MAN	s	4	8	-	0/2/19/22	0/1/1/1
8	MAN	s	5	8	-	2/2/19/22	0/1/1/1
8	MAN	s	6	8	-	2/2/19/22	0/1/1/1
8	MAN	s	7	8	-	1/2/19/22	1/1/1/1
8	MAN	s	8	8	-	0/2/19/22	0/1/1/1
8	MAN	s	9	8	-	2/2/19/22	0/1/1/1

The worst 5 of 32 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	r	2	NAG	O5-C1	-5.29	1.35	1.43
8	s	2	NAG	O5-C1	-4.84	1.36	1.43
9	j	6	MAN	C1-C2	3.31	1.59	1.52
8	H	2	NAG	O5-C1	-3.23	1.38	1.43
9	I	6	MAN	C1-C2	3.18	1.59	1.52

The worst 5 of 159 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	Z	4	MAN	C1-O5-C5	7.43	122.27	112.19
9	j	4	MAN	C1-O5-C5	5.34	119.43	112.19
9	I	4	MAN	C1-O5-C5	5.30	119.37	112.19
9	I	3	BMA	O3-C3-C2	4.90	119.38	109.99
12	g	3	BMA	C1-O5-C5	4.40	118.15	112.19

There are no chirality outliers.

5 of 164 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	H	9	MAN	O5-C5-C6-O6
9	Z	2	NAG	O5-C5-C6-O6
10	X	2	NAG	C4-C5-C6-O6
7	G	5	MAN	O5-C5-C6-O6
12	g	5	MAN	O5-C5-C6-O6

5 of 7 ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	h	5	MAN	C1-C2-C3-C4-C5-O5


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	H	7	MAN	C1-C2-C3-C4-C5-O5
9	I	6	MAN	C1-C2-C3-C4-C5-O5
8	r	7	MAN	C1-C2-C3-C4-C5-O5
9	j	6	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



















































































5.6 Ligand geometry [i](#)

33 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	E	618	2	14,14,15	0.36	0	17,19,21	1.07	2 (11%)
14	NAG	D	636	2	14,14,15	0.33	0	17,19,21	0.80	1 (5%)
14	NAG	D	627	2	14,14,15	0.21	0	17,19,21	0.42	0
14	NAG	F	626	2	14,14,15	0.24	0	17,19,21	0.75	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	D	649	2	14,14,15	0.52	0	17,19,21	0.96	1 (5%)
14	NAG	B	701	1	14,14,15	0.45	0	17,19,21	1.11	2 (11%)
14	NAG	D	647	2	14,14,15	0.30	0	17,19,21	0.39	0
14	NAG	B	702	1	14,14,15	0.55	0	17,19,21	1.03	2 (11%)
14	NAG	F	621	2	14,14,15	0.55	0	17,19,21	1.07	2 (11%)
14	NAG	D	635	2	14,14,15	0.41	0	17,19,21	1.07	2 (11%)
14	NAG	D	632	2	14,14,15	0.24	0	17,19,21	0.35	0
14	NAG	F	625	2	14,14,15	0.35	0	17,19,21	1.07	2 (11%)
14	NAG	E	619	2	14,14,15	0.23	0	17,19,21	0.58	0
14	NAG	E	630	2	14,14,15	0.57	0	17,19,21	0.68	0
14	NAG	D	640	2	14,14,15	0.47	0	17,19,21	0.99	1 (5%)
14	NAG	F	638	2	14,14,15	0.33	0	17,19,21	0.66	1 (5%)
14	NAG	F	639	2	14,14,15	0.55	0	17,19,21	0.63	1 (5%)
14	NAG	A	702	1	14,14,15	0.54	0	17,19,21	1.02	1 (5%)
14	NAG	E	631	2	14,14,15	0.85	1 (7%)	17,19,21	0.89	1 (5%)
14	NAG	E	639	2	14,14,15	0.41	0	17,19,21	0.73	0
14	NAG	E	614	2	14,14,15	1.35	2 (14%)	17,19,21	1.13	2 (11%)
14	NAG	F	617	2	14,14,15	0.41	0	17,19,21	0.49	0
14	NAG	C	702	1	14,14,15	0.54	0	17,19,21	1.03	2 (11%)
14	NAG	F	622	2	14,14,15	0.24	0	17,19,21	0.42	0
14	NAG	C	701	1	14,14,15	0.46	0	17,19,21	1.12	2 (11%)
14	NAG	F	630	2	14,14,15	0.49	0	17,19,21	1.02	2 (11%)
14	NAG	D	648	2	14,14,15	0.39	0	17,19,21	0.65	1 (5%)
14	NAG	E	623	2	14,14,15	0.62	1 (7%)	17,19,21	0.90	1 (5%)
14	NAG	A	701	1	14,14,15	0.45	0	17,19,21	1.11	2 (11%)
14	NAG	E	615	2	14,14,15	0.30	0	17,19,21	0.48	0
14	NAG	E	610	2	14,14,15	0.29	0	17,19,21	0.57	0
14	NAG	F	637	2	14,14,15	0.33	0	17,19,21	0.45	0
14	NAG	D	631	2	14,14,15	0.53	0	17,19,21	0.94	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	E	618	2	-	1/6/23/26	0/1/1/1
14	NAG	D	636	2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	D	627	2	-	1/6/23/26	0/1/1/1
14	NAG	F	626	2	-	0/6/23/26	0/1/1/1
14	NAG	D	649	2	-	1/6/23/26	0/1/1/1
14	NAG	B	701	1	-	3/6/23/26	0/1/1/1
14	NAG	D	647	2	-	2/6/23/26	0/1/1/1
14	NAG	B	702	1	-	1/6/23/26	0/1/1/1
14	NAG	F	621	2	-	3/6/23/26	0/1/1/1
14	NAG	D	635	2	-	1/6/23/26	0/1/1/1
14	NAG	D	632	2	-	1/6/23/26	0/1/1/1
14	NAG	F	625	2	-	1/6/23/26	0/1/1/1
14	NAG	E	619	2	-	0/6/23/26	0/1/1/1
14	NAG	E	630	2	-	2/6/23/26	0/1/1/1
14	NAG	D	640	2	-	1/6/23/26	0/1/1/1
14	NAG	F	638	2	-	0/6/23/26	0/1/1/1
14	NAG	F	639	2	-	1/6/23/26	0/1/1/1
14	NAG	A	702	1	-	1/6/23/26	0/1/1/1
14	NAG	E	631	2	-	0/6/23/26	0/1/1/1
14	NAG	E	639	2	-	2/6/23/26	0/1/1/1
14	NAG	E	614	2	-	1/6/23/26	0/1/1/1
14	NAG	F	617	2	-	1/6/23/26	0/1/1/1
14	NAG	C	702	1	-	1/6/23/26	0/1/1/1
14	NAG	F	622	2	-	2/6/23/26	0/1/1/1
14	NAG	C	701	1	-	3/6/23/26	0/1/1/1
14	NAG	F	630	2	-	1/6/23/26	0/1/1/1
14	NAG	D	648	2	-	0/6/23/26	0/1/1/1
14	NAG	E	623	2	-	3/6/23/26	0/1/1/1
14	NAG	A	701	1	-	3/6/23/26	0/1/1/1
14	NAG	E	615	2	-	1/6/23/26	0/1/1/1
14	NAG	E	610	2	-	2/6/23/26	0/1/1/1
14	NAG	F	637	2	-	2/6/23/26	0/1/1/1
14	NAG	D	631	2	-	3/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	E	614	NAG	C1-C2	4.20	1.58	1.52
14	E	631	NAG	C1-C2	2.72	1.56	1.52
14	E	614	NAG	O5-C1	2.69	1.48	1.43
14	E	623	NAG	C1-C2	2.08	1.55	1.52

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	D	635	NAG	C2-N2-C7	3.11	127.33	122.90
14	D	649	NAG	C2-N2-C7	3.10	127.32	122.90
14	D	640	NAG	C2-N2-C7	3.07	127.27	122.90
14	A	701	NAG	C2-N2-C7	3.04	127.23	122.90
14	C	701	NAG	C2-N2-C7	3.03	127.22	122.90

There are no chirality outliers.

5 of 45 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	E	623	NAG	O5-C5-C6-O6
14	A	701	NAG	O5-C5-C6-O6
14	B	701	NAG	O5-C5-C6-O6
14	C	701	NAG	O5-C5-C6-O6
14	F	637	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20100. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131




Y Index: 138




Z Index: 122


6.3.2 Raw map



X Index: 131



Y Index: 138



Z Index: 122

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.022. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_20100_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 116 nm³; this corresponds to an approximate mass of 104 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.305 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.305 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.28	-	-
Author-provided FSC curve	3.27	3.68	3.33
Unmasked-calculated*	3.65	4.19	3.71

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.65 differs from the reported value 3.28 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20100 and PDB model 6OKP. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.022 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.022).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary























The table lists the average atom inclusion at the recommended contour level (0.022) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6595	 0.4680
A	 0.7716	 0.5230
B	 0.7449	 0.5100
C	 0.7767	 0.5060
D	 0.7856	 0.5190
E	 0.7786	 0.5140
F	 0.7768	 0.5130
G	 0.5851	 0.4790
H	 0.8286	 0.5070
I	 0.8193	 0.5060
J	 0.5714	 0.4050
K	 0.2024	 0.3010
L	 0.3395	 0.3460
M	 0.6650	 0.4680
N	 0.4929	 0.3840
O	 0.5217	 0.4060
P	 0.3484	 0.3210
Q	 0.5923	 0.4520
R	 0.3239	 0.3520
S	 0.3333	 0.3650
T	 0.5000	 0.4880
U	 0.3846	 0.4650
V	 0.7143	 0.4960
W	 0.6071	 0.3950
X	 0.5714	 0.4670
Y	 0.4286	 0.4670
Z	 0.7229	 0.4420
a	 0.2308	 0.3100
b	 0.4643	 0.4670
c	 0.3333	 0.3770
d	 0.7857	 0.4860
e	 0.5714	 0.4240
f	 0.7143	 0.4420
g	 0.6867	 0.5020
h	 0.4028	 0.3990



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.5783	 0.4720
j	 0.6867	 0.4520
k	 0.6071	 0.3710
l	 0.2821	 0.2650
m	 0.5714	 0.4550
n	 0.3846	 0.4260
o	 0.6786	 0.4630
p	 0.5000	 0.4210
q	 0.5714	 0.4530
r	 0.6667	 0.4610
s	 0.7333	 0.4810