



## wwPDB EM Validation Summary Report ⓘ

Dec 17, 2022 – 11:53 pm GMT

PDB ID : 7A5F  
EMDB ID : EMD-11641  
Title : Structure of the stalled human mitoribosome with P- and E-site mt-tRNAs  
Authors : Desai, N.; Yang, H.; Chandrasekaran, V.; Kazi, R.; Minczuk, M.; Ramakrishnan, V.  
Deposited on : 2020-08-21  
Resolution : 4.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	Y2	29	
2	A3	1559	
3	B3	69	
4	D3	305	
5	E3	348	
6	F3	311	
7	D	267	
7	H3	267	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	I3	261	36% 60% 39%
9	J3	192	51% 72% 27%
10	K3	178	11% 97%
11	L3	145	27% 79% 21%
12	M3	296	16% 94%
13	N3	251	17% 81% 18%
14	O3	175	15% 86% 13%
15	P3	180	18% 74% 26%
16	Q3	292	20% 74% 25%
17	R3	149	13% 93% 6%
18	S3	205	9% 76% 24%
19	T3	206	16% 80% 19%
20	U3	153	5% 69% 27%
21	V3	216	35% 83% 12%
22	W3	148	9% 74% 25%
23	X3	256	27% 93% 5%
24	Y3	250	17% 70% 30%
25	Z3	161	6% 74% 25%
26	03	188	11% 56% 43%
27	13	65	20% 75% 5% 20%
28	23	92	50% 50%
29	33	188	51% 49%
30	43	103	5% 35% 65%
31	53	423	19% 88% 11%
32	63	380	24% 85% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	73	338	21% 79% 21%
34	93	137	20% 78% 20%
35	a3	142	12% 58% 42%
36	b3	215	10% 67% 31%
37	c3	332	22% 83% 17%
38	d3	306	16% 51% 47%
39	e3	279	50% 77% 22%
40	f3	212	29% 58% 38%
41	g3	166	16% 77% 22%
42	h3	158	24% 61% 37%
43	i3	128	13% 73% 24%
44	j3	123	18% 68% 31%
45	k3	112	52% 73% 25%
46	l3	138	17% 83%
47	m3	128	14% 34% 65%
48	o3	102	12% 91% 8%
49	p3	206	28% 62% 38%
50	q3	222	20% 56% 42%
51	r3	196	11% 74% 26%
52	s3	467	14% 78% 21%
52	t3	467	5% 6% 94%
53	A5	28	100% 100%
54	B6	296	15% 73% 27%
55	C6	167	28% 78% 21%
56	D6	430	26% 73% 25%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	E6	125	33% 96%
58	F6	242	37% 82% 17%
59	G6	396	26% 76% 23%
60	H6	201	27% 60% 39%
61	I6	194	22% 69% 30%
62	J6	138	25% 77% 22%
63	K6	128	26% 78% 21%
64	L6	257	18% 64% 36%
65	M6	137	32% 84% 15%
66	N6	130	25% 82% 18%
67	O6	258	28% 71% 28%
68	P6	142	15% 68% 32%
69	Q6	87	24% 99%
70	R6	360	31% 66% 33%
71	S6	190	27% 66% 34%
72	T6	173	29% 94% 6%
73	U6	205	36% 84% 16%
74	V6	414	60% 78% 21%
75	W6	187	17% 51% 48%
76	X6	398	39% 78% 21%
77	Y6	395	16% 27% 73%
78	Z6	106	34% 82% 18%
79	a6	218	52% 91% 8%
80	b6	323	42% 79% 21%
81	c6	118	39% 95%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
82	d6	199	
83	e6	689	
84	A6	954	
85	24	73	
85	C	73	
86	i4	10	
87	A	206	
88	n	229	

## 2 Entry composition [i](#)

There are 96 unique types of molecules in this entry. The entry contains 165767 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	Y2	29	145	87	29	29	0	0

- Molecule 2 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	A3	1503	31913	14319	5761	10330	1503	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A3	3107	U	UNK	conflict	GB 1025814679

- Molecule 3 is a RNA chain called mt-tRNA Val.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	B3	56	1191	534	214	387	56	0	0

- Molecule 4 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D3	236	1842	1145	373	315	9	0	0

- Molecule 5 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E3	300	2365	1523	410	422	10	0	0

- Molecule 6 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F3	250	Total	C	N	O	S	0	0
			2013	1294	365	348	6		

- Molecule 7 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H3	95	Total	C	N	O		0	0
			784	498	152	134			
7	D	80	Total	C	N	O	S	0	0
			648	421	111	112	4		

- Molecule 8 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I3	158	Total	C	N	O	S	0	0
			1283	828	235	210	10		

- Molecule 9 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	J3	140	Total	C	N	O	S	0	0
			1061	680	192	187	2		

- Molecule 10 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	K3	177	Total	C	N	O	S	0	0
			1451	934	259	251	7		

- Molecule 11 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L3	115	Total	C	N	O	S	0	0
			889	559	171	154	5		

- Molecule 12 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M3	287	Total	C	N	O	S	0	0
			2305	1472	425	402	6		

- Molecule 13 is a protein called 39S ribosomal protein L16, mitochondrial.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	N3	205	1654	1056	308	280	10	0	0

- Molecule 14 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	O3	152	1245	784	239	215	7	0	0

- Molecule 15 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	P3	133	1080	677	209	189	5	0	0

- Molecule 16 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	Q3	219	1822	1168	322	323	9	0	0

- Molecule 17 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	R3	140	1153	732	231	186	4	0	0

- Molecule 18 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	S3	156	1251	806	222	219	4	0	0

- Molecule 19 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	T3	166	1368	875	254	232	7	0	0

- Molecule 20 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	U3	111	922	591	176	153	2	0	0

- Molecule 21 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	V3	189	1551	987	278	278	8	0	0

- Molecule 22 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W3	111	871	558	164	146	3	0	0

- Molecule 23 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	X3	243	2027	1310	350	362	5	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X3	148	ALA	THR	conflict	UNP Q13084
X3	149	SER	PRO	conflict	UNP Q13084
X3	150	GLY	LYS	conflict	UNP Q13084

- Molecule 24 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Y3	176	1517	970	291	252	4	0	0

- Molecule 25 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Z3	120	978	626	183	166	3	0	0

- Molecule 26 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	03	108	Total	C	N	O	S	0	0
			880	545	172	157	6		

- Molecule 27 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	13	52	Total	C	N	O	S	0	0
			433	278	83	70	2		

- Molecule 28 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	23	46	Total	C	N	O	S	0	0
			376	233	83	59	1		

- Molecule 29 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	33	95	Total	C	N	O	S	0	0
			831	539	162	127	3		

- Molecule 30 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	43	36	Total	C	N	O	S	0	0
			322	203	70	46	3		

- Molecule 31 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	53	376	Total	C	N	O	S	0	0
			3064	1987	529	538	10		

- Molecule 32 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	63	325	Total	C	N	O	S	0	0
			2636	1692	465	470	9		

- Molecule 33 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	73	266	2158	1383	371	388	16	0	0

- Molecule 34 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	93	109	873	565	152	154	2	0	0

- Molecule 35 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	a3	82	686	434	124	123	5	0	0

- Molecule 36 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	b3	148	1178	733	229	213	3	0	0

- Molecule 37 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	c3	275	2217	1415	383	410	9	0	0

- Molecule 38 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	d3	162	1347	870	234	235	8	0	0

- Molecule 39 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	e3	217	1762	1124	310	323	5	0	0

- Molecule 40 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	f3	131	1039	663	169	203	4	0	0

- Molecule 41 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	g3	129	1067	690	185	190	2	0	0

- Molecule 42 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	h3	100	827	524	146	155	2	0	0

- Molecule 43 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	i3	97	827	532	165	126	4	0	0

- Molecule 44 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	j3	85	684	423	133	126	2	0	0

- Molecule 45 is a protein called 39S ribosomal protein L53, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	k3	84	655	407	122	121	5	0	0

- Molecule 46 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
46	l3	23	221	137	52	32	0	0

- Molecule 47 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	m3	45	Total	C	N	O	S	0	0
			372	232	76	62	2		

- Molecule 48 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	o3	94	Total	C	N	O	S	0	0
			797	501	165	128	3		

- Molecule 49 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	p3	127	Total	C	N	O	S	0	0
			1058	661	201	192	4		

- Molecule 50 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	q3	128	Total	C	N	O	S	0	0
			1076	671	208	192	5		

- Molecule 51 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	r3	146	Total	C	N	O	S	0	0
			1203	764	232	199	8		

- Molecule 52 is a protein called 39S ribosomal protein S30, mitochondrial,39S ribosomal protein S30, mitochondrial,39S ribosomal protein S30, mitochondrial,mL65.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	s3	370	Total	C	N	O	S	0	0
			3036	1946	542	534	14		
52	t3	28	Total	C	N	O		0	0
			140	84	28	28			

- Molecule 53 is a protein called Oxa1L.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	A5	28	Total	C	N	O	0	0
			140	84	28	28		

- Molecule 54 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	B6	217	1768	1131	321	306	10	0	0

- Molecule 55 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	C6	132	1082	699	195	184	4	0	0

- Molecule 56 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	D6	322	2557	1611	476	457	13	0	0

- Molecule 57 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	E6	122	972	614	177	177	4	0	0

- Molecule 58 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	F6	201	1668	1069	305	283	11	0	0

- Molecule 59 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	G6	305	2516	1599	448	455	14	0	0

- Molecule 60 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	H6	122	999	643	168	185	3	0	0

- Molecule 61 is a protein called 28S ribosomal protein S11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	I6	136	1011	637	192	178	4	0	0

- Molecule 62 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	J6	108	838	521	169	142	6	0	0

- Molecule 63 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	K6	101	861	537	179	140	5	0	0

- Molecule 64 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	L6	164	1382	883	257	235	7	0	0

- Molecule 65 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	M6	116	920	582	182	150	6	0	0

- Molecule 66 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	N6	107	846	549	153	141	3	0	0

- Molecule 67 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	O6	185	1528	970	285	267	6	0	0

- Molecule 68 is a protein called 28S ribosomal protein S18c, mitochondrial.



Mol	Chain	Residues	Atoms					AltConf	Trace
68	P6	96	Total	C	N	O	S	0	0
			774	498	133	135	8		

- Molecule 69 is a protein called 28S ribosomal protein S21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Q6	86	Total	C	N	O	S	0	0
			740	458	150	124	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q6	50	ARG	CYS	conflict	UNP P82921

- Molecule 70 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	R6	242	Total	C	N	O	S	0	0
			2008	1285	343	372	8		

- Molecule 71 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	S6	126	Total	C	N	O	S	0	0
			1042	673	183	185	1		

- Molecule 72 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	T6	162	Total	C	N	O	S	0	0
			1330	850	231	238	11		

- Molecule 73 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	U6	173	Total	C	N	O	S	0	0
			1461	900	294	263	4		

- Molecule 74 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	V6	328	2702	1737	452	502	11	0	0

- Molecule 75 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	W6	97	766	486	137	139	4	0	0

- Molecule 76 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	X6	316	2531	1625	440	455	11	0	0

- Molecule 77 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	Y6	108	914	593	150	169	2	0	0

- Molecule 78 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
78	Z6	87	740	473	133	130	4	0	0

- Molecule 79 is a protein called 28S ribosomal protein S34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
79	a6	201	1684	1065	322	292	5	0	0

- Molecule 80 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
80	b6	256	2076	1321	350	395	10	0	0

- Molecule 81 is a protein called Coiled-coil-helix-coiled-coil-helix domain-containing protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	c6	116	Total	C	N	O	S	0	0
			925	574	181	162	8		

- Molecule 82 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	d6	69	Total	C	N	O	S	0	0
			610	393	130	86	1		

- Molecule 83 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	e6	414	Total	C	N	O	S	0	0
			2838	1805	490	529	14		

- Molecule 84 is a RNA chain called 12S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	A6	928	Total	C	N	O	P	0	0
			19716	8840	3560	6388	928		

- Molecule 85 is a RNA chain called mt-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	24	73	Total	C	N	O	P	0	0
			1547	696	280	499	72		
85	C	73	Total	C	N	O	P	0	0
			1547	696	280	499	72		

- Molecule 86 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	i4	10	Total	C	N	O	P	0	0
			219	99	47	63	10		

- Molecule 87 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
87	A	162	Total	C	N	O	S	0	0
			1375	876	247	249	3		

- Molecule 88 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
88	n	228	1766	1121	321	321	3	4	0

- Molecule 89 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
89	A3	97	Total 97	Mg 97	0
89	D3	1	Total 1	Mg 1	0
89	g3	1	Total 1	Mg 1	0
89	A6	28	Total 28	Mg 28	0
89	n	1	Total 1	Mg 1	0

- Molecule 90 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
90	03	1	Total 1	Zn 1	0
90	43	1	Total 1	Zn 1	0
90	r3	1	Total 1	Zn 1	0
90	B6	1	Total 1	Zn 1	0
90	O6	1	Total 1	Zn 1	0
90	P6	1	Total 1	Zn 1	0
90	T6	1	Total 1	Zn 1	0

- Molecule 91 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>11</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
91	X6	1	28	10	5	11	2	0

- Molecule 92 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms		AltConf
			Total	O S	
92	n	1	5	4 1	0

- Molecule 93 is MALONATE ION (three-letter code: MLI) (formula: C<sub>3</sub>H<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms		AltConf
93	n	1	Total	C O	0
			21	9 12	
93	n	1	Total	C O	0
			21	9 12	
93	n	1	Total	C O	0
			21	9 12	

- Molecule 94 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
94	n	2	Total	Cl	0
			2	2	

- Molecule 95 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
95	n	2	Total	Na	0
			2	2	
95	D	2	Total	Na	0
			2	2	

- Molecule 96 is water.

Mol	Chain	Residues	Atoms		AltConf
96	A3	4	Total	O	0
			4	4	

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	AltConf
96	n	67	Total O 67 67	0
96	D	8	Total O 8 8	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: nascent chain



- Molecule 2: 16S rRNA











● Molecule 3: mt-tRNA Val





● Molecule 4: 39S ribosomal protein L2, mitochondrial








• Molecule 5: 39S ribosomal protein L3, mitochondrial



• Molecule 6: 39S ribosomal protein L4, mitochondrial




• Molecule 7: 39S ribosomal protein L9, mitochondrial




SER  
PRO  
GLN  
ILE



• Molecule 7: 39S ribosomal protein L9, mitochondrial




• Molecule 8: 39S ribosomal protein L10, mitochondrial




• Molecule 9: 39S ribosomal protein L11, mitochondrial










- Molecule 10: 39S ribosomal protein L13, mitochondrial






- Molecule 11: 39S ribosomal protein L14, mitochondrial





- Molecule 12: 39S ribosomal protein L15, mitochondrial





- Molecule 13: 39S ribosomal protein L16, mitochondrial





- Molecule 14: 39S ribosomal protein L17, mitochondrial




- Molecule 15: 39S ribosomal protein L18, mitochondrial





- Molecule 16: 39S ribosomal protein L19, mitochondrial




- Molecule 17: 39S ribosomal protein L20, mitochondrial






- Molecule 18: 39S ribosomal protein L21, mitochondrial










• Molecule 19: 39S ribosomal protein L22, mitochondrial






• Molecule 20: 39S ribosomal protein L23, mitochondrial




• Molecule 21: 39S ribosomal protein L24, mitochondrial




• Molecule 22: 39S ribosomal protein L27, mitochondrial




- Molecule 23: 39S ribosomal protein L28, mitochondrial




- Molecule 24: 39S ribosomal protein L47, mitochondrial




- Molecule 25: 39S ribosomal protein L30, mitochondrial



- Molecule 26: 39S ribosomal protein L32, mitochondrial




- Molecule 27: 39S ribosomal protein L33, mitochondrial









- Molecule 32: 39S ribosomal protein L38, mitochondrial



- Molecule 33: 39S ribosomal protein L39, mitochondrial




- Molecule 34: 39S ribosomal protein L41, mitochondrial




- Molecule 35: 39S ribosomal protein L42, mitochondrial

Chain a3: 





- Molecule 36: 39S ribosomal protein L43, mitochondrial

Chain b3: 




- Molecule 37: 39S ribosomal protein L44, mitochondrial


Chain c3: 





- Molecule 38: 39S ribosomal protein L45, mitochondrial

Chain d3: 








• Molecule 39: 39S ribosomal protein L46, mitochondrial




• Molecule 40: 39S ribosomal protein L48, mitochondrial




• Molecule 41: 39S ribosomal protein L49, mitochondrial








• Molecule 42: 39S ribosomal protein L50, mitochondrial





• Molecule 43: 39S ribosomal protein L51, mitochondrial




• Molecule 44: 39S ribosomal protein L52, mitochondrial





• Molecule 45: 39S ribosomal protein L53, mitochondrial










● Molecule 51: 39S ribosomal protein S18a, mitochondrial




● Molecule 52: 39S ribosomal protein S30, mitochondrial, 39S ribosomal protein S30, mitochondrial, 39S ribosomal protein S30, mitochondrial, mL65




● Molecule 52: 39S ribosomal protein S30, mitochondrial, 39S ribosomal protein S30, mitochondrial, 39S ribosomal protein S30, mitochondrial, mL65







• Molecule 53: Oxa1L





• Molecule 54: 28S ribosomal protein S2, mitochondrial




• Molecule 55: 28S ribosomal protein S24, mitochondrial





• Molecule 56: 28S ribosomal protein S5, mitochondrial




- Molecule 57: 28S ribosomal protein S6, mitochondrial




- Molecule 58: 28S ribosomal protein S7, mitochondrial




- Molecule 59: 28S ribosomal protein S9, mitochondrial









• Molecule 60: 28S ribosomal protein S10, mitochondrial




• Molecule 61: 28S ribosomal protein S11, mitochondrial





• Molecule 62: 28S ribosomal protein S12, mitochondrial








• Molecule 63: 28S ribosomal protein S14, mitochondrial





• Molecule 64: 28S ribosomal protein S15, mitochondrial



• Molecule 65: 28S ribosomal protein S16, mitochondrial





• Molecule 66: 28S ribosomal protein S17, mitochondrial




SER  
LYS  
ASN  
LEU  
GLU  
LEU  
LEU  
ASN  
SER  
SER  
ALA  
GLN


• Molecule 67: 28S ribosomal protein S18b, mitochondrial




• Molecule 68: 28S ribosomal protein S18c, mitochondrial




• Molecule 69: 28S ribosomal protein S21, mitochondrial




• Molecule 70: 28S ribosomal protein S22, mitochondrial








- Molecule 71: 28S ribosomal protein S23, mitochondrial





- Molecule 72: 28S ribosomal protein S25, mitochondrial




- Molecule 73: 28S ribosomal protein S26, mitochondrial





- Molecule 74: 28S ribosomal protein S27, mitochondrial




- Molecule 75: 28S ribosomal protein S28, mitochondrial




- Molecule 76: 28S ribosomal protein S29, mitochondrial








• Molecule 77: 28S ribosomal protein S31, mitochondrial





• Molecule 78: 28S ribosomal protein S33, mitochondrial








• Molecule 79: 28S ribosomal protein S34, mitochondrial




• Molecule 80: 28S ribosomal protein S35, mitochondrial




• Molecule 81: Coiled-coil-helix-coiled-coil-helix domain-containing protein 1












• Molecule 82: Aurora kinase A-interacting protein




• Molecule 83: Pentatricopeptide repeat domain-containing protein 3, mitochondrial








• Molecule 84: 12S rRNA





• Molecule 85: mt-tRNA





• Molecule 85: mt-tRNA




• Molecule 86: mRNA



• Molecule 87: 39S ribosomal protein L40, mitochondrial



• Molecule 88: 50S ribosomal protein L1



G60
T61
V62
S63
L64
P65
H66
G67
L68
G69
K70
Q71
V72
R73
V74
L75
A76
I77
A78
K79
G80
E81
K82
I83
K84
E85
A86
E87
E88
A89
G90
A91
D92
Y93
V94
G95
G96
E97
E98
I99
I100
Q101
K102
I103
L104
D105
G106
W107
M108
D109
F110
D111
A112
V113
V114
A115
T116
P117
D118
V119
M120
G121
A122
V123
G124
S125
K126
L127
G128
R129
I130
L131
G132
P133
R134
G135
L136
L137
P138
M139
P140
K141
A142
G143
T144
V145
G146
F147
N148
I149
G150
E151
I152
I153
R154
E155
I156
K157
A158
G159
R160
I161
E162
F163
R164
N165
D166
K167
T168
G169
A170
I171
H172
A173
P174
V175
G176
K177
A178
S179
F180
P181
P182
E183
K184
L185
A186
D187
N188
I189
R190
A191
F192
I193
R194
A195
L196
E197
A198
H199
K200
P201
E202
G203
A204
K205
G206
T207
F208
L209
R210
S211
V212
Y213
V214
T215
T216
T217
M218
G219
P220
S221
V222
R223
I224
N225
P226
H227
S228

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	16588	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.252	Depositor
Minimum map value	-0.143	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	532.48, 532.48, 532.48	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MLI, MG, ZN, GDP, SO4, CL, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	Y2	0.33	0/144	0.75	0/200
2	A3	0.75	1/35697 (0.0%)	1.11	233/55544 (0.4%)
3	B3	0.50	0/1328	1.06	3/2056 (0.1%)
4	D3	0.40	0/1879	0.58	0/2527
5	E3	0.41	0/2433	0.60	0/3299
6	F3	0.41	0/2071	0.63	0/2817
7	D	0.31	0/665	0.62	0/905
7	H3	0.38	0/798	0.61	0/1073
8	I3	0.34	0/1308	0.61	1/1761 (0.1%)
9	J3	0.32	0/1077	0.62	0/1452
10	K3	0.39	0/1495	0.57	0/2029
11	L3	0.39	0/904	0.62	0/1218
12	M3	0.40	0/2359	0.64	0/3185
13	N3	0.39	0/1697	0.57	1/2281 (0.0%)
14	O3	0.41	0/1269	0.62	0/1708
15	P3	0.41	0/1103	0.59	0/1491
16	Q3	0.38	0/1863	0.57	0/2509
17	R3	0.42	0/1174	0.55	0/1572
18	S3	0.44	0/1276	0.65	0/1729
19	T3	0.42	0/1402	0.54	0/1886
20	U3	0.45	0/946	0.60	1/1283 (0.1%)
21	V3	0.38	0/1590	0.61	0/2151
22	W3	0.49	0/893	0.59	0/1204
23	X3	0.38	0/2081	0.61	1/2812 (0.0%)
24	Y3	0.40	0/1552	0.54	0/2079
25	Z3	0.40	0/1003	0.57	0/1354
26	03	0.38	0/895	0.60	0/1201
27	13	0.37	0/438	0.74	1/583 (0.2%)
28	23	0.38	0/382	0.52	0/507
29	33	0.42	0/852	0.54	0/1136
30	43	0.43	0/329	0.53	0/435
31	53	0.40	0/3154	0.63	1/4295 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	63	0.40	0/2722	0.63	1/3709 (0.0%)
33	73	0.38	0/2207	0.56	0/2978
34	93	0.39	0/896	0.60	0/1205
35	a3	0.38	0/709	0.56	0/963
36	b3	0.40	0/1202	0.58	0/1626
37	c3	0.37	0/2264	0.57	0/3059
38	d3	0.36	0/1385	0.63	0/1877
39	e3	0.33	0/1797	0.62	0/2422
40	f3	0.36	0/1055	0.71	1/1427 (0.1%)
41	g3	0.41	0/1102	0.59	0/1503
42	h3	0.35	0/847	0.67	3/1150 (0.3%)
43	i3	0.41	0/849	0.65	1/1135 (0.1%)
44	j3	0.38	0/698	0.51	0/940
45	k3	0.33	0/665	0.62	0/897
46	l3	0.29	0/226	0.50	0/299
47	m3	0.35	0/379	0.65	0/510
48	o3	0.44	0/818	0.53	0/1097
49	p3	0.31	0/1071	0.53	0/1433
50	q3	0.35	0/1107	0.54	0/1498
51	r3	0.39	0/1238	0.54	0/1676
52	s3	0.41	1/3114 (0.0%)	0.62	0/4225
53	A5	0.30	0/139	0.59	0/193
54	B6	0.39	0/1811	0.59	0/2451
55	C6	0.40	0/1112	0.57	0/1505
56	D6	0.37	0/2607	0.63	1/3498 (0.0%)
57	E6	0.36	0/989	0.59	0/1335
58	F6	0.35	0/1708	0.58	1/2291 (0.0%)
59	G6	0.37	0/2570	0.60	1/3443 (0.0%)
60	H6	0.40	0/1019	0.68	0/1379
61	I6	0.35	0/1031	0.57	0/1390
62	J6	0.38	0/854	0.57	0/1148
63	K6	0.37	0/879	0.52	0/1182
64	L6	0.37	0/1406	0.55	0/1878
65	M6	0.37	0/941	0.61	0/1265
66	N6	0.38	0/864	0.63	0/1169
67	O6	0.37	0/1580	0.60	1/2150 (0.0%)
68	P6	0.42	0/791	0.56	0/1062
69	Q6	0.38	0/752	0.56	0/1001
70	R6	0.38	1/2050 (0.0%)	0.64	0/2770
71	S6	0.37	0/1069	0.58	0/1441
72	T6	0.36	0/1361	0.58	0/1829
73	U6	0.32	0/1482	0.53	0/1987
74	V6	0.33	0/2758	0.60	0/3724

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
75	W6	0.36	0/778	0.64	0/1048
76	X6	0.39	1/2596 (0.0%)	0.69	2/3519 (0.1%)
77	Y6	0.36	0/943	0.55	0/1274
78	Z6	0.33	0/757	0.55	0/1011
79	a6	0.38	0/1727	0.59	0/2338
80	b6	0.36	0/2121	0.63	0/2873
81	c6	0.38	0/939	0.58	0/1256
82	d6	0.36	0/621	0.51	0/820
83	e6	0.32	0/2859	0.54	1/3864 (0.0%)
84	A6	0.67	0/22053	1.08	117/34324 (0.3%)
85	24	0.47	0/1731	1.08	6/2693 (0.2%)
85	C	0.47	0/1731	1.08	6/2693 (0.2%)
86	i4	0.54	0/247	0.98	0/383
87	A	0.36	0/1403	0.67	1/1880 (0.1%)
88	n	0.33	0/1812	0.63	2/2443 (0.1%)
All	All	0.52	4/174499 (0.0%)	0.83	387/248421 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	Y2	0	1
4	D3	0	1
5	E3	0	6
6	F3	0	1
7	H3	0	1
9	J3	0	1
10	K3	0	2
12	M3	0	4
16	Q3	0	1
17	R3	0	1
21	V3	0	2
22	W3	0	1
23	X3	0	3
25	Z3	0	1
26	03	0	1
27	13	0	1
31	53	0	1
34	93	0	2
38	d3	0	2

*Continued on next page...*

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
39	e3	0	1
40	f3	0	4
41	g3	0	1
42	h3	0	2
43	i3	0	1
45	k3	0	1
48	o3	0	1
50	q3	0	1
56	D6	0	3
62	J6	0	2
63	K6	0	1
67	O6	0	1
70	R6	0	3
71	S6	0	1
74	V6	0	3
75	W6	0	1
76	X6	0	2
77	Y6	0	1
81	c6	0	1
83	e6	0	1
87	A	0	4
All	All	0	69

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
76	X6	323	TYR	C-N	-6.35	1.19	1.34
70	R6	91	PHE	C-N	-5.39	1.21	1.34
52	s3	427	ASN	C-N	-5.34	1.21	1.34
2	A3	1828	A	N9-C4	-5.10	1.34	1.37

The worst 5 of 387 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A3	1732	C	N1-C2-O2	13.12	126.77	118.90
2	A3	3169	C	N1-C2-O2	12.73	126.54	118.90
2	A3	3169	C	C2-N1-C1'	12.37	132.41	118.80
84	A6	1433	C	N1-C2-O2	11.71	125.93	118.90
2	A3	2522	U	N1-C2-O2	11.09	130.56	122.80

There are no chirality outliers.

5 of 69 planarity outliers are listed below:



Mol	Chain	Res	Type	Group
4	D3	206	TYR	Peptide
5	E3	126	ASP	Peptide
5	E3	169	GLY	Peptide
5	E3	85	TRP	Peptide
1	Y2	22	ALA	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Y2	27/29 (93%)	18 (67%)	9 (33%)	0	100	100
4	D3	234/305 (77%)	213 (91%)	21 (9%)	0	100	100
5	E3	296/348 (85%)	263 (89%)	32 (11%)	1 (0%)	41	76
6	F3	248/311 (80%)	228 (92%)	20 (8%)	0	100	100
7	D	78/267 (29%)	66 (85%)	12 (15%)	0	100	100
7	H3	93/267 (35%)	86 (92%)	7 (8%)	0	100	100
8	I3	154/261 (59%)	148 (96%)	6 (4%)	0	100	100
9	J3	138/192 (72%)	125 (91%)	13 (9%)	0	100	100
10	K3	175/178 (98%)	149 (85%)	24 (14%)	2 (1%)	14	52
11	L3	113/145 (78%)	103 (91%)	10 (9%)	0	100	100
12	M3	285/296 (96%)	264 (93%)	19 (7%)	2 (1%)	22	62
13	N3	203/251 (81%)	189 (93%)	13 (6%)	1 (0%)	29	68
14	O3	150/175 (86%)	134 (89%)	15 (10%)	1 (1%)	22	62
15	P3	129/180 (72%)	118 (92%)	11 (8%)	0	100	100
16	Q3	217/292 (74%)	188 (87%)	28 (13%)	1 (0%)	29	68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	R3	138/149 (93%)	129 (94%)	9 (6%)	0	100	100
18	S3	154/205 (75%)	138 (90%)	16 (10%)	0	100	100
19	T3	164/206 (80%)	152 (93%)	12 (7%)	0	100	100
20	U3	109/153 (71%)	97 (89%)	12 (11%)	0	100	100
21	V3	183/216 (85%)	158 (86%)	23 (13%)	2 (1%)	14	52
22	W3	109/148 (74%)	100 (92%)	9 (8%)	0	100	100
23	X3	241/256 (94%)	214 (89%)	26 (11%)	1 (0%)	34	72
24	Y3	174/250 (70%)	164 (94%)	10 (6%)	0	100	100
25	Z3	118/161 (73%)	106 (90%)	12 (10%)	0	100	100
26	03	106/188 (56%)	88 (83%)	17 (16%)	1 (1%)	17	56
27	13	50/65 (77%)	46 (92%)	4 (8%)	0	100	100
28	23	44/92 (48%)	41 (93%)	3 (7%)	0	100	100
29	33	93/188 (50%)	90 (97%)	3 (3%)	0	100	100
30	43	34/103 (33%)	33 (97%)	1 (3%)	0	100	100
31	53	368/423 (87%)	322 (88%)	43 (12%)	3 (1%)	19	60
32	63	313/380 (82%)	267 (85%)	46 (15%)	0	100	100
33	73	258/338 (76%)	232 (90%)	26 (10%)	0	100	100
34	93	105/137 (77%)	93 (89%)	12 (11%)	0	100	100
35	a3	78/142 (55%)	75 (96%)	3 (4%)	0	100	100
36	b3	146/215 (68%)	130 (89%)	16 (11%)	0	100	100
37	c3	271/332 (82%)	251 (93%)	19 (7%)	1 (0%)	34	72
38	d3	156/306 (51%)	141 (90%)	14 (9%)	1 (1%)	25	65
39	e3	211/279 (76%)	193 (92%)	18 (8%)	0	100	100
40	f3	125/212 (59%)	104 (83%)	20 (16%)	1 (1%)	19	60
41	g3	127/166 (76%)	117 (92%)	10 (8%)	0	100	100
42	h3	96/158 (61%)	81 (84%)	13 (14%)	2 (2%)	7	39
43	i3	95/128 (74%)	83 (87%)	12 (13%)	0	100	100
44	j3	83/123 (68%)	75 (90%)	7 (8%)	1 (1%)	13	50
45	k3	82/112 (73%)	66 (80%)	15 (18%)	1 (1%)	13	50
46	l3	21/138 (15%)	19 (90%)	2 (10%)	0	100	100
47	m3	43/128 (34%)	38 (88%)	5 (12%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	o3	92/102 (90%)	86 (94%)	6 (6%)	0	100	100
49	p3	119/206 (58%)	115 (97%)	4 (3%)	0	100	100
50	q3	126/222 (57%)	115 (91%)	8 (6%)	3 (2%)	6	36
51	r3	140/196 (71%)	122 (87%)	18 (13%)	0	100	100
52	s3	366/467 (78%)	341 (93%)	25 (7%)	0	100	100
53	A5	26/28 (93%)	19 (73%)	7 (27%)	0	100	100
54	B6	215/296 (73%)	197 (92%)	18 (8%)	0	100	100
55	C6	130/167 (78%)	120 (92%)	10 (8%)	0	100	100
56	D6	316/430 (74%)	293 (93%)	22 (7%)	1 (0%)	41	76
57	E6	120/125 (96%)	110 (92%)	9 (8%)	1 (1%)	19	60
58	F6	197/242 (81%)	187 (95%)	10 (5%)	0	100	100
59	G6	301/396 (76%)	276 (92%)	25 (8%)	0	100	100
60	H6	120/201 (60%)	104 (87%)	15 (12%)	1 (1%)	19	60
61	I6	134/194 (69%)	122 (91%)	12 (9%)	0	100	100
62	J6	106/138 (77%)	95 (90%)	11 (10%)	0	100	100
63	K6	99/128 (77%)	95 (96%)	4 (4%)	0	100	100
64	L6	162/257 (63%)	151 (93%)	11 (7%)	0	100	100
65	M6	114/137 (83%)	106 (93%)	8 (7%)	0	100	100
66	N6	105/130 (81%)	92 (88%)	13 (12%)	0	100	100
67	O6	183/258 (71%)	164 (90%)	18 (10%)	1 (0%)	29	68
68	P6	94/142 (66%)	85 (90%)	9 (10%)	0	100	100
69	Q6	84/87 (97%)	74 (88%)	10 (12%)	0	100	100
70	R6	240/360 (67%)	207 (86%)	32 (13%)	1 (0%)	34	72
71	S6	124/190 (65%)	114 (92%)	10 (8%)	0	100	100
72	T6	160/173 (92%)	149 (93%)	11 (7%)	0	100	100
73	U6	171/205 (83%)	159 (93%)	12 (7%)	0	100	100
74	V6	320/414 (77%)	284 (89%)	35 (11%)	1 (0%)	41	76
75	W6	95/187 (51%)	82 (86%)	12 (13%)	1 (1%)	14	52
76	X6	310/398 (78%)	268 (86%)	40 (13%)	2 (1%)	25	65
77	Y6	106/395 (27%)	94 (89%)	12 (11%)	0	100	100
78	Z6	85/106 (80%)	80 (94%)	5 (6%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
79	a6	197/218 (90%)	176 (89%)	21 (11%)	0	100	100
80	b6	252/323 (78%)	217 (86%)	35 (14%)	0	100	100
81	c6	114/118 (97%)	100 (88%)	14 (12%)	0	100	100
82	d6	67/199 (34%)	63 (94%)	4 (6%)	0	100	100
83	e6	362/689 (52%)	334 (92%)	22 (6%)	6 (2%)	9	43
87	A	158/206 (77%)	140 (89%)	18 (11%)	0	100	100
88	n	230/229 (100%)	211 (92%)	19 (8%)	0	100	100
All	All	13175/18553 (71%)	11882 (90%)	1253 (10%)	40 (0%)	44	76

5 of 40 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
83	e6	68	VAL
12	M3	265	ILE
21	V3	101	THR
23	X3	52	ILE
31	53	270	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	D3	190/245 (78%)	189 (100%)	1 (0%)	88	93
5	E3	255/290 (88%)	254 (100%)	1 (0%)	91	94
6	F3	217/262 (83%)	213 (98%)	4 (2%)	59	77
7	D	73/228 (32%)	73 (100%)	0	100	100
7	H3	86/228 (38%)	84 (98%)	2 (2%)	50	70
8	I3	145/232 (62%)	145 (100%)	0	100	100
9	J3	113/150 (75%)	112 (99%)	1 (1%)	78	88
10	K3	155/156 (99%)	154 (99%)	1 (1%)	86	92
11	L3	98/124 (79%)	98 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	M3	245/249 (98%)	241 (98%)	4 (2%)	62	79
13	N3	172/211 (82%)	171 (99%)	1 (1%)	86	92
14	O3	133/150 (89%)	133 (100%)	0	100	100
15	P3	115/155 (74%)	115 (100%)	0	100	100
16	Q3	201/256 (78%)	201 (100%)	0	100	100
17	R3	118/126 (94%)	118 (100%)	0	100	100
18	S3	141/180 (78%)	141 (100%)	0	100	100
19	T3	146/176 (83%)	145 (99%)	1 (1%)	84	90
20	U3	99/135 (73%)	95 (96%)	4 (4%)	31	56
21	V3	169/191 (88%)	164 (97%)	5 (3%)	41	63
22	W3	91/119 (76%)	90 (99%)	1 (1%)	73	85
23	X3	217/227 (96%)	216 (100%)	1 (0%)	88	93
24	Y3	159/223 (71%)	159 (100%)	0	100	100
25	Z3	111/147 (76%)	111 (100%)	0	100	100
26	03	97/164 (59%)	96 (99%)	1 (1%)	76	86
27	13	49/60 (82%)	48 (98%)	1 (2%)	55	73
28	23	40/72 (56%)	40 (100%)	0	100	100
29	33	88/166 (53%)	88 (100%)	0	100	100
30	43	35/89 (39%)	35 (100%)	0	100	100
31	53	337/368 (92%)	335 (99%)	2 (1%)	86	92
32	63	266/332 (80%)	265 (100%)	1 (0%)	91	94
33	73	242/303 (80%)	242 (100%)	0	100	100
34	93	91/112 (81%)	91 (100%)	0	100	100
35	a3	78/133 (59%)	78 (100%)	0	100	100
36	b3	130/186 (70%)	127 (98%)	3 (2%)	50	70
37	c3	241/288 (84%)	241 (100%)	0	100	100
38	d3	151/274 (55%)	149 (99%)	2 (1%)	69	82
39	e3	188/236 (80%)	187 (100%)	1 (0%)	88	93
40	f3	117/188 (62%)	115 (98%)	2 (2%)	60	78
41	g3	119/148 (80%)	119 (100%)	0	100	100
42	h3	95/148 (64%)	95 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	i3	86/110 (78%)	84 (98%)	2 (2%)	50	70
44	j3	68/97 (70%)	68 (100%)	0	100	100
45	k3	74/90 (82%)	73 (99%)	1 (1%)	67	81
46	l3	23/116 (20%)	23 (100%)	0	100	100
47	m3	40/113 (35%)	39 (98%)	1 (2%)	47	68
48	o3	80/87 (92%)	80 (100%)	0	100	100
49	p3	117/181 (65%)	117 (100%)	0	100	100
50	q3	110/178 (62%)	110 (100%)	0	100	100
51	r3	133/169 (79%)	132 (99%)	1 (1%)	81	89
52	s3	326/381 (86%)	321 (98%)	5 (2%)	65	80
54	B6	191/249 (77%)	190 (100%)	1 (0%)	88	93
55	C6	115/143 (80%)	114 (99%)	1 (1%)	78	88
56	D6	269/357 (75%)	264 (98%)	5 (2%)	57	75
57	E6	104/107 (97%)	103 (99%)	1 (1%)	76	86
58	F6	178/209 (85%)	176 (99%)	2 (1%)	73	85
59	G6	265/342 (78%)	262 (99%)	3 (1%)	73	85
60	H6	112/180 (62%)	111 (99%)	1 (1%)	78	88
61	I6	104/147 (71%)	102 (98%)	2 (2%)	57	75
62	J6	93/118 (79%)	93 (100%)	0	100	100
63	K6	91/113 (80%)	91 (100%)	0	100	100
64	L6	152/226 (67%)	152 (100%)	0	100	100
65	M6	95/113 (84%)	94 (99%)	1 (1%)	73	85
66	N6	93/115 (81%)	93 (100%)	0	100	100
67	O6	166/230 (72%)	166 (100%)	0	100	100
68	P6	87/123 (71%)	87 (100%)	0	100	100
69	Q6	78/79 (99%)	78 (100%)	0	100	100
70	R6	224/318 (70%)	223 (100%)	1 (0%)	91	94
71	S6	109/164 (66%)	109 (100%)	0	100	100
72	T6	150/157 (96%)	150 (100%)	0	100	100
73	U6	149/174 (86%)	148 (99%)	1 (1%)	84	90
74	V6	295/364 (81%)	292 (99%)	3 (1%)	76	86

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
75	W6	84/158 (53%)	84 (100%)	0	100	100
76	X6	275/351 (78%)	274 (100%)	1 (0%)	91	94
77	Y6	99/357 (28%)	97 (98%)	2 (2%)	55	73
78	Z6	80/95 (84%)	80 (100%)	0	100	100
79	a6	176/190 (93%)	174 (99%)	2 (1%)	73	85
80	b6	237/291 (81%)	235 (99%)	2 (1%)	81	89
81	c6	99/101 (98%)	96 (97%)	3 (3%)	41	63
82	d6	63/166 (38%)	63 (100%)	0	100	100
83	e6	226/609 (37%)	226 (100%)	0	100	100
87	A	151/190 (80%)	149 (99%)	2 (1%)	69	82
88	n	184/181 (102%)	181 (98%)	3 (2%)	62	79
All	All	11664/15966 (73%)	11577 (99%)	87 (1%)	84	90

5 of 87 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
57	E6	99	THR
74	V6	287	LEU
58	F6	192	ARG
61	I6	138	ARG
79	a6	29	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 157 such sidechains are listed below:

Mol	Chain	Res	Type
70	R6	221	GLN
81	c6	71	GLN
73	U6	61	GLN
76	X6	312	GLN
83	e6	455	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	A3	1490/1559 (95%)	452 (30%)	29 (1%)
3	B3	51/69 (73%)	18 (35%)	1 (1%)

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
84	A6	921/954 (96%)	243 (26%)	16 (1%)
85	24	73/73 (100%)	40 (54%)	1 (1%)
85	C	73/73 (100%)	40 (54%)	1 (1%)
86	i4	9/10 (90%)	4 (44%)	0
All	All	2617/2738 (95%)	797 (30%)	48 (1%)

5 of 797 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	A3	1672	C
2	A3	1674	A
2	A3	1676	A
2	A3	1678	C
2	A3	1679	U

5 of 48 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	A3	3201	A
84	A6	1025	U
3	B3	1607	U
84	A6	818	A
84	A6	1170	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 146 ligands modelled in this entry, 141 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
93	MLI	n	302	-	6,6,6	1.22	0	7,7,7	1.19	0
93	MLI	n	303	-	6,6,6	1.27	0	7,7,7	1.17	0
93	MLI	n	304	-	6,6,6	1.39	0	7,7,7	1.22	0
91	GDP	X6	500	-	24,30,30	1.01	1 (4%)	30,47,47	1.46	6 (20%)
92	SO4	n	301	-	4,4,4	0.14	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
93	MLI	n	302	-	-	2/4/4/4	-
91	GDP	X6	500	-	-	6/12/32/32	0/3/3/3
93	MLI	n	303	-	-	4/4/4/4	-
93	MLI	n	304	-	-	2/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
91	X6	500	GDP	C6-N1	-2.97	1.33	1.37

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
91	X6	500	GDP	PA-O3A-PB	-4.16	118.57	132.83
91	X6	500	GDP	C3'-C2'-C1'	3.41	106.11	100.98
91	X6	500	GDP	C5-C6-N1	2.83	118.95	113.95
91	X6	500	GDP	O6-C6-C5	-2.31	119.85	124.37
91	X6	500	GDP	C2-N1-C6	-2.08	121.28	125.10

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
91	X6	500	GDP	PA-O3A-PB-O2B
91	X6	500	GDP	PA-O3A-PB-O3B

*Continued on next page...*


Continued from previous page...

Mol	Chain	Res	Type	Atoms
91	X6	500	GDP	C5'-O5'-PA-O3A
91	X6	500	GDP	C3'-C4'-C5'-O5'
93	n	302	MLI	C2-C1-C3-O8

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
76	X6	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	X6	323:TYR	C	324:LEU	N	1.19


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11641. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 284




Y Index: 305




Z Index: 228


### 6.3.2 Raw map



X Index: 287



Y Index: 304




Z Index: 228

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_11641\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is  $848 \text{ nm}^3$ ; this corresponds to an approximate mass of 766 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.40	-	-
Author-provided FSC curve	4.40	6.79	4.47
Unmasked-calculated*	6.94	10.98	7.51

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.94 differs from the reported value 4.4 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-11641 and PDB model 7A5F. Per-residue inclusion information can be found in section [3](#) on page [24](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)


This section was not generated.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 50% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	0.5665
03	0.5803
13	0.5548
23	0.6500
24	0.5307
33	0.6529
43	0.6287
53	0.5725
63	0.5550
73	0.5184
93	0.5247
A	0.3025
A3	0.7464
A5	0.0000
A6	0.7311
B3	0.6423
B6	0.5832
C	0.1487
C6	0.4843
D	0.1787
D3	0.6185
D6	0.4972
E3	0.5970
E6	0.5132
F3	0.5813
F6	0.4345
G6	0.4806
H3	0.4512
H6	0.4524
I3	0.3955
I6	0.4955
J3	0.3003
J6	0.5153
K3	0.6334
K6	0.5159


















*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion
L3	0.4919
L6	0.5335
M3	0.5849
M6	0.4775
N3	0.5812
N6	0.5429
O3	0.6033
O6	0.4784
P3	0.5766
P6	0.5519
Q3	0.5228
Q6	0.5739
R3	0.6381
R6	0.4432
S3	0.6105
S6	0.4574
T3	0.5833
T6	0.5153
U3	0.6385
U6	0.4555
V3	0.4690
V6	0.2865
W3	0.6287
W6	0.4853
X3	0.5253
X6	0.4180
Y2	0.2207
Y3	0.5727
Y6	0.3673
Z3	0.6323
Z6	0.4568
a3	0.6060
a6	0.3835
b3	0.6063
b6	0.3806
c3	0.5482
c6	0.4514
d3	0.4932
d6	0.5447
e3	0.3426
e6	0.2788
f3	0.4371

*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion
g3	 0.5691
h3	 0.5019
i3	 0.6226
i4	 0.4521
j3	 0.5598
k3	 0.3354
l3	 0.5874
m3	 0.4816
n	 0.0996
o3	 0.6667
p3	 0.4550
q3	 0.4932
r3	 0.6368
s3	 0.5998
t3	 0.2929