



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 09:15 PM UTC

PDB ID : 7JKS / pdb_00007jks
Title : Crystal structure of vaccine-elicited broadly neutralizing VRC01-class antibody 2411a in complex with HIV-1 gp120 core
Authors : Zhou, T.; Chen, X.; Kwong, P.D.; Mascola, J.R.
Deposited on : 2020-07-28
Resolution : 3.45 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1070 (3.50-3.42)
Clashscore	190562	1128 (3.50-3.42)
Ramachandran outliers	187476	1101 (3.50-3.42)
Sidechain outliers	187428	1102 (3.50-3.42)
RSRZ outliers	180081	1070 (3.50-3.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	375	 6% 69% 20% 10%
2	H	232	 6% 74% 22%
3	L	211	 13% 71% 27%
4	A	3	 100%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 gp120 core.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	G	338	2660	1671	464	504	21	0	0	0


- Molecule 2 is a protein called The heavy chain of antibody 2411a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	224	1729	1098	286	336	9	0	0	0

- Molecule 3 is a protein called The light chain of antibody 2411a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	L	207	1622	1020	270	327	5	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	A	3	39	22	2	15	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	G	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	G	10	10	10	0	0
6	H	2	2	2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HIV-1 gp120 core




- Molecule 2: The heavy chain of antibody 2411a



- Molecule 3: The light chain of antibody 2411a





- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain A:  100%

MAG1
MAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	108.92Å 188.33Å 45.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.30 – 3.45 42.30 – 3.45	Depositor EDS
% Data completeness (in resolution range)	84.4 (42.30-3.45) 86.1 (42.30-3.45)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.18 (at 3.40Å)	Xtrriage
Refinement program	PHENIX 1.14-3260-000	Depositor
R, R_{free}	0.283 , 0.332 0.283 , 0.330	Depositor DCC
R_{free} test set	585 reflections (4.22%)	wwPDB-VP
Wilson B-factor (Å ²)	79.5	Xtrriage
Anisotropy	0.161	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 81.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.80	EDS
Total number of atoms	6160	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	G	0.31	0/2717	0.71	0/3688
2	H	0.27	0/1780	0.69	0/2438
3	L	0.26	0/1661	0.71	0/2257
All	All	0.29	0/6158	0.70	0/8383

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	2660	0	2592	52	1
2	H	1729	0	1658	35	0
3	L	1622	0	1558	36	1
4	A	39	0	34	4	0
5	G	98	0	91	2	0
6	G	10	0	0	1	0
6	H	2	0	0	0	0
All	All	6160	0	5933	121	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:143:LYS:NZ	2:H:171:GLN:OE1	2.16	0.79
1:G:87:GLU:HG3	1:G:89:VAL:HG23	1.65	0.77
1:G:120:VAL:HG12	1:G:434:MET:HB3	1.68	0.75
1:G:121:LYS:O	1:G:200:VAL:HA	1.87	0.74
2:H:188:TRP:NE1	2:H:210:ILE:O	2.24	0.67
1:G:89:VAL:HG12	1:G:91:GLU:H	1.60	0.67
1:G:64:GLU:OE2	1:G:66:HIS:ND1	2.21	0.67
2:H:171:GLN:HG2	3:L:160:LEU:HD12	1.77	0.66
1:G:367:GLY:HA3	1:G:371:ILE:HD11	1.78	0.66
1:G:390:LEU:HD13	1:G:416:LEU:HD21	1.78	0.65
1:G:396:THR:O	1:G:398:ASN:N	2.29	0.65
1:G:265:LEU:HD11	1:G:291:THR:HG23	1.81	0.63
3:L:122:SER:O	3:L:126:THR:HG23	1.97	0.63
3:L:155:ARG:NE	3:L:157:ASN:O	2.31	0.63
1:G:425:ASN:OD1	1:G:432:LYS:NZ	2.26	0.62
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.82	0.62
3:L:195:GLU:HG2	3:L:206:VAL:HG22	1.81	0.62
1:G:90:THR:HG23	1:G:238:PRO:HB2	1.82	0.60
3:L:54:ARG:NE	3:L:62:PHE:O	2.32	0.59
2:H:2:VAL:HA	2:H:25:SER:O	2.03	0.58
2:H:123:PRO:HG2	2:H:213:ARG:HH21	1.68	0.57
2:H:119:PRO:HB3	2:H:145:TYR:HB3	1.87	0.57
1:G:95:MET:SD	1:G:273:ARG:HD3	2.45	0.57
3:L:108:ARG:NH1	3:L:111:ALA:HB2	2.19	0.57
4:A:2:NAG:O3	4:A:3:BMA:O5	2.15	0.57
4:A:1:NAG:H62	4:A:2:NAG:C7	2.35	0.57
1:G:89:VAL:HG12	1:G:91:GLU:N	2.21	0.56
1:G:90:THR:O	1:G:90:THR:HG22	2.06	0.55
1:G:463:ASN:OD1	1:G:464:GLY:N	2.32	0.55
3:L:108:ARG:NH1	3:L:109:THR:OG1	2.39	0.55
1:G:464:GLY:O	1:G:466:THR:N	2.35	0.55
2:H:143:LYS:HA	2:H:176:THR:HG23	1.90	0.54
2:H:100:TYR:CE2	2:H:100(B):TRP:HB2	2.42	0.54
3:L:134:CYS:HB3	3:L:177:SER:OG	2.08	0.54
3:L:30:ARG:O	3:L:51:THR:OG1	2.23	0.54
3:L:151:ASP:HB2	3:L:189:HIS:HB3	1.89	0.54
1:G:331:CYS:O	1:G:415:THR:HA	2.08	0.53
1:G:234:ASN:O	1:G:273:ARG:HG2	2.08	0.53
1:G:122:LEU:HD13	1:G:432:LYS:HB2	1.89	0.53
1:G:254:VAL:HG21	1:G:262:ASN:HB2	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:194:THR:HG22	2:H:209:LYS:HA	1.91	0.53
2:H:91:TYR:CE1	3:L:43:ALA:HB2	2.44	0.52
2:H:138:LEU:HD22	2:H:210:ILE:HG21	1.90	0.52
1:G:117:LYS:HB3	1:G:205:CYS:HA	1.91	0.52
3:L:18:ARG:HA	3:L:75:ILE:O	2.09	0.52
2:H:59:TYR:HB2	2:H:64:GLN:NE2	2.26	0.51
2:H:4:LEU:HA	2:H:23:GLU:O	2.09	0.51
2:H:4:LEU:HD23	2:H:24:ALA:HA	1.93	0.51
3:L:131:SER:HA	3:L:179:LEU:O	2.10	0.50
3:L:28:ILE:HA	4:A:2:NAG:O7	2.12	0.50
3:L:159:VAL:O	3:L:160:LEU:HD23	2.12	0.50
3:L:37:GLN:O	3:L:45:LYS:N	2.32	0.49
1:G:427:TRP:CE2	1:G:428:GLN:HG3	2.47	0.49
3:L:28:ILE:HA	4:A:2:NAG:H81	1.95	0.49
1:G:273:ARG:HH22	1:G:287:GLN:CD	2.21	0.48
2:H:154:TRP:CZ3	2:H:195:CYS:HB3	2.48	0.48
2:H:47:TRP:HZ2	2:H:50:TRP:CD1	2.32	0.48
2:H:169:VAL:HG23	2:H:171:GLN:HE21	1.79	0.47
2:H:66:ARG:NH2	2:H:86:ASP:OD2	2.48	0.47
2:H:112:SER:OG	2:H:173:ASP:HB3	2.14	0.47
1:G:56:SER:O	1:G:76:PRO:HA	2.15	0.47
1:G:62:GLU:HG3	1:G:64:GLU:H	1.79	0.46
2:H:14:PRO:HD3	2:H:112:SER:C	2.41	0.46
1:G:89:VAL:HG11	1:G:91:GLU:HG2	1.98	0.46
3:L:181:LEU:HD12	3:L:186:TYR:HD1	1.81	0.46
1:G:298:ARG:HD3	1:G:326:ILE:O	2.16	0.46
1:G:269:GLU:OE1	1:G:348:LYS:NZ	2.33	0.46
3:L:150:ILE:HG12	3:L:192:TYR:CE2	2.51	0.46
1:G:86:LEU:HD12	1:G:242:VAL:HG12	1.97	0.45
3:L:112:ALA:HB2	3:L:200:THR:HG21	1.99	0.45
1:G:241:ASN:ND2	6:G:702:HOH:O	2.49	0.45
1:G:66:HIS:CD2	1:G:111:LEU:HD11	2.52	0.45
1:G:261:LEU:HA	1:G:448:ASN:O	2.17	0.45
1:G:298:ARG:HB3	1:G:443:ILE:HB	1.99	0.45
3:L:83:PHE:CD1	3:L:104:VAL:HG12	2.52	0.45
1:G:254:VAL:HG11	1:G:261:LEU:HB2	1.98	0.45
1:G:272:ILE:HD12	1:G:286:VAL:HG22	1.99	0.45
3:L:33:LEU:HD22	3:L:71:PHE:CD2	2.52	0.44
3:L:166:GLN:NE2	3:L:171:SER:O	2.36	0.44
2:H:17:SER:HA	2:H:82:LEU:O	2.18	0.44
1:G:370:GLU:CD	1:G:425:ASN:HB2	2.42	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:65:GLY:O	2:H:82(A):ILE:HD11	2.18	0.44
3:L:33:LEU:HG	3:L:34:ALA:N	2.32	0.44
2:H:13:LYS:HA	2:H:112:SER:O	2.18	0.43
1:G:273:ARG:NH1	1:G:287:GLN:OE1	2.50	0.43
2:H:1:GLN:OE1	2:H:1:GLN:N	2.47	0.43
2:H:47:TRP:CZ2	2:H:49:GLY:HA2	2.52	0.43
2:H:154:TRP:CH2	2:H:195:CYS:HB3	2.53	0.43
2:H:151:THR:OG1	2:H:198:ALA:HB3	2.18	0.43
2:H:170:LEU:HD13	2:H:171:GLN:N	2.33	0.43
3:L:140:TYR:CG	3:L:141:PRO:HA	2.53	0.43
1:G:119:CYS:O	1:G:202:THR:HA	2.18	0.43
3:L:21:LEU:O	3:L:72:THR:HA	2.19	0.42
1:G:226:LEU:O	1:G:487:TYR:HA	2.20	0.42
1:G:392:ASN:ND2	5:G:607:NAG:O7	2.51	0.42
3:L:120:PRO:HG2	3:L:186:TYR:CZ	2.54	0.42
3:L:107:LYS:HA	3:L:140:TYR:OH	2.19	0.42
2:H:100(C):TRP:CE2	3:L:49:TYR:HB2	2.55	0.42
1:G:295:ASN:ND2	5:G:602:NAG:O7	2.52	0.42
1:G:101:VAL:HG22	1:G:484:LEU:HD12	2.02	0.42
1:G:440:LYS:HA	1:G:440:LYS:HD2	1.81	0.42
2:H:199:HIS:HB3	2:H:204:THR:HB	2.02	0.42
1:G:64:GLU:OE1	1:G:66:HIS:HB2	2.20	0.42
1:G:294:ILE:HG13	1:G:333:ILE:HG13	2.02	0.41
1:G:358:THR:H	1:G:465:THR:HG23	1.85	0.41
1:G:491:LYS:HG3	1:G:492:ILE:N	2.35	0.41
2:H:12:LYS:O	2:H:111:VAL:HA	2.20	0.41
2:H:2:VAL:HG22	2:H:27:TYR:CD2	2.56	0.41
2:H:167:PRO:HG2	3:L:163:TRP:O	2.20	0.41
1:G:339:GLU:HA	1:G:342:LEU:HD12	2.02	0.41
1:G:363:GLN:O	1:G:470:ARG:NH1	2.35	0.41
3:L:54:ARG:NH1	3:L:62:PHE:O	2.54	0.41
2:H:49:GLY:HA3	2:H:58:ASN:O	2.20	0.41
1:G:105:HIS:CE1	1:G:427:TRP:HZ3	2.39	0.41
1:G:490:VAL:HG22	1:G:491:LYS:O	2.21	0.41
3:L:18:ARG:HE	3:L:76:SER:HA	1.85	0.41
3:L:193:THR:CG2	3:L:206:VAL:HG13	2.51	0.41
3:L:23:CYS:HB2	3:L:35:TRP:CH2	2.56	0.40
1:G:288:LEU:HD21	1:G:345:ILE:HD11	2.03	0.40
2:H:18:VAL:HG12	2:H:82:LEU:HB3	2.03	0.40
3:L:27(A):PHE:HA	3:L:69:THR:OG1	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:90:THR:OG1	3:L:202:THR:OG1[2_565]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	332/375 (88%)	313 (94%)	16 (5%)	3 (1%)	14	46
2	H	222/232 (96%)	217 (98%)	4 (2%)	1 (0%)	24	57
3	L	205/211 (97%)	195 (95%)	8 (4%)	2 (1%)	12	44
All	All	759/818 (93%)	725 (96%)	28 (4%)	6 (1%)	16	49

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	397	TRP
1	G	465	THR
1	G	87	GLU
2	H	172	SER
3	L	204	PRO
3	L	110	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	299/328 (91%)	299 (100%)	0	100	100
2	H	193/200 (96%)	193 (100%)	0	100	100
3	L	183/187 (98%)	183 (100%)	0	100	100
All	All	675/715 (94%)	675 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	241	ASN
2	H	133	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1	4,1	14,14,15	1.03	1 (7%)	17,19,21	1.23	2 (11%)
4	NAG	A	2	4	14,14,15	0.28	0	17,19,21	0.93	2 (11%)
4	BMA	A	3	4	11,11,12	0.83	0	15,15,17	1.57	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	A	2	4	-	2/6/23/26	0/1/1/1
4	BMA	A	3	4	-	2/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1	NAG	O5-C1	-3.81	1.37	1.43

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3	BMA	C1-O5-C5	5.37	119.39	112.19
4	A	1	NAG	O4-C4-C5	-3.60	100.45	109.32
4	A	2	NAG	C1-O5-C5	2.53	115.58	112.19
4	A	1	NAG	O4-C4-C3	-2.17	105.26	110.38
4	A	2	NAG	C1-C2-N2	2.06	113.69	110.43

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	3	BMA	O5-C5-C6-O6
4	A	1	NAG	C4-C5-C6-O6
4	A	1	NAG	O5-C5-C6-O6
4	A	3	BMA	C4-C5-C6-O6
4	A	2	NAG	C3-C2-N2-C7
4	A	2	NAG	C1-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1	NAG	1	0
4	A	2	NAG	4	0
4	A	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	G	605	1	14,14,15	0.37	0	17,19,21	0.60	0
5	NAG	G	601	1	14,14,15	0.73	1 (7%)	17,19,21	0.47	0
5	NAG	G	603	1	14,14,15	0.37	0	17,19,21	0.75	1 (5%)
5	NAG	G	604	1	14,14,15	0.38	0	17,19,21	0.44	0
5	NAG	G	607	1	14,14,15	0.25	0	17,19,21	0.80	1 (5%)
5	NAG	G	606	1	14,14,15	0.53	0	17,19,21	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	G	602	1	14,14,15	0.53	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	605	1	-	2/6/23/26	0/1/1/1
5	NAG	G	601	1	-	2/6/23/26	0/1/1/1
5	NAG	G	603	1	-	2/6/23/26	0/1/1/1
5	NAG	G	604	1	-	1/6/23/26	0/1/1/1
5	NAG	G	607	1	-	0/6/23/26	0/1/1/1
5	NAG	G	606	1	-	2/6/23/26	0/1/1/1
5	NAG	G	602	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	601	NAG	O5-C1	2.35	1.47	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	607	NAG	C1-O5-C5	2.64	115.72	112.19
5	G	603	NAG	C1-O5-C5	2.58	115.64	112.19

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	G	605	NAG	O5-C5-C6-O6
5	G	603	NAG	O5-C5-C6-O6
5	G	606	NAG	O5-C5-C6-O6
5	G	601	NAG	O5-C5-C6-O6
5	G	603	NAG	C4-C5-C6-O6
5	G	606	NAG	C4-C5-C6-O6
5	G	601	NAG	C4-C5-C6-O6
5	G	605	NAG	C4-C5-C6-O6
5	G	604	NAG	O5-C5-C6-O6



There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	607	NAG	1	0
5	G	602	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	G	338/375 (90%)	0.63	22 (6%) 25 17	23, 83, 129, 176	0
2	H	224/232 (96%)	0.71	14 (6%) 26 17	30, 96, 168, 203	0
3	L	207/211 (98%)	0.99	28 (13%) 7 6	54, 119, 177, 202	0
All	All	769/818 (94%)	0.75	64 (8%) 17 13	23, 93, 166, 203	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	466	THR	5.8
1	G	50	ALA	4.8
2	H	152	VAL	4.3
1	G	341	THR	3.9
3	L	206	VAL	3.9
1	G	90	THR	3.9
1	G	359	ILE	3.8
3	L	111	ALA	3.7
2	H	120	SER	3.7
3	L	78	LEU	3.7
3	L	205	ILE	3.6
3	L	62	PHE	3.6
3	L	113	PRO	3.6
3	L	37	GLN	3.5
3	L	102	THR	3.4
3	L	33	LEU	3.3
2	H	207	ASP	3.1
1	G	208	ILE	3.1
2	H	107	THR	3.1
1	G	377	ASN	3.0
3	L	204	PRO	3.0
3	L	59	PRO	2.9
1	G	390	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	338	TRP	2.9
3	L	22	SER	2.9
2	H	142	VAL	2.8
1	G	493	GLU	2.8
2	H	138	LEU	2.8
3	L	58	ILE	2.7
3	L	165	ASP	2.7
3	L	6	GLN	2.7
1	G	54	CYS	2.7
2	H	144	GLY	2.7
3	L	65	SER	2.7
2	H	141	LEU	2.7
3	L	7	SER	2.6
3	L	23	CYS	2.6
2	H	197	VAL	2.6
2	H	29	PHE	2.5
3	L	106	ILE	2.5
1	G	107	ASP	2.5
3	L	35	TRP	2.5
1	G	212	PRO	2.5
1	G	244	THR	2.4
3	L	196	ALA	2.4
3	L	121	SER	2.4
1	G	198	GLY	2.4
3	L	131	SER	2.4
3	L	197	THR	2.4
1	G	120	VAL	2.3
2	H	160	SER	2.2
2	H	124	LEU	2.2
3	L	21	LEU	2.2
1	G	474	GLY	2.2
1	G	468	THR	2.2
3	L	55	ALA	2.2
2	H	16	ALA	2.1
3	L	45	LYS	2.1
1	G	115	SER	2.1
2	H	139	GLY	2.1
1	G	453	LEU	2.0
1	G	333	ILE	2.0
3	L	66	GLY	2.0
1	G	342	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	1	14/15	-	-	33,54,88,96	0
4	NAG	A	2	14/15	-	-	68,80,87,87	0
4	BMA	A	3	11/12	-	-	54,73,87,98	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	G	606	14/15	0.15	0.13	67,90,100,108	0
5	NAG	G	602	14/15	0.44	0.11	78,84,89,90	0
5	NAG	G	601	14/15	0.63	0.13	36,64,85,93	0
5	NAG	G	603	14/15	0.64	0.11	53,63,79,88	0
5	NAG	G	607	14/15	0.69	0.12	43,79,89,101	0
5	NAG	G	605	14/15	0.76	0.09	59,71,76,82	0
5	NAG	G	604	14/15	0.82	0.10	47,63,76,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAG G 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG G 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAG G 603:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG G 607:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.