

#### Jul 3, 2024 - 04:34 am BST

PDB ID	:	7NHK
EMDB ID	:	EMD-12331
Title	:	LsaA, an antibiotic resistance ABCF, in complex with 70S ribosome from
		Enterococcus faecalis
Authors	:	Crowe-McAuliffe, C.; Kasari, M.; Hauryliuk, V.H.; Wilson, D.N.
Deposited on	:	2021-02-10
Resolution	:	2.90  Å(reported)
This is	a F	'ull wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{ m Entries})$
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq=3, 2, 1$  and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq=5\%$  The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	0	541	32%	9%
2	1	62	31%	5%
3	2	59	97%	
4	4	59	90%	10%
5	5	49	8%	·
6	6	44	98%	
7	7	66	95%	
8	8	38	13%	



Continued from previous page...

Mol	Chain	Length	Quality of chain	
0	۸	2012	10%	
9	A	2912	79% 6%	20% •
10	В	116	74% 239	6 • •
	a	250	11%	
11	G	276	98%	••
12	Н	209	99%	
			18%	
13	Ι	207	99%	·
14	J	179	07%	
	0	110	51%	
15	K	178	97%	• •
16	М	147	14%	
10	101	147	99%	•
17	Ν	122	99%	· ·
10	0	140	21%	
18	0	140	100%	
19	Р	144	93%	7%
			16%	
20	Q	127	98%	•
21	R	118	98%	<b></b>
			20%	
22	S	115	98%	••
23	Т	119	8% 07%	
	1	110	17%	•
24	U	102	99%	•
25	V	115	9%	
20	v	110	96%	••
26	W	96	95%	5%
07	v	109	34%	
27	А	103	98%	•
28	Y	95	78%	22%
			21%	
29	Z	62	97%	•
30	a	1558	79%	8% •
			59%	
31	с	261	85%	15%
39	Ь	218	40%	60/
04	u	210	50%	U 70
33	е	203	97%	••



Mol	Chain	Length	Quality of chain	
24	ſ	166	39%	
- 54	1	100	98%	•
35	g	100	97%	
			47%	
36	h	156	97%	••
37	i	132	45%	
	1	102	35%	•
38	j	130	96%	
20	1_	100	53%	
- 39	K	102	93% 59%	• 6%
40	1	129	88%	• 10%
			25%	
41	m	137	98%	••
42	n	191	50%	60/
-12	11	121		0%
43	О	61	97%	•••
		00	51%	
44	р	89	96%	•
45	a	91	96%	•
	1		35%	
46	r	88	92%	8%
47	g	70	63%	1.00/
- 41	8	19	40%	• 16%
48	t	92	88%	12%
10			27%	
49	u	83	96%	•
50	D	77	79%	17%
			30%	1770
51	b	20	50% 15%	35%
50	F	<u> </u>	58%	420/
- 52	Г	229	55%	42%
53	3	89	61%	38%

Continued from previous page...



## 2 Entry composition (i)

There are 58 unique types of molecules in this entry. The entry contains 146150 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called ABC-F type ribosomal protection protein Lsa(A).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	495	Total 4018	C 2557	N 688	0 764	S 9	0	0

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
0	142	GLN	GLU	engineered mutation	UNP A0A4U4C430
0	452	GLN	GLU	engineered mutation	UNP A0A4U4C430
0	499	GLY	-	expression tag	UNP A0A4U4C430
0	500	HIS	-	expression tag	UNP A0A4U4C430
0	501	HIS	-	expression tag	UNP A0A4U4C430
0	502	HIS	-	expression tag	UNP A0A4U4C430
0	503	HIS	-	expression tag	UNP A0A4U4C430
0	504	HIS	-	expression tag	UNP A0A4U4C430
0	505	HIS	-	expression tag	UNP A0A4U4C430
0	506	ALA	-	expression tag	UNP A0A4U4C430
0	507	LYS	-	expression tag	UNP A0A4U4C430
0	508	GLY	-	expression tag	UNP A0A4U4C430
0	509	GLY	-	expression tag	UNP A0A4U4C430
0	510	GLU	-	expression tag	UNP A0A4U4C430
0	511	ASN	-	expression tag	UNP A0A4U4C430
0	512	LEU	-	expression tag	UNP A0A4U4C430
0	513	TYR	-	expression tag	UNP A0A4U4C430
0	514	PHE	-	expression tag	UNP A0A4U4C430
0	515	GLN	-	expression tag	UNP A0A4U4C430
0	516	GLY	-	expression tag	UNP A0A4U4C430
0	517	VAL	-	expression tag	UNP A0A4U4C430
0	518	ALA	-	expression tag	UNP A0A4U4C430
0	519	ASP	-	expression tag	UNP A0A4U4C430
0	520	TYR	-	expression tag	UNP A0A4U4C430
0	521	LYS	-	expression tag	UNP A0A4U4C430
0	522	ASP	-	expression tag	UNP A0A4U4C430
0	523	HIS	-	expression tag	UNP A0A4U4C430



Chain	Residue	Modelled	Actual	Comment	Reference
0	524	ASP	-	expression tag	UNP A0A4U4C430
0	525	GLY	-	expression tag	UNP A0A4U4C430
0	526	ASP	-	expression tag	UNP A0A4U4C430
0	527	TYR	-	expression tag	UNP A0A4U4C430
0	528	LYS	-	expression tag	UNP A0A4U4C430
0	529	ASP	-	expression tag	UNP A0A4U4C430
0	530	HIS	-	expression tag	UNP A0A4U4C430
0	531	ASP	-	expression tag	UNP A0A4U4C430
0	532	ILE	-	expression tag	UNP A0A4U4C430
0	533	ASP	-	expression tag	UNP A0A4U4C430
0	534	TYR	-	expression tag	UNP A0A4U4C430
0	535	LYS	-	expression tag	UNP A0A4U4C430
0	536	ASP	-	expression tag	UNP A0A4U4C430
0	537	ASP	-	expression tag	UNP A0A4U4C430
0	538	ASP	-	expression tag	UNP A0A4U4C430
0	539	ASP	-	expression tag	UNP A0A4U4C430
0	540	LYS	_	expression tag	UNP A0A4U4C430
0	541	GLY	-	expression tag	UNP A0A4U4C430

Continued from previous page...

• Molecule 2 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	59	Total 491	C 307	N 91	0 92	S 1	0	0

• Molecule 3 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	57	Total 428	C 266	N 80	0 81	S 1	0	0

• Molecule 4 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace	
4	4	53	Total 406	C 248	N 84	O 69	${f S}{5}$	0	0

• Molecule 5 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues		Ato	$\mathbf{ms}$			AltConf	Trace
5	5	48	Total 410	C 247	N 84	O 75	$\frac{S}{4}$	0	0



• Molecule 6 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues		Atc	$\mathbf{ms}$	AltConf	Trace		
6	6	43	Total 369	C 224	N 90	O 53	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 7 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
7	7	64	Total 522	C 320	N 122	0 78	${ m S} { m 2}$	0	0

• Molecule 8 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues		Ato	$\mathbf{ms}$	AltConf	Trace		
8	8	38	Total 305	C 188	N 66	O 45	S 6	0	0

• Molecule 9 is a RNA chain called 23S rRNA.

Mol	Chain	Residues			Atoms			AltConf	Trace
9	А	2905	Total 62352	C 27832	N 11466	O 20149	Р 2905	0	0

• Molecule 10 is a RNA chain called 5S rRNA.

Mol	Chain	Residues		A	toms			AltConf	Trace
10	В	114	Total 2439	C 1088	N 439	0 798	Р 114	0	0

• Molecule 11 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
11	G	274	Total 2106	C 1305	N 414	O 380	S 7	0	0

• Molecule 12 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues		At	oms			AltConf	Trace
12	Н	207	Total 1579	C 994	N 292	O 289	$\frac{S}{4}$	0	0

• Molecule 13 is a protein called 50S ribosomal protein L4.



Mol	Chain	Residues		At	oms			AltConf	Trace
13	Ι	205	Total 1572	C 984	N 289	O 297	${ m S} { m 2}$	0	0

• Molecule 14 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues		At	oms		Atoms					
14	J	176	Total 1383	C 882	N 237	0 258	S 6	0	0			

• Molecule 15 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues		At	oms			AltConf	Trace
15	K	174	Total 1335	C 838	N 242	0 251	$\frac{S}{4}$	0	0

• Molecule 16 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues		At	oms			AltConf	Trace
16	М	145	Total 1130	C 715	N 205	O 207	${ m S} { m 3}$	0	0

• Molecule 17 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues		At	oms	AltConf	Trace		
17	Ν	122	Total 923	$\begin{array}{c} \mathrm{C} \\ 574 \end{array}$	N 176	0 171	${ m S} { m 2}$	0	0

• Molecule 18 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues		At	oms		AltConf	Trace	
18	Ο	146	Total 1096	C 677	N 212	O 206	S 1	0	0

• Molecule 19 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues		At	oms		AltConf	Trace	
19	Р	134	Total 1070	C 683	N 209	0 173	${f S}{5}$	0	0

• Molecule 20 is a protein called 50S ribosomal protein L17.



Mol	Chain	Residues		At	oms	AltConf	Trace		
20	Q	125	Total 997	C 615	N 192	0 187	${ m S} { m 3}$	0	0

• Molecule 21 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues		At	oms	AltConf	Trace		
21	R	117	Total 900	$\begin{array}{c} \mathrm{C} \\ 556 \end{array}$	N 175	0 168	S 1	0	0

• Molecule 22 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues		Ato	$\mathbf{ms}$	AltConf	Trace	
22	S	114	Total 925	C 582	N 185	O 158	0	0

• Molecule 23 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues		At	oms	AltConf	Trace		
23	Т	116	Total 935	C 593	N 181	0 157	$\frac{S}{4}$	0	0

• Molecule 24 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues		At	oms	AltConf	Trace		
24	U	101	Total 779	C 497	N 138	0 142	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 25 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues		At	oms		AltConf	Trace	
25	V	111	Total 841	C 527	N 154	0 158	${S \over 2}$	0	0

• Molecule 26 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues		At	oms	AltConf	Trace		
26	W	91	Total 736	C 469	N 129	0 134	${S \atop 4}$	0	0

• Molecule 27 is a protein called 50S ribosomal protein L24.



Mol	Chain	Residues		At	oms		AltConf	Trace	
27	Х	101	Total 763	C 486	N 135	O 140	${ m S} { m 2}$	0	0

• Molecule 28 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
28	Y	74	Total 559	C 344	N 107	O 108	0	0

• Molecule 29 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues		Atc	$\mathbf{ms}$	AltConf	Trace		
29	Ζ	60	Total 473	C 294	N 96	0 81	${ m S} { m 2}$	0	0

• Molecule 30 is a RNA chain called 16S rRNA.

Mol	Chain	Residues		1	Atoms			AltConf	Trace
30	a	1517	Total 32512	$\begin{array}{c} \mathrm{C} \\ 14505 \end{array}$	N 5942	O 10548	Р 1517	0	0

• Molecule 31 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
31	С	222	Total 1773	C 1126	N 312	O 326	S 9	0	0

• Molecule 32 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues		At	oms			AltConf	Trace
32	d	206	Total 1626	C 1024	N 305	0 294	${ m S} { m 3}$	0	0

• Molecule 33 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues		Ate		AltConf	Trace		
33	е	200	Total 1611	C 1010	N 301	0 296	$\frac{S}{4}$	0	0

• Molecule 34 is a protein called 30S ribosomal protein S5.



Mol	Chain	Residues		At	oms	AltConf	Trace		
34	f	163	Total 1197	C 752	N 222	0 221	${ m S} { m 2}$	0	0

• Molecule 35 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues		At	oms	AltConf	Trace		
35	g	97	Total 795	C 501	N 137	0 154	${ m S} { m 3}$	0	0

• Molecule 36 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues		At	oms	AltConf	Trace		
36	h	153	Total 1218	C 759	N 232	0 221	S 6	0	0

• Molecule 37 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues		At	$\mathbf{oms}$			AltConf	Trace
37	i	131	Total 1041	C 662	N 184	O 193	${S \over 2}$	0	0

• Molecule 38 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues		At	oms			AltConf	Trace
38	j	128	Total 989	C 615	N 197	0 176	S 1	0	0

• Molecule 39 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues		At	oms			AltConf	Trace
39	k	96	Total 773	C 487	N 142	0 142	${ m S} { m 2}$	0	0

• Molecule 40 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues		At	oms			AltConf	Trace
40	1	116	Total 854	C 527	N 163	0 160	$\begin{array}{c} \mathrm{S} \\ 4 \end{array}$	0	0

• Molecule 41 is a protein called 30S ribosomal protein S12.



Mol	Chain	Residues		At	oms			AltConf	Trace
41	m	135	Total 1060	$\begin{array}{c} \mathrm{C} \\ 658 \end{array}$	N 213	O 187	${ m S} { m 2}$	0	0

• Molecule 42 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues		At	oms	AltConf	Trace		
42	n	114	Total 902	C 552	N 183	0 166	S 1	0	0

• Molecule 43 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues		Ate	oms	AltConf	Trace		
43	О	60	Total 492	C 310	N 100	0 77	${ m S}{ m 5}$	0	0

• Molecule 44 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues		At	oms			AltConf	Trace
44	р	85	Total 716	C 440	N 146	0 129	S 1	0	0

• Molecule 45 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues		At	oms	AltConf	Trace		
45	q	87	Total 692	C 437	N 128	0 125	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 46 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues		At	oms			AltConf	Trace
46	r	81	Total 669	C 419	N 125	0 122	${ m S} { m 3}$	0	0

• Molecule 47 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
47	S	66	Total 542	C 346	N 105	O 90	S 1	0	0

• Molecule 48 is a protein called 30S ribosomal protein S19.



Mol	Chain	Residues		At	oms	AltConf	Trace		
48	t	81	Total 659	C 424	N 121	O 112	${ m S} { m 2}$	0	0

• Molecule 49 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues		At	oms	AltConf	Trace		
49	u	80	Total 603	C 368	N 117	0 116	${S \over 2}$	0	0

• Molecule 50 is a RNA chain called tRNA-fMETi.

Mol	Chain	Residues		$\mathbf{A}$	toms			AltConf	Trace
50	D	74	Total 1582	C 705	N 287	O 516	Р 74	0	0

• Molecule 51 is a RNA chain called RNA (5'-R(P\*GP\*GP\*AP\*GP\*GP\*UP\*AP\*UP\*GP\*A P\*CP\*AP\*A)-3').

Mol	Chain	Residues		Ate	oms			AltConf	Trace
51	b	13	Total 285	C 127	N 57	O 88	Р 13	0	0

• Molecule 52 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues		Ato	ms		AltConf	Trace
52	F	132	Total 1004	C 635	N 172	O 197	0	0

• Molecule 53 is a protein called 50S ribosomal protein L31 type B.

Mol	Chain	Residues		Ato	$\mathbf{ms}$			AltConf	Trace
53	3	55	Total 448	C 289	N 76	0 81	S 2	0	0

• Molecule 54 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).





Mol	Chain	Residues		Ate	oms			AltConf	
54	0	1	Total	С	Ν	Ο	Р	0	
54	0	L	31	10	5	13	3	0	
54	0	1	Total	С	Ν	Ο	Р	0	
- 54	U	L	31	10	5	13	3	0	

• Molecule 55 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
55	0	2	Total Mg 2 2	0
55	А	117	Total Mg 117 117	0
55	В	1	Total Mg 1 1	0
55	Ο	1	Total Mg 1 1	0
55	a	25	TotalMg2525	0
55	D	1	Total Mg 1 1	0

• Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
56	4	1	Total 1	Zn 1	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
56	8	1	Total Zn 1 1	0
56	0	1	Total Zn 1 1	0

• Molecule 57 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
57	А	21	Total K 21 21	0
57	Р	1	Total K 1 1	0
57	a	7	Total K 7 7	0



Mol	Chain	Residues	Atoms	AltConf
58	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{N} \\ 6 & 4 & 2 \end{array}$	0
58	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{N} \\ 6 & 4 & 2 \end{array}$	0
58	a	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{N} \\ 6 & 4 & 2 \end{array}$	0
58	a	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{N} \\ 6 & 4 & 2 \end{array}$	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ABC-F type ribosomal protection protein Lsa(A)





• Molecule 4: 50S ribosomal protein L32















• Molecule 18: 50S ribosomal protein L15

















#### rs216 P219 P219 P219 P219 P219 P221 P221 P221 P221 P221 P221 P221 P221 P221 P224 P224

• Molecule 32: 30S ribosomal protein S3





 $\bullet$  Molecule 33: 30S ribosomal protein S4



• Molecule 34: 30S ribosomal protein S5





• Molecule 35: 30S ribosomal protein S6







• Molecule 40: 30S ribosomal protein S11





# ARG

• Molecule 45: 30S ribosomal protein S16







# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	59262	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	38	Depositor
Minimum defocus (nm)	-700	Depositor
Maximum defocus (nm)	-2200	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.110	Depositor
Minimum map value	-0.048	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	366.432, 366.432, 366.432	wwPDB
Map dimensions	352, 352, 352	wwPDB
Map angles ( $^{\circ}$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.041, 1.041, 1.041	Depositor



# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PUT, ATP, MG, ZN, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chai		Bo	ond lengths	Bond angles		
MIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	0	0.37	0/4089	0.56	0/5506	
2	1	0.35	0/492	0.67	0/654	
3	2	0.36	0/430	0.59	0/579	
4	4	0.49	0/413	0.65	0/549	
5	5	0.45	0/414	0.67	0/552	
6	6	0.46	0/372	0.79	0/484	
7	7	0.46	0/528	0.75	1/689~(0.1%)	
8	8	0.46	0/310	0.58	0/409	
9	А	0.76	0/69847	0.99	48/108953~(0.0%)	
10	В	0.51	0/2728	0.89	2/4252~(0.0%)	
11	G	0.45	0/2141	0.66	1/2881~(0.0%)	
12	Н	0.50	0/1601	0.62	0/2150	
13	Ι	0.49	0/1595	0.60	0/2157	
14	J	0.33	0/1402	0.61	1/1885~(0.1%)	
15	Κ	0.34	0/1355	0.58	0/1825	
16	М	0.47	0/1151	0.61	0/1555	
17	Ν	0.46	0/930	0.69	1/1247~(0.1%)	
18	0	0.46	0/1106	0.68	0/1474	
19	Р	0.45	0/1093	0.63	0/1457	
20	Q	0.43	0/1006	0.65	0/1349	
21	R	0.37	0/909	0.63	0/1216	
22	S	0.46	0/939	0.73	0/1262	
23	Т	0.51	0/948	0.65	0/1261	
24	U	0.46	0/791	0.59	0/1061	
25	V	0.44	0/850	0.66	2/1145~(0.2%)	
26	W	0.44	0/743	0.62	0/993	
27	Х	0.37	0/772	0.57	0/1035	
28	Y	0.48	$0/\overline{565}$	0.65	$0/\overline{755}$	
29	Ζ	0.40	0/479	0.67	0/638	
30	a	0.59	0/36394	0.93	20/56758~(0.0%)	
31	с	0.30	0/1803	0.53	0/2430	
32	d	0.37	$0/1\overline{651}$	0.58	$0/2\overline{219}$	



Mal	Chain	Bo	ond lengths	E	Bond angles
	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
33	е	0.36	0/1641	0.58	0/2206
34	f	0.36	0/1209	0.57	0/1628
35	g	0.30	0/807	0.60	0/1087
36	h	0.34	0/1238	0.61	0/1668
37	i	0.35	0/1054	0.64	0/1417
38	j	0.37	0/1002	0.63	0/1343
39	k	0.37	0/785	0.62	0/1059
40	1	0.34	0/869	0.58	0/1174
41	m	0.45	1/1077~(0.1%)	0.72	1/1446~(0.1%)
42	n	0.32	0/908	0.60	0/1219
43	0	0.43	0/504	0.66	0/669
44	р	0.32	0/726	0.60	0/969
45	q	0.37	0/704	0.58	0/945
46	r	0.37	0/677	0.58	0/903
47	s	0.31	0/549	0.64	1/733~(0.1%)
48	t	0.35	0/676	0.59	0/906
49	u	0.31	0/605	0.56	0/807
50	D	0.55	0/1768	0.90	1/2755~(0.0%)
51	b	0.50	0/319	1.00	2/494~(0.4%)
52	F	0.28	0/1015	0.51	0/1373
53	3	0.35	0/459	0.53	0/615
All	All	0.62	1/158439~(0.0%)	0.89	81/236796~(0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
41	m	102	ASP	C-N	5.02	1.45	1.34

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
9	А	2487	С	C6-N1-C2	-9.23	116.61	120.30
9	А	1086	G	O4'-C1'-N9	8.88	115.30	108.20
9	А	547	С	C6-N1-C2	-8.65	116.84	120.30
9	А	2679	С	C6-N1-C2	-8.62	116.85	120.30
9	А	2883	А	N1-C6-N6	-8.54	113.47	118.60
9	А	822	А	N1-C6-N6	7.67	123.20	118.60
9	А	2679	С	N3-C2-O2	-7.31	116.78	121.90
9	А	1828	А	OP1-P-OP2	-7.06	109.01	119.60
30	a	1060	G	OP1-P-OP2	-7.03	109.05	119.60
30	a	111	A	OP1-P-OP2	-7.01	109.08	119.60
50	D	1	C	OP1-P-OP2	-6.92	109.22	119.60



$\alpha$ $\cdot$ $\cdot$ $\cdot$	C		
Continued	trom	nremous	naae
contentaca	<i>J</i> · <i>O</i> · · · <i>O</i>	proceed ac	$P^{\alpha}g^{\sigma}\cdots$

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
9	А	2679	С	N1-C2-O2	6.90	123.04	118.90
9	А	1815	А	N7-C8-N9	6.87	117.23	113.80
10	В	2	G	OP1-P-OP2	-6.86	109.31	119.60
51	b	13	А	OP1-P-OP2	-6.86	109.31	119.60
30	a	845	А	OP1-P-OP2	-6.86	109.32	119.60
51	b	1	G	OP1-P-OP2	-6.78	109.42	119.60
9	А	3	U	OP1-P-OP2	-6.73	109.50	119.60
30	a	780	С	C2-N1-C1'	6.47	125.92	118.80
30	a	240	G	OP1-P-OP2	-6.43	109.95	119.60
9	А	2487	С	N3-C2-O2	-6.42	117.40	121.90
9	А	550	G	O4'-C1'-N9	6.35	113.28	108.20
25	V	20	ARG	NE-CZ-NH2	-6.30	117.15	120.30
30	a	131	G	OP1-P-OP2	-6.30	110.15	119.60
30	а	1548	G	OP1-P-OP2	-6.23	110.25	119.60
9	А	1348	U	C2-N1-C1'	6.21	125.15	117.70
9	А	2216	G	OP1-P-OP2	-6.20	110.30	119.60
9	А	640	G	O4'-C1'-N9	6.18	113.14	108.20
9	А	2009	С	N1-C2-O2	6.11	122.56	118.90
9	А	1812	G	C8-N9-C4	-6.08	103.97	106.40
30	a	9	G	OP1-P-OP2	-6.05	110.53	119.60
9	А	547	С	C5-C6-N1	6.03	124.01	121.00
10	В	28	С	C6-N1-C2	-6.00	117.90	120.30
9	А	2384	G	OP1-P-OP2	-6.00	110.61	119.60
30	a	844	G	OP1-P-O3'	5.99	118.37	105.20
9	А	197	А	OP1-P-OP2	-5.94	110.69	119.60
9	А	823	U	N3-C2-O2	-5.93	118.05	122.20
9	А	2487	С	N1-C2-O2	5.85	122.41	118.90
9	А	822	А	C5-C6-N6	-5.83	119.04	123.70
30	a	57	A	O5'-P-OP1	-5.80	100.48	105.70
30	a	981	G	C6-C5-N7	-5.67	127.00	130.40
17	N	97	ARG	NE-CZ-NH1	5.66	123.13	120.30
30	a	981	G	N3-C4-N9	5.65	129.39	126.00
9	А	1694	С	O4'-C1'-N1	5.55	112.64	108.20
9	А	1424	G	C6-C5-N7	-5.51	127.10	130.40
9	А	1827	G	OP1-P-O3'	5.46	117.20	105.20
11	G	221	ARG	NE-CZ-NH1	5.45	123.03	120.30
30	a	9	G	O4'-C1'-N9	5.45	112.56	108.20
30	a	1030	G	N3-C4-C5	-5.42	125.89	128.60
9	A	185	C	C6-N1-C2	-5.42	118.13	120.30
9	А	1815	А	C5-N7-C8	-5.40	101.20	103.90
9	A	1421	C	O4'-C1'-N1	5.39	112.51	108.20
9	А	1424	G	N3-C4-N9	5.38	129.23	126.00



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
9	А	78	U	C5-C6-N1	5.38	125.39	122.70
9	А	1347	U	P-O3'-C3'	5.37	126.14	119.70
25	V	20	ARG	NE-CZ-NH1	5.37	122.98	120.30
14	J	136	LEU	CA-CB-CG	5.36	127.62	115.30
9	А	1788	U	C5-C4-O4	-5.30	122.72	125.90
30	a	774	А	P-O3'-C3'	5.27	126.02	119.70
9	А	1433	С	N1-C2-O2	5.23	122.04	118.90
30	a	780	С	C6-N1-C1'	-5.23	114.52	120.80
9	А	2789	А	P-O3'-C3'	5.19	125.93	119.70
41	m	102	ASP	CB-CG-OD2	5.19	122.97	118.30
9	А	2257	U	N3-C4-O4	5.19	123.03	119.40
30	a	1030	G	C4-N9-C1'	5.17	133.22	126.50
30	a	1053	С	C6-N1-C2	-5.15	118.24	120.30
9	А	1424	G	C4-N9-C1'	5.15	133.19	126.50
9	А	823	U	C2-N1-C1'	5.15	123.88	117.70
9	А	2009	С	N3-C2-O2	-5.14	118.30	121.90
30	a	1030	G	C2-N3-C4	5.13	114.47	111.90
9	А	1421	С	C6-N1-C2	-5.13	118.25	120.30
9	А	1424	G	C4-C5-N7	5.12	112.85	110.80
47	s	35	ARG	NE-CZ-NH1	5.11	122.86	120.30
9	А	251	С	P-O3'-C3'	5.10	125.82	119.70
7	7	57	ARG	NE-CZ-NH1	5.09	122.85	120.30
9	А	822	А	C4-C5-N7	5.06	113.23	110.70
9	А	822	А	C6-C5-N7	-5.05	128.76	132.30
9	А	1907	С	N1-C2-O2	5.04	121.93	118.90
9	А	822	A	C5-N7-C8	-5.03	101.39	103.90
30	a	1340	С	C6-N1-C2	-5.01	118.30	120.30
9	А	414	С	C6-N1-C2	-5.01	118.30	120.30

Continued from previous page...

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.



#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	493/541~(91%)	468~(95%)	25~(5%)	0	100	100
2	1	57/62~(92%)	57~(100%)	0	0	100	100
3	2	55/59~(93%)	53~(96%)	2(4%)	0	100	100
4	4	51/59~(86%)	46 (90%)	5 (10%)	0	100	100
5	5	46/49~(94%)	43 (94%)	3 (6%)	0	100	100
6	6	41/44 (93%)	41 (100%)	0	0	100	100
7	7	62/66~(94%)	56 (90%)	6 (10%)	0	100	100
8	8	36/38~(95%)	35~(97%)	1 (3%)	0	100	100
11	G	272/276~(99%)	252 (93%)	20 (7%)	0	100	100
12	Н	205/209~(98%)	193 (94%)	12 (6%)	0	100	100
13	Ι	203/207~(98%)	188 (93%)	15 (7%)	0	100	100
14	J	174/179~(97%)	163 (94%)	11 (6%)	0	100	100
15	Κ	172/178~(97%)	160 (93%)	12 (7%)	0	100	100
16	М	143/147~(97%)	134 (94%)	9~(6%)	0	100	100
17	Ν	120/122~(98%)	109 (91%)	11 (9%)	0	100	100
18	Ο	144/146~(99%)	130 (90%)	14 (10%)	0	100	100
19	Р	132/144~(92%)	128 (97%)	4 (3%)	0	100	100
20	Q	123/127~(97%)	114 (93%)	9~(7%)	0	100	100
21	R	115/118~(98%)	106 (92%)	9~(8%)	0	100	100
22	S	112/115~(97%)	106 (95%)	6~(5%)	0	100	100
23	Т	114/119~(96%)	110 (96%)	4 (4%)	0	100	100
24	U	99/102~(97%)	94 (95%)	5 (5%)	0	100	100
25	V	109/115~(95%)	104 (95%)	5 (5%)	0	100	100
26	W	89/96~(93%)	87 (98%)	2 (2%)	0	100	100
27	Х	99/103~(96%)	91 (92%)	8 (8%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
28	Y	72/95~(76%)	68 (94%)	4 (6%)	0	100	100
29	Z	58/62~(94%)	52 (90%)	6 (10%)	0	100	100
31	с	220/261 (84%)	209 (95%)	11 (5%)	0	100	100
32	d	204/218~(94%)	189 (93%)	15 (7%)	0	100	100
33	е	198/203~(98%)	187 (94%)	11 (6%)	0	100	100
34	f	161/166~(97%)	149 (92%)	12 (8%)	0	100	100
35	g	95/100~(95%)	91 (96%)	4 (4%)	0	100	100
36	h	151/156~(97%)	145 (96%)	6 (4%)	0	100	100
37	i	129/132~(98%)	116 (90%)	13 (10%)	0	100	100
38	j	126/130~(97%)	114 (90%)	12 (10%)	0	100	100
39	k	94/102~(92%)	90 (96%)	4 (4%)	0	100	100
40	1	114/129~(88%)	109 (96%)	5 (4%)	0	100	100
41	m	133/137~(97%)	117 (88%)	16 (12%)	0	100	100
42	n	112/121~(93%)	102 (91%)	10 (9%)	0	100	100
43	0	58/61~(95%)	53 (91%)	5 (9%)	0	100	100
44	р	83/89~(93%)	81 (98%)	2 (2%)	0	100	100
45	q	85/91~(93%)	79 (93%)	6 (7%)	0	100	100
46	r	79/88~(90%)	68 (86%)	11 (14%)	0	100	100
47	S	64/79~(81%)	60 (94%)	4 (6%)	0	100	100
48	t	79/92~(86%)	72 (91%)	7 (9%)	0	100	100
49	u	78/83~(94%)	77 (99%)	1 (1%)	0	100	100
52	F	126/229~(55%)	119 (94%)	7 (6%)	0	100	100
53	3	49/89~(55%)	48 (98%)	1 (2%)	0	100	100
All	All	5834/6334~(92%)	5463 (94%)	371 (6%)	0	100	100

Continued from previous page...

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	0	435/473~(92%)	433 (100%)	2 (0%)	88	96
2	1	54/56~(96%)	54 (100%)	0	100	100
3	2	48/50~(96%)	48 (100%)	0	100	100
4	4	43/48~(90%)	43 (100%)	0	100	100
5	5	48/49~(98%)	48 (100%)	0	100	100
6	6	39/39~(100%)	39 (100%)	0	100	100
7	7	51/53~(96%)	51 (100%)	0	100	100
8	8	35/35~(100%)	35 (100%)	0	100	100
11	G	224/226~(99%)	222 (99%)	2 (1%)	78	93
12	Н	170/172~(99%)	170 (100%)	0	100	100
13	Ι	172/173~(99%)	171 (99%)	1 (1%)	86	96
14	J	153/156~(98%)	151 (99%)	2 (1%)	69	90
15	K	145/148~(98%)	144 (99%)	1 (1%)	84	95
16	М	122/124~(98%)	122 (100%)	0	100	100
17	Ν	98/98~(100%)	98 (100%)	0	100	100
18	Ο	112/112~(100%)	112 (100%)	0	100	100
19	Р	107/114~(94%)	107 (100%)	0	100	100
20	Q	107/109~(98%)	107 (100%)	0	100	100
21	R	91/92~(99%)	90 (99%)	1 (1%)	73	92
22	S	97/98~(99%)	96 (99%)	1 (1%)	76	92
23	Т	92/95~(97%)	92 (100%)	0	100	100
24	U	83/83 (100%)	83 (100%)	0	100	100
25	V	94/98~(96%)	94 (100%)	0	100	100
26	W	82/85~(96%)	82 (100%)	0	100	100
27	Х	85/87~(98%)	85 (100%)	0	100	100
28	Y	59/75~(79%)	59 (100%)	0	100	100
29	Ζ	53/55~(96%)	53 (100%)	0	100	100
31	с	187/220~(85%)	186 (100%)	1 (0%)	88	96
32	d	164/174~(94%)	164 (100%)	0	100	100
33	е	174/177~(98%)	171 (98%)	3 (2%)	60	86
34	f	125/128~(98%)	125 (100%)	0	100	100
35	g	86/88~(98%)	86 (100%)	0	100	100


Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
36	h	130/133~(98%)	129 (99%)	1 (1%)	81	94
37	i	112/113~(99%)	112 (100%)	0	100	100
38	j	101/102~(99%)	98~(97%)	3~(3%)	41	75
39	k	87/92~(95%)	86~(99%)	1 (1%)	73	92
40	1	90/101~(89%)	88~(98%)	2(2%)	52	81
41	m	118/119~(99%)	118 (100%)	0	100	100
42	n	98/102~(96%)	98 (100%)	0	100	100
43	О	51/52~(98%)	50 (98%)	1 (2%)	55	82
44	р	76/79~(96%)	76 (100%)	0	100	100
45	q	77/81~(95%)	77~(100%)	0	100	100
46	r	75/81~(93%)	75~(100%)	0	100	100
47	s	57/67~(85%)	56~(98%)	1 (2%)	59	85
48	t	70/79~(89%)	70 (100%)	0	100	100
49	u	61/64~(95%)	61 (100%)	0	100	100
52	F	109/183~(60%)	109 (100%)	0	100	100
53	3	51/79~(65%)	50 (98%)	1 (2%)	55	82
All	All	4998/5317 (94%)	4974 (100%)	24 (0%)	89	96

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	28	MET
1	0	382	ARG
11	G	156	ARG
11	G	177	ASN
13	Ι	84	ARG
14	J	78	ARG
14	J	136	LEU
15	Κ	95	ARG
21	R	32	ASN
22	S	51	ARG
31	с	217	MET
33	е	14	ARG
33	е	125	LYS
33	е	183	ARG
36	h	10	ARG



Continued	from	previous	page
00100010000	J. 00	proceed as	p ~ g ~

	v	-	1 0
Mol	Chain	Res	Type
38	j	14	ASN
38	j	106	ARG
38	j	130	ARG
39	k	46	ARG
40	l	111	ARG
40	l	118	HIS
43	0	29	ARG
47	s	20	ASN
53	3	47	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	0	146	HIS
16	М	145	ASN
20	Q	57	HIS
24	U	75	GLN
49	u	21	ASN

#### 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	В	113/116~(97%)	25~(22%)	3(2%)
30	a	1513/1558~(97%)	271 (17%)	0
50	D	73/77~(94%)	12 (16%)	1 (1%)
51	b	11/20~(55%)	1 (9%)	0
9	А	2903/2912~(99%)	560 (19%)	39 (1%)
All	All	4613/4683 (98%)	869~(18%)	43 (0%)

All (869) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
9	А	8	U
9	А	10	А
9	А	15	G
9	А	28	А
9	А	34	U
9	А	46	С
9	А	51	G
9	А	55	G



Mol	Chain	Res	Type
9	А	61	А
9	А	71	А
9	А	75	G
9	А	76	С
9	А	77	U
9	А	78	U
9	А	79	U
9	А	85	G
9	А	86	С
9	А	93	U
9	А	96	G
9	А	101	G
9	А	117	А
9	А	119	U
9	А	130	А
9	А	150	А
9	А	163	U
9	А	164	А
9	А	166	А
9	А	167	U
9	А	173	А
9	А	177	G
9	А	181	U
9	А	182	А
9	А	184	А
9	А	186	G
9	А	187	С
9	А	198	А
9	А	199	А
9	А	201	А
9	А	206	A
9	А	215	A
9	А	218	A
9	А	223	А
9	А	225	А
9	А	228	A
9	А	230	A
9	А	231	U
9	А	232	U
9	А	233	С
9	А	235	A
9	А	247	G



Mol	Chain	Res	Type
9	А	250	G
9	А	251	С
9	А	252	G
9	А	257	A
9	А	263	G
9	А	265	A
9	А	266	G
9	А	267	А
9	А	268	G
9	А	282	G
9	А	289	U
9	А	290	G
9	А	298	U
9	А	299	G
9	А	301	А
9	А	309	G
9	А	311	U
9	А	312	А
9	А	317	А
9	А	318	G
9	А	320	С
9	А	321	U
9	А	322	G
9	А	331	G
9	А	347	А
9	А	352	С
9	А	353	G
9	А	365	G
9	А	366	А
9	А	385	G
9	А	398	A
9	А	403	G
9	А	404	A
9	А	410	А
9	А	411	G
9	А	419	G
9	А	422	С
9	А	425	G
9	А	426	A
9	А	434	С
9	А	442	U
9	А	445	G
L	I	-	



Mol	Chain	$\mathbf{Res}$	Type
9	А	450	G
9	А	459	G
9	А	463	G
9	А	474	С
9	А	475	С
9	А	479	G
9	А	490	U
9	А	494	С
9	А	516	А
9	А	520	G
9	А	521	С
9	А	529	А
9	А	543	А
9	А	545	А
9	А	546	U
9	А	547	С
9	А	548	С
9	А	565	С
9	А	566	А
9	А	568	С
9	А	569	А
9	А	570	А
9	А	571	G
9	А	584	A
9	А	585	А
9	А	586	U
9	А	587	G
9	А	598	U
9	А	599	G
9	А	609	G
9	А	611	А
9	А	622	А
9	A	624	U
9	А	628	G
9	A	639	А
9	A	640	G
9	A	641	G
9	A	651	A
9	A	665	А
9	A	675	A
9	А	683	U
9	А	684	А



Mol	Chain	Res	Type
9	А	689	G
9	А	692	U
9	А	693	G
9	А	711	С
9	А	716	А
9	А	725	U
9	А	769	А
9	А	784	G
9	А	786	U
9	А	787	G
9	А	796	G
9	А	801	U
9	А	803	А
9	А	804	G
9	А	814	G
9	А	821	А
9	А	823	U
9	А	824	U
9	А	829	А
9	А	830	С
9	А	831	G
9	А	839	А
9	А	844	G
9	А	851	С
9	А	858	А
9	А	866	U
9	А	885	U
9	А	899	G
9	А	906	А
9	А	922	G
9	А	926	А
9	А	928	С
9	А	929	U
9	А	930	С
9	A	931	G
9	А	933	G
9	А	936	A
9	А	947	А
9	А	950	А
9	А	952	С
9	А	954	С
9	А	957	А



Mol	Chain	Res	Type
9	А	965	U
9	А	970	U
9	А	972	U
9	А	973	А
9	А	980	А
9	А	983	С
9	А	984	А
9	А	985	G
9	А	992	А
9	А	996	А
9	А	998	А
9	А	1000	G
9	А	1013	А
9	A	1021	С
9	А	1022	А
9	A	1024	С
9	А	1035	А
9	А	1051	U
9	А	1052	А
9	А	1056	G
9	А	1061	G
9	А	1062	U
9	А	1064	G
9	А	1065	А
9	А	1066	А
9	А	1067	А
9	А	1072	U
9	А	1086	G
9	А	1101	G
9	А	1109	А
9	А	1110	G
9	А	1115	С
9	A	1122	U
9	A	1123	A
9	A	1124	А
9	A	1126	G
9	А	1127	A
9	A	1130	G
9	А	1151	G
9	A	$1\overline{155}$	С
9	A	1158	U
9	А	1165	А



Mol	Chain	Res	Type
9	А	1166	А
9	А	1167	A
9	А	1169	U
9	А	1171	U
9	А	1172	A
9	А	1174	С
9	А	1175	G
9	А	1181	A
9	А	1182	А
9	А	1188	U
9	А	1196	G
9	А	1212	U
9	А	1213	U
9	А	1215	G
9	А	1221	G
9	А	1231	A
9	А	1240	А
9	А	1241	G
9	А	1244	С
9	А	1245	G
9	А	1248	G
9	А	1256	А
9	А	1265	А
9	А	1267	G
9	А	1274	G
9	А	1284	G
9	А	1286	G
9	А	1289	А
9	А	1292	G
9	А	1302	G
9	А	1307	G
9	А	1308	А
9	А	1311	G
9	А	1315	G
9	А	1335	U
9	А	1336	A
9	А	1347	U
9	А	1348	U
9	А	1360	С
9	А	1364	U
9	А	1373	G
9	А	1376	U



Mol	Chain	Res	Type
9	А	1380	С
9	А	1383	G
9	А	1384	А
9	А	1385	С
9	А	1387	U
9	А	1400	А
9	А	1414	U
9	А	1419	А
9	А	1420	А
9	А	1421	С
9	А	1422	А
9	А	1423	G
9	А	1424	G
9	A	1427	G
9	А	1430	А
9	А	1431	U
9	А	1451	G
9	А	1454	U
9	А	1455	G
9	А	1457	G
9	А	1460	А
9	А	1461	U
9	А	1462	G
9	А	1468	А
9	А	1469	С
9	А	1470	G
9	А	1475	А
9	А	1480	А
9	А	1484	А
9	А	1486	U
9	A	1494	A
9	A	1495	U
9	A	1496	U
9	А	1497	G
9	А	1502	U
9	A	1503	G
9	A	1509	С
9	A	1511	А
9	A	1520	G
9	A	1523	U
9	А	1524	U
9	А	1526	А



Mol	Chain	Res	Type
9	А	1530	G
9	А	1531	А
9	А	1534	U
9	А	1535	А
9	А	1537	А
9	А	1538	U
9	А	1543	U
9	А	1546	U
9	А	1551	А
9	А	1553	G
9	А	1555	А
9	A	1562	G
9	A	1565	A
9	A	1567	G
9	А	1569	G
9	A	1572	G
9	А	1575	А
9	А	1576	А
9	А	1579	А
9	А	1580	А
9	А	1581	U
9	А	1582	А
9	А	1583	G
9	А	1584	U
9	А	1599	С
9	А	1600	G
9	А	1604	С
9	А	1614	А
9	А	1618	G
9	А	1623	U
9	A	1627	G
9	А	1629	G
9	А	1630	A
9	А	1649	U
9	А	1650	А
9	А	1652	A
9	А	1658	A
9	А	1677	A
9	А	1688	A
9	А	1689	G
9	А	1690	С
9	А	1694	C



Mol	Chain	Res	Type
9	А	1704	U
9	А	1705	U
9	А	1709	G
9	А	1710	А
9	А	1714	С
9	А	1716	G
9	А	1742	А
9	А	1745	G
9	А	1753	А
9	А	1755	U
9	А	1756	U
9	А	1757	С
9	А	1758	G
9	А	1759	G
9	А	1766	G
9	А	1769	G
9	А	1770	U
9	А	1775	А
9	А	1776	G
9	А	1777	G
9	А	1786	А
9	А	1798	A
9	А	1799	A
9	А	1804	А
9	А	1812	G
9	А	1813	С
9	А	1821	U
9	А	1823	А
9	А	1828	А
9	А	1829	А
9	А	1830	G
9	А	1842	А
9	A	1861	A
9	А	1867	А
9	A	1869	А
9	A	1871	G
9	А	1882	U
9	А	1883	U
9	A	1884	С
9	A	1896	G
9	А	1918	С
9	А	1919	G



Mol	Chain	Res	Type
9	А	1923	G
9	А	1927	С
9	А	1929	А
9	А	1940	А
9	А	1942	G
9	А	1943	G
9	А	1949	А
9	А	1950	А
9	А	1951	А
9	А	1953	U
9	А	1954	С
9	А	1968	U
9	А	1973	А
9	А	1976	С
9	А	1977	G
9	А	1978	С
9	А	1979	А
9	А	1980	С
9	А	1983	А
9	А	1984	А
9	А	1985	G
9	А	2004	U
9	А	2006	U
9	А	2010	А
9	А	2035	U
9	А	2044	А
9	А	2045	G
9	А	2046	А
9	А	2056	С
9	А	2062	А
9	A	2068	C
9	А	2069	G
9	A	2072	A
9	А	2073	А
9	A	$2\overline{074}$	G
9	A	2075	A
9	А	2082	G
9	A	2093	G
9	А	2107	A
9	A	2108	G
9	A	2112	U
9	А	2113	U



Mol	Chain	Res	Type
9	А	2117	С
9	А	2121	А
9	А	2124	U
9	А	2129	G
9	А	2130	А
9	А	2139	А
9	А	2145	U
9	А	2146	G
9	А	2170	G
9	А	2172	G
9	А	2173	G
9	А	2185	U
9	А	2191	С
9	А	2196	U
9	А	2203	А
9	А	2207	С
9	А	2211	А
9	А	2216	G
9	А	2217	С
9	А	2224	А
9	А	2230	G
9	А	2238	A
9	А	2251	G
9	А	2252	G
9	А	2259	G
9	А	2262	U
9	А	2279	А
9	А	2281	А
9	А	2291	А
9	А	2292	G
9	А	2296	С
9	А	2300	A
9	A	2301	A
9	А	2302	G
9	A	2318	U
9	A	2320	G
9	А	2322	А
9	A	2331	G
9	A	2333	А
9	A	2334	G
9	А	2335	А
9	А	2340	А



Mol	Chain	Res	Type
9	А	2347	G
9	А	2348	А
9	А	2360	С
9	А	2363	С
9	А	2367	А
9	А	2371	А
9	А	2374	А
9	А	2396	G
9	А	2399	U
9	А	2404	G
9	А	2409	G
9	А	2415	U
9	А	2420	А
9	А	2436	U
9	А	2438	А
9	А	2439	А
9	А	2442	G
9	А	2443	А
9	А	2447	А
9	А	2454	С
9	А	2458	G
9	А	2461	А
9	А	2464	А
9	А	2481	А
9	А	2489	А
9	А	2491	А
9	А	2493	С
9	А	2507	G
9	А	2515	G
9	А	2519	U
9	А	2526	G
9	А	2531	A
9	А	2533	С
9	А	2542	G
9	А	2548	G
9	А	2567	U
9	А	2577	A
9	А	2579	A
9	А	2580	G
9	А	2586	С
9	А	2591	G
9	А	2597	U



Mol	Chain	Res	Type
9	А	2598	U
9	А	2615	А
9	А	2622	U
9	А	2623	С
9	А	2626	U
9	А	2628	U
9	А	2642	U
9	А	2645	А
9	А	2659	С
9	А	2695	G
9	А	2698	G
9	А	2702	U
9	А	2727	G
9	А	2731	G
9	А	2746	A
9	А	2749	G
9	А	2764	G
9	А	2770	А
9	А	2778	А
9	А	2790	G
9	А	2791	А
9	А	2792	U
9	А	2802	С
9	А	2804	U
9	А	2808	U
9	А	2809	U
9	А	2810	U
9	А	2811	А
9	А	2812	А
9	А	2813	G
9	А	2816	A
9	А	2843	A
9	А	2853	G
9	А	2859	G
9	А	2860	A
9	А	2863	G
9	А	2871	U
9	А	2877	G
9	А	2882	G
9	А	2884	С
9	А	2890	С
9	А	2893	A



Mol	Chain	Res	Type
9	А	2896	G
9	А	2902	G
9	А	2903	G
9	А	2909	А
9	А	2910	С
9	А	2911	С
10	В	10	G
10	В	11	А
10	В	12	U
10	В	14	G
10	В	23	A
10	В	28	С
10	В	32	U
10	В	34	С
10	В	35	C
10	В	39	G
10	В	40	С
10	В	42	G
10	В	49	G
10	В	50	А
10	В	55	А
10	В	64	А
10	В	65	G
10	В	82	G
10	В	87	U
10	В	88	С
10	В	97	A
10	В	101	U
10	В	107	G
10	В	108	U
10	В	110	G
30	a	10	А
30	a	11	G
30	a	24	G
30	a	33	G
30	a	34	A
30	a	41	G
30	a	46	G
30	a	49	C
30	a	50	С
30	a	51	U
30	a	53	A



Mol	Chain	Res	Type
30	a	56	С
30	a	57	A
30	a	116	G
30	a	117	А
30	a	118	G
30	a	132	А
30	a	136	А
30	a	137	С
30	a	138	А
30	a	146	А
30	a	147	А
30	a	158	А
30	a	161	G
30	a	166	А
30	a	172	С
30	a	175	G
30	a	177	А
30	a	180	С
30	a	181	А
30	a	182	G
30	a	190	U
30	a	199	A
30	a	200	С
30	a	207	U
30	a	213	А
30	a	215	G
30	a	226	G
30	a	227	А
30	a	230	G
30	a	266	U
30	a	267	G
30	a	270	U
30	a	271	U
30	a	273	G
30	a	277	G
30	a	279	U
30	a	292	G
30	a	293	С
30	a	315	G
30	a	332	A
30	a	347	A
30	a	354	С



Mol	Chain	Res	Type
30	a	355	А
30	a	358	G
30	a	370	А
30	a	373	G
30	a	378	С
30	a	380	G
30	a	381	С
30	a	389	А
30	a	390	А
30	a	391	U
30	a	393	U
30	a	398	С
30	a	399	А
30	a	414	G
30	a	417	С
30	a	418	G
30	a	423	А
30	a	430	G
30	a	432	G
30	a	437	А
30	a	438	А
30	a	439	G
30	a	447	U
30	a	448	С
30	a	450	G
30	a	453	С
30	a	454	G
30	a	455	U
30	a	474	А
30	a	477	А
30	a	478	А
30	a	479	С
30	a	485	С
30	a	488	U
30	a	489	А
30	a	490	G
30	a	491	U
30	a	511	G
30	a	512	U
30	a	521	А
30	a	522	G
30	a	523	А



Mol	Chain	Res	Type
30	a	535	А
30	a	537	С
30	a	544	С
30	a	547	G
30	a	553	G
30	a	556	G
30	a	557	U
30	a	558	A
30	a	573	А
30	a	578	U
30	a	585	А
30	a	590	U
30	a	598	A
30	a	599	A
30	a	602	С
30	a	603	G
30	a	605	G
30	a	622	А
30	a	658	G
30	a	659	U
30	a	660	С
30	a	668	А
30	a	679	U
30	a	687	G
30	a	691	А
30	a	709	G
30	a	720	А
30	a	721	А
30	a	728	A
30	a	730	А
30	a	736	G
30	a	747	А
30	a	749	U
30	a	750	G
30	a	755	A
30	a	759	G
30	a	760	G
30	a	772	G
30	a	775	A
30	a	781	G
30	a	813	A
30	a	819	U



Mol	Chain	Res	Type
30	a	820	А
30	a	836	С
30	a	843	С
30	a	846	U
30	a	855	А
30	a	858	G
30	a	862	G
30	a	866	G
30	a	873	С
30	a	899	А
30	a	903	А
30	a	916	А
30	a	941	A
30	a	953	G
30	a	954	G
30	a	961	С
30	a	962	A
30	a	966	G
30	a	972	G
30	a	983	U
30	a	987	U
30	a	993	G
30	a	995	А
30	a	996	А
30	a	998	G
30	a	1002	А
30	a	1003	G
30	a	1004	А
30	a	1009	U
30	a	1016	U
30	a	1019	U
30	a	1020	G
30	a	1023	A
30	a	1028	U
30	a	1029	U
30	a	1030	G
30	a	1031	A
30	a	1034	A
30	a	1036	U
30	a	1039	A
30	a	1040	G
30	a	1045	A



Mol	Chain	Res	Type
30	a	1047	А
30	a	1050	U
30	a	1052	U
30	a	1053	С
30	a	1063	А
30	a	1064	С
30	a	1066	А
30	a	1067	А
30	a	1070	G
30	a	1073	А
30	a	1075	G
30	a	1077	G
30	a	1078	G
30	a	1081	C
30	a	1083	U
30	a	1092	U
30	a	1093	С
30	a	1112	U
30	a	1119	А
30	a	1121	G
30	a	1122	U
30	a	1127	С
30	a	1128	А
30	a	1129	А
30	a	1131	G
30	a	1135	G
30	a	1159	С
30	a	1165	G
30	a	1166	U
30	a	1171	С
30	a	1172	А
30	a	1183	А
30	a	1185	U
30	a	1187	С
30	a	1193	A
30	a	1194	С
30	a	1210	G
30	a	1222	A
30	a	1223	А
30	a	1228	U
30	a	1238	U
30	a	1239	А



Mol	Chain	Res	Type
30	a	1253	А
30	a	1254	С
30	a	1262	А
30	a	1283	С
30	a	1286	U
30	a	1306	А
30	a	1307	U
30	a	1319	U
30	a	1325	А
30	a	1326	G
30	a	1328	U
30	a	1331	G
30	a	1340	С
30	a	1343	С
30	a	1344	А
30	a	1348	С
30	a	1361	С
30	a	1362	С
30	a	1379	G
30	a	1386	А
30	a	1407	U
30	a	1415	С
30	a	1420	А
30	a	1423	С
30	a	1424	А
30	a	1428	С
30	a	1445	G
30	a	1448	U
30	a	1452	А
30	a	1468	А
30	a	1472	А
30	a	1478	U
30	a	1479	U
30	a	1480	U
30	a	1481	G
30	a	1502	G
30	a	1514	G
30	a	1517	U
30	a	1519	А
30	a	1524	G
30	a	1530	A
30	a	1533	U



7 7 1		- -	
Mol	Chain	Res	Type
30	a	1534	А
30	a	1544	G
30	a	1546	A
30	a	1556	G
30	a	1557	G
30	a	1558	А
30	a	1561	А
30	a	1564	U
50	D	4	G
50	D	8	U
50	D	14	А
50	D	21	U
50	D	22	А
50	D	23	G
50	D	44	А
50	D	47	G
50	D	48	U
50	D	65	G
50	D	72	С
50	D	73	А
51	b	16	A

All (43) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
9	А	92	G
9	А	174	U
9	А	199	А
9	А	231	U
9	А	251	С
9	А	288	U
9	А	433	С
9	А	520	G
9	А	658	G
9	А	774	А
9	А	802	G
9	А	823	U
9	А	982	U
9	А	1033	С
9	A	1239	A
9	A	1240	А
9	А	1301	А



Mol	Chain	Res	Type
9	А	1335	U
9	А	1347	U
9	А	1450	U
9	А	1525	G
9	А	1530	G
9	А	1536	А
9	А	1561	U
9	А	1583	G
9	А	1693	G
9	А	1797	А
9	А	1812	G
9	А	1828	А
9	А	1866	А
9	А	1868	G
9	А	1926	А
9	А	2111	U
9	А	2300	А
9	А	2419	С
9	А	2438	А
9	А	2789	А
9	А	2808	U
9	А	2810	U
10	В	31	G
10	В	48	A
10	В	49	G
50	D	22	A

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 185 ligands modelled in this entry, 179 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dec	Tink	Bo	ond leng	ths	В	ond ang	les
	туре	Unain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
58	PUT	a	1634	-	$5,\!5,\!5$	0.20	0	4,4,4	0.48	0
58	PUT	А	3138	-	$5,\!5,\!5$	0.25	0	4,4,4	0.37	0
58	PUT	a	1633	-	$5,\!5,\!5$	0.24	0	4,4,4	0.44	0
54	ATP	0	602	55	$26,\!33,\!33$	0.69	0	$31,\!52,\!52$	0.74	2 (6%)
58	PUT	А	3139	-	$5,\!5,\!5$	0.23	0	4,4,4	0.49	0
54	ATP	0	601	55	26,33,33	0.65	0	$31,\!52,\!52$	0.75	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	PUT	a	1634	-	-	1/3/3/3	-
58	PUT	А	3138	-	-	1/3/3/3	-
58	PUT	а	1633	-	-	0/3/3/3	-
54	ATP	0	602	55	-	4/18/38/38	0/3/3/3
58	PUT	А	3139	-	-	1/3/3/3	-
54	ATP	0	601	55	-	3/18/38/38	0/3/3/3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
54	0	602	ATP	C5-C6-N6	2.27	123.80	120.35
54	0	601	ATP	C5-C6-N6	2.24	123.76	120.35
54	0	602	ATP	PB-O3B-PG	2.04	139.83	132.83

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
54	0	602	ATP	PB-O3B-PG-O2G
58	А	3138	PUT	C1-C2-C3-C4



Mol	Chain	Res	Type	Atoms
54	0	602	ATP	PG-O3B-PB-O2B
54	0	601	ATP	O4'-C4'-C5'-O5'
54	0	602	ATP	PG-O3B-PB-O1B
54	0	601	ATP	C3'-C4'-C5'-O5'
54	0	601	ATP	PB-O3B-PG-O3G
54	0	602	ATP	PB-O3B-PG-O3G
58	А	3139	PUT	C2-C3-C4-N2
58	a	1634	PUT	C2-C3-C4-N2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





# 5.7 Other polymers (i)

There are no such residues in this entry.



# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-12331. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

# 6.1 Orthogonal projections (i)

#### 6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



#### 6.2 Central slices (i)

#### 6.2.1 Primary map



X Index: 176





Z Index: 176

#### 6.2.2 Raw map



X Index: 180

Y Index: 180



The images above show central slices of the map in three orthogonal directions.



#### 6.3 Largest variance slices (i)

#### 6.3.1 Primary map



X Index: 174





Z Index: 186

#### 6.3.2 Raw map



X Index: 179

Y Index: 190



The images above show the largest variance slices of the map in three orthogonal directions.



## 6.4 Orthogonal standard-deviation projections (False-color) (i)

#### 6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



### 6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

#### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

#### 6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



# 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

## 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



#### 7.2 Volume estimate (i)



The volume at the recommended contour level is 560  $\text{nm}^3$ ; this corresponds to an approximate mass of 505 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



## 7.3 Rotationally averaged power spectrum (i)



\*Reported resolution corresponds to spatial frequency of 0.345  ${\rm \AA^{-1}}$ 


# 8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC (i)



\*Reported resolution corresponds to spatial frequency of 0.345  $\mathrm{\AA^{-1}}$ 



# 8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.85	3.14	2.88
Unmasked-calculated*	3.16	4.33	3.23

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



# 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-12331 and PDB model 7NHK. Per-residue inclusion information can be found in section 3 on page 16.

## 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



### 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

#### 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).



## 9.4 Atom inclusion (i)



At the recommended contour level, 70% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

## 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

$\operatorname{Chain}$	Atom inclusion	Q-score
All	0.6650	0.5190
0	0.4790	0.4870
1	0.4820	0.4540
2	0.5660	0.5120
3	0.1780	0.3520
4	0.7230	0.5470
5	0.6190	0.4940
6	0.6790	0.5650
7	0.7000	0.5540
8	0.6760	0.5430
А	0.7760	0.5490
В	0.6660	0.5180
D	0.6170	0.5310
F	0.0090	0.2090
G	0.6600	0.5440
Н	0.6510	0.5380
Ι	0.5920	0.5100
J	0.2410	0.3860
K	0.3870	0.4400
М	0.6330	0.5320
N	0.5690	0.5210
0	0.5820	0.5230
Р	0.6500	0.5200
Q	0.6300	0.5130
R	0.5130	0.4800
S	0.5960	0.5210
T	0.6870	0.5450
U	0.6010	0.5280
V	0.6530	0.5410
W	0.5560	0.4980
X	0.4440	0.4770
Y	0.6830	0.5470
Z	0.5450	0.5270
a	0.7060	0.5240
b	0.4770	0.4650

Continued on next page...



Continued from previous page...

Chain	Atom inclusion	Q-score
с	0.2960	0.4040
d	0.4690	0.4680
e	0.3860	0.4400
f	0.4550	0.4680
g	0.1820	0.3860
h	0.4010	0.4450
i	0.4260	0.4650
j	0.4590	0.4730
k	0.3980	0.4400
1	0.3290	0.4180
m	0.5530	0.5240
n	0.3880	0.4430
0	0.6110	0.5130
р	0.4130	0.4270
q	0.4640	0.4640
r	0.4250	0.4640
S	0.2610	0.4180
t	0.4150	0.4400
u	0.4680	0.4530

