



## Full wwPDB EM Validation Report ⓘ

Oct 1, 2021 – 12:31 am BST

PDB ID : 7PDZ  
EMDB ID : EMD-13343  
Title : Structure of capping protein bound to the barbed end of a cytoplasmic actin filament  
Authors : Funk, J.; Merino, F.; Schacks, M.; Rottner, K.; Raunser, S.; Bieling, P.  
Deposited on : 2021-08-09  
Resolution : 3.80 Å (reported)  
Based on initial model : 5ADX

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.0.dev97  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	272	
2	F	286	
3	I	375	
3	J	375	
3	K	375	
3	L	375	
3	N	375	
3	O	375	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain	
4	P	7	71%	29%
4	Q	7	43%	43% 14%
4	R	7	86%	14%
4	S	7	71%	29%
4	T	7	43%	43% 14%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EEP	P	4	-	X	-	-
4	DTH	P	6	-	X	-	-
4	DTH	Q	6	-	X	-	-
4	EEP	R	4	-	X	-	-

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 22185 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 2 of F-actin-capping protein subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	E	272	2146	1336	374	423	13	0	0

- Molecule 2 is a protein called F-actin-capping protein subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	F	272	2212	1396	384	427	5	0	0

- Molecule 3 is a protein called Actin, cytoplasmic 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	I	371	2894	1834	487	551	22	0	0
3	J	371	2894	1834	487	551	22	0	0
3	K	371	2894	1834	487	551	22	0	0
3	L	371	2894	1834	487	551	22	0	0
3	N	371	2894	1834	487	551	22	0	0
3	O	371	2894	1834	487	551	22	0	0

- Molecule 4 is a protein called Phalloidin.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	Q	7	55	35	8	11	1	0	0
4	R	7	55	35	8	11	1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	S	7	Total	C	N	O	S	0	0
			55	35	8	11	1		
4	T	7	Total	C	N	O	S	0	0
			55	35	8	11	1		
4	P	7	Total	C	N	O	S	0	0
			55	35	8	11	1		

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
5	I	1	Total	C	N	O	P	0
			27	10	5	10	2	
5	J	1	Total	C	N	O	P	0
			27	10	5	10	2	
5	K	1	Total	C	N	O	P	0
			27	10	5	10	2	
5	L	1	Total	C	N	O	P	0
			27	10	5	10	2	
5	N	1	Total	C	N	O	P	0
			27	10	5	10	2	
5	O	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
6	I	1	Total Mg 1 1	0
6	J	1	Total Mg 1 1	0
6	K	1	Total Mg 1 1	0
6	L	1	Total Mg 1 1	0
6	N	1	Total Mg 1 1	0
6	O	1	Total Mg 1 1	0

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	AltConf
7	K	1	Total O P 5 4 1	0
7	L	1	Total O P 5 4 1	0
7	N	1	Total O P 5 4 1	0
7	O	1	Total O P 5 4 1	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isoform 2 of F-actin-capping protein subunit beta





- Molecule 2: F-actin-capping protein subunit alpha-1








• Molecule 3: Actin, cytoplasmic 1



• Molecule 3: Actin, cytoplasmic 1





• Molecule 3: Actin, cytoplasmic 1





• Molecule 3: Actin, cytoplasmic 1







• Molecule 3: Actin, cytoplasmic 1





• Molecule 3: Actin, cytoplasmic 1




• Molecule 4: Phalloidin



• Molecule 4: Phalloidin




• Molecule 4: Phalloidin




- Molecule 4: Phalloidin

Chain T:  43% 43% 14%



- Molecule 4: Phalloidin

Chain P:  71% 29%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	60206	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.210	Depositor
Minimum map value	-0.083	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.045	Depositor
Map size (Å)	464.64, 464.64, 464.64	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.21, 1.21, 1.21	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ADP, EEP, HYP, DTH, HIC, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	E	1.23	16/2180 (0.7%)	1.13	7/2936 (0.2%)
2	F	1.12	12/2263 (0.5%)	1.10	6/3066 (0.2%)
3	I	1.17	18/2944 (0.6%)	1.08	14/3984 (0.4%)
3	J	1.18	16/2944 (0.5%)	1.08	11/3984 (0.3%)
3	K	0.54	0/2944	0.86	10/3984 (0.3%)
3	L	0.52	0/2944	0.85	6/3984 (0.2%)
3	N	0.91	13/2944 (0.4%)	0.96	10/3984 (0.3%)
3	O	0.71	5/2944 (0.2%)	0.90	4/3984 (0.1%)
4	P	4.12	11/29 (37.9%)	2.41	1/36 (2.8%)
4	Q	4.12	10/29 (34.5%)	2.59	3/36 (8.3%)
4	R	4.06	10/29 (34.5%)	2.15	1/36 (2.8%)
4	S	4.05	10/29 (34.5%)	1.95	0/36
4	T	4.02	8/29 (27.6%)	2.38	1/36 (2.8%)
All	All	1.00	129/22252 (0.6%)	1.01	74/30086 (0.2%)

All (129) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	3	TRP	CB-CG	-8.17	1.35	1.50
4	Q	3	TRP	CB-CG	-8.08	1.35	1.50
3	I	290	ARG	CZ-NH1	-8.03	1.22	1.33
4	R	3	TRP	CB-CG	-8.01	1.35	1.50
4	S	2	ALA	CA-C	-7.98	1.32	1.52
1	E	108	ARG	CZ-NH1	-7.88	1.22	1.33
4	T	3	TRP	N-CA	-7.84	1.30	1.46
4	P	2	ALA	CA-C	-7.81	1.32	1.52
4	T	2	ALA	CA-C	-7.69	1.32	1.52
3	I	256	ARG	CZ-NH1	-7.69	1.23	1.33
4	Q	3	TRP	N-CA	-7.68	1.30	1.46
3	J	206	ARG	CZ-NH1	-7.67	1.23	1.33
3	J	256	ARG	CZ-NH1	-7.67	1.23	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Q	2	ALA	CA-C	-7.67	1.33	1.52
4	S	3	TRP	N-CA	-7.66	1.31	1.46
4	P	3	TRP	N-CA	-7.65	1.31	1.46
3	J	116	ARG	CZ-NH1	-7.64	1.23	1.33
3	N	37	ARG	CZ-NH1	-7.59	1.23	1.33
1	E	163	ARG	CZ-NH1	-7.57	1.23	1.33
3	I	183	ARG	CZ-NH1	-7.57	1.23	1.33
3	I	206	ARG	CZ-NH1	-7.54	1.23	1.33
1	E	94	ARG	CZ-NH1	-7.53	1.23	1.33
3	N	312	ARG	CZ-NH1	-7.53	1.23	1.33
3	O	183	ARG	CZ-NH1	-7.51	1.23	1.33
4	T	3	TRP	CB-CG	-7.48	1.36	1.50
1	E	195	ARG	CZ-NH1	-7.46	1.23	1.33
2	F	260	ARG	CZ-NH2	-7.42	1.23	1.33
3	I	37	ARG	CZ-NH1	-7.42	1.23	1.33
3	J	254	ARG	CZ-NH1	-7.41	1.23	1.33
4	R	2	ALA	CA-C	-7.41	1.33	1.52
3	I	62	ARG	CZ-NH1	-7.39	1.23	1.33
4	R	3	TRP	N-CA	-7.38	1.31	1.46
3	J	37	ARG	CZ-NH1	-7.37	1.23	1.33
3	J	312	ARG	CZ-NH1	-7.36	1.23	1.33
3	N	256	ARG	CZ-NH1	-7.35	1.23	1.33
1	E	14	ARG	CZ-NH1	-7.35	1.23	1.33
4	S	3	TRP	CB-CG	-7.35	1.37	1.50
1	E	215	ARG	CZ-NH1	-7.31	1.23	1.33
3	O	177	ARG	CZ-NH1	-7.30	1.23	1.33
3	J	62	ARG	CZ-NH1	-7.29	1.23	1.33
3	I	39	ARG	CZ-NH2	-7.28	1.23	1.33
3	I	210	ARG	CZ-NH2	-7.24	1.23	1.33
3	J	335	ARG	CZ-NH1	-7.20	1.23	1.33
2	F	260	ARG	CZ-NH1	-7.18	1.23	1.33
1	E	92	ARG	CZ-NH1	-7.18	1.23	1.33
3	I	62	ARG	CZ-NH2	-7.17	1.23	1.33
3	I	210	ARG	CZ-NH1	-7.15	1.23	1.33
2	F	129	ARG	CZ-NH1	-7.13	1.23	1.33
3	N	206	ARG	CZ-NH1	-7.10	1.23	1.33
1	E	15	ARG	CZ-NH1	-7.10	1.23	1.33
3	I	206	ARG	CZ-NH2	-7.05	1.23	1.33
3	N	39	ARG	CZ-NH1	-7.01	1.24	1.33
3	J	37	ARG	CZ-NH2	-6.98	1.24	1.33
3	N	210	ARG	CZ-NH1	-6.93	1.24	1.33
1	E	92	ARG	CZ-NH2	-6.93	1.24	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	O	183	ARG	CZ-NH2	-6.93	1.24	1.33
2	F	266	ARG	CZ-NH2	-6.91	1.24	1.33
1	E	163	ARG	CZ-NH2	-6.88	1.24	1.33
3	N	210	ARG	CZ-NH2	-6.87	1.24	1.33
1	E	94	ARG	CZ-NH2	-6.86	1.24	1.33
2	F	91	ARG	CZ-NH1	-6.86	1.24	1.33
2	F	266	ARG	CZ-NH1	-6.84	1.24	1.33
3	I	183	ARG	CZ-NH2	-6.83	1.24	1.33
1	E	215	ARG	CZ-NH2	-6.79	1.24	1.33
3	J	62	ARG	CZ-NH2	-6.79	1.24	1.33
3	O	177	ARG	CZ-NH2	-6.77	1.24	1.33
3	J	256	ARG	CZ-NH2	-6.77	1.24	1.33
3	J	254	ARG	CZ-NH2	-6.71	1.24	1.33
3	J	206	ARG	CZ-NH2	-6.67	1.24	1.33
3	N	39	ARG	CZ-NH2	-6.65	1.24	1.33
3	I	290	ARG	CZ-NH2	-6.63	1.24	1.33
1	E	108	ARG	CZ-NH2	-6.62	1.24	1.33
1	E	195	ARG	CZ-NH2	-6.61	1.24	1.33
3	N	37	ARG	CZ-NH2	-6.56	1.24	1.33
3	J	335	ARG	CZ-NH2	-6.56	1.24	1.33
3	I	39	ARG	CZ-NH1	-6.55	1.24	1.33
3	N	312	ARG	CZ-NH2	-6.53	1.24	1.33
3	I	256	ARG	CZ-NH2	-6.52	1.24	1.33
3	N	206	ARG	CZ-NH2	-6.48	1.24	1.33
3	J	116	ARG	CZ-NH2	-6.47	1.24	1.33
3	J	312	ARG	CZ-NH2	-6.46	1.24	1.33
3	N	256	ARG	CZ-NH2	-6.45	1.24	1.33
1	E	14	ARG	CZ-NH2	-6.43	1.24	1.33
4	T	7	CYS	CB-SG	6.41	1.93	1.82
1	E	15	ARG	CZ-NH2	-6.35	1.24	1.33
4	P	7	CYS	CB-SG	6.34	1.93	1.82
2	F	129	ARG	CZ-NH2	-6.32	1.24	1.33
2	F	91	ARG	CZ-NH2	-6.31	1.24	1.33
3	I	37	ARG	CZ-NH2	-6.31	1.24	1.33
4	Q	7	CYS	CB-SG	6.29	1.93	1.82
4	T	5	ALA	CA-CB	-6.25	1.39	1.52
4	R	5	ALA	CA-CB	-6.20	1.39	1.52
4	Q	5	ALA	CA-CB	-6.17	1.39	1.52
2	F	32	VAL	CB-CG2	-6.14	1.40	1.52
4	P	5	ALA	CA-CB	-6.11	1.39	1.52
4	R	7	CYS	CB-SG	6.09	1.92	1.82
4	S	5	ALA	CA-CB	-6.04	1.39	1.52

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	S	2	ALA	N-CA	-5.96	1.34	1.46
4	P	3	TRP	CA-CB	-5.92	1.41	1.53
4	R	2	ALA	N-CA	-5.72	1.34	1.46
4	Q	3	TRP	CA-C	-5.71	1.38	1.52
4	Q	3	TRP	CA-CB	-5.67	1.41	1.53
4	S	2	ALA	CA-CB	-5.66	1.40	1.52
4	S	7	CYS	CB-SG	5.60	1.91	1.82
2	F	230	LYS	CE-NZ	-5.58	1.35	1.49
4	R	2	ALA	CA-CB	-5.57	1.40	1.52
4	R	3	TRP	CA-CB	-5.56	1.41	1.53
2	F	32	VAL	CB-CG1	-5.43	1.41	1.52
4	P	2	ALA	CA-CB	-5.43	1.41	1.52
4	T	3	TRP	CA-CB	-5.42	1.42	1.53
3	I	272	CYS	CB-SG	-5.41	1.73	1.81
4	P	3	TRP	CA-C	-5.40	1.39	1.52
4	Q	2	ALA	CA-CB	-5.35	1.41	1.52
4	S	3	TRP	CA-CB	-5.28	1.42	1.53
4	R	3	TRP	CA-C	-5.28	1.39	1.52
4	T	2	ALA	CA-CB	-5.28	1.41	1.52
4	T	5	ALA	CA-C	-5.25	1.39	1.52
4	P	5	ALA	N-CA	-5.21	1.35	1.46
2	F	268	LYS	CE-NZ	-5.17	1.36	1.49
4	P	5	ALA	CA-C	-5.17	1.39	1.52
4	R	5	ALA	N-CA	-5.11	1.36	1.46
3	O	159	VAL	CB-CG2	-5.10	1.42	1.52
4	P	2	ALA	N-CA	-5.09	1.36	1.46
4	S	3	TRP	CA-C	-5.06	1.39	1.52
4	S	5	ALA	N-CA	-5.05	1.36	1.46
3	N	61	LYS	CE-NZ	-5.04	1.36	1.49
4	Q	5	ALA	CA-C	-5.04	1.39	1.52
3	I	291	LYS	CE-NZ	-5.03	1.36	1.49
4	Q	5	ALA	N-CA	-5.02	1.36	1.46

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	210	ARG	NE-CZ-NH1	7.72	124.16	120.30
4	T	2	ALA	N-CA-CB	7.53	120.64	110.10
4	P	2	ALA	N-CA-CB	7.46	120.55	110.10
4	Q	2	ALA	N-CA-CB	7.41	120.47	110.10
3	L	210	ARG	NE-CZ-NH1	7.20	123.90	120.30
3	I	143	TYR	CA-CB-CG	7.17	127.03	113.40

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	166	TYR	CB-CA-C	-7.06	96.28	110.40
3	K	206	ARG	NE-CZ-NH1	6.90	123.75	120.30
3	K	183	ARG	NE-CZ-NH1	6.87	123.73	120.30
2	F	259	ARG	NE-CZ-NH1	6.73	123.66	120.30
3	J	177	ARG	NE-CZ-NH1	6.62	123.61	120.30
3	K	210	ARG	NE-CZ-NH1	6.51	123.56	120.30
3	O	312	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	E	72	ARG	NE-CZ-NH1	6.31	123.46	120.30
3	O	210	ARG	NE-CZ-NH1	6.19	123.39	120.30
3	O	335	ARG	NE-CZ-NH1	6.10	123.35	120.30
3	I	62	ARG	CD-NE-CZ	6.05	132.08	123.60
3	J	183	ARG	NE-CZ-NH1	5.96	123.28	120.30
3	I	372	ARG	NE-CZ-NH1	5.96	123.28	120.30
3	I	356	TRP	CA-CB-CG	5.92	124.95	113.70
3	N	254	ARG	NE-CZ-NH1	5.89	123.25	120.30
3	I	28	ARG	NE-CZ-NH1	5.81	123.20	120.30
3	O	183	ARG	CD-NE-CZ	5.79	131.71	123.60
1	E	148	TRP	CA-CB-CG	5.77	124.66	113.70
3	I	147	ARG	NE-CZ-NH1	5.76	123.18	120.30
3	L	39	ARG	NE-CZ-NH1	5.76	123.18	120.30
3	L	312	ARG	NE-CZ-NH1	5.71	123.16	120.30
3	J	62	ARG	CD-NE-CZ	5.63	131.48	123.60
3	J	254	ARG	CD-NE-CZ	5.62	131.46	123.60
1	E	108	ARG	CD-NE-CZ	5.62	131.46	123.60
3	N	256	ARG	CD-NE-CZ	5.59	131.43	123.60
3	N	62	ARG	NE-CZ-NH1	5.56	123.08	120.30
3	L	183	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	E	15	ARG	CD-NE-CZ	5.55	131.37	123.60
3	I	177	ARG	NE-CZ-NH1	5.53	123.07	120.30
3	I	37	ARG	CD-NE-CZ	5.51	131.31	123.60
3	N	39	ARG	CD-NE-CZ	5.48	131.28	123.60
3	K	37	ARG	NE-CZ-NH1	5.47	123.03	120.30
2	F	70	TYR	CB-CG-CD2	-5.47	117.72	121.00
1	E	66	ARG	NE-CZ-NH1	5.46	123.03	120.30
3	I	290	ARG	NE-CZ-NH2	5.45	123.02	120.30
2	F	102	ARG	NE-CZ-NH1	5.44	123.02	120.30
3	J	132	MET	CA-CB-CG	5.42	122.51	113.30
4	Q	3	TRP	CD1-CG-CD2	5.40	110.62	106.30
3	L	147	ARG	NE-CZ-NH1	5.39	123.00	120.30
3	I	183	ARG	CD-NE-CZ	5.38	131.13	123.60
3	I	266	PHE	CB-CG-CD1	5.38	124.57	120.80
3	I	312	ARG	NE-CZ-NH1	5.36	122.98	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	62	ARG	NE-CZ-NH1	5.36	122.98	120.30
3	N	206	ARG	CD-NE-CZ	5.34	131.07	123.60
3	J	266	PHE	CB-CG-CD1	5.33	124.53	120.80
3	J	256	ARG	CD-NE-CZ	5.30	131.03	123.60
3	K	147	ARG	NE-CZ-NH1	5.29	122.95	120.30
2	F	54	PHE	CB-CG-CD1	5.29	124.50	120.80
3	J	116	ARG	CD-NE-CZ	5.29	131.00	123.60
1	E	268	ARG	NE-CZ-NH1	5.29	122.94	120.30
4	R	3	TRP	CB-CG-CD2	-5.28	119.74	126.60
3	N	183	ARG	NE-CZ-NH1	5.26	122.93	120.30
3	N	147	ARG	NE-CZ-NH1	5.25	122.92	120.30
4	Q	3	TRP	CB-CG-CD2	-5.24	119.79	126.60
3	L	37	ARG	NE-CZ-NH1	5.23	122.91	120.30
3	I	335	ARG	NE-CZ-NH1	5.22	122.91	120.30
3	I	210	ARG	NE-CZ-NH1	5.21	122.91	120.30
3	N	39	ARG	NE-CZ-NH1	5.18	122.89	120.30
2	F	228	PHE	CB-CG-CD1	5.17	124.42	120.80
3	N	335	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	E	14	ARG	CD-NE-CZ	5.13	130.78	123.60
3	N	177	ARG	CB-CA-C	-5.11	100.19	110.40
3	J	312	ARG	CD-NE-CZ	5.09	130.73	123.60
3	K	32	PRO	N-CA-C	-5.05	98.97	112.10
3	K	266	PHE	CB-CG-CD2	-5.04	117.27	120.80
3	J	147	ARG	NE-CZ-NH1	5.02	122.81	120.30
2	F	70	TYR	CB-CG-CD1	5.01	124.00	121.00
3	K	31	PHE	CB-CA-C	5.00	120.41	110.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2146	0	2138	6	0
2	F	2212	0	2134	13	0
3	I	2894	0	2868	10	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	J	2894	0	2868	12	0
3	K	2894	0	2868	62	0
3	L	2894	0	2868	39	0
3	N	2894	0	2867	27	0
3	O	2894	0	2868	30	0
4	P	55	0	36	0	0
4	Q	55	0	35	2	0
4	R	55	0	36	0	0
4	S	55	0	35	4	0
4	T	55	0	36	3	0
5	I	27	0	12	3	0
5	J	27	0	12	1	0
5	K	27	0	12	3	0
5	L	27	0	12	0	0
5	N	27	0	12	0	0
5	O	27	0	12	2	0
6	I	1	0	0	0	0
6	J	1	0	0	0	0
6	K	1	0	0	0	0
6	L	1	0	0	0	0
6	N	1	0	0	0	0
6	O	1	0	0	0	0
7	K	5	0	0	0	0
7	L	5	0	0	0	0
7	N	5	0	0	0	0
7	O	5	0	0	0	0
All	All	22185	0	21729	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:O:202:THR:HG23	3:O:205:GLU:H	1.24	1.01
3:K:31:PHE:CZ	3:K:85:ILE:HG23	1.97	0.99
1:E:201:GLU:HB3	1:E:212:ASN:HD21	1.35	0.91
3:J:244:ASP:HB2	3:L:287:VAL:HG13	1.58	0.83
3:K:340:TRP:O	3:K:340:TRP:CE3	2.33	0.82
3:I:18:LYS:NZ	5:I:401:ADP:O2B	2.14	0.79
3:K:305:MET:SD	3:K:335:ARG:HG3	2.22	0.79

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:193:LEU:HD22	3:K:250:ILE:HD12	1.64	0.78
3:K:31:PHE:HZ	3:K:85:ILE:HG23	1.45	0.78
3:K:251:GLY:C	3:K:253:GLU:H	1.86	0.77
3:K:30:VAL:HG12	3:K:30:VAL:O	1.86	0.76
3:O:36:GLY:O	3:O:65:LEU:HD22	1.86	0.75
3:K:31:PHE:CE2	3:K:85:ILE:HG23	2.23	0.74
3:L:285:CYS:HB3	3:L:289:ILE:HD11	1.70	0.73
3:K:251:GLY:C	3:K:253:GLU:N	2.38	0.73
3:K:250:ILE:HG22	3:K:253:GLU:HB2	1.72	0.70
3:N:176:LEU:HD11	3:N:277:THR:HB	1.73	0.70
3:K:340:TRP:O	3:K:340:TRP:CD2	2.45	0.70
2:F:29:PHE:O	2:F:32:VAL:HG12	1.93	0.69
3:N:14:SER:HB2	3:N:157:ASP:HB3	1.75	0.68
3:L:285:CYS:O	3:L:290:ARG:NH2	2.27	0.67
3:L:288:ASP:O	3:L:290:ARG:N	2.26	0.66
3:I:49:GLN:HB2	3:K:169:TYR:OH	1.96	0.65
3:L:159:VAL:HG21	3:L:177:ARG:HH21	1.60	0.65
3:K:257:CYS:HB3	3:K:258:PRO:HD3	1.78	0.64
3:K:16:MET:HG2	3:K:32:PRO:HA	1.78	0.64
1:E:65:ASN:OD1	1:E:66:ARG:N	2.31	0.64
3:N:282:ILE:HG21	3:N:294:TYR:CE1	2.32	0.64
3:K:253:GLU:OE2	3:K:253:GLU:HA	1.99	0.63
3:L:219:VAL:HG22	3:L:258:PRO:HB2	1.80	0.62
3:K:166:TYR:C	3:K:168:GLY:N	2.52	0.61
3:N:285:CYS:HB3	3:N:289:ILE:HD11	1.82	0.61
4:S:3:TRP:HB2	4:S:7:CYS:H	1.63	0.61
3:J:244:ASP:OD1	3:L:290:ARG:HD2	2.01	0.61
3:K:9:VAL:HB	3:K:340:TRP:NE1	2.16	0.61
3:N:287:VAL:HG21	4:Q:6:DTH:HG21	1.83	0.60
3:K:16:MET:HA	3:K:33:SER:H	1.65	0.60
3:O:188:TYR:HB2	3:O:267:LEU:HD11	1.83	0.60
3:L:285:CYS:HB3	3:L:289:ILE:CD1	2.32	0.59
3:J:157:ASP:OD1	5:J:401:ADP:O3'	2.20	0.59
3:K:24:ASP:HB2	3:K:340:TRP:HH2	1.67	0.59
3:J:49:GLN:HB2	3:L:169:TYR:OH	2.02	0.59
3:K:220:ALA:HB2	3:K:255:PHE:HB2	1.83	0.59
3:I:156:GLY:HA3	5:I:401:ADP:O1B	2.02	0.59
2:F:113:VAL:HG12	2:F:114:ASP:N	2.18	0.59
3:K:251:GLY:O	3:K:253:GLU:HG2	2.02	0.58
2:F:216:VAL:HG12	2:F:217:THR:N	2.18	0.58
2:F:34:ASN:O	2:F:38:LEU:HG	2.05	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:9:VAL:HG13	3:I:104:LEU:HD23	1.85	0.57
3:K:217:CYS:HA	3:K:254:ARG:HB3	1.85	0.57
3:L:159:VAL:HG13	3:L:177:ARG:HG3	1.87	0.57
3:K:248:ILE:HG22	3:K:250:ILE:HD11	1.85	0.56
3:K:142:LEU:HG	3:K:147:ARG:O	2.06	0.56
3:L:282:ILE:CG2	3:L:290:ARG:HG3	2.36	0.56
3:K:339:VAL:C	3:K:341:ILE:N	2.55	0.55
4:Q:3:TRP:HB2	4:Q:7:CYS:O	2.07	0.55
3:O:18:LYS:NZ	5:O:401:ADP:O2B	2.27	0.55
3:L:253:GLU:H	3:L:253:GLU:CD	2.10	0.55
3:L:73:HIC:O	3:L:177:ARG:NH2	2.40	0.55
3:L:159:VAL:CG1	3:L:177:ARG:HG3	2.37	0.55
3:L:216:LEU:HD13	3:L:250:ILE:HG13	1.89	0.55
3:K:302:GLY:H	5:K:402:ADP:PA	2.30	0.54
3:K:166:TYR:O	3:K:169:TYR:N	2.36	0.54
3:N:24:ASP:HB2	3:N:340:TRP:HH2	1.73	0.54
3:O:202:THR:HG23	3:O:205:GLU:N	2.07	0.54
3:O:369:ILE:HD12	3:O:372:ARG:HH11	1.71	0.54
3:L:110:LEU:O	3:L:177:ARG:NH1	2.41	0.54
3:K:302:GLY:N	5:K:402:ADP:O1A	2.29	0.53
2:F:127:ALA:CB	2:F:225:THR:CG2	2.86	0.53
3:L:217:CYS:HB2	3:L:306:TYR:CE1	2.43	0.53
3:O:253:GLU:H	3:O:253:GLU:CD	2.12	0.53
3:N:72:GLU:HB3	3:N:73:HIC:HD2	1.89	0.53
3:L:72:GLU:C	3:L:74:GLY:H	2.10	0.53
3:O:297:THR:OG1	3:O:329:ILE:HD13	2.09	0.53
3:K:138:ALA:HB2	3:K:161:HIS:HD2	1.73	0.53
3:O:43:VAL:HG23	3:O:43:VAL:O	2.09	0.53
3:O:202:THR:OG1	3:O:203:THR:N	2.41	0.52
3:K:192:ILE:CG2	3:K:256:ARG:HH21	2.22	0.52
3:K:166:TYR:C	3:K:168:GLY:H	2.11	0.52
3:K:339:VAL:C	3:K:341:ILE:H	2.13	0.52
3:K:9:VAL:HB	3:K:340:TRP:HE1	1.73	0.52
3:I:285:CYS:HB3	3:I:289:ILE:HD11	1.93	0.51
3:O:67:LEU:HB2	3:O:203:THR:HG21	1.92	0.51
3:O:71:ILE:HG12	3:O:76:VAL:HG22	1.91	0.51
3:J:253:GLU:H	3:J:253:GLU:CD	2.14	0.51
2:F:127:ALA:HB3	2:F:225:THR:CG2	2.41	0.51
3:J:112:PRO:HD3	4:S:3:TRP:CH2	2.45	0.51
3:N:340:TRP:O	3:N:340:TRP:CE3	2.63	0.51
3:K:33:SER:O	3:K:33:SER:OG	2.24	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:290:ARG:O	3:L:291:LYS:C	2.48	0.50
3:O:157:ASP:N	5:O:401:ADP:H5'2	2.27	0.50
3:K:142:LEU:HD13	3:K:152:VAL:CG2	2.42	0.50
3:K:13:GLY:HA3	5:K:402:ADP:O2B	2.12	0.50
3:O:206:ARG:O	3:O:209:VAL:N	2.45	0.49
3:J:204:ALA:HB1	3:L:288:ASP:OD2	2.11	0.49
3:K:9:VAL:HG12	3:K:340:TRP:CD1	2.46	0.49
3:K:337:TYR:C	3:K:339:VAL:H	2.16	0.49
4:S:3:TRP:HB2	4:S:7:CYS:N	2.27	0.49
3:K:252:ASN:HA	3:K:255:PHE:CZ	2.48	0.49
3:L:294:TYR:O	3:L:327:ILE:HA	2.13	0.49
3:L:159:VAL:CG1	3:L:177:ARG:HE	2.25	0.49
3:L:219:VAL:HG12	3:L:219:VAL:O	2.11	0.49
3:O:297:THR:OG1	3:O:328:LYS:O	2.30	0.49
3:I:49:GLN:HB2	3:K:169:TYR:CZ	2.48	0.48
3:L:218:TYR:OH	3:L:236:LEU:HD21	2.13	0.48
3:L:217:CYS:HB2	3:L:306:TYR:HE1	1.78	0.48
3:N:140:LEU:HB2	3:N:339:VAL:HG13	1.94	0.48
3:J:203:THR:O	3:J:206:ARG:HB3	2.13	0.48
3:N:288:ASP:C	3:N:290:ARG:H	2.17	0.48
3:K:21:PHE:O	3:K:340:TRP:HZ2	1.97	0.48
3:K:250:ILE:CG2	3:K:253:GLU:HB2	2.43	0.48
3:I:14:SER:N	5:I:401:ADP:O3B	2.46	0.48
3:O:201:THR:H	3:O:205:GLU:CD	2.17	0.48
3:N:340:TRP:O	3:N:340:TRP:CD2	2.67	0.47
3:L:286:ASP:OD1	3:L:287:VAL:N	2.47	0.47
3:L:290:ARG:O	3:L:293:LEU:N	2.47	0.47
3:L:289:ILE:O	3:L:289:ILE:HG13	2.14	0.47
4:T:3:TRP:HB2	4:T:7:CYS:O	2.15	0.47
3:N:166:TYR:CD2	3:N:289:ILE:HB	2.50	0.47
3:O:76:VAL:HB	3:O:79:TRP:CZ2	2.50	0.47
3:I:197:GLY:HA2	4:S:3:TRP:HZ3	1.78	0.47
3:K:16:MET:O	3:K:18:LYS:NZ	2.38	0.47
3:K:72:GLU:C	3:K:74:GLY:H	2.17	0.47
2:F:113:VAL:CG1	2:F:114:ASP:N	2.78	0.46
2:F:216:VAL:CG1	2:F:217:THR:N	2.78	0.46
3:K:30:VAL:O	3:K:30:VAL:CG1	2.56	0.46
3:L:219:VAL:HG23	3:L:306:TYR:HB3	1.96	0.46
3:O:37:ARG:HG2	3:O:52:SER:HB3	1.98	0.46
3:N:338:SER:OG	3:N:339:VAL:N	2.49	0.46
3:L:24:ASP:HB2	3:L:340:TRP:HH2	1.81	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:N:253:GLU:H	3:N:253:GLU:CD	2.20	0.46
2:F:57:TYR:HA	2:F:60:ASP:OD2	2.16	0.46
3:K:192:ILE:HG22	3:K:256:ARG:HH21	1.80	0.46
3:L:159:VAL:HG11	3:L:177:ARG:HE	1.82	0.45
3:N:199:SER:HB2	4:T:3:TRP:CD2	2.51	0.45
3:N:293:LEU:O	3:N:294:TYR:C	2.52	0.45
3:O:67:LEU:HB2	3:O:203:THR:CG2	2.46	0.45
3:K:138:ALA:HB2	3:K:161:HIS:CD2	2.52	0.45
3:N:288:ASP:O	3:N:290:ARG:N	2.50	0.45
3:N:291:LYS:O	3:N:294:TYR:N	2.50	0.45
1:E:61:LEU:HA	1:E:65:ASN:HD21	1.82	0.45
3:K:252:ASN:HA	3:K:255:PHE:CE1	2.51	0.45
3:N:188:TYR:HB2	3:N:267:LEU:HD13	1.98	0.45
3:N:361:GLU:O	3:N:365:SER:OG	2.31	0.45
3:L:171:LEU:HB3	3:L:285:CYS:SG	2.57	0.45
1:E:235:LYS:HE2	2:F:198:TYR:CE1	2.52	0.44
3:K:166:TYR:CG	3:K:167:GLU:N	2.85	0.44
3:L:140:LEU:HD12	3:L:339:VAL:HG13	1.99	0.44
3:L:286:ASP:H	3:L:289:ILE:HD11	1.82	0.44
3:L:72:GLU:C	3:L:74:GLY:N	2.70	0.44
3:O:166:TYR:CE2	3:O:289:ILE:HB	2.53	0.44
3:O:39:ARG:HB2	3:O:40:HIS:H	1.52	0.44
3:K:333:PRO:O	3:K:334:GLU:HB2	2.18	0.44
2:F:127:ALA:HB3	2:F:225:THR:HG23	2.00	0.43
3:K:109:PRO:HG3	3:K:161:HIS:CB	2.47	0.43
3:L:219:VAL:HG11	3:L:262:PHE:CE2	2.52	0.43
3:J:53:TYR:CZ	3:J:61:LYS:HE3	2.53	0.43
3:I:286:ASP:O	3:I:289:ILE:HG12	2.19	0.43
3:K:340:TRP:O	3:K:340:TRP:CG	2.71	0.43
1:E:173:VAL:HG12	1:E:175:LEU:CD1	2.48	0.43
3:O:153:MET:HE3	3:O:274:ILE:HD12	2.00	0.43
3:K:337:TYR:O	3:K:339:VAL:N	2.52	0.43
3:K:152:VAL:O	3:K:162:THR:HA	2.19	0.42
3:K:159:VAL:HG12	3:K:160:THR:N	2.33	0.42
3:N:156:GLY:O	3:N:303:THR:HG23	2.19	0.42
3:J:67:LEU:HB2	3:J:203:THR:HG21	2.01	0.42
3:N:109:PRO:O	3:N:177:ARG:NH1	2.52	0.42
3:N:288:ASP:C	3:N:290:ARG:N	2.73	0.42
3:O:5:ILE:HD12	3:O:102:PRO:HD3	2.00	0.42
3:K:31:PHE:HZ	3:K:85:ILE:CG2	2.25	0.42
3:O:202:THR:N	3:O:205:GLU:HB2	2.35	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:N:76:VAL:HB	3:N:79:TRP:CZ2	2.55	0.42
3:N:158:GLY:C	3:N:181:ALA:CB	2.88	0.42
3:O:12:ASN:O	3:O:71:ILE:HD13	2.20	0.42
3:O:297:THR:OG1	3:O:329:ILE:HA	2.19	0.42
3:K:251:GLY:O	3:K:253:GLU:N	2.53	0.42
3:K:254:ARG:O	3:K:258:PRO:HD3	2.20	0.42
3:K:248:ILE:HG22	3:K:250:ILE:CD1	2.49	0.42
3:L:339:VAL:O	3:L:340:TRP:C	2.55	0.41
3:O:202:THR:H	3:O:205:GLU:HB2	1.85	0.41
3:O:372:ARG:CZ	3:O:372:ARG:HA	2.50	0.41
3:K:141:SER:O	3:K:142:LEU:C	2.55	0.41
3:N:290:ARG:O	3:N:291:LYS:C	2.55	0.41
3:J:103:VAL:O	3:J:132:MET:HA	2.20	0.41
3:L:219:VAL:HG11	3:L:262:PHE:HE2	1.86	0.41
4:T:1:HYP:C	4:T:3:TRP:H	2.33	0.41
3:J:76:VAL:HB	3:J:79:TRP:CZ2	2.56	0.41
2:F:220:ASN:O	2:F:224:THR:HG22	2.21	0.41
3:K:337:TYR:C	3:K:339:VAL:N	2.74	0.41
3:O:202:THR:HG22	3:O:205:GLU:CG	2.51	0.41
3:O:206:ARG:O	3:O:207:GLU:C	2.58	0.41
3:N:152:VAL:O	3:N:162:THR:HA	2.21	0.41
3:K:248:ILE:CG2	3:K:250:ILE:HD11	2.51	0.40
1:E:173:VAL:HG12	1:E:175:LEU:HD11	2.03	0.40
3:L:219:VAL:HG22	3:L:258:PRO:CB	2.49	0.40
2:F:124:CYS:HA	2:F:225:THR:HG23	2.03	0.40
3:I:76:VAL:HG11	3:I:79:TRP:CE3	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	270/272 (99%)	260 (96%)	10 (4%)	0	100	100
2	F	270/286 (94%)	259 (96%)	11 (4%)	0	100	100
3	I	368/375 (98%)	345 (94%)	22 (6%)	1 (0%)	41	74
3	J	368/375 (98%)	344 (94%)	24 (6%)	0	100	100
3	K	368/375 (98%)	340 (92%)	27 (7%)	1 (0%)	41	74
3	L	368/375 (98%)	344 (94%)	24 (6%)	0	100	100
3	N	368/375 (98%)	348 (95%)	20 (5%)	0	100	100
3	O	368/375 (98%)	348 (95%)	20 (5%)	0	100	100
4	P	3/7 (43%)	2 (67%)	0	1 (33%)	0	0
4	Q	3/7 (43%)	2 (67%)	0	1 (33%)	0	0
4	R	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
4	S	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
4	T	3/7 (43%)	2 (67%)	0	1 (33%)	0	0
All	All	2763/2843 (97%)	2598 (94%)	160 (6%)	5 (0%)	50	79

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	Q	2	ALA
4	T	2	ALA
4	P	2	ALA
3	I	74	GLY
3	K	338	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	241/241 (100%)	237 (98%)	4 (2%)	60	78
2	F	243/255 (95%)	240 (99%)	3 (1%)	71	84
3	I	313/317 (99%)	313 (100%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	J	313/317 (99%)	313 (100%)	0	100	100
3	K	313/317 (99%)	309 (99%)	4 (1%)	69	82
3	L	313/317 (99%)	311 (99%)	2 (1%)	86	92
3	N	313/317 (99%)	312 (100%)	1 (0%)	92	96
3	O	313/317 (99%)	311 (99%)	2 (1%)	86	92
4	P	2/2 (100%)	1 (50%)	1 (50%)	0	0
4	Q	2/2 (100%)	1 (50%)	1 (50%)	0	0
4	R	2/2 (100%)	1 (50%)	1 (50%)	0	0
4	S	2/2 (100%)	2 (100%)	0	100	100
4	T	2/2 (100%)	1 (50%)	1 (50%)	0	0
All	All	2372/2408 (98%)	2352 (99%)	20 (1%)	82	89

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	149	ASP
1	E	181	LYS
1	E	252	LYS
1	E	268	ARG
2	F	121	ARG
2	F	213	GLN
2	F	277	TYR
3	K	184	ASP
3	K	288	ASP
3	K	291	LYS
3	K	337	TYR
3	L	61	LYS
3	L	226	GLU
3	N	338	SER
3	O	39	ARG
3	O	61	LYS
4	Q	7	CYS
4	R	7	CYS
4	T	7	CYS
4	P	7	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	212	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

21 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DTH	T	6	4	5,6,7	3.50	4 (80%)	6,7,9	1.99	1 (16%)
3	HIC	I	73	3	8,11,12	1.66	1 (12%)	6,14,16	1.09	0
4	DTH	P	6	4	5,6,7	3.44	4 (80%)	6,7,9	1.72	1 (16%)
4	EEP	Q	4	4	8,9,10	7.94	6 (75%)	5,12,14	1.30	1 (20%)
4	DTH	S	6	4	5,6,7	3.42	4 (80%)	6,7,9	1.39	1 (16%)
4	EEP	P	4	4	8,9,10	8.01	6 (75%)	5,12,14	1.34	1 (20%)
4	EEP	S	4	4	8,9,10	8.07	6 (75%)	5,12,14	1.04	0
3	HIC	J	73	3	8,11,12	1.56	2 (25%)	6,14,16	1.06	0
4	HYP	R	1	4	6,8,9	4.32	5 (83%)	5,10,12	1.82	1 (20%)
4	HYP	P	1	4	6,8,9	4.42	5 (83%)	5,10,12	1.62	1 (20%)
3	HIC	L	73	3	8,11,12	1.55	2 (25%)	6,14,16	1.05	0
3	HIC	O	73	3	8,11,12	1.45	2 (25%)	6,14,16	1.12	0
3	HIC	N	73	3	8,11,12	1.53	2 (25%)	6,14,16	1.18	1 (16%)
4	HYP	Q	1	4	6,8,9	4.42	5 (83%)	5,10,12	1.63	1 (20%)
3	HIC	K	73	3	8,11,12	1.50	2 (25%)	6,14,16	1.13	0
4	EEP	T	4	4	8,9,10	7.89	6 (75%)	5,12,14	1.04	0
4	HYP	T	1	4	6,8,9	4.27	5 (83%)	5,10,12	1.62	1 (20%)
4	DTH	R	6	4	5,6,7	3.44	4 (80%)	6,7,9	1.67	1 (16%)
4	HYP	S	1	4	6,8,9	4.26	4 (66%)	5,10,12	1.74	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	EEP	R	4	4	8,9,10	8.03	6 (75%)	5,12,14	1.18	1 (20%)
4	DTH	Q	6	4	5,6,7	3.51	4 (80%)	6,7,9	1.33	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DTH	T	6	4	-	0/5/6/8	-
3	HIC	I	73	3	-	2/5/6/8	0/1/1/1
4	DTH	P	6	4	-	4/5/6/8	-
4	EEP	Q	4	4	-	4/9/10/12	-
4	DTH	S	6	4	-	0/5/6/8	-
4	EEP	P	4	4	-	7/9/10/12	-
4	EEP	S	4	4	-	5/9/10/12	-
3	HIC	J	73	3	-	2/5/6/8	0/1/1/1
4	HYP	R	1	4	-	0/0/11/13	0/1/1/1
4	HYP	P	1	4	-	0/0/11/13	0/1/1/1
3	HIC	L	73	3	-	1/5/6/8	0/1/1/1
3	HIC	O	73	3	-	2/5/6/8	0/1/1/1
3	HIC	N	73	3	-	1/5/6/8	0/1/1/1
4	HYP	Q	1	4	-	0/0/11/13	0/1/1/1
3	HIC	K	73	3	-	1/5/6/8	0/1/1/1
4	EEP	T	4	4	-	3/9/10/12	-
4	HYP	T	1	4	-	0/0/11/13	0/1/1/1
4	DTH	R	6	4	-	1/5/6/8	-
4	HYP	S	1	4	-	0/0/11/13	0/1/1/1
4	EEP	R	4	4	-	8/9/10/12	-
4	DTH	Q	6	4	-	5/5/6/8	-

All (85) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	S	4	EEP	CB-CG	-14.74	1.36	1.53
4	R	4	EEP	CB-CG	-14.37	1.37	1.53
4	P	4	EEP	CB-CG	-14.32	1.37	1.53
4	Q	4	EEP	CB-CG	-14.19	1.37	1.53
4	T	4	EEP	CB-CG	-14.03	1.37	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	4	EEP	CD2-CG	-13.87	1.36	1.52
4	T	4	EEP	CD2-CG	-13.85	1.36	1.52
4	R	4	EEP	CD2-CG	-13.82	1.36	1.52
4	S	4	EEP	CD2-CG	-13.81	1.36	1.52
4	Q	4	EEP	CD2-CG	-13.70	1.36	1.52
4	R	4	EEP	CB-CA	-8.15	1.44	1.54
4	S	4	EEP	CB-CA	-8.02	1.44	1.54
4	Q	4	EEP	CB-CA	-7.91	1.44	1.54
4	P	4	EEP	CB-CA	-7.85	1.44	1.54
4	T	4	EEP	CB-CA	-7.72	1.44	1.54
4	R	1	HYP	CD-CG	-6.24	1.38	1.53
4	P	1	HYP	CD-CG	-6.20	1.38	1.53
4	Q	1	HYP	CD-CG	-6.19	1.38	1.53
4	Q	1	HYP	CB-CA	-6.17	1.40	1.54
4	S	1	HYP	CD-CG	-6.13	1.38	1.53
4	T	1	HYP	CB-CA	-6.10	1.41	1.54
4	P	1	HYP	CB-CA	-5.99	1.41	1.54
4	R	1	HYP	CB-CA	-5.87	1.41	1.54
4	T	1	HYP	CD-CG	-5.85	1.39	1.53
4	S	1	HYP	CB-CA	-5.81	1.41	1.54
4	P	4	EEP	CA-N	-4.89	1.33	1.48
4	Q	4	EEP	CA-N	-4.78	1.33	1.48
4	R	4	EEP	CA-N	-4.64	1.34	1.48
4	P	1	HYP	CB-CG	-4.63	1.43	1.52
4	T	4	EEP	CA-N	-4.49	1.34	1.48
4	S	4	EEP	CA-N	-4.45	1.34	1.48
4	Q	1	HYP	CB-CG	-4.45	1.44	1.52
4	Q	6	DTH	CB-CA	-4.41	1.40	1.53
4	R	6	DTH	CB-CA	-4.35	1.40	1.53
4	T	6	DTH	CB-CA	-4.34	1.40	1.53
4	R	1	HYP	CB-CG	-4.29	1.44	1.52
4	S	6	DTH	CB-CA	-4.25	1.41	1.53
4	T	1	HYP	CB-CG	-4.19	1.44	1.52
4	S	1	HYP	CB-CG	-4.19	1.44	1.52
4	P	6	DTH	CB-CA	-4.16	1.41	1.53
4	Q	6	DTH	CA-N	-4.08	1.35	1.47
4	P	6	DTH	CA-N	-4.07	1.35	1.47
4	T	6	DTH	OG1-CB	-4.04	1.32	1.43
4	T	6	DTH	CA-N	-3.96	1.35	1.47
4	S	6	DTH	OG1-CB	-3.94	1.32	1.43
4	R	6	DTH	CA-N	-3.92	1.35	1.47
4	Q	6	DTH	OG1-CB	-3.90	1.32	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	6	DTH	OG1-CB	-3.89	1.32	1.43
4	R	6	DTH	OG1-CB	-3.86	1.32	1.43
4	S	4	EEP	O1-CG	-3.86	1.38	1.44
4	R	4	EEP	O1-CG	-3.85	1.38	1.44
4	S	6	DTH	CA-N	-3.84	1.35	1.47
4	P	4	EEP	O1-CG	-3.79	1.39	1.44
4	P	1	HYP	OD1-CG	-3.76	1.32	1.43
4	Q	4	EEP	O1-CG	-3.76	1.39	1.44
4	T	4	EEP	O1-CG	-3.71	1.39	1.44
4	Q	1	HYP	OD1-CG	-3.70	1.32	1.43
4	R	1	HYP	OD1-CG	-3.69	1.32	1.43
4	S	1	HYP	OD1-CG	-3.68	1.32	1.43
3	I	73	HIC	CD2-CG	3.67	1.41	1.36
4	T	1	HYP	OD1-CG	-3.67	1.32	1.43
4	Q	4	EEP	CD1-CG	-3.56	1.43	1.51
4	P	4	EEP	CD1-CG	-3.55	1.43	1.51
4	T	4	EEP	CD1-CG	-3.53	1.43	1.51
4	R	4	EEP	CD1-CG	-3.47	1.43	1.51
4	S	4	EEP	CD1-CG	-3.40	1.43	1.51
3	L	73	HIC	CD2-CG	3.32	1.41	1.36
3	J	73	HIC	CD2-CG	3.30	1.41	1.36
3	N	73	HIC	CD2-CG	3.14	1.40	1.36
3	K	73	HIC	CD2-CG	3.01	1.40	1.36
3	O	73	HIC	CD2-CG	2.83	1.40	1.36
4	T	6	DTH	CG2-CB	-2.77	1.43	1.51
4	Q	6	DTH	CG2-CB	-2.70	1.43	1.51
4	R	6	DTH	CG2-CB	-2.68	1.43	1.51
4	S	6	DTH	CG2-CB	-2.64	1.44	1.51
4	P	6	DTH	CG2-CB	-2.63	1.44	1.51
4	T	1	HYP	CD-N	-2.12	1.39	1.47
4	P	1	HYP	CD-N	-2.10	1.39	1.47
4	Q	1	HYP	CD-N	-2.08	1.39	1.47
3	J	73	HIC	CZ-NE2	-2.07	1.42	1.48
3	L	73	HIC	CZ-NE2	-2.06	1.42	1.48
4	R	1	HYP	CD-N	-2.05	1.40	1.47
3	N	73	HIC	CZ-NE2	-2.05	1.42	1.48
3	K	73	HIC	CZ-NE2	-2.05	1.42	1.48
3	O	73	HIC	CZ-NE2	-2.03	1.42	1.48

All (14) bond angle outliers are listed below:

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	T	6	DTH	O-C-CA	-4.58	112.78	124.78
4	P	6	DTH	O-C-CA	-3.55	115.47	124.78
4	Q	1	HYP	O-C-CA	-3.19	116.42	124.78
4	P	1	HYP	O-C-CA	-3.14	116.54	124.78
4	R	1	HYP	O-C-CA	-3.09	116.69	124.78
4	R	6	DTH	O-C-CA	-2.98	116.96	124.78
4	S	6	DTH	O-C-CA	-2.79	117.48	124.78
4	Q	6	DTH	O-C-CA	-2.75	117.58	124.78
4	S	1	HYP	O-C-CA	-2.67	117.79	124.78
4	P	4	EEP	O1-CG-CB	2.56	113.35	107.42
4	Q	4	EEP	O1-CG-CB	2.42	113.04	107.42
4	T	1	HYP	O-C-CA	-2.31	118.73	124.78
4	R	4	EEP	O1-CG-CB	2.16	112.43	107.42
3	N	73	HIC	CB-CA-C	-2.04	107.64	111.47

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	I	73	HIC	CA-CB-CG-ND1
3	J	73	HIC	CA-CB-CG-ND1
3	K	73	HIC	O-C-CA-CB
3	L	73	HIC	O-C-CA-CB
3	N	73	HIC	CA-CB-CG-ND1
3	O	73	HIC	CA-CB-CG-ND1
3	O	73	HIC	CA-CB-CG-CD2
4	Q	4	EEP	CA-CB-CG-CD1
4	Q	4	EEP	N-CA-CB-CG
4	R	4	EEP	CA-CB-CG-CD1
4	R	4	EEP	O2-CD1-CG-CB
4	R	4	EEP	O2-CD1-CG-O1
4	R	4	EEP	O2-CD1-CG-CD2
4	R	4	EEP	N-CA-CB-CG
4	R	4	EEP	C-CA-CB-CG
4	S	4	EEP	O2-CD1-CG-CB
4	S	4	EEP	O2-CD1-CG-O1
4	S	4	EEP	O2-CD1-CG-CD2
4	S	4	EEP	N-CA-CB-CG
4	T	4	EEP	N-CA-CB-CG
4	T	4	EEP	C-CA-CB-CG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	P	4	EEP	O2-CD1-CG-O1
4	P	4	EEP	O2-CD1-CG-CD2
4	Q	6	DTH	N-CA-CB-OG1
4	Q	6	DTH	C-CA-CB-CG2
4	Q	6	DTH	C-CA-CB-OG1
4	P	6	DTH	N-CA-CB-CG2
4	P	6	DTH	N-CA-CB-OG1
4	P	6	DTH	C-CA-CB-CG2
4	P	6	DTH	C-CA-CB-OG1
4	P	4	EEP	N-CA-CB-CG
4	Q	4	EEP	CA-CB-CG-CD2
4	Q	6	DTH	N-CA-CB-CG2
4	P	4	EEP	CA-CB-CG-CD1
4	S	4	EEP	C-CA-CB-CG
4	P	4	EEP	O2-CD1-CG-CB
3	I	73	HIC	CA-CB-CG-CD2
4	R	4	EEP	CA-CB-CG-CD2
4	P	4	EEP	CA-CB-CG-CD2
4	Q	4	EEP	CA-CB-CG-O1
4	R	4	EEP	CA-CB-CG-O1
4	P	4	EEP	CA-CB-CG-O1
3	J	73	HIC	CA-CB-CG-CD2
4	Q	6	DTH	O-C-CA-CB
4	R	6	DTH	O-C-CA-CB
4	T	4	EEP	CA-CB-CG-CD2

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	73	HIC	1	0
3	N	73	HIC	1	0
4	T	1	HYP	1	0
4	Q	6	DTH	1	0

## 5.5 Carbohydrates

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 16 ligands modelled in this entry, 6 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ADP	L	401	6	24,29,29	0.94	1 (4%)	29,45,45	1.45	4 (13%)
7	PO4	N	403	6	4,4,4	0.97	0	6,6,6	0.43	0
5	ADP	O	401	6	24,29,29	0.93	1 (4%)	29,45,45	1.55	4 (13%)
5	ADP	N	401	3,6	24,29,29	0.88	0	29,45,45	1.32	5 (17%)
7	PO4	O	403	6	4,4,4	0.99	0	6,6,6	0.40	0
5	ADP	J	401	6	24,29,29	0.92	1 (4%)	29,45,45	1.44	4 (13%)
7	PO4	L	403	6	4,4,4	1.04	0	6,6,6	0.44	0
5	ADP	I	401	6	24,29,29	0.93	1 (4%)	29,45,45	1.37	5 (17%)
7	PO4	K	401	6	4,4,4	0.95	0	6,6,6	0.39	0
5	ADP	K	402	6	24,29,29	0.94	1 (4%)	29,45,45	1.45	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ADP	L	401	6	-	5/12/32/32	0/3/3/3
5	ADP	O	401	6	-	0/12/32/32	0/3/3/3
5	ADP	N	401	3,6	-	6/12/32/32	0/3/3/3
5	ADP	J	401	6	-	5/12/32/32	0/3/3/3
5	ADP	I	401	6	-	6/12/32/32	0/3/3/3
5	ADP	K	402	6	-	0/12/32/32	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	I	401	ADP	C5-C4	2.20	1.46	1.40
5	O	401	ADP	C5-C4	2.17	1.46	1.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	L	401	ADP	C5-C4	2.16	1.46	1.40
5	K	402	ADP	C5-C4	2.09	1.46	1.40
5	J	401	ADP	C5-C4	2.03	1.46	1.40

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	401	ADP	PA-O3A-PB	-3.99	119.12	132.83
5	O	401	ADP	PA-O3A-PB	-3.98	119.17	132.83
5	L	401	ADP	PA-O3A-PB	-3.62	120.40	132.83
5	K	402	ADP	C3'-C2'-C1'	3.62	106.42	100.98
5	O	401	ADP	C3'-C2'-C1'	3.45	106.17	100.98
5	K	402	ADP	PA-O3A-PB	-3.43	121.06	132.83
5	O	401	ADP	N3-C2-N1	-3.27	123.56	128.68
5	L	401	ADP	C3'-C2'-C1'	3.26	105.89	100.98
5	N	401	ADP	N3-C2-N1	-3.25	123.59	128.68
5	L	401	ADP	N3-C2-N1	-3.19	123.69	128.68
5	J	401	ADP	N3-C2-N1	-3.11	123.81	128.68
5	K	402	ADP	N3-C2-N1	-3.04	123.93	128.68
5	I	401	ADP	N3-C2-N1	-3.03	123.95	128.68
5	I	401	ADP	C3'-C2'-C1'	2.91	105.36	100.98
5	I	401	ADP	PA-O3A-PB	-2.91	122.85	132.83
5	J	401	ADP	C4-C5-N7	-2.87	106.41	109.40
5	N	401	ADP	C3'-C2'-C1'	2.79	105.18	100.98
5	K	402	ADP	C4-C5-N7	-2.75	106.53	109.40
5	I	401	ADP	C4-C5-N7	-2.74	106.54	109.40
5	N	401	ADP	C4-C5-N7	-2.71	106.57	109.40
5	O	401	ADP	C4-C5-N7	-2.55	106.74	109.40
5	L	401	ADP	C4-C5-N7	-2.54	106.76	109.40
5	N	401	ADP	PA-O3A-PB	-2.44	124.46	132.83
5	J	401	ADP	C3'-C2'-C1'	2.28	104.41	100.98
5	N	401	ADP	O3B-PB-O2B	2.25	116.22	107.64
5	I	401	ADP	O3B-PB-O2B	2.21	116.08	107.64

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	I	401	ADP	C5'-O5'-PA-O1A
5	I	401	ADP	C5'-O5'-PA-O3A
5	I	401	ADP	C3'-C4'-C5'-O5'
5	J	401	ADP	C5'-O5'-PA-O1A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
5	J	401	ADP	C5'-O5'-PA-O2A
5	J	401	ADP	C5'-O5'-PA-O3A
5	L	401	ADP	C5'-O5'-PA-O1A
5	L	401	ADP	C5'-O5'-PA-O2A
5	L	401	ADP	C5'-O5'-PA-O3A
5	L	401	ADP	C3'-C4'-C5'-O5'
5	N	401	ADP	C5'-O5'-PA-O2A
5	N	401	ADP	C5'-O5'-PA-O3A
5	N	401	ADP	C3'-C4'-C5'-O5'
5	I	401	ADP	O4'-C4'-C5'-O5'
5	L	401	ADP	O4'-C4'-C5'-O5'
5	N	401	ADP	O4'-C4'-C5'-O5'
5	J	401	ADP	O4'-C4'-C5'-O5'
5	J	401	ADP	C3'-C4'-C5'-O5'
5	N	401	ADP	PA-O3A-PB-O2B
5	I	401	ADP	PB-O3A-PA-O1A
5	I	401	ADP	C5'-O5'-PA-O2A
5	N	401	ADP	C5'-O5'-PA-O1A


There are no ring outliers.



4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	O	401	ADP	2	0
5	J	401	ADP	1	0
5	I	401	ADP	3	0
5	K	402	ADP	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13343. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


### 6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 184




Y Index: 191




Z Index: 222


### 6.3.2 Raw map



X Index: 184



Y Index: 191




Z Index: 214

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.045. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_13343\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 235 nm<sup>3</sup>; this corresponds to an approximate mass of 212 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.263  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.83	4.43	3.89
Unmasked-calculated*	4.53	8.65	6.35

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.53 differs from the reported value 3.8 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13343 and PDB model 7PDZ. Per-residue inclusion information can be found in section 3 on page 7.

### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.045 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 62% of all non-hydrogen atoms, are inside the map.