



## Full wwPDB EM Validation Report ⓘ

Jul 7, 2024 – 06:08 am BST

PDB ID : 7QO1  
EMDB ID : EMD-14080  
Title : complex of DNA ligase I and FEN1 on PCNA and DNA  
Authors : Blair, K.; Tehseen, M.; Raducanu, V.S.; Shahid, T.; Lancey, C.; Cruet, R.; Hamdan, S.; De Biasio, A.  
Deposited on : 2021-12-23  
Resolution : 4.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	760	
2	B	264	
2	F	264	
2	G	264	
3	H	19	
4	I	13	
5	J	32	
6	Y	380	

## 2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 14179 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA ligase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	640	4960	3146	865	933	16	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	160	CYS	-	expression tag	UNP P18858

- Molecule 2 is a protein called Proliferating cell nuclear antigen.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	255	1930	1214	317	383	16	0	0
2	F	252	1925	1211	315	383	16	0	0
2	G	246	1873	1182	304	371	16	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP P12004
B	-1	PRO	-	expression tag	UNP P12004
B	0	HIS	-	expression tag	UNP P12004
F	-2	GLY	-	expression tag	UNP P12004
F	-1	PRO	-	expression tag	UNP P12004
F	0	HIS	-	expression tag	UNP P12004
G	-2	GLY	-	expression tag	UNP P12004
G	-1	PRO	-	expression tag	UNP P12004
G	0	HIS	-	expression tag	UNP P12004

- Molecule 3 is a DNA chain called Oligo19ddC.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	19	Total	C	N	O	P	0	0
			387	185	64	119	19		

- Molecule 4 is a DNA chain called Oligo13P.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	I	12	Total	C	N	O	P	0	0
			248	117	48	71	12		

- Molecule 5 is a DNA chain called Oligo32.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	J	31	Total	C	N	O	P	0	0
			635	300	123	181	31		


- Molecule 6 is a protein called Flap endonuclease 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Y	301	Total	C	N	O	S	0	0
			2198	1380	378	427	13		

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
Y	181	ALA	ASP	engineered mutation	UNP P39748

- Molecule 7 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
7	I	1	23	10	5	7	1	0








• Molecule 2: Proliferating cell nuclear antigen




• Molecule 2: Proliferating cell nuclear antigen




• Molecule 3: Oligo19ddC



• Molecule 4: Oligo13P



• Molecule 5: Oligo32







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	99243	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	18	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.038	Depositor
Minimum map value	-0.019	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.008	Depositor
Map size (Å)	215.43, 215.43, 215.43	wwPDB
Map dimensions	258, 258, 258	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.835, 0.835, 0.835	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, DOC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.65	0/5059	1.05	29/6859 (0.4%)
2	B	0.58	0/1956	0.97	6/2649 (0.2%)
2	F	0.62	0/1950	0.96	4/2635 (0.2%)
2	G	0.58	0/1898	0.96	8/2567 (0.3%)
3	H	1.61	2/411 (0.5%)	2.20	24/633 (3.8%)
4	I	1.54	0/278	2.09	14/427 (3.3%)
5	J	1.59	0/713	2.28	60/1097 (5.5%)
6	Y	0.62	0/2235	0.97	8/3027 (0.3%)
All	All	0.77	2/14500 (0.0%)	1.19	153/19894 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
2	F	0	3
2	G	0	2
3	H	0	4
4	I	0	4
5	J	0	5
All	All	0	23

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	17	DG	O3'-P	-10.64	1.48	1.61
3	H	10	DC	C4-N4	-5.30	1.29	1.33

All (153) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	678	ARG	NE-CZ-NH2	9.61	125.11	120.30
5	J	14	DA	N1-C6-N6	-9.19	113.08	118.60
2	B	146	ARG	NE-CZ-NH2	8.99	124.79	120.30
5	J	18	DA	C5-C6-N1	8.95	122.17	117.70
4	I	25	DA	C5-C6-N1	8.84	122.12	117.70
3	H	13	DA	N1-C6-N6	-8.69	113.39	118.60
5	J	24	DA	N1-C6-N6	-8.52	113.49	118.60
1	A	774	ARG	NE-CZ-NH2	8.49	124.54	120.30
2	B	91	ARG	NE-CZ-NH2	8.12	124.36	120.30
4	I	30	DA	C4-C5-C6	-8.06	112.97	117.00
5	J	14	DA	C5-C6-N1	7.96	121.68	117.70
6	Y	211	ARG	NE-CZ-NH2	7.77	124.19	120.30
5	J	28	DA	N1-C6-N6	-7.76	113.95	118.60
4	I	20	DG	P-O3'-C3'	-7.73	110.42	119.70
1	A	871	ARG	NE-CZ-NH2	7.70	124.15	120.30
4	I	29	DA	C5-C6-N1	7.60	121.50	117.70
3	H	13	DA	C5-C6-N1	7.57	121.48	117.70
1	A	877	ARG	NE-CZ-NH2	7.54	124.07	120.30
5	J	8	DC	N3-C2-O2	-7.53	116.63	121.90
1	A	678	ARG	NE-CZ-NH1	-7.51	116.55	120.30
1	A	738	ARG	NE-CZ-NH2	7.47	124.03	120.30
5	J	11	DA	C5-C6-N1	7.43	121.42	117.70
5	J	17	DC	N3-C2-O2	-7.34	116.76	121.90
5	J	8	DC	N1-C2-O2	7.33	123.30	118.90
5	J	21	DA	N1-C6-N6	-7.30	114.22	118.60
2	G	249	TYR	CB-CG-CD2	-7.28	116.63	121.00
5	J	28	DA	C5-C6-N1	7.24	121.32	117.70
2	F	91	ARG	NE-CZ-NH2	7.23	123.92	120.30
5	J	5	DA	C5-C6-N1	7.11	121.26	117.70
5	J	20	DC	N3-C2-O2	-7.05	116.96	121.90
3	H	4	DT	C6-C5-C7	-7.05	118.67	122.90
5	J	26	DA	N1-C6-N6	-7.04	114.38	118.60
5	J	1	DG	N1-C6-O6	-7.00	115.70	119.90
1	A	874	ARG	NE-CZ-NH2	7.00	123.80	120.30
5	J	29	DA	C5-C6-N1	6.96	121.18	117.70
5	J	23	DC	N3-C2-O2	-6.86	117.10	121.90
5	J	26	DA	C5-C6-N1	6.78	121.09	117.70
5	J	19	DT	C6-C5-C7	-6.74	118.85	122.90
3	H	5	DC	N1-C2-O2	6.62	122.87	118.90
6	Y	70	ARG	NE-CZ-NH2	6.61	123.60	120.30
6	Y	29	ARG	NE-CZ-NH2	6.59	123.59	120.30
5	J	24	DA	C4-C5-C6	-6.58	113.71	117.00
5	J	12	DC	N3-C2-O2	-6.58	117.30	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	10	DC	N3-C2-O2	-6.55	117.32	121.90
1	A	451	ARG	NE-CZ-NH2	6.53	123.57	120.30
2	G	215	PHE	CB-CG-CD2	-6.53	116.23	120.80
4	I	26	DC	N3-C2-O2	-6.52	117.34	121.90
3	H	11	DT	C6-C5-C7	-6.50	119.00	122.90
1	A	771	ARG	NE-CZ-NH2	6.48	123.54	120.30
5	J	29	DA	C4-C5-C6	-6.48	113.76	117.00
5	J	21	DA	C5-C6-N1	6.47	120.94	117.70
5	J	12	DC	O4'-C1'-N1	6.46	112.52	108.00
2	G	57	PHE	CB-CG-CD2	-6.45	116.28	120.80
5	J	14	DA	C4-C5-C6	-6.42	113.79	117.00
1	A	440	ARG	NE-CZ-NH2	6.37	123.48	120.30
1	A	664	TYR	CB-CG-CD2	-6.36	117.19	121.00
3	H	13	DA	C4-C5-C6	-6.33	113.84	117.00
5	J	20	DC	O4'-C1'-N1	6.30	112.41	108.00
5	J	3	DT	O4'-C1'-N1	6.17	112.32	108.00
1	A	449	ARG	NE-CZ-NH2	6.16	123.38	120.30
5	J	11	DA	C4-C5-C6	-6.14	113.93	117.00
5	J	5	DA	N1-C6-N6	-6.12	114.93	118.60
5	J	26	DA	C4-C5-C6	-6.06	113.97	117.00
3	H	14	DT	C6-C5-C7	-6.06	119.26	122.90
3	H	3	DT	C6-C5-C7	-6.05	119.27	122.90
5	J	7	DT	C6-C5-C7	-6.00	119.30	122.90
1	A	589	ARG	NE-CZ-NH2	5.99	123.30	120.30
5	J	11	DA	N1-C6-N6	-5.99	115.00	118.60
1	A	679	ARG	NE-CZ-NH2	5.98	123.29	120.30
2	B	215	PHE	CB-CG-CD2	-5.98	116.61	120.80
5	J	14	DA	O4'-C1'-N9	5.98	112.19	108.00
3	H	2	DC	N3-C2-O2	-5.96	117.73	121.90
5	J	9	DC	N3-C4-C5	5.95	124.28	121.90
1	A	683	ARG	NE-CZ-NH2	5.95	123.27	120.30
5	J	22	DG	C5-C6-N1	5.93	114.47	111.50
6	Y	245	ARG	NE-CZ-NH2	5.90	123.25	120.30
3	H	10	DC	O4'-C1'-N1	5.88	112.11	108.00
4	I	29	DA	C4-C5-C6	-5.87	114.06	117.00
5	J	31	DC	N3-C2-O2	-5.85	117.80	121.90
5	J	29	DA	N1-C6-N6	-5.84	115.10	118.60
5	J	28	DA	C4-C5-C6	-5.83	114.08	117.00
5	J	17	DC	N3-C4-C5	5.83	124.23	121.90
1	A	677	ARG	NE-CZ-NH2	5.83	123.21	120.30
5	J	15	DC	N3-C2-O2	-5.81	117.83	121.90
5	J	3	DT	C6-C5-C7	-5.80	119.42	122.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	9	DC	N3-C2-O2	-5.80	117.84	121.90
5	J	30	DG	O4'-C4'-C3'	5.79	109.47	106.00
5	J	2	DT	C6-C5-C7	-5.77	119.44	122.90
3	H	17	DG	P-O3'-C3'	-5.75	112.79	119.70
5	J	17	DC	N1-C2-O2	5.75	122.35	118.90
3	H	10	DC	N1-C2-O2	5.74	122.34	118.90
5	J	5	DA	C4-C5-C6	-5.74	114.13	117.00
2	G	57	PHE	CB-CG-CD1	5.73	124.81	120.80
5	J	18	DA	C4-C5-C6	-5.69	114.15	117.00
2	F	210	ARG	NE-CZ-NH2	5.67	123.14	120.30
3	H	10	DC	N3-C4-C5	5.67	124.17	121.90
5	J	4	DC	N3-C2-O2	-5.65	117.94	121.90
3	H	5	DC	N3-C2-O2	-5.62	117.96	121.90
5	J	21	DA	C4-C5-C6	-5.60	114.20	117.00
4	I	27	DT	C6-C5-C7	-5.59	119.54	122.90
2	B	5	ARG	NE-CZ-NH2	5.58	123.09	120.30
2	G	53	ARG	NE-CZ-NH2	5.58	123.09	120.30
1	A	294	ARG	NE-CZ-NH2	5.55	123.08	120.30
2	B	64	ARG	NE-CZ-NH2	5.54	123.07	120.30
3	H	8	DT	C5-C6-N1	-5.54	120.38	123.70
6	Y	40	TYR	CB-CG-CD2	-5.51	117.69	121.00
2	G	146	ARG	NE-CZ-NH2	5.49	123.04	120.30
3	H	1	DG	C5-C6-N1	5.48	114.24	111.50
3	H	9	DG	C5-C6-N1	5.47	114.23	111.50
5	J	7	DT	N3-C2-O2	-5.46	119.03	122.30
3	H	14	DT	N3-C2-O2	-5.44	119.04	122.30
6	Y	327	ARG	NE-CZ-NH2	5.44	123.02	120.30
2	G	91	ARG	NE-CZ-NH2	5.42	123.01	120.30
1	A	515	ARG	NE-CZ-NH2	5.36	122.98	120.30
1	A	879	ARG	NE-CZ-NH2	5.36	122.98	120.30
4	I	26	DC	N3-C4-C5	5.36	124.04	121.90
4	I	22	DC	N3-C2-O2	-5.34	118.16	121.90
5	J	19	DT	N3-C2-O2	-5.33	119.10	122.30
3	H	15	DG	C5-C6-N1	5.33	114.16	111.50
2	F	249	TYR	CB-CG-CD2	-5.32	117.81	121.00
5	J	23	DC	N3-C4-C5	5.31	124.02	121.90
4	I	22	DC	C5-C4-N4	-5.31	116.49	120.20
1	A	527	ARG	NE-CZ-NH2	5.29	122.94	120.30
2	B	61	ARG	NE-CZ-NH2	5.24	122.92	120.30
5	J	24	DA	C5-C6-N1	5.23	120.32	117.70
2	F	149	ARG	NE-CZ-NH2	5.23	122.92	120.30
1	A	825	ARG	NE-CZ-NH1	-5.23	117.69	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	317	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	A	549	ARG	NE-CZ-NH2	5.18	122.89	120.30
6	Y	227	CYS	CA-CB-SG	-5.18	104.68	114.00
5	J	20	DC	N1-C2-O2	5.17	122.00	118.90
5	J	23	DC	C2-N3-C4	-5.15	117.33	119.90
4	I	26	DC	N1-C2-O2	5.14	121.98	118.90
1	A	307	ARG	NE-CZ-NH2	5.13	122.87	120.30
1	A	658	TYR	CB-CG-CD1	-5.12	117.93	121.00
5	J	26	DA	O4'-C1'-N9	5.11	111.58	108.00
3	H	9	DG	N3-C4-C5	-5.10	126.05	128.60
4	I	20	DG	OP1-P-OP2	-5.10	111.96	119.60
3	H	7	DG	N1-C6-O6	-5.09	116.84	119.90
4	I	22	DC	N3-C4-C5	5.09	123.94	121.90
6	Y	322	ARG	NE-CZ-NH2	5.09	122.84	120.30
1	A	825	ARG	NE-CZ-NH2	5.08	122.84	120.30
5	J	9	DC	N1-C2-O2	5.08	121.95	118.90
2	G	149	ARG	NE-CZ-NH2	5.05	122.83	120.30
5	J	9	DC	C1'-O4'-C4'	-5.05	105.05	110.10
1	A	783	TYR	CB-CG-CD1	-5.04	117.98	121.00
1	A	823	TYR	CB-CG-CD2	-5.04	117.98	121.00
3	H	7	DG	O4'-C4'-C3'	5.04	109.02	106.00
1	A	391	ARG	NE-CZ-NH2	5.03	122.81	120.30
4	I	31	DC	N3-C4-N4	-5.01	114.49	118.00
3	H	4	DT	N3-C2-O2	-5.01	119.30	122.30
5	J	6	DG	N1-C6-O6	-5.01	116.90	119.90
5	J	30	DG	O4'-C1'-N9	5.00	111.50	108.00

There are no chirality outliers.

All (23) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	567	TYR	Sidechain
1	A	664	TYR	Sidechain
1	A	768	ARG	Sidechain
1	A	874	ARG	Sidechain
1	A	877	ARG	Sidechain
2	F	146	ARG	Sidechain
2	F	249	TYR	Sidechain
2	F	60	TYR	Sidechain
2	G	249	TYR	Sidechain
2	G	250	TYR	Sidechain
3	H	1	DG	Sidechain

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Group
3	H	15	DG	Sidechain
3	H	16	DC	Sidechain
3	H	8	DT	Sidechain
4	I	27	DT	Sidechain
4	I	29	DA	Sidechain
4	I	30	DA	Sidechain
4	I	31	DC	Sidechain
5	J	10	DG	Sidechain
5	J	13	DG	Sidechain
5	J	2	DT	Sidechain
5	J	24	DA	Sidechain
5	J	30	DG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4960	0	4994	14	0
2	B	1930	0	1913	8	0
2	F	1925	0	1923	9	0
2	G	1873	0	1875	5	0
3	H	387	0	215	9	0
4	I	248	0	135	9	0
5	J	635	0	346	9	0
6	Y	2198	0	2050	8	0
7	I	23	0	12	3	0
All	All	14179	0	13463	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:8:DT:H3	5:J:24:DA:H61	1.23	0.86
1:A:635:PHE:CE1	3:H:19:DOC:H4'	2.34	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:7:DG:H1	5:J:25:DC:H42	1.52	0.57
2:F:175:LEU:H	2:F:175:LEU:HD23	1.70	0.56
3:H:17:DG:H2''	3:H:18:DT:O5'	2.08	0.54
3:H:8:DT:H3	5:J:24:DA:N6	1.99	0.53
4:I:25:DA:H61	5:J:7:DT:H3	1.56	0.53
1:A:566:GLU:HB2	1:A:723:MET:HB3	1.91	0.52
3:H:19:DOC:N4	4:I:20:DG:C8	2.77	0.52
2:G:93:GLU:HB3	2:G:96:ALA:HB2	1.91	0.51
2:B:158:VAL:HG13	2:B:209:LEU:HD21	1.92	0.51
1:A:336:ASN:HB2	1:A:450:LEU:HD13	1.93	0.50
6:Y:334:GLY:O	6:Y:336:THR:HG23	2.12	0.50
2:B:133:TYR:CG	2:B:228:SER:HB3	2.48	0.49
4:I:20:DG:P	7:I:100:AMP:H4'	2.53	0.49
2:F:87:ILE:HB	2:F:104:GLU:HB2	1.95	0.48
2:G:255:ILE:O	6:Y:336:THR:HG22	2.13	0.48
2:F:5:ARG:HB3	2:F:59:THR:HB	1.95	0.48
6:Y:188:PRO:HA	6:Y:209:LEU:HB3	1.95	0.47
2:B:1:MET:HA	2:B:93:GLU:HA	1.95	0.47
1:A:540:LEU:HD21	1:A:663:ILE:HG21	1.97	0.47
3:H:8:DT:O2	5:J:24:DA:N1	2.48	0.47
6:Y:76:GLU:HG3	6:Y:327:ARG:HH11	1.80	0.47
2:B:253:PRO:HB2	2:B:255:ILE:HG23	1.97	0.46
4:I:31:DC:C4	5:J:1:DG:O6	2.69	0.46
1:A:744:LYS:NZ	7:I:100:AMP:O3P	2.34	0.46
2:F:213:ASN:O	2:F:216:THR:HG22	2.16	0.46
1:A:392:LEU:HD21	2:B:45:VAL:HG22	1.99	0.45
2:F:145:ALA:HB2	2:F:219:THR:HG21	1.99	0.45
6:Y:42:PHE:HB3	6:Y:63:HIS:HA	1.98	0.45
2:F:1:MET:HA	2:F:92:ALA:O	2.16	0.45
4:I:31:DC:C2	5:J:1:DG:N1	2.85	0.44
2:F:19:LEU:HD11	2:F:48:VAL:HG21	1.99	0.44
2:B:158:VAL:CG1	2:B:209:LEU:HD21	2.48	0.44
1:A:744:LYS:HZ2	7:I:100:AMP:P	2.40	0.43
1:A:860:GLY:HA2	1:A:864:SER:HA	2.00	0.43
6:Y:148:MET:HG3	6:Y:150:ILE:HG12	2.01	0.43
5:J:28:DA:C6	5:J:29:DA:C6	3.07	0.43
6:Y:156:PRO:HB2	6:Y:287:GLU:HG3	2.00	0.43
2:G:2:PHE:HB3	2:G:92:ALA:HB3	2.00	0.42
2:B:228:SER:HB2	2:B:236:VAL:HB	2.01	0.42
2:G:236:VAL:HG22	2:G:250:TYR:CE2	2.54	0.42
1:A:291:ALA:O	1:A:295:THR:HG23	2.19	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:295:THR:HG21	1:A:315:LEU:HG	2.01	0.42
1:A:636:GLN:HA	1:A:639:THR:HG22	2.02	0.42
3:H:19:DOC:C4	4:I:20:DG:C8	3.02	0.42
2:F:216:THR:O	2:F:219:THR:HG23	2.19	0.42
5:J:4:DC:H2''	5:J:5:DA:H5'	2.01	0.42
3:H:9:DG:H2''	3:H:10:DC:H5'	2.02	0.42
1:A:616:PHE:CD1	1:A:618:LEU:HD23	2.56	0.41
1:A:783:TYR:CD1	1:A:885:GLU:HA	2.56	0.41
2:B:87:ILE:HB	2:B:104:GLU:HB2	2.02	0.41
2:F:63:ASP:CG	2:F:64:ARG:HE	2.24	0.41
2:G:234:PRO:HD3	6:Y:343:PHE:CD2	2.56	0.40
4:I:21:DT:H2''	4:I:22:DC:C6	2.56	0.40
4:I:29:DA:C5	4:I:30:DA:C6	3.10	0.40
1:A:744:LYS:NZ	4:I:21:DT:OP1	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	638/760 (84%)	597 (94%)	41 (6%)	0	100	100
2	B	253/264 (96%)	244 (96%)	9 (4%)	0	100	100
2	F	248/264 (94%)	235 (95%)	12 (5%)	1 (0%)	34	72
2	G	242/264 (92%)	234 (97%)	7 (3%)	1 (0%)	34	72
6	Y	295/380 (78%)	275 (93%)	19 (6%)	1 (0%)	41	76
All	All	1676/1932 (87%)	1585 (95%)	88 (5%)	3 (0%)	50	81

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	231	ALA
2	G	210	ARG
6	Y	254	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	533/647 (82%)	520 (98%)	13 (2%)	49	69
2	B	214/230 (93%)	209 (98%)	5 (2%)	50	70
2	F	216/230 (94%)	211 (98%)	5 (2%)	50	70
2	G	211/230 (92%)	208 (99%)	3 (1%)	67	81
6	Y	217/321 (68%)	213 (98%)	4 (2%)	59	77
All	All	1391/1658 (84%)	1361 (98%)	30 (2%)	54	71

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	300	GLU
1	A	342	GLN
1	A	364	ARG
1	A	365	GLN
1	A	387	ARG
1	A	498	GLU
1	A	522	GLU
1	A	525	LEU
1	A	549	ARG
1	A	679	ARG
1	A	692	GLU
1	A	748	ASP
1	A	877	ARG
2	B	1	MET
2	B	40	MET
2	B	61	ARG
2	B	110	LYS

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
2	B	117	LYS
2	F	64	ARG
2	F	117	LYS
2	F	177	ASN
2	F	198	GLU
2	F	227	LEU
2	G	25	GLU
2	G	55	GLU
2	G	240	LYS
6	Y	6	LEU
6	Y	201	LYS
6	Y	289	LEU
6	Y	319	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	336	ASN
6	Y	41	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	DOC	H	19	3,5	16,19,20	4.40	12 (75%)	20,26,29	1.38	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DOC	H	19	3,5	-	2/7/18/19	0/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	19	DOC	O4'-C4'	8.19	1.61	1.44
3	H	19	DOC	O4'-C1'	-6.59	1.27	1.42
3	H	19	DOC	C2-N3	6.39	1.49	1.36
3	H	19	DOC	C6-C5	6.07	1.49	1.35
3	H	19	DOC	C4-N3	5.10	1.44	1.34
3	H	19	DOC	C4-N4	4.91	1.45	1.33
3	H	19	DOC	C2-N1	4.28	1.49	1.40
3	H	19	DOC	C3'-C4'	-3.70	1.32	1.52
3	H	19	DOC	C6-N1	3.10	1.45	1.38
3	H	19	DOC	C2'-C1'	2.88	1.58	1.51
3	H	19	DOC	O2-C2	-2.73	1.18	1.23
3	H	19	DOC	C5-C4	2.69	1.49	1.42

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	19	DOC	C4'-O4'-C1'	-4.68	105.39	109.81

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	H	19	DOC	O4'-C4'-C5'-O5'
3	H	19	DOC	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	19	DOC	3	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	AMP	I	100	4	22,25,25	1.46	6 (27%)	25,38,38	2.72	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	AMP	I	100	4	-	1/6/26/26	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	I	100	AMP	C6-N6	2.71	1.43	1.34
7	I	100	AMP	P-O1P	-2.57	1.42	1.50
7	I	100	AMP	C2-N1	2.53	1.38	1.33
7	I	100	AMP	C4-N3	-2.47	1.32	1.35
7	I	100	AMP	C6-C5	-2.26	1.34	1.43
7	I	100	AMP	C5-N7	-2.18	1.31	1.39

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	I	100	AMP	C5-C6-N6	8.53	133.32	120.35
7	I	100	AMP	C1'-N9-C4	6.51	138.09	126.64
7	I	100	AMP	N6-C6-N1	-5.62	106.91	118.57

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	I	100	AMP	N3-C2-N1	-5.37	120.29	128.68

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	I	100	AMP	C4'-C5'-O5'-P

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	I	100	AMP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14080. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 129




Y Index: 129




Z Index: 129


### 6.2.2 Raw map



X Index: 129



Y Index: 129




Z Index: 129


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 127




Y Index: 136




Z Index: 132


### 6.3.2 Raw map



X Index: 127



Y Index: 135




Z Index: 125


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.008. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 112 nm<sup>3</sup>; this corresponds to an approximate mass of 101 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.40	-	-
Author-provided FSC curve	4.34	7.06	4.45
Unmasked-calculated*	5.17	7.39	6.01

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.17 differs from the reported value 4.4 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14080 and PDB model 7QO1. Per-residue inclusion information can be found in section 3 on page 6.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.008 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.008).



















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 65% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.008) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6500	 0.3030
A	 0.6290	 0.3240
B	 0.6930	 0.3160
F	 0.6290	 0.2660
G	 0.7090	 0.3350
H	 0.7310	 0.2750
I	 0.7900	 0.2780
J	 0.7500	 0.2810
Y	 0.5660	 0.2620

