



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2023 – 05:25 AM EDT

PDB ID : 7SI0  
Title : IgE-Fc in complex with 813  
Authors : Pennington, L.F.; Jardetzky, T.J.; Kleinboelting, S.  
Deposited on : 2021-10-12  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	247	 6% 72% 12% 15%
1	B	247	 % 73% 11% 15%
1	G	247	 4% 70% 14% 15%
1	H	247	 4% 72% 12% 15%
2	C	123	 % 83% 15% ..

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	123	
2	I	123	
2	K	123	
3	D	134	
3	F	134	
3	J	134	
3	L	134	
4	M	4	
4	O	4	
4	P	4	
5	N	2	
5	Q	2	
6	R	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	O	2	-	-	-	X
4	MAN	O	4	-	-	-	X
4	NAG	P	1	-	-	-	X
4	MAN	P	4	-	-	-	X
5	MAN	N	2	-	-	-	X
5	MAN	Q	2	-	-	-	X
6	NAG	R	1	-	-	-	X

## 2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 14043 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IgE Fc.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	209	Total 1648	C 1032	N 302	O 308	S 6	0	0	0
1	G	209	Total 1639	C 1027	N 301	O 305	S 6	0	0	0
1	H	209	Total 1643	C 1027	N 302	O 308	S 6	0	0	0
1	A	209	Total 1631	C 1021	N 298	O 306	S 6	0	0	0

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	299	ALA	-	expression tag	UNP P01854
B	300	PRO	-	expression tag	UNP P01854
B	301	MET	-	expression tag	UNP P01854
B	302	ALA	-	expression tag	UNP P01854
B	303	GLU	-	expression tag	UNP P01854
B	304	GLY	-	expression tag	UNP P01854
B	305	GLY	-	expression tag	UNP P01854
B	306	GLY	-	expression tag	UNP P01854
B	307	GLN	-	expression tag	UNP P01854
B	308	ASN	-	expression tag	UNP P01854
B	309	HIS	-	expression tag	UNP P01854
B	310	HIS	-	expression tag	UNP P01854
B	311	HIS	-	expression tag	UNP P01854
B	312	HIS	-	expression tag	UNP P01854
B	313	HIS	-	expression tag	UNP P01854
B	314	HIS	-	expression tag	UNP P01854
B	315	HIS	-	expression tag	UNP P01854
B	316	HIS	-	expression tag	UNP P01854
B	317	GLY	-	expression tag	UNP P01854
B	318	GLY	-	expression tag	UNP P01854
B	319	GLU	-	expression tag	UNP P01854

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	320	ASN	-	expression tag	UNP P01854
B	321	LEU	-	expression tag	UNP P01854
B	322	TYR	-	expression tag	UNP P01854
B	323	PHE	-	expression tag	UNP P01854
B	324	GLN	-	expression tag	UNP P01854
B	325	GLY	-	expression tag	UNP P01854
B	326	GLY	-	expression tag	UNP P01854
B	327	SER	-	expression tag	UNP P01854
G	299	ALA	-	expression tag	UNP P01854
G	300	PRO	-	expression tag	UNP P01854
G	301	MET	-	expression tag	UNP P01854
G	302	ALA	-	expression tag	UNP P01854
G	303	GLU	-	expression tag	UNP P01854
G	304	GLY	-	expression tag	UNP P01854
G	305	GLY	-	expression tag	UNP P01854
G	306	GLY	-	expression tag	UNP P01854
G	307	GLN	-	expression tag	UNP P01854
G	308	ASN	-	expression tag	UNP P01854
G	309	HIS	-	expression tag	UNP P01854
G	310	HIS	-	expression tag	UNP P01854
G	311	HIS	-	expression tag	UNP P01854
G	312	HIS	-	expression tag	UNP P01854
G	313	HIS	-	expression tag	UNP P01854
G	314	HIS	-	expression tag	UNP P01854
G	315	HIS	-	expression tag	UNP P01854
G	316	HIS	-	expression tag	UNP P01854
G	317	GLY	-	expression tag	UNP P01854
G	318	GLY	-	expression tag	UNP P01854
G	319	GLU	-	expression tag	UNP P01854
G	320	ASN	-	expression tag	UNP P01854
G	321	LEU	-	expression tag	UNP P01854
G	322	TYR	-	expression tag	UNP P01854
G	323	PHE	-	expression tag	UNP P01854
G	324	GLN	-	expression tag	UNP P01854
G	325	GLY	-	expression tag	UNP P01854
G	326	GLY	-	expression tag	UNP P01854
G	327	SER	-	expression tag	UNP P01854
H	299	ALA	-	expression tag	UNP P01854
H	300	PRO	-	expression tag	UNP P01854
H	301	MET	-	expression tag	UNP P01854
H	302	ALA	-	expression tag	UNP P01854
H	303	GLU	-	expression tag	UNP P01854

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	304	GLY	-	expression tag	UNP P01854
H	305	GLY	-	expression tag	UNP P01854
H	306	GLY	-	expression tag	UNP P01854
H	307	GLN	-	expression tag	UNP P01854
H	308	ASN	-	expression tag	UNP P01854
H	309	HIS	-	expression tag	UNP P01854
H	310	HIS	-	expression tag	UNP P01854
H	311	HIS	-	expression tag	UNP P01854
H	312	HIS	-	expression tag	UNP P01854
H	313	HIS	-	expression tag	UNP P01854
H	314	HIS	-	expression tag	UNP P01854
H	315	HIS	-	expression tag	UNP P01854
H	316	HIS	-	expression tag	UNP P01854
H	317	GLY	-	expression tag	UNP P01854
H	318	GLY	-	expression tag	UNP P01854
H	319	GLU	-	expression tag	UNP P01854
H	320	ASN	-	expression tag	UNP P01854
H	321	LEU	-	expression tag	UNP P01854
H	322	TYR	-	expression tag	UNP P01854
H	323	PHE	-	expression tag	UNP P01854
H	324	GLN	-	expression tag	UNP P01854
H	325	GLY	-	expression tag	UNP P01854
H	326	GLY	-	expression tag	UNP P01854
H	327	SER	-	expression tag	UNP P01854
A	299	ALA	-	expression tag	UNP P01854
A	300	PRO	-	expression tag	UNP P01854
A	301	MET	-	expression tag	UNP P01854
A	302	ALA	-	expression tag	UNP P01854
A	303	GLU	-	expression tag	UNP P01854
A	304	GLY	-	expression tag	UNP P01854
A	305	GLY	-	expression tag	UNP P01854
A	306	GLY	-	expression tag	UNP P01854
A	307	GLN	-	expression tag	UNP P01854
A	308	ASN	-	expression tag	UNP P01854
A	309	HIS	-	expression tag	UNP P01854
A	310	HIS	-	expression tag	UNP P01854
A	311	HIS	-	expression tag	UNP P01854
A	312	HIS	-	expression tag	UNP P01854
A	313	HIS	-	expression tag	UNP P01854
A	314	HIS	-	expression tag	UNP P01854
A	315	HIS	-	expression tag	UNP P01854
A	316	HIS	-	expression tag	UNP P01854

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	317	GLY	-	expression tag	UNP P01854
A	318	GLY	-	expression tag	UNP P01854
A	319	GLU	-	expression tag	UNP P01854
A	320	ASN	-	expression tag	UNP P01854
A	321	LEU	-	expression tag	UNP P01854
A	322	TYR	-	expression tag	UNP P01854
A	323	PHE	-	expression tag	UNP P01854
A	324	GLN	-	expression tag	UNP P01854
A	325	GLY	-	expression tag	UNP P01854
A	326	GLY	-	expression tag	UNP P01854
A	327	SER	-	expression tag	UNP P01854

- Molecule 2 is a protein called 813 Variable fragment Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	I	122	Total 944	C 595	N 164	O 182	S 3	0	0	0
2	E	123	Total 949	C 598	N 165	O 183	S 3	0	0	0
2	C	121	Total 940	C 593	N 163	O 181	S 3	0	0	0
2	K	121	Total 940	C 593	N 163	O 181	S 3	0	0	0

- Molecule 3 is a protein called 813 Variable fragment Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	J	112	Total 851	C 529	N 138	O 181	S 3	0	0	0
3	F	114	Total 862	C 536	N 141	O 182	S 3	0	0	0
3	D	114	Total 863	C 536	N 141	O 183	S 3	0	0	0
3	L	114	Total 863	C 536	N 141	O 183	S 3	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranos e-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluco pyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	M	4	Total	C	N	O	0	0	0
			50	28	2	20			
4	O	4	Total	C	N	O	0	0	0
			50	28	2	20			
4	P	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
5	N	2	Total	C	O	0	0	0
			22	12	10			
5	Q	2	Total	C	O	0	0	0
			22	12	10			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	R	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	I	1	Total	Na	0	0
			1	1		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total Na 1 1	0	0
7	K	1	Total Na 1 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	4	Total O 4 4	0	0
8	J	1	Total O 1 1	0	0
8	F	1	Total O 1 1	0	0
8	G	1	Total O 1 1	0	0
8	H	2	Total O 2 2	0	0
8	D	1	Total O 1 1	0	0
8	K	1	Total O 1 1	0	0
8	L	1	Total O 1 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: IgE Fc




- Molecule 1: IgE Fc




- Molecule 1: IgE Fc




- Molecule 1: IgE Fc





- Molecule 2: 813 Variable fragment Heavy chain

Chain I: 90% 7% ..



- Molecule 2: 813 Variable fragment Heavy chain

Chain E: 80% 20% ..



- Molecule 2: 813 Variable fragment Heavy chain

Chain C: 83% 15% ..




- Molecule 2: 813 Variable fragment Heavy chain

Chain K: 84% 14% ..




- Molecule 3: 813 Variable fragment Light chain

Chain J: 80% 16%





- Molecule 3: 813 Variable fragment Light chain

Chain F: 78% 7% 15%



- Molecule 3: 813 Variable fragment Light chain

Chain D:  81% 15%




- Molecule 3: 813 Variable fragment Light chain

Chain L:  75% 10% 15%




- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  25% 25% 50%



- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  25% 50% 25%



- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%



- Molecule 5: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose

Chain N:  50% 50%



- Molecule 5: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose

Chain Q:  100%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  60% 40%

MAG1
MAG2
MAN3
MAN4
MAN5

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.96Å 132.00Å 177.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.59 – 3.00 39.59 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (39.59-3.00) 99.6 (39.59-3.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.71 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.10_2155	Depositor
R, $R_{free}$	0.210 , 0.261 0.211 , 0.261	Depositor DCC
$R_{free}$ test set	2291 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	72.2	Xtrriage
Anisotropy	0.384	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 37.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	14043	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/1673	0.49	0/2282
1	B	0.31	0/1690	0.49	0/2302
1	G	0.30	0/1680	0.47	0/2289
1	H	0.31	0/1684	0.50	0/2294
2	C	0.32	0/966	0.54	1/1315 (0.1%)
2	E	0.38	0/975	0.53	0/1327
2	I	0.38	0/970	0.54	0/1320
2	K	0.34	0/966	0.52	0/1315
3	D	0.33	0/882	0.50	0/1196
3	F	0.33	0/881	0.51	0/1195
3	J	0.32	0/870	0.51	0/1182
3	L	0.34	0/882	0.50	0/1196
All	All	0.33	0/14119	0.51	1/19213 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	98	ARG	NE-CZ-NH1	-5.69	117.46	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1631	0	1591	21	0
1	B	1648	0	1626	17	0
1	G	1639	0	1615	26	0
1	H	1643	0	1615	18	0
2	C	940	0	885	12	0
2	E	949	0	890	14	0
2	I	944	0	888	6	0
2	K	940	0	885	8	0
3	D	863	0	813	4	0
3	F	862	0	810	5	0
3	J	851	0	796	2	0
3	L	863	0	813	8	0
4	M	50	0	43	3	0
4	O	50	0	43	1	0
4	P	50	0	43	4	0
5	N	22	0	19	1	0
5	Q	22	0	19	2	0
6	R	61	0	52	5	0
7	E	1	0	0	0	0
7	I	1	0	0	0	0
7	K	1	0	0	0	0
8	B	4	0	0	0	0
8	D	1	0	0	0	0
8	F	1	0	0	0	0
8	G	1	0	0	0	0
8	H	2	0	0	0	0
8	J	1	0	0	0	0
8	K	1	0	0	0	0
8	L	1	0	0	0	0
All	All	14043	0	13446	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:31:SER:HB3	3:D:36:TYR:HE2	1.60	0.67
1:G:494:GLN:OE1	1:G:496:ARG:NH2	2.29	0.65
1:G:342:ARG:NH2	1:G:473:ASP:OD1	2.31	0.63
1:G:365:PRO:HG3	1:G:397:LEU:HB2	1.81	0.62
1:A:422:HIS:CE1	1:A:424:HIS:HB2	2.35	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:390:GLU:HB3	1:G:398:THR:HB	1.83	0.61
1:B:454:PRO:HA	1:B:457:ARG:HE	1.66	0.61
1:A:479:LEU:HB2	1:A:523:ILE:HB	1.82	0.60
3:J:31:SER:HB3	3:J:36:TYR:HE2	1.66	0.60
2:C:33:TYR:CZ	2:C:98:ARG:NH1	2.68	0.60
1:G:494:GLN:HE21	1:H:496:ARG:HH11	1.50	0.59
3:D:54:ALA:HB3	3:D:57:TYR:HD2	1.66	0.59
2:E:2:VAL:HG21	2:E:98:ARG:NH1	2.18	0.59
1:B:372:LEU:HD13	1:B:401:SER:HB2	1.83	0.58
4:P:3:BMA:H62	5:Q:1:MAN:H2	1.85	0.58
1:H:344:SER:HB3	5:Q:2:MAN:H61	1.85	0.58
2:K:72:ARG:HA	2:K:79:PHE:HA	1.86	0.58
3:F:41:GLN:HB2	3:F:51:LEU:HD11	1.86	0.57
2:I:41:ALA:HB3	2:I:44:LYS:HB2	1.86	0.57
3:L:54:ALA:HB3	3:L:57:TYR:HD2	1.69	0.57
1:G:457:ARG:HG2	1:G:513:ARG:HH21	1.68	0.57
3:F:31:SER:HB3	3:F:36:TYR:HE2	1.71	0.56
2:K:91:THR:HG23	2:K:118:THR:HA	1.87	0.56
1:B:468:ASN:HA	1:B:502:GLY:HA3	1.88	0.55
3:L:110:ILE:H	3:L:110:ILE:HD12	1.70	0.55
3:L:52:ILE:HG12	3:L:58:LEU:HD12	1.89	0.55
4:M:3:BMA:H62	5:N:1:MAN:H2	1.89	0.54
1:B:477:GLN:HE22	1:B:527:VAL:HG23	1.73	0.54
2:E:24:VAL:O	2:E:77:ASN:ND2	2.40	0.53
1:A:392:GLN:CD	6:R:1:NAG:H62	2.29	0.53
2:C:40:GLN:HB2	2:C:46:LEU:HD23	1.90	0.53
1:G:518:GLN:HG3	1:G:519:LYS:N	2.22	0.53
1:A:422:HIS:CD2	1:A:423:PRO:HD2	2.43	0.53
1:H:348:LEU:HD12	1:H:354:PRO:HB3	1.89	0.53
2:E:73:ASP:OD1	2:E:75:SER:OG	2.24	0.53
1:A:370:VAL:HG12	1:A:422:HIS:CD2	2.43	0.53
1:G:494:GLN:H	1:G:494:GLN:CD	2.12	0.52
1:G:477:GLN:OE1	1:G:525:ARG:HD2	2.10	0.52
1:A:371:ASN:HB3	1:A:421:THR:OG1	2.09	0.52
1:H:359:LEU:HD13	1:H:400:THR:HG22	1.92	0.52
6:R:1:NAG:H61	6:R:2:NAG:C7	2.39	0.52
2:C:33:TYR:CE2	2:C:98:ARG:NH1	2.77	0.52
1:A:336:VAL:HG22	1:A:363:LEU:H	1.75	0.51
4:P:1:NAG:H83	4:P:1:NAG:H3	1.92	0.51
2:E:85:SER:OG	2:E:87:ARG:NH2	2.43	0.51
1:B:354:PRO:HD3	1:B:407:THR:HG22	1.93	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:421:THR:HG22	1:A:428:ALA:HB2	1.92	0.51
1:H:386:THR:O	1:H:401:SER:HA	2.10	0.51
1:B:336:VAL:HA	1:B:362:ASP:HA	1.93	0.50
2:C:33:TYR:CE1	2:C:98:ARG:NH1	2.79	0.50
1:B:479:LEU:HD23	1:B:484:GLN:HA	1.94	0.50
2:E:17:SER:HA	2:E:84:ASN:HA	1.94	0.50
2:C:35:TRP:CH2	2:C:98:ARG:HD3	2.47	0.50
3:D:54:ALA:HB3	3:D:57:TYR:CD2	2.47	0.49
1:B:422:HIS:CD2	1:B:424:HIS:HB3	2.47	0.49
1:H:349:PHE:CZ	1:H:529:GLU:HB3	2.47	0.49
1:G:354:PRO:HG2	1:G:405:VAL:O	2.13	0.49
1:B:479:LEU:HB2	1:B:523:ILE:HB	1.94	0.49
1:B:493:THR:HG21	1:A:493:THR:HG21	1.94	0.48
2:I:12:VAL:HG21	2:I:18:LEU:HD22	1.94	0.48
2:C:2:VAL:HG22	2:C:27:TYR:HB2	1.95	0.48
2:E:42:PRO:HD2	2:E:91:THR:O	2.14	0.48
2:K:16:GLY:O	2:K:86:LEU:HG	2.13	0.48
3:L:31:SER:HB3	3:L:36:TYR:HE2	1.79	0.48
2:E:32:GLY:HA2	2:E:33:TYR:HB2	1.96	0.47
2:C:87:ARG:O	2:C:119:VAL:HG21	2.14	0.47
2:K:2:VAL:HG21	2:K:98:ARG:NH1	2.29	0.47
1:A:377:ALA:HB2	1:A:415:THR:HB	1.96	0.47
4:P:2:NAG:O3	4:P:3:BMA:O5	2.31	0.47
2:C:67:ARG:NE	2:C:87:ARG:NH1	2.62	0.47
1:H:366:SER:HB2	1:H:424:HIS:ND1	2.30	0.47
1:H:425:LEU:HD12	1:H:425:LEU:HA	1.78	0.47
6:R:1:NAG:H3	6:R:1:NAG:H83	1.97	0.47
3:J:54:ALA:HB3	3:J:57:TYR:HD2	1.79	0.47
1:G:342:ARG:HG2	1:G:433:THR:OG1	2.15	0.47
1:H:377:ALA:HB2	1:H:415:THR:HB	1.97	0.47
2:E:46:LEU:HB2	3:F:102:PHE:CG	2.50	0.46
1:A:376:ARG:HB3	1:A:414:GLU:OE2	2.15	0.46
1:A:376:ARG:NH1	1:A:380:LYS:HD2	2.31	0.46
1:A:392:GLN:OE1	6:R:1:NAG:H62	2.16	0.46
1:G:361:VAL:O	1:G:363:LEU:HD12	2.17	0.45
1:H:443:PRO:HB3	1:H:469:PHE:HB3	1.97	0.45
2:C:91:THR:HG23	2:C:118:THR:HA	1.98	0.45
1:H:420:VAL:HB	1:H:429:LEU:HB2	1.99	0.45
2:I:4:LEU:HD23	2:I:96:CYS:SG	2.57	0.45
1:B:453:TRP:CE2	1:A:444:GLU:HG2	2.52	0.45
2:K:6:GLU:OE1	2:K:6:GLU:N	2.49	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:18:LEU:HB2	2:E:86:LEU:HD11	1.99	0.44
1:G:459:LYS:HE3	1:G:510:GLU:HB3	1.99	0.44
1:H:465:LEU:HD13	1:H:506:PHE:CZ	2.52	0.44
1:G:376:ARG:HB3	1:G:414:GLU:OE2	2.17	0.44
2:K:32:GLY:CA	2:K:33:TYR:HB2	2.48	0.44
4:O:1:NAG:H83	4:O:1:NAG:H3	2.00	0.44
3:F:35:SER:HB2	3:F:55:ALA:HB2	1.99	0.44
1:G:363:LEU:HD12	1:G:363:LEU:H	1.83	0.44
1:G:443:PRO:HB3	1:G:469:PHE:HB3	1.98	0.44
2:E:49:VAL:HG13	2:E:68:ILE:HD11	2.00	0.44
2:C:72:ARG:HA	2:C:79:PHE:HA	1.99	0.44
2:K:11:LEU:HD11	2:K:120:SER:HB2	1.98	0.44
2:E:32:GLY:CA	2:E:33:TYR:HB2	2.47	0.44
1:G:496:ARG:HB2	1:G:504:PHE:CE2	2.53	0.44
2:C:32:GLY:CA	2:C:33:TYR:HB2	2.48	0.44
3:L:93:GLN:HB2	3:L:102:PHE:CD2	2.53	0.43
4:M:1:NAG:H83	4:M:1:NAG:H3	1.99	0.43
1:B:455:GLY:H	1:B:457:ARG:HE	1.66	0.43
2:K:12:VAL:HG21	2:K:18:LEU:HD22	2.01	0.43
1:B:396:THR:HG21	4:M:1:NAG:C8	2.48	0.43
3:L:93:GLN:NE2	3:L:95:SER:OG	2.38	0.43
1:G:444:GLU:O	1:G:466:ILE:HA	2.19	0.43
1:G:494:GLN:HE21	1:H:496:ARG:NH1	2.16	0.43
1:B:422:HIS:ND1	1:B:423:PRO:HD2	2.34	0.42
2:E:12:VAL:HG21	2:E:18:LEU:HD13	1.99	0.42
1:G:532:SER:HA	1:G:533:PRO:HA	1.66	0.42
1:H:391:LYS:HD2	1:H:397:LEU:HD23	2.00	0.42
2:I:32:GLY:HA2	2:I:33:TYR:HB2	2.00	0.42
2:E:37:TRP:CD1	2:E:81:LEU:HB2	2.54	0.42
1:A:362:ASP:HB3	1:A:365:PRO:HG3	2.01	0.42
1:B:353:SER:O	1:B:353:SER:OG	2.36	0.42
1:B:389:GLU:HG2	1:B:399:VAL:HG22	2.02	0.42
2:I:32:GLY:CA	2:I:33:TYR:HB2	2.50	0.42
1:A:347:ASP:HA	1:A:351:ARG:HB2	2.02	0.42
2:C:67:ARG:NH2	2:C:89:GLU:OE1	2.53	0.42
1:G:460:ARG:HA	1:G:460:ARG:HD3	1.86	0.42
6:R:2:NAG:O3	6:R:3:BMA:O5	2.30	0.42
1:B:417:GLN:HG2	1:B:430:MET:SD	2.60	0.41
1:A:343:PRO:HG2	1:A:348:LEU:HD12	2.02	0.41
3:L:21:ILE:HG12	3:L:106:THR:HG21	2.01	0.41
1:A:370:VAL:HG12	1:A:422:HIS:HD2	1.83	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:18:LEU:HB3	2:I:83:MET:CE	2.50	0.41
1:G:377:ALA:HB2	1:G:415:THR:HB	2.03	0.41
1:H:343:PRO:HB2	1:H:348:LEU:HD13	2.02	0.41
1:G:417:GLN:HG2	1:G:432:SER:HB2	2.02	0.41
1:A:427:ARG:HH22	3:D:35:SER:N	2.18	0.41
1:A:460:ARG:HA	1:A:460:ARG:HD3	1.95	0.41
3:L:7:SER:HA	3:L:8:PRO:C	2.40	0.41
1:H:360:VAL:O	1:H:398:THR:HA	2.22	0.40
1:H:465:LEU:HD13	1:H:506:PHE:CE1	2.55	0.40
2:E:57:SER:HA	1:G:518:GLN:HE22	1.86	0.40
3:F:54:ALA:HB3	3:F:57:TYR:HD2	1.86	0.40
4:P:1:NAG:H61	4:P:2:NAG:C7	2.51	0.40
1:G:417:GLN:HG2	1:G:432:SER:CB	2.51	0.40
1:G:478:TRP:HD1	1:G:490:HIS:CD2	2.39	0.40
1:H:453:TRP:CG	1:H:454:PRO:HD2	2.57	0.40
1:A:538:GLN:O	1:A:539:ARG:NH1	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/247 (84%)	199 (96%)	7 (3%)	1 (0%)	29	68
1	B	207/247 (84%)	200 (97%)	7 (3%)	0	100	100
1	G	207/247 (84%)	197 (95%)	10 (5%)	0	100	100
1	H	207/247 (84%)	196 (95%)	11 (5%)	0	100	100
2	C	119/123 (97%)	112 (94%)	7 (6%)	0	100	100
2	E	121/123 (98%)	113 (93%)	7 (6%)	1 (1%)	19	57
2	I	120/123 (98%)	110 (92%)	8 (7%)	2 (2%)	9	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	K	119/123 (97%)	113 (95%)	5 (4%)	1 (1%)	19	57
3	D	112/134 (84%)	108 (96%)	4 (4%)	0	100	100
3	F	112/134 (84%)	106 (95%)	6 (5%)	0	100	100
3	J	110/134 (82%)	105 (96%)	5 (4%)	0	100	100
3	L	112/134 (84%)	108 (96%)	4 (4%)	0	100	100
All	All	1753/2016 (87%)	1667 (95%)	81 (5%)	5 (0%)	41	76

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	I	32	GLY
2	K	32	GLY
2	E	33	TYR
2	I	33	TYR
1	A	366	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/212 (85%)	180 (100%)	0	100	100
1	B	184/212 (87%)	183 (100%)	1 (0%)	88	96
1	G	181/212 (85%)	179 (99%)	2 (1%)	73	90
1	H	182/212 (86%)	179 (98%)	3 (2%)	62	86
2	C	100/101 (99%)	97 (97%)	3 (3%)	41	75
2	E	100/101 (99%)	98 (98%)	2 (2%)	55	83
2	I	100/101 (99%)	98 (98%)	2 (2%)	55	83
2	K	100/101 (99%)	97 (97%)	3 (3%)	41	75
3	D	97/113 (86%)	96 (99%)	1 (1%)	76	91
3	F	96/113 (85%)	95 (99%)	1 (1%)	76	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	J	96/113 (85%)	95 (99%)	1 (1%)	76	91
3	L	97/113 (86%)	97 (100%)	0	100	100
All	All	1513/1704 (89%)	1494 (99%)	19 (1%)	69	89

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	400	THR
2	I	31	SER
2	I	34	SER
3	J	34	ASP
2	E	36	ASN
2	E	96	CYS
3	F	20	THR
1	G	494	GLN
1	G	518	GLN
1	H	348	LEU
1	H	384	HIS
1	H	385	SER
2	C	36	ASN
2	C	68	ILE
2	C	82	GLN
3	D	34	ASP
2	K	34	SER
2	K	52	VAL
2	K	71	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	477	GLN
1	A	422	HIS

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

21 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	M	1	1,4	14,14,15	0.26	0	17,19,21	1.52	3 (17%)
4	NAG	M	2	4	14,14,15	0.30	0	17,19,21	0.58	0
4	BMA	M	3	4	11,11,12	0.73	0	15,15,17	0.98	1 (6%)
4	MAN	M	4	4	11,11,12	0.95	0	15,15,17	0.90	1 (6%)
5	MAN	N	1	5	11,11,12	1.13	0	15,15,17	1.68	3 (20%)
5	MAN	N	2	5	11,11,12	1.36	1 (9%)	15,15,17	1.47	4 (26%)
4	NAG	O	1	1,4	14,14,15	0.33	0	17,19,21	1.47	2 (11%)
4	NAG	O	2	4	14,14,15	0.22	0	17,19,21	0.50	0
4	BMA	O	3	4	11,11,12	0.71	0	15,15,17	0.97	1 (6%)
4	MAN	O	4	4	11,11,12	0.86	0	15,15,17	0.99	1 (6%)
4	NAG	P	1	4	14,14,15	0.30	0	17,19,21	1.44	3 (17%)
4	NAG	P	2	4	14,14,15	0.28	0	17,19,21	0.57	0
4	BMA	P	3	4	11,11,12	0.80	0	15,15,17	1.01	1 (6%)
4	MAN	P	4	4	11,11,12	1.02	0	15,15,17	1.03	1 (6%)
5	MAN	Q	1	5	11,11,12	1.14	1 (9%)	15,15,17	1.50	2 (13%)
5	MAN	Q	2	5	11,11,12	1.07	0	15,15,17	1.18	1 (6%)
6	NAG	R	1	1,6	14,14,15	0.29	0	17,19,21	1.54	3 (17%)
6	NAG	R	2	6	14,14,15	0.20	0	17,19,21	0.55	0
6	BMA	R	3	6	11,11,12	0.76	0	15,15,17	1.10	1 (6%)
6	MAN	R	4	6	11,11,12	1.10	0	15,15,17	1.09	1 (6%)
6	MAN	R	5	6	11,11,12	1.46	2 (18%)	15,15,17	1.20	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	M	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	M	2	4	-	0/6/23/26	0/1/1/1
4	BMA	M	3	4	-	2/2/19/22	0/1/1/1
4	MAN	M	4	4	-	2/2/19/22	0/1/1/1
5	MAN	N	1	5	-	1/2/19/22	1/1/1/1
5	MAN	N	2	5	-	2/2/19/22	0/1/1/1
4	NAG	O	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	O	2	4	-	0/6/23/26	0/1/1/1
4	BMA	O	3	4	-	2/2/19/22	0/1/1/1
4	MAN	O	4	4	-	1/2/19/22	0/1/1/1
4	NAG	P	1	4	-	5/6/23/26	0/1/1/1
4	NAG	P	2	4	-	0/6/23/26	0/1/1/1
4	BMA	P	3	4	-	1/2/19/22	0/1/1/1
4	MAN	P	4	4	-	1/2/19/22	0/1/1/1
5	MAN	Q	1	5	-	0/2/19/22	1/1/1/1
5	MAN	Q	2	5	-	2/2/19/22	0/1/1/1
6	NAG	R	1	1,6	-	3/6/23/26	0/1/1/1
6	NAG	R	2	6	-	0/6/23/26	0/1/1/1
6	BMA	R	3	6	-	2/2/19/22	0/1/1/1
6	MAN	R	4	6	-	1/2/19/22	0/1/1/1
6	MAN	R	5	6	-	1/2/19/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	N	2	MAN	C4-C3	2.55	1.58	1.52
5	Q	1	MAN	O5-C5	2.46	1.48	1.43
6	R	5	MAN	O5-C5	2.14	1.47	1.43
6	R	5	MAN	C4-C3	2.07	1.57	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	P	1	NAG	C2-N2-C7	4.44	129.22	122.90
5	N	1	MAN	C1-O5-C5	4.43	118.20	112.19
4	M	1	NAG	C2-N2-C7	4.41	129.18	122.90
4	O	1	NAG	C2-N2-C7	4.40	129.16	122.90

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	1	NAG	C2-N2-C7	4.33	129.07	122.90
5	Q	1	MAN	C1-O5-C5	4.31	118.03	112.19
4	O	1	NAG	C1-C2-N2	2.87	115.39	110.49
4	M	1	NAG	C1-C2-N2	2.72	115.13	110.49
5	N	2	MAN	C3-C4-C5	2.70	115.05	110.24
5	N	2	MAN	C1-O5-C5	2.67	115.82	112.19
6	R	3	BMA	C1-O5-C5	2.65	115.79	112.19
6	R	1	NAG	C1-C2-N2	2.64	115.00	110.49
5	N	1	MAN	O5-C1-C2	2.63	114.84	110.77
5	N	1	MAN	O2-C2-C3	-2.60	104.93	110.14
6	R	4	MAN	C1-O5-C5	2.54	115.63	112.19
4	P	4	MAN	C1-O5-C5	2.47	115.55	112.19
4	O	4	MAN	C1-O5-C5	2.46	115.53	112.19
4	O	3	BMA	C1-O5-C5	2.45	115.51	112.19
6	R	5	MAN	C1-O5-C5	2.44	115.50	112.19
4	P	1	NAG	C1-O5-C5	2.41	115.45	112.19
5	Q	2	MAN	O2-C2-C3	-2.37	105.39	110.14
6	R	1	NAG	C1-O5-C5	2.37	115.40	112.19
5	N	2	MAN	C2-C3-C4	2.33	114.92	110.89
5	Q	1	MAN	O2-C2-C3	-2.31	105.51	110.14
4	P	1	NAG	C1-C2-N2	2.28	114.38	110.49
4	M	3	BMA	O2-C2-C3	-2.28	105.58	110.14
4	M	4	MAN	C1-O5-C5	2.07	114.99	112.19
4	P	3	BMA	O2-C2-C3	-2.04	106.04	110.14
5	N	2	MAN	O5-C5-C6	2.03	110.38	107.20
4	M	1	NAG	C1-O5-C5	2.02	114.93	112.19

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	R	3	BMA	C4-C5-C6-O6
5	Q	2	MAN	O5-C5-C6-O6
4	M	3	BMA	O5-C5-C6-O6
6	R	3	BMA	O5-C5-C6-O6
4	O	3	BMA	O5-C5-C6-O6
5	Q	2	MAN	C4-C5-C6-O6
5	N	2	MAN	O5-C5-C6-O6
4	M	1	NAG	C8-C7-N2-C2
4	M	1	NAG	O7-C7-N2-C2
4	O	1	NAG	C8-C7-N2-C2
4	O	1	NAG	O7-C7-N2-C2

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	P	1	NAG	C8-C7-N2-C2
4	P	1	NAG	O7-C7-N2-C2
6	R	1	NAG	C8-C7-N2-C2
6	R	1	NAG	O7-C7-N2-C2
4	M	4	MAN	C4-C5-C6-O6
6	R	5	MAN	O5-C5-C6-O6
4	P	3	BMA	O5-C5-C6-O6
5	N	2	MAN	C4-C5-C6-O6
4	P	4	MAN	C4-C5-C6-O6
4	O	3	BMA	C4-C5-C6-O6
4	M	3	BMA	C4-C5-C6-O6
6	R	4	MAN	C4-C5-C6-O6
4	P	1	NAG	C4-C5-C6-O6
4	M	4	MAN	O5-C5-C6-O6
4	O	4	MAN	C4-C5-C6-O6
4	P	1	NAG	O5-C5-C6-O6
4	M	1	NAG	C3-C2-N2-C7
4	O	1	NAG	C3-C2-N2-C7
5	N	1	MAN	C4-C5-C6-O6
4	P	1	NAG	C3-C2-N2-C7
6	R	1	NAG	C3-C2-N2-C7
4	O	1	NAG	C1-C2-N2-C7

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	N	1	MAN	C1-C2-C3-C4-C5-O5
5	Q	1	MAN	C1-C2-C3-C4-C5-O5

12 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	P	1	NAG	2	0
4	P	2	NAG	2	0
5	Q	1	MAN	1	0
4	O	1	NAG	1	0
4	M	3	BMA	1	0
4	P	3	BMA	2	0
5	Q	2	MAN	1	0
6	R	1	NAG	4	0
6	R	2	NAG	2	0
5	N	1	MAN	1	0



*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	M	1	NAG	2	0
6	R	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







## 5.6 Ligand geometry

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	209/247 (84%)	0.27	16 (7%) 13 4	48, 68, 110, 134	0
1	B	209/247 (84%)	0.04	3 (1%) 75 49	42, 60, 97, 115	0
1	G	209/247 (84%)	0.18	9 (4%) 35 13	54, 76, 119, 150	0
1	H	209/247 (84%)	0.34	10 (4%) 30 11	45, 71, 119, 167	0
2	C	121/123 (98%)	-0.11	1 (0%) 86 65	44, 62, 84, 92	0
2	E	123/123 (100%)	-0.02	0 100 100	51, 71, 94, 104	0
2	I	122/123 (99%)	-0.18	0 100 100	35, 50, 75, 85	0
2	K	121/123 (98%)	-0.12	0 100 100	38, 50, 71, 75	0
3	D	114/134 (85%)	-0.24	0 100 100	34, 51, 68, 86	0
3	F	114/134 (85%)	-0.12	1 (0%) 84 63	43, 57, 77, 84	0
3	J	112/134 (83%)	-0.27	0 100 100	41, 58, 73, 90	0
3	L	114/134 (85%)	-0.16	0 100 100	43, 52, 65, 74	0
All	All	1777/2016 (88%)	0.02	40 (2%) 60 31	34, 61, 99, 167	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	361	VAL	5.1
1	A	364	ALA	4.6
1	A	366	SER	3.8
1	A	370	VAL	3.4
1	H	369	THR	3.3
1	G	368	GLY	3.2
1	G	370	VAL	3.2
1	A	369	THR	3.1
1	A	363	LEU	3.1
3	F	112	GLY	3.0
1	A	426	PRO	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	392	GLN	2.9
1	H	368	GLY	2.9
1	A	396	THR	2.9
1	A	394	ASN	2.8
1	A	422	HIS	2.7
1	A	424	HIS	2.7
1	H	511	VAL	2.6
1	G	398	THR	2.6
1	A	365	PRO	2.5
1	G	369	THR	2.5
1	A	397	LEU	2.5
1	A	501	SER	2.5
1	H	390	GLU	2.4
1	G	424	HIS	2.4
1	A	425	LEU	2.3
2	C	32	GLY	2.3
1	H	339	TYR	2.3
1	G	399	VAL	2.3
1	H	393	ARG	2.3
1	G	400	THR	2.2
1	H	372	LEU	2.2
1	B	366	SER	2.2
1	H	501	SER	2.2
1	G	456	SER	2.2
1	B	424	HIS	2.2
1	H	426	PRO	2.1
1	A	398	THR	2.0
1	B	364	ALA	2.0
1	A	429	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.






Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	P	1	14/15	0.43	0.52	106,106,106,106	0
4	MAN	O	4	11/12	0.63	0.44	100,100,100,100	0
5	MAN	N	2	11/12	0.63	0.44	45,45,45,45	11
5	MAN	Q	1	11/12	0.65	0.34	72,72,72,72	0
4	MAN	P	4	11/12	0.67	0.60	94,94,94,94	0
6	MAN	R	4	11/12	0.73	0.33	85,85,85,85	0
6	NAG	R	1	14/15	0.75	0.47	99,99,99,99	0
5	MAN	Q	2	11/12	0.75	0.47	60,60,60,60	11
6	MAN	R	5	11/12	0.75	0.24	82,82,82,82	0
4	NAG	P	2	14/15	0.76	0.31	98,98,98,98	0
4	BMA	P	3	11/12	0.77	0.21	90,90,90,90	0
4	BMA	O	3	11/12	0.77	0.23	98,98,98,98	0
4	NAG	O	2	14/15	0.79	0.41	103,103,103,103	0
6	NAG	R	2	14/15	0.80	0.34	90,90,90,90	0
5	MAN	N	1	11/12	0.83	0.25	51,51,51,51	0
4	NAG	O	1	14/15	0.83	0.42	111,111,111,111	0
4	MAN	M	4	11/12	0.85	0.40	61,61,61,61	0
6	BMA	R	3	11/12	0.85	0.18	84,84,84,84	0
4	NAG	M	1	14/15	0.91	0.26	71,71,71,71	0
4	NAG	M	2	14/15	0.93	0.26	63,63,63,63	0
4	BMA	M	3	11/12	0.93	0.17	58,58,58,58	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around Chain P:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain N:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain Q:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	NA	K	201	1/1	0.87	0.44	28,28,28,28	0
7	NA	E	201	1/1	0.92	0.57	38,38,38,38	0
7	NA	I	201	1/1	0.92	0.61	28,28,28,28	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.