



wwPDB EM Validation Summary Report ⓘ

Jun 26, 2023 – 04:29 PM EDT

PDB ID : 7T9B
EMDB ID : EMD-25755
Title : ApexGT5 in complex with GT5-d42.16 and RM20A3 Fabs
Authors : Berndsen, Z.T.; Ward, A.B.
Deposited on : 2021-12-18
Resolution : 3.72 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	473	 6% 90% 8% 5%
1	C	473	 5% 88% 8% 5%
1	E	473	 88% 9% 5%
2	B	153	 76% 22% 5%
2	D	153	 76% 22% 5%
2	F	153	 76% 22% 5%
3	J	125	 94% 5% 5%
3	M	125	 5% 92% 7% 5%
3	O	125	 6% 95% 5% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	K	128	 80% 5% 15%
4	N	128	 80% 5% 15%
4	P	128	 80% 5% 15%
5	H	134	 56% 91% 7%
6	L	107	 56% 95% 7%
7	G	2	 50% 100%
7	I	2	 50% 100%
7	V	2	 50% 100%
7	W	2	 50% 100%
7	X	2	 50% 100%
7	Z	2	 50% 100%
7	c	2	 50% 100%
7	d	2	 50% 100%
7	f	2	 50% 100%
7	g	2	 50% 100%
8	Q	4	 25% 100%
8	Y	4	 50% 100%
8	e	4	 25% 100%
9	R	3	 67% 100%
9	h	3	 33% 33% 67%
10	S	7	 43% 71% 29%
11	T	2	 50% 100%
11	a	2	 50% 100%
11	i	2	 50% 100%
12	U	3	 67% 33% 67%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
12	b	3	<p>67% 33%</p>
12	j	3	<p>33% 67%</p>

2 Entry composition i

There are 13 unique types of molecules in this entry. The entry contains 21592 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 Envelope ApexGT5 gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	435	Total	C	N	O	S	0	0
			3433	2166	601	639	27		
1	C	434	Total	C	N	O	S	0	0
			3425	2162	599	637	27		
1	E	429	Total	C	N	O	S	0	0
			3387	2136	593	631	27		

- Molecule 2 is a protein called HIV-1 Envelope ApexGT5 gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	120	Total	C	N	O	S	0	0
			958	604	167	181	6		
2	D	120	Total	C	N	O	S	0	0
			958	604	167	181	6		
2	F	120	Total	C	N	O	S	0	0
			958	604	167	181	6		

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	517	SER	PHE	conflict	UNP Q2N0S6
B	559	PRO	ILE	conflict	UNP Q2N0S6
B	561	PRO	ALA	conflict	UNP Q2N0S6
B	568	ASP	LEU	conflict	UNP Q2N0S6
B	570	HIS	VAL	conflict	UNP Q2N0S6
B	585	HIS	ARG	conflict	UNP Q2N0S6
B	605	CYS	THR	conflict	UNP Q2N0S6
D	517	SER	PHE	conflict	UNP Q2N0S6
D	559	PRO	ILE	conflict	UNP Q2N0S6
D	561	PRO	ALA	conflict	UNP Q2N0S6
D	568	ASP	LEU	conflict	UNP Q2N0S6
D	570	HIS	VAL	conflict	UNP Q2N0S6
D	585	HIS	ARG	conflict	UNP Q2N0S6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	605	CYS	THR	conflict	UNP Q2N0S6
F	517	SER	PHE	conflict	UNP Q2N0S6
F	559	PRO	ILE	conflict	UNP Q2N0S6
F	561	PRO	ALA	conflict	UNP Q2N0S6
F	568	ASP	LEU	conflict	UNP Q2N0S6
F	570	HIS	VAL	conflict	UNP Q2N0S6
F	585	HIS	ARG	conflict	UNP Q2N0S6
F	605	CYS	THR	conflict	UNP Q2N0S6

- Molecule 3 is a protein called RM20A3 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	J	124	Total	C	N	O	S	0	0
			943	595	161	182	5		
3	M	124	Total	C	N	O	S	0	0
			943	595	161	182	5		
3	O	124	Total	C	N	O	S	0	0
			943	595	161	182	5		

- Molecule 4 is a protein called RM20A3 Fab Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	K	109	Total	C	N	O	S	0	0
			811	505	136	167	3		
4	N	109	Total	C	N	O	S	0	0
			811	505	136	167	3		
4	P	109	Total	C	N	O	S	0	0
			811	505	136	167	3		

- Molecule 5 is a protein called GT5-d42.16 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	H	132	Total	C	N	O	S	0	0
			1051	663	171	211	6		

- Molecule 6 is a protein called GT5-d42.16 Fab Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	L	106	Total	C	N	O	S	0	0
			809	514	134	159	2		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a

cetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	G	2	28	16	2	10	0	0
7	I	2	28	16	2	10	0	0
7	V	2	28	16	2	10	0	0
7	W	2	28	16	2	10	0	0
7	X	2	28	16	2	10	0	0
7	Z	2	28	16	2	10	0	0
7	c	2	28	16	2	10	0	0
7	d	2	28	16	2	10	0	0
7	f	2	28	16	2	10	0	0
7	g	2	28	16	2	10	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	Q	4	50	28	2	20	0	0
8	Y	4	50	28	2	20	0	0
8	e	4	50	28	2	20	0	0

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	R	3	39	22	2	15	0	0
9	h	3	39	22	2	15	0	0

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	S	7	83	46	2	35	0	0

- Molecule 11 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	T	2	24	14	1	9	0	0
11	a	2	24	14	1	9	0	0
11	i	2	24	14	1	9	0	0

- Molecule 12 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	U	3	38	22	2	14	0	0
12	b	3	38	22	2	14	0	0
12	j	3	38	22	2	14	0	0

- Molecule 13 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
13	A	1	Total 14	C 8	N 1	O 5	0
13	A	1	Total 14	C 8	N 1	O 5	0
13	A	1	Total 14	C 8	N 1	O 5	0
13	A	1	Total 14	C 8	N 1	O 5	0
13	A	1	Total 14	C 8	N 1	O 5	0
13	A	1	Total 14	C 8	N 1	O 5	0
13	B	1	Total 14	C 8	N 1	O 5	0
13	B	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	C	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
13	D	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	E	1	Total 14	8	1	5	0
13	F	1	Total 14	8	1	5	0
13	F	1	Total 14	8	1	5	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HIV-1 Envelope ApexGT5 gp120




- Molecule 1: HIV-1 Envelope ApexGT5 gp120




- Molecule 1: HIV-1 Envelope ApexGT5 gp120





- Molecule 2: HIV-1 Envelope ApexGT5 gp41









• Molecule 2: HIV-1 Envelope ApexGT5 gp41





• Molecule 2: HIV-1 Envelope ApexGT5 gp41




• Molecule 3: RM20A3 Fab Heavy Chain





• Molecule 3: RM20A3 Fab Heavy Chain





• Molecule 3: RM20A3 Fab Heavy Chain





• Molecule 4: RM20A3 Fab Light Chain





• Molecule 4: RM20A3 Fab Light Chain





• Molecule 4: RM20A3 Fab Light Chain



• Molecule 5: GT5-d42.16 Fab Heavy Chain



• Molecule 6: GT5-d42.16 Fab Light Chain



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucofuranose



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucofuranose





- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	35763	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.310	Depositor
Minimum map value	-0.477	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.039	Depositor
Recommended contour level	0.293	Depositor
Map size (Å)	345.0, 345.0, 345.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TYS, NAG, FUC, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.01	1/3507 (0.0%)	0.90	10/4770 (0.2%)
1	C	1.03	2/3499 (0.1%)	0.93	10/4759 (0.2%)
1	E	1.04	3/3458 (0.1%)	0.91	10/4699 (0.2%)
2	B	1.00	1/977 (0.1%)	0.73	0/1325
2	D	1.03	3/977 (0.3%)	0.74	0/1325
2	F	1.02	4/977 (0.4%)	0.74	0/1325
3	J	1.14	4/963 (0.4%)	0.95	2/1300 (0.2%)
3	M	1.13	4/963 (0.4%)	0.94	2/1300 (0.2%)
3	O	1.17	3/963 (0.3%)	0.95	1/1300 (0.1%)
4	K	1.17	5/830 (0.6%)	0.98	2/1129 (0.2%)
4	N	1.16	4/830 (0.5%)	0.98	2/1129 (0.2%)
4	P	1.09	3/830 (0.4%)	0.95	2/1129 (0.2%)
5	H	1.03	4/1043 (0.4%)	0.90	0/1411
6	L	0.99	3/829 (0.4%)	1.00	2/1126 (0.2%)
All	All	1.06	44/20646 (0.2%)	0.91	43/28027 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

The worst 5 of 44 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	K	96	TYR	CB-CG	-7.26	1.40	1.51
4	N	27(B)	ASP	CB-CG	-7.24	1.36	1.51
2	B	520	PHE	CB-CG	-6.76	1.39	1.51
2	D	520	PHE	CB-CG	-6.74	1.39	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	96	TYR	CB-CG	-6.71	1.41	1.51

The worst 5 of 43 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	169	ARG	NE-CZ-NH2	-11.85	114.38	120.30
1	A	169	ARG	NE-CZ-NH2	-10.13	115.23	120.30
1	C	169	ARG	NE-CZ-NH1	8.61	124.61	120.30
1	A	151	ARG	NE-CZ-NH2	-8.45	116.07	120.30
1	C	151	ARG	NE-CZ-NH2	-8.33	116.13	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	197	ASN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	427/473 (90%)	411 (96%)	13 (3%)	3 (1%)	22	59
1	C	426/473 (90%)	402 (94%)	21 (5%)	3 (1%)	22	59
1	E	419/473 (89%)	400 (96%)	15 (4%)	4 (1%)	15	51
2	B	116/153 (76%)	111 (96%)	5 (4%)	0	100	100
2	D	116/153 (76%)	112 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	116/153 (76%)	112 (97%)	4 (3%)	0	100	100
3	J	122/125 (98%)	119 (98%)	2 (2%)	1 (1%)	19	56
3	M	122/125 (98%)	116 (95%)	5 (4%)	1 (1%)	19	56
3	O	122/125 (98%)	119 (98%)	2 (2%)	1 (1%)	19	56
4	K	107/128 (84%)	101 (94%)	5 (5%)	1 (1%)	17	53
4	N	107/128 (84%)	101 (94%)	5 (5%)	1 (1%)	17	53
4	P	107/128 (84%)	100 (94%)	6 (6%)	1 (1%)	17	53
5	H	128/134 (96%)	124 (97%)	3 (2%)	1 (1%)	19	56
6	L	104/107 (97%)	100 (96%)	4 (4%)	0	100	100
All	All	2539/2878 (88%)	2428 (96%)	94 (4%)	17 (1%)	26	59

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	J	82(C)	LEU
3	M	82(C)	LEU
3	O	82(C)	LEU
4	N	27(B)	ASP
1	E	191	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/421 (93%)	390 (100%)	0	100	100
1	C	389/421 (92%)	385 (99%)	4 (1%)	76	86
1	E	386/421 (92%)	384 (100%)	2 (0%)	88	94
2	B	103/130 (79%)	101 (98%)	2 (2%)	57	76
2	D	103/130 (79%)	102 (99%)	1 (1%)	76	86
2	F	103/130 (79%)	102 (99%)	1 (1%)	76	86
3	J	101/102 (99%)	101 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	M	101/102 (99%)	99 (98%)	2 (2%)	55	75
3	O	101/102 (99%)	101 (100%)	0	100	100
4	K	89/106 (84%)	89 (100%)	0	100	100
4	N	89/106 (84%)	89 (100%)	0	100	100
4	P	89/106 (84%)	88 (99%)	1 (1%)	73	85
5	H	109/111 (98%)	106 (97%)	3 (3%)	43	67
6	L	88/89 (99%)	88 (100%)	0	100	100
All	All	2241/2477 (90%)	2225 (99%)	16 (1%)	84	91

5 of 16 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	H	53	GLU
5	H	1	GLU
3	M	52(A)	ASP
4	P	94	ARG
3	M	52	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	302	ASN
1	A	425	ASN
1	C	425	ASN
3	M	52	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	TYS	H	100(E)	5	15,16,17	2.95	6 (40%)	18,22,24	0.69	0
5	TYS	H	100(I)	5	15,16,17	2.87	7 (46%)	18,22,24	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TYS	H	100(E)	5	-	0/10/11/13	0/1/1/1
5	TYS	H	100(I)	5	-	0/10/11/13	0/1/1/1

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	100(I)	TYS	CE1-CZ	5.33	1.49	1.38
5	H	100(E)	TYS	CD1-CG	5.06	1.49	1.38
5	H	100(E)	TYS	CE1-CZ	4.82	1.48	1.38
5	H	100(I)	TYS	CD1-CG	4.64	1.48	1.38
5	H	100(I)	TYS	CD2-CG	4.61	1.48	1.38

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

60 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	NAG	G	1	1,7	14,14,15	2.05	5 (35%)	17,19,21	0.93	0
7	NAG	G	2	7	14,14,15	1.92	6 (42%)	17,19,21	0.94	1 (5%)
7	NAG	I	1	1,7	14,14,15	2.12	6 (42%)	17,19,21	6.76	3 (17%)
7	NAG	I	2	7	14,14,15	1.88	5 (35%)	17,19,21	0.92	1 (5%)
8	NAG	Q	1	1,8	14,14,15	1.96	4 (28%)	17,19,21	1.12	2 (11%)
8	NAG	Q	2	8	14,14,15	1.86	5 (35%)	17,19,21	0.89	1 (5%)
8	BMA	Q	3	8	11,11,12	0.68	0	15,15,17	0.80	1 (6%)
8	MAN	Q	4	8	11,11,12	1.96	6 (54%)	15,15,17	0.77	0
9	NAG	R	1	1,9	14,14,15	0.41	0	17,19,21	0.77	0
9	NAG	R	2	9	14,14,15	0.39	0	17,19,21	0.79	0
9	BMA	R	3	9	11,11,12	0.27	0	15,15,17	0.65	0
10	NAG	S	1	1,10	14,14,15	0.49	0	17,19,21	0.89	0
10	NAG	S	2	10	14,14,15	0.43	0	17,19,21	0.92	1 (5%)
10	BMA	S	3	10	11,11,12	0.33	0	15,15,17	0.94	1 (6%)
10	MAN	S	4	10	11,11,12	0.27	0	15,15,17	0.94	0
10	MAN	S	5	10	11,11,12	0.19	0	15,15,17	0.58	0
10	MAN	S	6	10	11,11,12	0.25	0	15,15,17	0.70	0
10	MAN	S	7	10	11,11,12	0.21	0	15,15,17	0.61	0
11	NAG	T	1	2,11	14,14,15	1.98	5 (35%)	17,19,21	1.12	2 (11%)
11	FUC	T	2	11	10,10,11	2.06	6 (60%)	14,14,16	0.68	0
12	NAG	U	1	2,12	14,14,15	0.48	0	17,19,21	1.13	2 (11%)
12	NAG	U	2	12	14,14,15	0.25	0	17,19,21	0.96	1 (5%)
12	FUC	U	3	12	10,10,11	0.18	0	14,14,16	0.62	0
7	NAG	V	1	1,7	14,14,15	1.96	6 (42%)	17,19,21	1.10	3 (17%)
7	NAG	V	2	7	14,14,15	1.88	5 (35%)	17,19,21	0.83	0
7	NAG	W	1	1,7	14,14,15	1.97	4 (28%)	17,19,21	1.21	2 (11%)
7	NAG	W	2	7	14,14,15	1.94	5 (35%)	17,19,21	0.90	1 (5%)
7	NAG	X	1	1,7	14,14,15	2.09	7 (50%)	17,19,21	6.66	3 (17%)
7	NAG	X	2	7	14,14,15	1.91	6 (42%)	17,19,21	0.92	1 (5%)
8	NAG	Y	1	1,8	14,14,15	1.97	4 (28%)	17,19,21	1.17	3 (17%)
8	NAG	Y	2	8	14,14,15	1.90	5 (35%)	17,19,21	0.93	1 (5%)
8	BMA	Y	3	8	11,11,12	0.79	0	15,15,17	0.81	1 (6%)
8	MAN	Y	4	8	11,11,12	1.98	6 (54%)	15,15,17	0.75	0
7	NAG	Z	1	1,7	14,14,15	1.93	4 (28%)	17,19,21	0.92	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	Z	2	7	14,14,15	1.88	5 (35%)	17,19,21	0.82	0
11	NAG	a	1	2,11	14,14,15	0.43	0	17,19,21	0.76	1 (5%)
11	FUC	a	2	11	10,10,11	0.26	0	14,14,16	1.07	1 (7%)
12	NAG	b	1	2,12	14,14,15	0.44	0	17,19,21	1.03	1 (5%)
12	NAG	b	2	12	14,14,15	0.33	0	17,19,21	0.63	0
12	FUC	b	3	12	10,10,11	0.18	0	14,14,16	0.72	0
7	NAG	c	1	1,7	14,14,15	1.97	5 (35%)	17,19,21	0.98	0
7	NAG	c	2	7	14,14,15	1.86	6 (42%)	17,19,21	0.98	1 (5%)
7	NAG	d	1	1,7	14,14,15	2.07	6 (42%)	17,19,21	6.99	3 (17%)
7	NAG	d	2	7	14,14,15	1.92	5 (35%)	17,19,21	0.92	1 (5%)
8	NAG	e	1	1,8	14,14,15	1.92	4 (28%)	17,19,21	1.20	2 (11%)
8	NAG	e	2	8	14,14,15	1.89	5 (35%)	17,19,21	0.93	1 (5%)
8	BMA	e	3	8	11,11,12	0.77	0	15,15,17	0.81	1 (6%)
8	MAN	e	4	8	11,11,12	1.98	6 (54%)	15,15,17	0.70	0
7	NAG	f	1	1,7	14,14,15	2.06	6 (42%)	17,19,21	1.18	1 (5%)
7	NAG	f	2	7	14,14,15	1.91	4 (28%)	17,19,21	0.82	0
7	NAG	g	1	1,7	14,14,15	1.97	4 (28%)	17,19,21	1.01	1 (5%)
7	NAG	g	2	7	14,14,15	1.94	5 (35%)	17,19,21	0.85	0
9	NAG	h	1	1,9	14,14,15	0.51	0	17,19,21	1.07	2 (11%)
9	NAG	h	2	9	14,14,15	0.40	0	17,19,21	1.16	1 (5%)
9	BMA	h	3	9	11,11,12	0.31	0	15,15,17	0.72	0
11	NAG	i	1	2,11	14,14,15	0.43	0	17,19,21	1.06	2 (11%)
11	FUC	i	2	11	10,10,11	0.27	0	14,14,16	1.29	4 (28%)
12	NAG	j	1	2,12	14,14,15	0.43	0	17,19,21	0.78	0
12	NAG	j	2	12	14,14,15	0.29	0	17,19,21	1.01	1 (5%)
12	FUC	j	3	12	10,10,11	0.27	0	14,14,16	0.92	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	G	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	G	2	7	-	0/6/23/26	0/1/1/1
7	NAG	I	1	1,7	-	3/6/23/26	0/1/1/1
7	NAG	I	2	7	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	Q	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	1/2/19/22	0/1/1/1
8	MAN	Q	4	8	-	1/2/19/22	0/1/1/1
9	NAG	R	1	1,9	-	2/6/23/26	0/1/1/1
9	NAG	R	2	9	-	0/6/23/26	0/1/1/1
9	BMA	R	3	9	-	0/2/19/22	0/1/1/1
10	NAG	S	1	1,10	-	1/6/23/26	0/1/1/1
10	NAG	S	2	10	-	2/6/23/26	0/1/1/1
10	BMA	S	3	10	-	2/2/19/22	0/1/1/1
10	MAN	S	4	10	-	2/2/19/22	0/1/1/1
10	MAN	S	5	10	-	0/2/19/22	0/1/1/1
10	MAN	S	6	10	-	0/2/19/22	0/1/1/1
10	MAN	S	7	10	-	0/2/19/22	0/1/1/1
11	NAG	T	1	2,11	-	0/6/23/26	0/1/1/1
11	FUC	T	2	11	-	-	0/1/1/1
12	NAG	U	1	2,12	-	2/6/23/26	0/1/1/1
12	NAG	U	2	12	-	3/6/23/26	0/1/1/1
12	FUC	U	3	12	-	-	0/1/1/1
7	NAG	V	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	V	2	7	-	0/6/23/26	0/1/1/1
7	NAG	W	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	W	2	7	-	0/6/23/26	0/1/1/1
7	NAG	X	1	1,7	-	3/6/23/26	0/1/1/1
7	NAG	X	2	7	-	0/6/23/26	0/1/1/1
8	NAG	Y	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	Y	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Y	3	8	-	1/2/19/22	0/1/1/1
8	MAN	Y	4	8	-	1/2/19/22	0/1/1/1
7	NAG	Z	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	0/6/23/26	0/1/1/1
11	NAG	a	1	2,11	-	0/6/23/26	0/1/1/1
11	FUC	a	2	11	-	-	0/1/1/1
12	NAG	b	1	2,12	-	2/6/23/26	0/1/1/1
12	NAG	b	2	12	-	2/6/23/26	0/1/1/1
12	FUC	b	3	12	-	-	0/1/1/1
7	NAG	c	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	c	2	7	-	0/6/23/26	0/1/1/1
7	NAG	d	1	1,7	-	3/6/23/26	0/1/1/1
7	NAG	d	2	7	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	e	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	e	2	8	-	0/6/23/26	0/1/1/1
8	BMA	e	3	8	-	1/2/19/22	0/1/1/1
8	MAN	e	4	8	-	0/2/19/22	0/1/1/1
7	NAG	f	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	f	2	7	-	0/6/23/26	0/1/1/1
7	NAG	g	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	g	2	7	-	0/6/23/26	0/1/1/1
9	NAG	h	1	1,9	-	0/6/23/26	0/1/1/1
9	NAG	h	2	9	-	2/6/23/26	0/1/1/1
9	BMA	h	3	9	-	0/2/19/22	0/1/1/1
11	NAG	i	1	2,11	-	0/6/23/26	0/1/1/1
11	FUC	i	2	11	-	-	0/1/1/1
12	NAG	j	1	2,12	-	4/6/23/26	0/1/1/1
12	NAG	j	2	12	-	3/6/23/26	0/1/1/1
12	FUC	j	3	12	-	-	0/1/1/1

The worst 5 of 161 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	I	1	NAG	C1-C2	5.43	1.60	1.52
7	X	1	NAG	C1-C2	5.30	1.60	1.52
7	d	1	NAG	C1-C2	5.23	1.60	1.52
7	G	1	NAG	C1-C2	5.19	1.60	1.52
8	Q	1	NAG	C1-C2	5.04	1.59	1.52

The worst 5 of 56 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	d	1	NAG	C2-N2-C7	27.87	162.58	122.90
7	I	1	NAG	C2-N2-C7	27.02	161.38	122.90
7	X	1	NAG	C2-N2-C7	26.68	160.89	122.90
7	d	1	NAG	C8-C7-N2	5.52	125.44	116.10
7	I	1	NAG	C8-C7-N2	5.10	124.74	116.10

There are no chirality outliers.

5 of 43 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	I	1	NAG	C1-C2-N2-C7
7	X	1	NAG	C1-C2-N2-C7

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	d	1	NAG	C1-C2-N2-C7
9	R	1	NAG	C8-C7-N2-C2
9	R	1	NAG	O7-C7-N2-C2


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


















































5.6 Ligand geometry [i](#)

41 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
13	NAG	A	607	1	14,14,15	2.17	5 (35%)	17,19,21	0.97	1 (5%)
13	NAG	C	609	1	14,14,15	2.05	5 (35%)	17,19,21	0.99	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	NAG	A	604	1	14,14,15	2.11	5 (35%)	17,19,21	0.95	1 (5%)
13	NAG	C	612	1	14,14,15	2.11	6 (42%)	17,19,21	1.05	2 (11%)
13	NAG	C	610	1	14,14,15	2.12	5 (35%)	17,19,21	0.91	0
13	NAG	A	611	1	14,14,15	1.98	5 (35%)	17,19,21	1.00	1 (5%)
13	NAG	C	604	1	14,14,15	2.15	5 (35%)	17,19,21	0.94	1 (5%)
13	NAG	A	605	1	14,14,15	2.02	5 (35%)	17,19,21	1.05	1 (5%)
13	NAG	E	603	1	14,14,15	2.09	7 (50%)	17,19,21	1.10	3 (17%)
13	NAG	E	610	1	14,14,15	2.08	5 (35%)	17,19,21	0.95	1 (5%)
13	NAG	A	603	1	14,14,15	2.11	6 (42%)	17,19,21	0.98	1 (5%)
13	NAG	E	608	1	14,14,15	2.06	5 (35%)	17,19,21	1.06	2 (11%)
13	NAG	E	604	1	14,14,15	2.14	5 (35%)	17,19,21	0.93	1 (5%)
13	NAG	A	610	1	14,14,15	2.06	5 (35%)	17,19,21	0.90	0
13	NAG	C	601	1	14,14,15	1.94	6 (42%)	17,19,21	1.07	1 (5%)
13	NAG	F	701	2	14,14,15	0.34	0	17,19,21	0.84	1 (5%)
13	NAG	C	602	1	14,14,15	2.06	6 (42%)	17,19,21	1.17	2 (11%)
13	NAG	C	605	1	14,14,15	2.00	5 (35%)	17,19,21	1.07	1 (5%)
13	NAG	A	608	1	14,14,15	2.08	5 (35%)	17,19,21	1.12	2 (11%)
13	NAG	E	611	1	14,14,15	2.06	6 (42%)	17,19,21	1.02	1 (5%)
13	NAG	E	602	1	14,14,15	2.05	5 (35%)	17,19,21	1.06	1 (5%)
13	NAG	E	606	1	14,14,15	2.17	6 (42%)	17,19,21	1.04	1 (5%)
13	NAG	E	601	1	14,14,15	1.97	6 (42%)	17,19,21	1.16	2 (11%)
13	NAG	D	701	2	14,14,15	0.37	0	17,19,21	0.63	0
13	NAG	C	607	1	14,14,15	2.16	6 (42%)	17,19,21	0.98	1 (5%)
13	NAG	C	603	1	14,14,15	2.16	5 (35%)	17,19,21	0.96	1 (5%)
13	NAG	B	701	2	14,14,15	0.32	0	17,19,21	0.60	0
13	NAG	A	606	1	14,14,15	2.13	6 (42%)	17,19,21	1.11	1 (5%)
13	NAG	A	601	1	14,14,15	1.87	5 (35%)	17,19,21	1.09	3 (17%)
13	NAG	A	612	1	14,14,15	2.16	5 (35%)	17,19,21	0.95	1 (5%)
13	NAG	C	608	1	14,14,15	2.07	5 (35%)	17,19,21	0.88	0
13	NAG	D	702	2	14,14,15	0.28	0	17,19,21	0.81	0
13	NAG	E	607	1	14,14,15	2.14	7 (50%)	17,19,21	1.05	2 (11%)
13	NAG	A	609	1	14,14,15	2.02	5 (35%)	17,19,21	1.03	0
13	NAG	B	702	2	14,14,15	0.28	0	17,19,21	0.60	0
13	NAG	A	602	1	14,14,15	2.12	7 (50%)	17,19,21	1.14	2 (11%)
13	NAG	C	606	1	14,14,15	2.15	6 (42%)	17,19,21	1.05	1 (5%)
13	NAG	F	702	2	14,14,15	0.31	0	17,19,21	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	NAG	E	605	1	14,14,15	2.01	5 (35%)	17,19,21	0.99	1 (5%)
13	NAG	C	611	1	14,14,15	1.97	5 (35%)	17,19,21	1.17	2 (11%)
13	NAG	E	609	1	14,14,15	2.05	4 (28%)	17,19,21	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	A	607	1	-	2/6/23/26	0/1/1/1
13	NAG	C	609	1	-	1/6/23/26	0/1/1/1
13	NAG	A	604	1	-	0/6/23/26	0/1/1/1
13	NAG	C	612	1	-	0/6/23/26	0/1/1/1
13	NAG	C	610	1	-	1/6/23/26	0/1/1/1
13	NAG	A	611	1	-	1/6/23/26	0/1/1/1
13	NAG	C	604	1	-	0/6/23/26	0/1/1/1
13	NAG	A	605	1	-	1/6/23/26	0/1/1/1
13	NAG	E	603	1	-	0/6/23/26	0/1/1/1
13	NAG	E	610	1	-	1/6/23/26	0/1/1/1
13	NAG	A	603	1	-	0/6/23/26	0/1/1/1
13	NAG	E	608	1	-	0/6/23/26	0/1/1/1
13	NAG	E	604	1	-	0/6/23/26	0/1/1/1
13	NAG	A	610	1	-	1/6/23/26	0/1/1/1
13	NAG	C	601	1	-	0/6/23/26	0/1/1/1
13	NAG	F	701	2	-	2/6/23/26	0/1/1/1
13	NAG	C	602	1	-	1/6/23/26	0/1/1/1
13	NAG	C	605	1	-	1/6/23/26	0/1/1/1
13	NAG	A	608	1	-	0/6/23/26	0/1/1/1
13	NAG	E	611	1	-	0/6/23/26	0/1/1/1
13	NAG	E	602	1	-	1/6/23/26	0/1/1/1
13	NAG	E	606	1	-	1/6/23/26	0/1/1/1
13	NAG	E	601	1	-	0/6/23/26	0/1/1/1
13	NAG	D	701	2	-	2/6/23/26	0/1/1/1
13	NAG	C	607	1	-	2/6/23/26	0/1/1/1
13	NAG	C	603	1	-	0/6/23/26	0/1/1/1
13	NAG	B	701	2	-	3/6/23/26	0/1/1/1
13	NAG	A	606	1	-	1/6/23/26	0/1/1/1
13	NAG	A	601	1	-	0/6/23/26	0/1/1/1
13	NAG	A	612	1	-	0/6/23/26	0/1/1/1
13	NAG	C	608	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	D	702	2	-	0/6/23/26	0/1/1/1
13	NAG	E	607	1	-	2/6/23/26	0/1/1/1
13	NAG	A	609	1	-	1/6/23/26	0/1/1/1
13	NAG	B	702	2	-	1/6/23/26	0/1/1/1
13	NAG	A	602	1	-	1/6/23/26	0/1/1/1
13	NAG	C	606	1	-	0/6/23/26	0/1/1/1
13	NAG	F	702	2	-	2/6/23/26	0/1/1/1
13	NAG	E	605	1	-	1/6/23/26	0/1/1/1
13	NAG	C	611	1	-	0/6/23/26	0/1/1/1
13	NAG	E	609	1	-	1/6/23/26	0/1/1/1

The worst 5 of 190 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	A	612	NAG	C1-C2	5.33	1.60	1.52
13	C	603	NAG	C1-C2	5.33	1.60	1.52
13	C	606	NAG	C1-C2	5.27	1.60	1.52
13	C	610	NAG	C1-C2	5.25	1.60	1.52
13	A	602	NAG	C1-C2	5.25	1.60	1.52

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	C	602	NAG	C8-C7-N2	3.21	121.53	116.10
13	A	602	NAG	C8-C7-N2	3.12	121.37	116.10
13	E	601	NAG	C8-C7-N2	3.00	121.18	116.10
13	E	602	NAG	C8-C7-N2	2.90	121.01	116.10
13	F	701	NAG	C1-O5-C5	2.80	115.99	112.19

There are no chirality outliers.

5 of 33 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	B	701	NAG	C8-C7-N2-C2
13	B	701	NAG	O7-C7-N2-C2
13	F	701	NAG	C8-C7-N2-C2
13	F	701	NAG	O7-C7-N2-C2
13	E	607	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	E	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	E	151:ARG	C	152:GLY	N	4.22


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25755. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 160




Y Index: 139




Z Index: 178


6.3.2 Raw map



X Index: 160



Y Index: 140




Z Index: 178

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




X

Y

Z

6.4.2 Raw map



X


Y

Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.293. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_25755_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 133 nm³; this corresponds to an approximate mass of 121 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.269 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.269 Å⁻¹

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.72	-	-
Author-provided FSC curve	3.72	4.04	3.76
Unmasked-calculated*	4.35	8.33	4.52

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.35 differs from the reported value 3.72 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-25755 and PDB model 7T9B. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.293 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.293).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary


The table lists the average atom inclusion at the recommended contour level (0.293) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6860	 0.4380
A	 0.7030	 0.4520
B	 0.7550	 0.4760
C	 0.7040	 0.4400
D	 0.7720	 0.4750
E	 0.7050	 0.4500
F	 0.7610	 0.4760
G	 0.5360	 0.3290
H	 0.3390	 0.2830
I	 0.5360	 0.4580
J	 0.7620	 0.4650
K	 0.7730	 0.4580
L	 0.3380	 0.2880
M	 0.7680	 0.4620
N	 0.7710	 0.4540
O	 0.7560	 0.4590
P	 0.7620	 0.4500
Q	 0.5000	 0.3640
R	 0.2310	 0.3570
S	 0.4340	 0.3820
T	 0.2500	 0.3090
U	 0.2890	 0.4470
V	 0.5000	 0.3880
W	 0.4640	 0.3590
X	 0.5710	 0.4390
Y	 0.4400	 0.4110
Z	 0.4290	 0.3690
a	 0.3750	 0.3300
b	 0.2890	 0.4720
c	 0.4640	 0.3550
d	 0.4290	 0.4180
e	 0.5200	 0.4710
f	 0.5000	 0.4260
g	 0.5000	 0.4060
h	 0.5640	 0.4140



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.2920	 0.3320
j	 0.3160	 0.3960