



## Full wwPDB EM Validation Report ⓘ

Jun 1, 2024 – 09:51 AM EDT

PDB ID : 7UOM  
EMDB ID : EMD-26650  
Title : Endogenous dihydrolipoamide acetyltransferase (E2) core of pyruvate dehydrogenase complex from bovine kidney  
Authors : Liu, S.; Xia, X.; Zhen, J.; Li, Z.H.; Zhou, Z.H.  
Deposited on : 2022-04-13  
Resolution : 3.80 Å (reported)  
Based on initial model : 6CT0

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	01	647	
1	02	647	
1	03	647	
1	04	647	
1	05	647	
1	0z	647	
1	1a	647	
1	1b	647	


























*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	1c	647	
1	1d	647	
1	1e	647	
1	1f	647	
1	1g	647	
1	1h	647	
1	1i	647	
1	1j	647	
1	1k	647	
1	1l	647	
1	1m	647	
1	1n	647	
1	1o	647	
1	1p	647	
1	1q	647	
1	1r	647	
1	1s	647	
1	1t	647	
1	1u	647	
1	1v	647	
1	1w	647	
1	1x	647	
1	1z	647	
1	2a	647	
1	2b	647	



*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	2c	647	
1	2d	647	
1	2e	647	
1	2f	647	
1	2g	647	
1	2h	647	
1	2i	647	
1	2j	647	
1	2k	647	
1	2l	647	
1	2m	647	
1	2n	647	
1	2o	647	
1	2p	647	
1	2q	647	
1	2r	647	
1	2s	647	
1	2t	647	
1	2u	647	
1	2v	647	
1	2w	647	
1	2x	647	
1	2y	647	
1	2z	647	
1	3a	647	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	3b	647	 35% 65%
1	3c	647	 35% 65%

## 2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 104640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyltransferase component of pyruvate dehydrogenase complex.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	01	226	1744	1112	299	322	11	0	0
1	02	226	1744	1112	299	322	11	0	0
1	03	226	1744	1112	299	322	11	0	0
1	04	226	1744	1112	299	322	11	0	0
1	05	226	1744	1112	299	322	11	0	0
1	0z	226	1744	1112	299	322	11	0	0
1	1a	226	1744	1112	299	322	11	0	0
1	1b	226	1744	1112	299	322	11	0	0
1	1c	226	1744	1112	299	322	11	0	0
1	1d	226	1744	1112	299	322	11	0	0
1	1e	226	1744	1112	299	322	11	0	0
1	1f	226	1744	1112	299	322	11	0	0
1	1g	226	1744	1112	299	322	11	0	0
1	1h	226	1744	1112	299	322	11	0	0
1	1i	226	1744	1112	299	322	11	0	0
1	1j	226	1744	1112	299	322	11	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1k	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1l	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1m	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1n	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1o	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1p	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1q	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1r	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1s	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1t	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1u	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1v	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1w	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1x	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	1z	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2a	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2b	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2c	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2d	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2e	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2f	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2g	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2h	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2i	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2j	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2k	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2l	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2m	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2n	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2o	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2p	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2q	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2r	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2s	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2t	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2u	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2v	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2w	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2x	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2y	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	2z	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	3a	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>					<b>AltConf</b>	<b>Trace</b>
1	3b	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		
1	3c	226	Total	C	N	O	S	0	0
			1744	1112	299	322	11		







































































## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	33138	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	45	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.051	Depositor
Minimum map value	-0.017	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.013	Depositor
Map size (Å)	783.36, 783.36, 783.36	wwPDB
Map dimensions	576, 576, 576	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.36, 1.36, 1.36	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	01	0.25	0/1773	0.48	0/2399
1	02	0.24	0/1773	0.49	0/2399
1	03	0.24	0/1773	0.47	0/2399
1	04	0.24	0/1773	0.46	0/2399
1	05	0.25	0/1773	0.49	0/2399
1	0z	0.24	0/1773	0.48	0/2399
1	1a	0.24	0/1773	0.46	0/2399
1	1b	0.25	0/1773	0.46	0/2399
1	1c	0.24	0/1773	0.47	0/2399
1	1d	0.24	0/1773	0.47	0/2399
1	1e	0.24	0/1773	0.49	0/2399
1	1f	0.24	0/1773	0.49	0/2399
1	1g	0.24	0/1773	0.47	0/2399
1	1h	0.24	0/1773	0.49	0/2399
1	1i	0.24	0/1773	0.46	0/2399
1	1j	0.24	0/1773	0.46	0/2399
1	1k	0.25	0/1773	0.48	0/2399
1	1l	0.24	0/1773	0.47	0/2399
1	1m	0.24	0/1773	0.44	0/2399
1	1n	0.24	0/1773	0.47	0/2399
1	1o	0.24	0/1773	0.47	0/2399
1	1p	0.24	0/1773	0.46	0/2399
1	1q	0.24	0/1773	0.45	0/2399
1	1r	0.24	0/1773	0.46	0/2399
1	1s	0.24	0/1773	0.48	0/2399
1	1t	0.24	0/1773	0.47	0/2399
1	1u	0.24	0/1773	0.47	0/2399
1	1v	0.24	0/1773	0.46	0/2399
1	1w	0.24	0/1773	0.46	0/2399
1	1x	0.24	0/1773	0.47	0/2399
1	1z	0.24	0/1773	0.46	0/2399
1	2a	0.24	0/1773	0.46	0/2399
1	2b	0.24	0/1773	0.48	0/2399
1	2c	0.24	0/1773	0.47	0/2399

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	2d	0.24	0/1773	0.47	0/2399
1	2e	0.24	0/1773	0.46	0/2399
1	2f	0.24	0/1773	0.47	0/2399
1	2g	0.24	0/1773	0.46	0/2399
1	2h	0.24	0/1773	0.49	0/2399
1	2i	0.24	0/1773	0.49	0/2399
1	2j	0.24	0/1773	0.50	0/2399
1	2k	0.25	0/1773	0.49	0/2399
1	2l	0.24	0/1773	0.46	0/2399
1	2m	0.24	0/1773	0.49	0/2399
1	2n	0.25	0/1773	0.47	0/2399
1	2o	0.24	0/1773	0.47	0/2399
1	2p	0.24	0/1773	0.47	0/2399
1	2q	0.24	0/1773	0.48	0/2399
1	2r	0.24	0/1773	0.49	0/2399
1	2s	0.24	0/1773	0.47	0/2399
1	2t	0.24	0/1773	0.48	0/2399
1	2u	0.24	0/1773	0.47	0/2399
1	2v	0.24	0/1773	0.48	0/2399
1	2w	0.24	0/1773	0.48	0/2399
1	2x	0.24	0/1773	0.48	0/2399
1	2y	0.24	0/1773	0.48	0/2399
1	2z	0.24	0/1773	0.48	0/2399
1	3a	0.24	0/1773	0.48	0/2399
1	3b	0.24	0/1773	0.49	0/2399
1	3c	0.24	0/1773	0.49	0/2399
All	All	0.24	0/106380	0.47	0/143940

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	01	1744	0	1798	22	0
1	02	1744	0	1798	21	0
1	03	1744	0	1798	27	0
1	04	1744	0	1798	29	0
1	05	1744	0	1798	31	0
1	0z	1744	0	1798	0	0
1	1a	1744	0	1798	0	0
1	1b	1744	0	1798	0	0
1	1c	1744	0	1798	0	0
1	1d	1744	0	1798	0	0
1	1e	1744	0	1798	0	0
1	1f	1744	0	1798	0	0
1	1g	1744	0	1798	0	0
1	1h	1744	0	1798	0	0
1	1i	1744	0	1798	0	0
1	1j	1744	0	1798	0	0
1	1k	1744	0	1798	0	0
1	1l	1744	0	1798	0	0
1	1m	1744	0	1798	0	0
1	1n	1744	0	1798	0	0
1	1o	1744	0	1798	0	0
1	1p	1744	0	1798	0	0
1	1q	1744	0	1798	0	0
1	1r	1744	0	1798	0	0
1	1s	1744	0	1798	0	0
1	1t	1744	0	1798	0	0
1	1u	1744	0	1798	0	0
1	1v	1744	0	1798	0	0
1	1w	1744	0	1798	0	0
1	1x	1744	0	1798	0	0
1	1z	1744	0	1798	0	0
1	2a	1744	0	1798	0	0
1	2b	1744	0	1798	0	0
1	2c	1744	0	1798	0	0
1	2d	1744	0	1798	0	0
1	2e	1744	0	1798	0	0
1	2f	1744	0	1798	0	0
1	2g	1744	0	1798	0	0
1	2h	1744	0	1798	0	0
1	2i	1744	0	1798	0	0
1	2j	1744	0	1798	0	0
1	2k	1744	0	1798	0	0
1	2l	1744	0	1798	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2m	1744	0	1798	0	0
1	2n	1744	0	1798	0	0
1	2o	1744	0	1798	0	0
1	2p	1744	0	1798	0	0
1	2q	1744	0	1798	0	0
1	2r	1744	0	1798	0	0
1	2s	1744	0	1798	0	0
1	2t	1744	0	1798	0	0
1	2u	1744	0	1798	0	0
1	2v	1744	0	1798	0	0
1	2w	1744	0	1798	0	0
1	2x	1744	0	1798	0	0
1	2y	1744	0	1798	0	0
1	2z	1744	0	1798	0	0
1	3a	1744	0	1798	0	0
1	3b	1744	0	1798	0	0
1	3c	1744	0	1798	0	0
All	All	104640	0	107880	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:05:454:MET:HE1	1:05:639:LEU:HD11	1.74	0.67
1:05:522:ILE:HG23	1:05:524:PRO:HD3	1.76	0.67
1:05:445:HIS:HD2	1:05:447:TYR:HE1	1.43	0.66
1:05:530:HIS:CD2	1:05:531:ILE:HG13	2.30	0.66
1:04:522:ILE:HG23	1:04:524:PRO:HD3	1.78	0.64
1:03:444:PRO:HD3	1:05:437:MET:HE1	1.80	0.63
1:02:445:HIS:HE1	1:02:580:ILE:HG22	1.62	0.63
1:04:452:VAL:HG11	1:04:639:LEU:HD23	1.81	0.63
1:03:522:ILE:HG23	1:03:524:PRO:HD3	1.81	0.63
1:01:446:TYR:CZ	1:01:618:CYS:HB2	2.35	0.62
1:05:528:ASN:O	1:05:532:LYS:HG2	1.99	0.62
1:02:452:VAL:HG11	1:02:639:LEU:HD23	1.82	0.61
1:01:452:VAL:HG11	1:01:639:LEU:HD23	1.83	0.61
1:04:509:VAL:H	1:04:530:HIS:CE1	2.18	0.60
1:03:554:GLN:HB2	1:03:557:GLU:OE2	2.01	0.60
1:05:528:ASN:HA	1:05:530:HIS:CE1	2.36	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:03:452:VAL:HG11	1:03:639:LEU:HD23	1.84	0.60
1:03:555:PRO:HA	1:03:558:PHE:CZ	2.37	0.59
1:05:445:HIS:HE1	1:05:580:ILE:HB	1.67	0.58
1:02:522:ILE:HG23	1:02:524:PRO:HD3	1.86	0.57
1:01:491:VAL:HB	1:01:631:TRP:HD1	1.70	0.57
1:05:555:PRO:HA	1:05:558:PHE:CZ	2.40	0.57
1:01:522:ILE:HG23	1:01:524:PRO:HD3	1.87	0.56
1:05:564:THR:OG1	1:05:584:GLN:NE2	2.34	0.56
1:01:527:PHE:O	1:01:532:LYS:NZ	2.37	0.56
1:01:554:GLN:NE2	1:01:556:HIS:H	2.04	0.56
1:02:491:VAL:HB	1:02:631:TRP:HD1	1.70	0.56
1:02:445:HIS:CE1	1:02:580:ILE:HG22	2.40	0.56
1:03:429:ARG:NH2	1:04:622:VAL:O	2.39	0.55
1:03:501:THR:HA	1:05:430:ARG:HH22	1.70	0.55
1:02:446:TYR:CE1	1:02:618:CYS:HB2	2.42	0.55
1:04:498:TRP:HB2	1:04:622:VAL:CG2	2.38	0.54
1:03:440:LYS:HD2	1:03:445:HIS:HD1	1.72	0.54
1:05:554:GLN:HG2	1:05:555:PRO:HD2	1.90	0.54
1:04:429:ARG:NH2	1:05:622:VAL:O	2.41	0.54
1:05:509:VAL:H	1:05:530:HIS:CE1	2.26	0.54
1:01:446:TYR:CE1	1:01:618:CYS:HB2	2.42	0.54
1:05:480:ILE:HG21	1:05:590:ILE:HD11	1.90	0.53
1:02:527:PHE:O	1:02:532:LYS:NZ	2.38	0.53
1:04:470:GLY:HA2	1:04:473:LYS:HD3	1.90	0.53
1:03:491:VAL:HB	1:03:631:TRP:HD1	1.74	0.52
1:04:446:TYR:OH	1:04:623:VAL:HG12	2.10	0.52
1:01:554:GLN:HB3	1:01:557:GLU:HG2	1.92	0.51
1:01:429:ARG:NH2	1:02:622:VAL:O	2.42	0.51
1:04:491:VAL:HB	1:04:631:TRP:HD1	1.75	0.51
1:04:564:THR:OG1	1:04:584:GLN:NE2	2.43	0.51
1:01:475:SER:N	1:01:478:ASP:OD2	2.44	0.51
1:03:440:LYS:HA	1:03:445:HIS:HE1	1.74	0.51
1:04:554:GLN:NE2	1:04:556:HIS:H	2.08	0.51
1:01:564:THR:OG1	1:01:584:GLN:NE2	2.39	0.51
1:03:620:HIS:CG	1:05:436:LEU:HD11	2.46	0.50
1:04:465:ASN:HB3	1:04:473:LYS:HE3	1.94	0.50
1:04:475:SER:N	1:04:478:ASP:OD2	2.45	0.50
1:04:498:TRP:HB2	1:04:622:VAL:HG21	1.95	0.49
1:03:507:HIS:NE2	1:05:421:THR:OG1	2.35	0.49
1:03:425:ILE:HG12	1:04:503:ILE:HG13	1.95	0.48
1:05:491:VAL:HB	1:05:631:TRP:HD1	1.78	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:05:589:ALA:HB3	1:05:615:THR:HB	1.96	0.47
1:04:480:ILE:HG21	1:04:590:ILE:HD11	1.96	0.47
1:05:454:MET:HE3	1:05:457:VAL:HG11	1.97	0.46
1:04:499:MET:HG3	1:04:504:ARG:HB2	1.97	0.46
1:02:440:LYS:HD2	1:02:445:HIS:CD2	2.51	0.46
1:02:427:ASN:HA	1:02:430:ARG:HB3	1.98	0.46
1:01:571:PHE:HB3	1:02:629:ALA:HB1	1.97	0.46
1:05:427:ASN:HA	1:05:430:ARG:HB3	1.98	0.46
1:03:557:GLU:OE2	1:03:557:GLU:N	2.49	0.46
1:03:642:PRO:O	1:03:645:MET:HG3	2.16	0.45
1:01:589:ALA:HB3	1:01:615:THR:HB	1.98	0.45
1:02:567:ASN:HA	1:02:590:ILE:HB	1.99	0.45
1:02:475:SER:N	1:02:478:ASP:OD2	2.49	0.45
1:04:440:LYS:HD2	1:04:445:HIS:CD2	2.52	0.45
1:01:573:ILE:HD11	1:02:629:ALA:HA	1.98	0.45
1:02:446:TYR:CZ	1:02:618:CYS:HB2	2.52	0.45
1:02:589:ALA:HB3	1:02:615:THR:HB	1.99	0.45
1:03:475:SER:N	1:03:478:ASP:OD2	2.43	0.45
1:02:564:THR:OG1	1:02:584:GLN:NE2	2.39	0.44
1:04:554:GLN:HB3	1:04:557:GLU:HG2	1.97	0.44
1:05:433:ALA:O	1:05:437:MET:N	2.40	0.44
1:05:438:GLN:NE2	1:05:442:THR:HG21	2.33	0.44
1:05:445:HIS:HD2	1:05:447:TYR:CE1	2.29	0.44
1:03:552:LYS:C	1:03:553:LEU:HD12	2.38	0.44
1:03:555:PRO:HA	1:03:558:PHE:CE1	2.53	0.44
1:03:423:ILE:O	1:04:502:VAL:HA	2.18	0.44
1:05:454:MET:SD	1:05:639:LEU:HD21	2.58	0.44
1:03:581:ASN:HB3	1:03:583:PRO:HD2	2.00	0.44
1:01:445:HIS:CE1	1:01:580:ILE:HB	2.53	0.43
1:03:620:HIS:ND1	1:05:436:LEU:HD11	2.34	0.43
1:04:588:LEU:HD23	1:04:588:LEU:HA	1.88	0.43
1:05:554:GLN:NE2	1:05:556:HIS:H	2.17	0.43
1:03:446:TYR:CE2	1:03:448:LEU:HD11	2.53	0.43
1:01:588:LEU:HD23	1:01:588:LEU:HA	1.87	0.43
1:05:588:LEU:HD23	1:05:588:LEU:HA	1.86	0.42
1:04:499:MET:HB2	1:04:502:VAL:O	2.20	0.42
1:04:436:LEU:HD11	1:05:620:HIS:ND1	2.35	0.42
1:01:567:ASN:HA	1:01:590:ILE:HB	2.02	0.42
1:03:564:THR:OG1	1:03:584:GLN:NE2	2.37	0.42
1:02:618:CYS:HB3	1:02:623:VAL:HB	2.02	0.42
1:03:430:ARG:HH22	1:04:501:THR:HA	1.84	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:04:535:GLU:OE1	1:04:539:ASN:ND2	2.49	0.41
1:01:434:GLN:OE1	1:01:434:GLN:HA	2.20	0.41
1:04:477:ASN:O	1:04:481:ILE:HG12	2.20	0.41
1:02:554:GLN:NE2	1:02:556:HIS:H	2.18	0.41
1:01:421:THR:HG1	1:02:507:HIS:CE1	2.31	0.41
1:03:547:LYS:C	1:03:553:LEU:HD11	2.41	0.41
1:01:618:CYS:HB3	1:01:623:VAL:HB	2.02	0.41
1:05:522:ILE:HD12	1:05:522:ILE:HA	1.95	0.41
1:04:445:HIS:HE1	1:04:580:ILE:HG22	1.85	0.41
1:03:436:LEU:HD11	1:04:620:HIS:ND1	2.36	0.40
1:01:436:LEU:HD11	1:02:620:HIS:ND1	2.36	0.40
1:03:440:LYS:HD2	1:03:445:HIS:ND1	2.35	0.40
1:01:510:ASP:N	1:01:562:THR:OG1	2.55	0.40
1:04:554:GLN:OE1	1:04:556:HIS:HB3	2.22	0.40
1:05:618:CYS:HB3	1:05:623:VAL:HB	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	01	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	02	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	03	222/647 (34%)	217 (98%)	5 (2%)	0	100	100
1	04	222/647 (34%)	216 (97%)	6 (3%)	0	100	100
1	05	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	0z	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1a	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1b	222/647 (34%)	220 (99%)	2 (1%)	0	100	100

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1c	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1d	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	1e	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	1f	222/647 (34%)	217 (98%)	5 (2%)	0	100	100
1	1g	222/647 (34%)	221 (100%)	1 (0%)	0	100	100
1	1h	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1i	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1j	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1k	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	1l	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1m	222/647 (34%)	221 (100%)	1 (0%)	0	100	100
1	1n	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1o	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1p	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	1q	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	1r	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1s	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1t	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	1u	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1v	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	1w	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1x	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	1z	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2a	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	2b	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2c	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	2d	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2e	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	2f	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2g	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	2h	222/647 (34%)	218 (98%)	4 (2%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	2i	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	2j	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2k	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	2l	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2m	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	2n	222/647 (34%)	217 (98%)	5 (2%)	0	100	100
1	2o	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	2p	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2q	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	2r	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2s	222/647 (34%)	215 (97%)	7 (3%)	0	100	100
1	2t	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2u	222/647 (34%)	220 (99%)	2 (1%)	0	100	100
1	2v	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2w	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	2x	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	2y	222/647 (34%)	219 (99%)	3 (1%)	0	100	100
1	2z	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	3a	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
1	3b	222/647 (34%)	217 (98%)	5 (2%)	0	100	100
1	3c	222/647 (34%)	218 (98%)	4 (2%)	0	100	100
All	All	13320/38820 (34%)	13126 (98%)	194 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	01	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	02	195/526 (37%)	195 (100%)	0	100	100
1	03	195/526 (37%)	195 (100%)	0	100	100
1	04	195/526 (37%)	195 (100%)	0	100	100
1	05	195/526 (37%)	193 (99%)	2 (1%)	76	86
1	0z	195/526 (37%)	195 (100%)	0	100	100
1	1a	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	1b	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	1c	195/526 (37%)	195 (100%)	0	100	100
1	1d	195/526 (37%)	195 (100%)	0	100	100
1	1e	195/526 (37%)	195 (100%)	0	100	100
1	1f	195/526 (37%)	195 (100%)	0	100	100
1	1g	195/526 (37%)	195 (100%)	0	100	100
1	1h	195/526 (37%)	193 (99%)	2 (1%)	76	86
1	1i	195/526 (37%)	195 (100%)	0	100	100
1	1j	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	1k	195/526 (37%)	195 (100%)	0	100	100
1	1l	195/526 (37%)	195 (100%)	0	100	100
1	1m	195/526 (37%)	195 (100%)	0	100	100
1	1n	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	1o	195/526 (37%)	195 (100%)	0	100	100
1	1p	195/526 (37%)	195 (100%)	0	100	100
1	1q	195/526 (37%)	195 (100%)	0	100	100
1	1r	195/526 (37%)	193 (99%)	2 (1%)	76	86
1	1s	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	1t	195/526 (37%)	195 (100%)	0	100	100
1	1u	195/526 (37%)	195 (100%)	0	100	100
1	1v	195/526 (37%)	195 (100%)	0	100	100
1	1w	195/526 (37%)	195 (100%)	0	100	100
1	1x	195/526 (37%)	195 (100%)	0	100	100
1	1z	195/526 (37%)	195 (100%)	0	100	100
1	2a	195/526 (37%)	195 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	2b	195/526 (37%)	195 (100%)	0	100	100
1	2c	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	2d	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	2e	195/526 (37%)	195 (100%)	0	100	100
1	2f	195/526 (37%)	195 (100%)	0	100	100
1	2g	195/526 (37%)	195 (100%)	0	100	100
1	2h	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	2i	195/526 (37%)	195 (100%)	0	100	100
1	2j	195/526 (37%)	195 (100%)	0	100	100
1	2k	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	2l	195/526 (37%)	195 (100%)	0	100	100
1	2m	195/526 (37%)	195 (100%)	0	100	100
1	2n	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	2o	195/526 (37%)	195 (100%)	0	100	100
1	2p	195/526 (37%)	195 (100%)	0	100	100
1	2q	195/526 (37%)	195 (100%)	0	100	100
1	2r	195/526 (37%)	195 (100%)	0	100	100
1	2s	195/526 (37%)	195 (100%)	0	100	100
1	2t	195/526 (37%)	195 (100%)	0	100	100
1	2u	195/526 (37%)	194 (100%)	1 (0%)	88	94
1	2v	195/526 (37%)	195 (100%)	0	100	100
1	2w	195/526 (37%)	195 (100%)	0	100	100
1	2x	195/526 (37%)	195 (100%)	0	100	100
1	2y	195/526 (37%)	195 (100%)	0	100	100
1	2z	195/526 (37%)	195 (100%)	0	100	100
1	3a	195/526 (37%)	195 (100%)	0	100	100
1	3b	195/526 (37%)	195 (100%)	0	100	100
1	3c	195/526 (37%)	194 (100%)	1 (0%)	88	94
All	All	11700/31560 (37%)	11681 (100%)	19 (0%)	93	97

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	01	468	LEU
1	05	467	MET
1	05	570	MET
1	1a	570	MET
1	1b	640	GLU
1	1h	437	MET
1	1h	467	MET
1	1j	570	MET
1	1n	550	GLU
1	1r	427	ASN
1	1r	445	HIS
1	1s	469	GLU
1	2c	446	TYR
1	2d	499	MET
1	2h	570	MET
1	2k	467	MET
1	2n	469	GLU
1	2u	611	MET
1	3c	570	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (44) such sidechains are listed below:

Mol	Chain	Res	Type
1	02	445	HIS
1	04	445	HIS
1	05	445	HIS
1	0z	445	HIS
1	1b	445	HIS
1	1c	556	HIS
1	1d	445	HIS
1	1e	445	HIS
1	1f	445	HIS
1	1g	445	HIS
1	1g	505	GLN
1	1h	559	GLN
1	1k	554	GLN
1	1r	427	ASN
1	1r	445	HIS
1	1s	556	HIS
1	1t	445	HIS
1	1u	445	HIS
1	1u	530	HIS
1	1v	434	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	1v	445	HIS
1	1w	427	ASN
1	2b	445	HIS
1	2d	434	GLN
1	2e	434	GLN
1	2e	445	HIS
1	2f	445	HIS
1	2f	554	GLN
1	2g	556	HIS
1	2h	445	HIS
1	2i	445	HIS
1	2j	445	HIS
1	2m	445	HIS
1	2n	445	HIS
1	2p	556	HIS
1	2t	445	HIS
1	2v	445	HIS
1	2w	445	HIS
1	2x	445	HIS
1	2y	445	HIS
1	2z	445	HIS
1	3a	445	HIS
1	3b	445	HIS
1	3c	445	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26650. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 288




Y Index: 288




Z Index: 288


### 6.2.2 Raw map



X Index: 288



Y Index: 288




Z Index: 288


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 254




Y Index: 254




Z Index: 254


### 6.3.2 Raw map



X Index: 259



Y Index: 259




Z Index: 259


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.013. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_26650\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 761  $\text{nm}^3$ ; this corresponds to an approximate mass of 687 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.84	4.27	3.85
Unmasked-calculated*	6.13	7.52	6.36

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.13 differs from the reported value 3.8 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26650 and PDB model 7UOM. Per-residue inclusion information can be found in section 3 on page 10.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.013 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.013).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary












The table lists the average atom inclusion at the recommended contour level (0.013) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7910	 0.4570
01	 0.7890	 0.4560
02	 0.7880	 0.4540
03	 0.7870	 0.4600
04	 0.7860	 0.4490
05	 0.7940	 0.4570
0z	 0.7900	 0.4600
1a	 0.7930	 0.4620
1b	 0.7930	 0.4530
1c	 0.7930	 0.4550
1d	 0.7910	 0.4600
1e	 0.7970	 0.4600
1f	 0.7940	 0.4600
1g	 0.7910	 0.4500
1h	 0.7910	 0.4520
1i	 0.7910	 0.4620
1j	 0.7840	 0.4500
1k	 0.7910	 0.4580
1l	 0.7890	 0.4570
1m	 0.7930	 0.4520
1n	 0.7940	 0.4570
1o	 0.7910	 0.4530
1p	 0.7950	 0.4600
1q	 0.7870	 0.4520
1r	 0.7870	 0.4570
1s	 0.7890	 0.4540
1t	 0.7950	 0.4540
1u	 0.7940	 0.4520
1v	 0.7880	 0.4490
1w	 0.7930	 0.4570
1x	 0.7930	 0.4540
1z	 0.7880	 0.4600
2a	 0.7910	 0.4520
2b	 0.7900	 0.4570
2c	 0.7930	 0.4560



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
2d	 0.7930	 0.4550
2e	 0.7900	 0.4590
2f	 0.7910	 0.4540
2g	 0.7870	 0.4560
2h	 0.7890	 0.4590
2i	 0.7890	 0.4580
2j	 0.7950	 0.4600
2k	 0.7920	 0.4580
2l	 0.7870	 0.4560
2m	 0.7930	 0.4620
2n	 0.7930	 0.4570
2o	 0.7890	 0.4530
2p	 0.7900	 0.4570
2q	 0.7930	 0.4580
2r	 0.7930	 0.4610
2s	 0.7860	 0.4570
2t	 0.7930	 0.4600
2u	 0.7880	 0.4590
2v	 0.7870	 0.4600
2w	 0.7910	 0.4590
2x	 0.7950	 0.4580
2y	 0.7950	 0.4560
2z	 0.7860	 0.4590
3a	 0.7870	 0.4600
3b	 0.7900	 0.4590
3c	 0.7910	 0.4620