



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 22, 2023 – 02:46 PM JST

PDB ID : 7XMA
Title : Crystal structure of Bovine heart cytochrome c oxidase, apo structure with DMSO
Authors : Nishida, Y.; Shinzawa-Itoh, K.; Mizuno, N.; Kumasaka, T.; Yoshikawa, S.; Tsukihara, T.; Takashima, S.; Shintani, Y.
Deposited on : 2022-04-25
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	
1	N	514	
2	B	581	
2	O	581	
3	C	261	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	P	261	
4	D	147	
4	Q	147	
5	E	109	
5	R	109	
6	F	98	
6	S	98	
7	G	84	
7	T	84	
8	H	85	
8	U	85	
9	I	73	
9	V	73	
10	J	59	
10	W	59	
11	K	56	
11	X	56	
12	L	47	
12	Y	47	
13	M	46	
13	Z	46	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	PEK	C	306	-	-	-	X
7	TPO	G	11	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	TPO	T	11	-	-	-	X

2 Entry composition

There are 28 unique types of molecules in this entry. The entry contains 33571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	514	4115	2746	637	694	38	0	11	0
1	N	514	4115	2747	637	692	39	8	11	0

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2, Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	227	1869	1215	288	346	20	0	5	0
2	O	227	1877	1220	289	347	21	0	6	0

- Molecule 3 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	259	2181	1455	346	363	17	0	8	0
3	P	259	2184	1456	349	363	16	0	9	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	238	GLY	ALA	conflict	UNP P00415
P	238	GLY	ALA	conflict	UNP P00415

- Molecule 4 is a protein called Cytochrome c oxidase subunit 4 isoform 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	144	Total	C	N	O	S	0	3	0
			1222	797	200	221	4			
4	Q	139	Total	C	N	O	S	0	2	0
			1182	770	195	213	4			

- Molecule 5 is a protein called Cytochrome c oxidase subunit 5A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	105	Total	C	N	O	S	0	1	0
			863	550	148	163	2			
5	R	105	Total	C	N	O	S	0	1	0
			863	550	148	163	2			

- Molecule 6 is a protein called Cytochrome c oxidase subunit 5B, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	93	Total	C	N	O	S	0	3	0
			737	456	132	144	5			
6	S	96	Total	C	N	O	S	0	1	0
			740	460	131	143	6			

- Molecule 7 is a protein called Cytochrome c oxidase subunit 6A2, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
7	G	82	Total	C	N	O	P	S	0	1	0
			678	436	129	111	1	1			
7	T	82	Total	C	N	O	P	S	0	0	0
			664	425	127	110	1	1			

- Molecule 8 is a protein called Cytochrome c oxidase subunit 6B1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			
8	U	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			

- Molecule 9 is a protein called Cytochrome c oxidase subunit 6C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	72	Total	C	N	O	S	0	0	0
			592	385	106	97	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	V	72	Total	C	N	O	S	0	0	0
			592	385	106	97	4			

- Molecule 10 is a protein called Cytochrome c oxidase subunit 7A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	57	Total	C	N	O	S	0	0	0
			451	291	76	81	3			
10	W	57	Total	C	N	O	S	0	1	0
			460	296	77	84	3			

- Molecule 11 is a protein called Cytochrome c oxidase subunit 7B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	51	Total	C	N	O	S	0	0	0
			402	260	68	72	2			
11	X	49	Total	C	N	O	S	0	1	0
			391	255	66	68	2			


- Molecule 12 is a protein called Cytochrome c oxidase subunit 7C, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			
12	Y	45	Total	C	N	O	S	0	1	0
			378	253	63	59	3			

- Molecule 13 is a protein called Cytochrome c oxidase subunit 8B.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	M	43	Total	C	N	O	0	0	0
			335	223	53	59			
13	Z	41	Total	C	N	O	0	0	0
			320	214	50	56			

- Molecule 14 is HEME-A (three-letter code: HEA) (formula: $C_{49}H_{56}FeN_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
14	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
14	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
14	N	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
14	N	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		

- Molecule 15 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	1	Total	Cu	0	0
			1	1		
15	N	1	Total	Cu	0	0
			1	1		


- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	1	Total	Mg	0	0
			1	1		
16	N	1	Total	Mg	0	0
			1	1		

- Molecule 17 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	A	1	Total Na 1 1	0	0
17	N	1	Total Na 1 1	0	0

- Molecule 18 is PEROXIDE ION (three-letter code: PER) (formula: O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	A	1	Total O 2 2	0	0
18	N	1	Total O 2 2	0	0

- Molecule 19 is (1R)-2-{{[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (three-letter code: PGV) (formula: C₄₀H₇₇O₁₀P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	O			P
19	A	1	51	40	10	1	0	0
19	C	1	51	40	10	1	0	0
19	C	1	51	40	10	1	0	0
19	D	1	51	40	10	1	0	0
19	N	1	51	40	10	1	0	0
19	N	1	51	40	10	1	0	0
19	P	1	51	40	10	1	0	0
19	P	1	51	40	10	1	0	0

- Molecule 20 is TRISTEAROYLGLYCEROL (three-letter code: TGL) (formula: C₅₇H₁₁₀O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
20	A	1	Total	C	O	0	0
			63	57	6		
20	D	1	Total	C	O	0	0
			63	57	6		
20	L	1	Total	C	O	0	0
			63	57	6		
20	N	1	Total	C	O	0	0
			63	57	6		
20	Q	1	Total	C	O	0	0
			63	57	6		
20	Y	1	Total	C	O	0	0
			63	57	6		

- Molecule 21 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
21	B	1	Total Cu 2 2	0	0
21	O	1	Total Cu 2 2	0	0

- Molecule 22 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
22	C	1	Total C O P 100 81 17 2	0	0
22	G	1	Total C O P 100 81 17 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
22	P	1	Total	C	O	P	0	0
			100	81	17	2		
22	T	1	Total	C	O	P	0	0
			100	81	17	2		

- Molecule 23 is CHOLIC ACID (three-letter code: CHD) (formula: C₂₄H₄₀O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
23	C	1	Total	C	O	0	0
			29	24	5		
23	C	1	Total	C	O	0	0
			29	24	5		
23	G	1	Total	C	O	0	0
			29	24	5		
23	P	1	Total	C	O	0	0
			29	24	5		
23	P	1	Total	C	O	0	0
			29	24	5		
23	T	1	Total	C	O	0	0
			29	24	5		

- Molecule 24 is (1S)-2-[[[(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(STEAROYLOXY)METHYL]ETHYL (5E,8E,11E,14E)-ICOSA-5,8,11,14-TETRAENOATE (three-letter code: PEK) (formula: C₄₃H₇₈NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
24	C	1	Total 53	43	1	8	1	0	0
24	G	1	Total 53	43	1	8	1	0	0
24	G	1	Total 53	43	1	8	1	0	0
24	P	1	Total 53	43	1	8	1	0	0
24	P	1	Total 53	43	1	8	1	0	0
24	T	1	Total 53	43	1	8	1	0	0

- Molecule 25 is (7R,17E,20E)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYL)OXY]METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSA-17,20-DIEN-1-AMINIUM 4-OXIDE (three-letter code: PSC) (formula: C₄₂H₈₁NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
25	E	1	Total	C	N	O	P	0	0
			52	42	1	8	1		
25	O	1	Total	C	N	O	P	0	0
			52	42	1	8	1		

- Molecule 26 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
26	F	1	Total	Zn	0	0
			1	1		
26	S	1	Total	Zn	0	0
			1	1		

- Molecule 27 is DECYL-BETA-D-MALTOPYRANOSIDE (three-letter code: DMU) (formula: C₂₂H₄₂O₁₁).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
27	J	1	Total	C O	0	0
			33	22 11		
27	M	1	Total	C O	0	0
			33	22 11		
27	W	1	Total	C O	0	0
			33	22 11		
27	Z	1	Total	C O	0	0
			33	22 11		

- Molecule 28 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
28	A	276	Total	O	0	0
			276	276		
28	B	180	Total	O	0	0
			180	180		
28	C	149	Total	O	0	0
			149	149		
28	D	179	Total	O	0	0
			179	179		
28	E	128	Total	O	0	0
			128	128		
28	F	119	Total	O	0	0
			119	119		
28	G	65	Total	O	0	0
			65	65		
28	H	76	Total	O	0	0
			76	76		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
28	I	51	Total O 51 51	0	0
28	J	41	Total O 41 41	0	0
28	K	36	Total O 36 36	0	0
28	L	40	Total O 40 40	0	0
28	M	36	Total O 36 36	0	0
28	N	289	Total O 289 289	0	0
28	O	139	Total O 139 139	0	0
28	P	144	Total O 144 144	0	0
28	Q	69	Total O 69 69	0	0
28	R	81	Total O 81 81	0	0
28	S	118	Total O 118 118	0	0
28	T	63	Total O 63 63	0	0
28	U	61	Total O 61 61	0	0
28	V	28	Total O 28 28	0	0
28	W	35	Total O 35 35	0	0
28	X	25	Total O 25 25	0	0
28	Y	34	Total O 34 34	0	0
28	Z	24	Total O 24 24	0	0


- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




- Molecule 5: Cytochrome c oxidase subunit 5A




- Molecule 5: Cytochrome c oxidase subunit 5A




- Molecule 6: Cytochrome c oxidase subunit 5B, mitochondrial




- Molecule 6: Cytochrome c oxidase subunit 5B, mitochondrial





- Molecule 7: Cytochrome c oxidase subunit 6A2, mitochondrial







- Molecule 7: Cytochrome c oxidase subunit 6A2, mitochondrial




- Molecule 8: Cytochrome c oxidase subunit 6B1



- Molecule 8: Cytochrome c oxidase subunit 6B1





- Molecule 9: Cytochrome c oxidase subunit 6C





- Molecule 9: Cytochrome c oxidase subunit 6C





- Molecule 10: Cytochrome c oxidase subunit 7A1





- Molecule 10: Cytochrome c oxidase subunit 7A1




- Molecule 11: Cytochrome c oxidase subunit 7B




- Molecule 11: Cytochrome c oxidase subunit 7B





- Molecule 12: Cytochrome c oxidase subunit 7C, mitochondrial





- Molecule 12: Cytochrome c oxidase subunit 7C, mitochondrial



- Molecule 13: Cytochrome c oxidase subunit 8B



- Molecule 13: Cytochrome c oxidase subunit 8B



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	181.80Å 203.58Å 177.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.97 – 2.20 29.97 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.4 (29.97-2.20) 99.9 (29.97-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.92 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5, PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.185 , 0.213 0.191 , 0.217	Depositor DCC
R_{free} test set	16583 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	30.2	Xtrriage
Anisotropy	0.867	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 69.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.003 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	33571	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, PSC, HEA, CUA, PER, TGL, CDL, CHD, NA, PGV, TPO, MG, PEK, FME, ZN, DMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/4244	0.42	0/5795
1	N	0.25	0/4244	0.42	0/5794
2	B	0.26	0/1907	0.47	0/2597
2	O	0.25	0/1915	0.46	0/2607
3	C	0.25	0/2268	0.39	0/3096
3	P	0.26	0/2271	0.40	0/3100
4	D	0.24	0/1257	0.41	0/1695
4	Q	0.24	0/1217	0.42	0/1641
5	E	0.24	0/882	0.46	0/1196
5	R	0.25	0/882	0.47	0/1196
6	F	0.27	0/753	0.50	0/1023
6	S	0.25	0/756	0.49	0/1026
7	G	0.26	0/695	0.51	0/945
7	T	0.26	0/679	0.50	0/922
8	H	0.25	0/682	0.51	0/921
8	U	0.24	0/682	0.50	0/921
9	I	0.27	0/605	0.48	0/802
9	V	0.27	0/605	0.47	0/802
10	J	0.25	0/462	0.42	0/625
10	W	0.24	0/471	0.44	0/637
11	K	0.28	0/416	0.46	0/570
11	X	0.26	0/405	0.46	0/556
12	L	0.26	0/393	0.40	0/526
12	Y	0.26	0/391	0.41	0/525
13	M	0.25	0/345	0.39	0/470
13	Z	0.24	0/330	0.38	0/451
All	All	0.25	0/29757	0.44	0/40439

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4115	0	4087	45	0
1	N	4115	0	4092	45	0
2	B	1869	0	1868	24	0
2	O	1877	0	1876	27	0
3	C	2181	0	2092	31	0
3	P	2184	0	2095	26	0
4	D	1222	0	1211	17	0
4	Q	1182	0	1162	10	0
5	E	863	0	857	5	0
5	R	863	0	857	2	0
6	F	737	0	711	6	0
6	S	740	0	721	3	0
7	G	678	0	639	16	0
7	T	664	0	630	18	0
8	H	662	0	623	3	0
8	U	662	0	623	6	0
9	I	592	0	604	3	0
9	V	592	0	604	2	0
10	J	451	0	446	3	0
10	W	460	0	451	4	0
11	K	402	0	380	5	0
11	X	391	0	374	2	0
12	L	380	0	380	5	0
12	Y	378	0	375	7	0
13	M	335	0	352	2	0
13	Z	320	0	334	2	0
14	A	120	0	108	14	0
14	N	120	0	108	11	0
15	A	1	0	0	0	0
15	N	1	0	0	0	0
16	A	1	0	0	0	0
16	N	1	0	0	0	0
17	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	N	1	0	0	0	0
18	A	2	0	0	0	0
18	N	2	0	0	0	0
19	A	51	0	76	6	0
19	C	102	0	152	4	0
19	D	51	0	76	11	0
19	N	102	0	152	13	0
19	P	102	0	152	4	0
20	A	63	0	110	2	0
20	D	63	0	110	9	0
20	L	63	0	110	7	0
20	N	63	0	110	4	0
20	Q	63	0	110	5	0
20	Y	63	0	110	8	0
21	B	2	0	0	0	0
21	O	2	0	0	0	0
22	C	100	0	156	14	0
22	G	100	0	156	14	0
22	P	100	0	156	12	0
22	T	100	0	156	20	0
23	C	58	0	78	0	0
23	G	29	0	39	1	0
23	P	58	0	78	0	0
23	T	29	0	39	0	0
24	C	53	0	77	6	0
24	G	106	0	154	12	0
24	P	106	0	154	10	0
24	T	53	0	77	7	0
25	E	52	0	80	10	0
25	O	52	0	80	10	0
26	F	1	0	0	0	0
26	S	1	0	0	0	0
27	J	33	0	42	4	0
27	M	33	0	42	0	0
27	W	33	0	42	3	0
27	Z	33	0	42	0	0
28	A	276	0	0	1	0
28	B	180	0	0	0	0
28	C	149	0	0	1	0
28	D	179	0	0	1	0
28	E	128	0	0	0	0
28	F	119	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	G	65	0	0	2	0
28	H	76	0	0	1	0
28	I	51	0	0	0	0
28	J	41	0	0	0	0
28	K	36	0	0	2	0
28	L	40	0	0	0	0
28	M	36	0	0	0	0
28	N	289	0	0	4	0
28	O	139	0	0	0	0
28	P	144	0	0	0	0
28	Q	69	0	0	1	0
28	R	81	0	0	1	0
28	S	118	0	0	0	0
28	T	63	0	0	2	0
28	U	61	0	0	2	0
28	V	28	0	0	0	0
28	W	35	0	0	0	0
28	X	25	0	0	0	0
28	Y	34	0	0	0	0
28	Z	24	0	0	0	0
All	All	33571	0	31576	363	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 363 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:N:609:PGV:H011	19:N:609:PGV:H31	1.57	0.87
22:P:304:CDL:H151	22:P:304:CDL:HA61	1.57	0.85
2:O:91:ASN:O	2:O:92:ASN:ND2	2.11	0.83
2:B:70:ALA:HB1	22:T:103:CDL:H451	1.62	0.82
6:F:94:HIS:CD2	28:F:206:HOH:O	2.36	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	523/514 (102%)	509 (97%)	14 (3%)	0	100	100
1	N	523/514 (102%)	508 (97%)	15 (3%)	0	100	100
2	B	230/581 (40%)	225 (98%)	5 (2%)	0	100	100
2	O	231/581 (40%)	225 (97%)	5 (2%)	1 (0%)	34	37
3	C	266/261 (102%)	262 (98%)	4 (2%)	0	100	100
3	P	266/261 (102%)	262 (98%)	4 (2%)	0	100	100
4	D	145/147 (99%)	142 (98%)	3 (2%)	0	100	100
4	Q	139/147 (95%)	136 (98%)	3 (2%)	0	100	100
5	E	104/109 (95%)	104 (100%)	0	0	100	100
5	R	104/109 (95%)	104 (100%)	0	0	100	100
6	F	94/98 (96%)	93 (99%)	1 (1%)	0	100	100
6	S	95/98 (97%)	93 (98%)	2 (2%)	0	100	100
7	G	80/84 (95%)	73 (91%)	5 (6%)	2 (2%)	5	3
7	T	79/84 (94%)	74 (94%)	3 (4%)	2 (2%)	5	3
8	H	77/85 (91%)	73 (95%)	3 (4%)	1 (1%)	12	9
8	U	77/85 (91%)	73 (95%)	3 (4%)	1 (1%)	12	9
9	I	70/73 (96%)	69 (99%)	1 (1%)	0	100	100
9	V	70/73 (96%)	69 (99%)	1 (1%)	0	100	100
10	J	55/59 (93%)	55 (100%)	0	0	100	100
10	W	56/59 (95%)	56 (100%)	0	0	100	100
11	K	49/56 (88%)	48 (98%)	1 (2%)	0	100	100
11	X	48/56 (86%)	47 (98%)	1 (2%)	0	100	100
12	L	44/47 (94%)	44 (100%)	0	0	100	100
12	Y	44/47 (94%)	44 (100%)	0	0	100	100
13	M	41/46 (89%)	40 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	Z	39/46 (85%)	39 (100%)	0	0	100	100
All	All	3549/4320 (82%)	3467 (98%)	75 (2%)	7 (0%)	47	55

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	G	7	ASP
8	H	10	ASN
7	T	7	ASP
8	U	10	ASN
7	G	4	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	437/426 (103%)	428 (98%)	9 (2%)	53	67
1	N	437/426 (103%)	429 (98%)	8 (2%)	59	72
2	B	215/511 (42%)	208 (97%)	7 (3%)	38	49
2	O	216/511 (42%)	208 (96%)	8 (4%)	34	43
3	C	233/225 (104%)	229 (98%)	4 (2%)	60	74
3	P	233/225 (104%)	230 (99%)	3 (1%)	69	81
4	D	131/129 (102%)	128 (98%)	3 (2%)	50	63
4	Q	125/129 (97%)	124 (99%)	1 (1%)	81	90
5	E	93/95 (98%)	93 (100%)	0	100	100
5	R	93/95 (98%)	93 (100%)	0	100	100
6	F	81/81 (100%)	78 (96%)	3 (4%)	34	43
6	S	81/81 (100%)	79 (98%)	2 (2%)	47	60
7	G	67/67 (100%)	58 (87%)	9 (13%)	4	3
7	T	66/67 (98%)	59 (89%)	7 (11%)	6	6
8	H	71/75 (95%)	68 (96%)	3 (4%)	30	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	U	71/75 (95%)	69 (97%)	2 (3%)	43	56
9	I	57/58 (98%)	55 (96%)	2 (4%)	36	46
9	V	57/58 (98%)	55 (96%)	2 (4%)	36	46
10	J	48/50 (96%)	48 (100%)	0	100	100
10	W	49/50 (98%)	47 (96%)	2 (4%)	30	39
11	K	41/46 (89%)	39 (95%)	2 (5%)	25	31
11	X	40/46 (87%)	39 (98%)	1 (2%)	47	60
12	L	39/40 (98%)	38 (97%)	1 (3%)	46	58
12	Y	39/40 (98%)	37 (95%)	2 (5%)	24	29
13	M	37/38 (97%)	35 (95%)	2 (5%)	22	26
13	Z	35/38 (92%)	34 (97%)	1 (3%)	42	54
All	All	3092/3682 (84%)	3008 (97%)	84 (3%)	46	57

5 of 84 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	O	91	ASN
7	T	43	GLU
2	O	94	SER
6	S	25	ARG
8	U	60	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	52	HIS
4	D	101	HIS
11	K	56	GLN
7	T	38	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FME	O	1	2	8,9,10	0.46	0	7,9,11	1.26	0
7	TPO	G	11	7	8,10,11	1.30	1 (12%)	10,14,16	0.99	1 (10%)
1	FME	N	1	1	8,9,10	0.46	0	7,9,11	1.30	0
7	TPO	T	11	7	8,10,11	1.29	1 (12%)	10,14,16	0.85	0
1	FME	A	1	1	8,9,10	0.48	0	7,9,11	1.34	0
2	FME	B	1	2	8,9,10	0.47	0	7,9,11	1.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FME	O	1	2	-	1/7/9/11	-
7	TPO	G	11	7	-	5/9/11/13	-
1	FME	N	1	1	-	5/7/9/11	-
7	TPO	T	11	7	-	4/9/11/13	-
1	FME	A	1	1	-	5/7/9/11	-
2	FME	B	1	2	-	1/7/9/11	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	11	TPO	P-O1P	2.77	1.59	1.50
7	T	11	TPO	P-O1P	2.76	1.59	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	G	11	TPO	CG2-CB-CA	2.31	117.71	113.16

There are no chirality outliers.

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	O1-CN-N-CA
1	A	1	FME	N-CA-CB-CG
1	A	1	FME	C-CA-CB-CG
7	G	11	TPO	N-CA-CB-CG2
7	G	11	TPO	N-CA-CB-OG1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	FME	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 52 ligands modelled in this entry, 8 are monoatomic - leaving 44 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	PSC	O	602	-	51,51,51	1.13	3 (5%)	57,59,59	1.51	4 (7%)
23	CHD	C	304	-	32,32,32	0.83	1 (3%)	51,51,51	1.01	1 (1%)
24	PEK	P	301	-	52,52,52	0.98	2 (3%)	55,57,57	1.18	5 (9%)
22	CDL	C	302	-	99,99,99	1.33	12 (12%)	105,111,111	1.42	13 (12%)
22	CDL	P	304	-	99,99,99	1.31	12 (12%)	105,111,111	1.33	13 (12%)
24	PEK	C	306	-	52,52,52	0.94	2 (3%)	55,57,57	1.27	6 (10%)
22	CDL	G	103	-	99,99,99	1.32	12 (12%)	105,111,111	1.36	8 (7%)
14	HEA	A	601	1	57,67,67	1.48	9 (15%)	61,103,103	1.63	15 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
23	CHD	T	101	-	32,32,32	0.82	1 (3%)	51,51,51	1.10	4 (7%)
22	CDL	T	103	-	99,99,99	1.31	12 (12%)	105,111,111	1.25	7 (6%)
24	PEK	G	101	-	52,52,52	0.89	2 (3%)	55,57,57	1.36	8 (14%)
19	PGV	N	607	-	50,50,50	0.94	2 (4%)	53,56,56	1.10	3 (5%)
14	HEA	N	601	1	57,67,67	1.48	9 (15%)	61,103,103	1.61	14 (22%)
18	PER	A	606	14,15	0,1,1	-	-	-	-	-
23	CHD	P	306	-	32,32,32	0.81	1 (3%)	51,51,51	0.95	1 (1%)
25	PSC	E	201	-	51,51,51	1.10	3 (5%)	57,59,59	1.41	5 (8%)
24	PEK	T	102	-	52,52,52	0.94	2 (3%)	55,57,57	1.22	4 (7%)
14	HEA	A	602	1,18	57,67,67	1.50	9 (15%)	61,103,103	1.65	19 (31%)
19	PGV	D	201	-	50,50,50	0.32	0	53,56,56	0.33	0
19	PGV	N	609	-	50,50,50	1.00	2 (4%)	53,56,56	1.31	7 (13%)
20	TGL	Y	101	-	62,62,62	1.00	3 (4%)	65,65,65	0.96	3 (4%)
23	CHD	P	305	-	32,32,32	0.78	0	51,51,51	1.76	8 (15%)
19	PGV	P	302	-	50,50,50	0.98	2 (4%)	53,56,56	1.35	8 (15%)
24	PEK	P	307	-	52,52,52	0.93	2 (3%)	55,57,57	1.41	9 (16%)
20	TGL	A	608	-	62,62,62	0.98	3 (4%)	65,65,65	1.15	5 (7%)
24	PEK	G	102	-	52,52,52	0.96	2 (3%)	55,57,57	1.21	5 (9%)
23	CHD	C	303	-	32,32,32	0.87	1 (3%)	51,51,51	1.35	7 (13%)
18	PER	N	606	14,15	0,1,1	-	-	-	-	-
19	PGV	A	607	-	50,50,50	0.94	2 (4%)	53,56,56	1.11	3 (5%)
19	PGV	P	303	-	50,50,50	0.33	0	53,56,56	0.53	0
27	DMU	Z	101	-	34,34,34	0.38	0	45,45,45	0.76	1 (2%)
20	TGL	D	202	-	62,62,62	0.97	3 (4%)	65,65,65	1.07	4 (6%)
27	DMU	W	101	-	34,34,34	0.34	0	45,45,45	0.85	1 (2%)
20	TGL	L	101	-	62,62,62	1.00	3 (4%)	65,65,65	1.13	5 (7%)
19	PGV	C	301	-	50,50,50	0.37	0	53,56,56	0.49	1 (1%)
20	TGL	N	608	-	62,62,62	0.99	3 (4%)	65,65,65	1.11	5 (7%)
21	CUA	B	601	2	0,1,1	-	-	-	-	-
14	HEA	N	602	1,18	57,67,67	1.49	10 (17%)	61,103,103	1.63	16 (26%)
23	CHD	G	104	-	32,32,32	0.81	1 (3%)	51,51,51	1.09	3 (5%)
27	DMU	J	101	-	34,34,34	0.48	1 (2%)	45,45,45	0.99	1 (2%)
20	TGL	Q	201	-	62,62,62	0.99	3 (4%)	65,65,65	1.14	5 (7%)
27	DMU	M	101	-	34,34,34	0.36	0	45,45,45	0.76	1 (2%)
19	PGV	C	305	-	50,50,50	0.96	2 (4%)	53,56,56	1.37	8 (15%)
21	CUA	O	601	2	0,1,1	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	PSC	O	602	-	-	25/55/55/55	-
23	CHD	C	304	-	-	1/9/74/74	0/4/4/4
24	PEK	P	301	-	-	26/56/56/56	-
22	CDL	C	302	-	-	40/110/110/110	-
22	CDL	P	304	-	-	39/110/110/110	-
24	PEK	C	306	-	-	19/56/56/56	-
22	CDL	G	103	-	-	35/110/110/110	-
14	HEA	A	601	1	-	9/32/76/76	-
23	CHD	T	101	-	-	2/9/74/74	0/4/4/4
22	CDL	T	103	-	-	33/110/110/110	-
24	PEK	G	101	-	-	21/56/56/56	-
19	PGV	N	607	-	-	7/55/55/55	-
14	HEA	N	601	1	-	7/32/76/76	-
23	CHD	P	306	-	-	3/9/74/74	0/4/4/4
25	PSC	E	201	-	-	20/55/55/55	-
24	PEK	T	102	-	-	13/56/56/56	-
14	HEA	A	602	1,18	-	7/32/76/76	-
19	PGV	D	201	-	-	29/55/55/55	-
19	PGV	N	609	-	-	23/55/55/55	-
20	TGL	Y	101	-	-	34/65/65/65	-
23	CHD	P	305	-	-	5/9/74/74	1/4/4/4
19	PGV	P	302	-	-	19/55/55/55	-
24	PEK	P	307	-	-	20/56/56/56	-
20	TGL	A	608	-	-	26/65/65/65	-
24	PEK	G	102	-	-	20/56/56/56	-
23	CHD	C	303	-	-	5/9/74/74	0/4/4/4
19	PGV	A	607	-	-	11/55/55/55	-
19	PGV	P	303	-	-	22/55/55/55	-
27	DMU	Z	101	-	-	4/19/59/59	0/2/2/2
20	TGL	D	202	-	-	27/65/65/65	-
27	DMU	W	101	-	-	8/19/59/59	0/2/2/2
20	TGL	L	101	-	-	28/65/65/65	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	PGV	C	301	-	-	21/55/55/55	-
20	TGL	N	608	-	-	27/65/65/65	-
23	CHD	G	104	-	-	2/9/74/74	0/4/4/4
14	HEA	N	602	1,18	-	6/32/76/76	-
27	DMU	J	101	-	-	8/19/59/59	0/2/2/2
20	TGL	Q	201	-	-	21/65/65/65	-
27	DMU	M	101	-	-	6/19/59/59	0/2/2/2
19	PGV	C	305	-	-	14/55/55/55	-

The worst 5 of 137 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	O	602	PSC	O01-C1	4.93	1.48	1.34
22	C	302	CDL	OA8-CA7	4.86	1.47	1.33
24	P	301	PEK	O03-C21	4.86	1.47	1.33
25	E	201	PSC	O01-C1	4.68	1.47	1.34
19	C	305	PGV	O03-C19	4.64	1.46	1.33

The worst 5 of 236 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	O	602	PSC	O01-C1-C2	6.98	126.54	111.50
23	P	305	CHD	C6-C5-C4	-6.64	103.54	111.19
25	E	201	PSC	O01-C1-C2	5.81	124.02	111.50
22	G	103	CDL	OA6-CA5-C11	5.55	123.45	111.50
24	P	301	PEK	O01-C1-C2	5.36	123.06	111.50

There are no chirality outliers.

5 of 693 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	601	HEA	C18-C19-C20-C21
14	A	601	HEA	C27-C19-C20-C21
19	C	301	PGV	C04-O12-P-O13
19	C	305	PGV	C04-C05-C06-O06
19	C	305	PGV	O04-C19-O03-C01

All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
23	P	305	CHD	C1-C10-C2-C3-C4-C5


33 monomers are involved in 218 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
25	O	602	PSC	10	0
24	P	301	PEK	6	0
22	C	302	CDL	14	0
22	P	304	CDL	12	0
24	C	306	PEK	6	0
22	G	103	CDL	14	0
14	A	601	HEA	8	0
22	T	103	CDL	20	0
24	G	101	PEK	4	0
19	N	607	PGV	5	0
14	N	601	HEA	7	0
25	E	201	PSC	10	0
24	T	102	PEK	7	0
14	A	602	HEA	6	0
19	D	201	PGV	11	0
19	N	609	PGV	8	0
20	Y	101	TGL	8	0
19	P	302	PGV	2	0
24	P	307	PEK	4	0
20	A	608	TGL	2	0
24	G	102	PEK	8	0
19	A	607	PGV	6	0
19	P	303	PGV	2	0
20	D	202	TGL	9	0
27	W	101	DMU	3	0
20	L	101	TGL	7	0
19	C	301	PGV	3	0
20	N	608	TGL	4	0
14	N	602	HEA	4	0
23	G	104	CHD	1	0
27	J	101	DMU	4	0
20	Q	201	TGL	5	0
19	C	305	PGV	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	513/514 (99%)	-0.42	1 (0%) 95 94	22, 29, 39, 92	0
1	N	513/514 (99%)	-0.39	1 (0%) 95 94	24, 32, 44, 79	0
2	B	226/581 (38%)	-0.15	7 (3%) 49 47	24, 38, 70, 123	0
2	O	226/581 (38%)	-0.05	11 (4%) 29 28	28, 42, 79, 167	0
3	C	259/261 (99%)	-0.43	3 (1%) 79 77	24, 33, 49, 95	0
3	P	259/261 (99%)	-0.35	2 (0%) 86 85	26, 33, 51, 97	0
4	D	144/147 (97%)	-0.33	2 (1%) 75 73	30, 39, 61, 99	0
4	Q	139/147 (94%)	0.25	11 (7%) 12 11	34, 52, 86, 150	0
5	E	105/109 (96%)	-0.14	5 (4%) 30 29	31, 40, 69, 146	0
5	R	105/109 (96%)	0.21	8 (7%) 13 12	36, 49, 79, 144	0
6	F	93/98 (94%)	0.02	4 (4%) 35 33	26, 39, 67, 139	0
6	S	96/98 (97%)	0.01	7 (7%) 15 14	26, 38, 76, 113	0
7	G	81/84 (96%)	0.63	15 (18%) 1 1	30, 41, 124, 185	0
7	T	81/84 (96%)	0.74	15 (18%) 1 1	30, 43, 124, 198	0
8	H	79/85 (92%)	0.18	9 (11%) 5 4	29, 42, 124, 143	0
8	U	79/85 (92%)	0.38	10 (12%) 3 3	34, 47, 138, 151	0
9	I	72/73 (98%)	0.32	7 (9%) 7 6	35, 52, 81, 101	0
9	V	72/73 (98%)	0.65	9 (12%) 3 3	37, 58, 94, 139	0
10	J	57/59 (96%)	0.06	5 (8%) 10 8	32, 44, 79, 96	0
10	W	57/59 (96%)	0.15	4 (7%) 16 15	34, 47, 84, 109	0
11	K	51/56 (91%)	0.37	5 (9%) 7 6	34, 45, 71, 97	0
11	X	49/56 (87%)	0.60	5 (10%) 6 6	44, 52, 77, 89	0
12	L	46/47 (97%)	-0.40	1 (2%) 62 59	28, 36, 62, 111	0
12	Y	45/47 (95%)	-0.27	0 100 100	32, 43, 78, 91	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	43/46 (93%)	-0.01	5 (11%) 4 4	30, 35, 95, 136	0
13	Z	41/46 (89%)	0.14	5 (12%) 4 3	36, 44, 84, 109	0
All	All	3531/4320 (81%)	-0.11	157 (4%) 34 32	22, 37, 76, 198	0

The worst 5 of 157 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
7	T	8	HIS	9.0
8	U	45	ALA	8.5
7	G	7	ASP	8.0
8	H	45	ALA	7.6
5	R	109	VAL	7.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	TPO	G	11	11/12	0.65	0.43	97,139,209,217	0
7	TPO	T	11	11/12	0.70	0.41	86,138,197,210	0
1	FME	N	1	10/11	0.92	0.28	43,50,90,92	0
1	FME	A	1	10/11	0.95	0.29	38,51,75,118	0
2	FME	O	1	10/11	0.97	0.17	35,40,60,89	0
2	FME	B	1	10/11	0.97	0.16	32,36,49,94	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
24	PEK	C	306	53/53	0.51	0.50	41,97,176,196	0
24	PEK	G	101	53/53	0.52	0.36	41,88,171,203	0
24	PEK	P	301	53/53	0.61	0.36	39,89,173,197	0
27	DMU	J	101	33/33	0.61	0.37	43,89,113,124	0
22	CDL	G	103	100/100	0.63	0.40	51,107,157,207	0
25	PSC	O	602	52/52	0.64	0.36	41,94,202,234	0
24	PEK	P	307	53/53	0.64	0.36	43,91,163,188	0
22	CDL	T	103	100/100	0.65	0.37	46,97,179,209	0
25	PSC	E	201	52/52	0.65	0.35	40,114,206,225	0
19	PGV	P	302	51/51	0.66	0.32	52,93,171,178	0
22	CDL	C	302	100/100	0.68	0.34	38,88,143,153	0
23	CHD	P	305	29/29	0.70	0.35	63,100,124,132	0
20	TGL	Q	201	63/63	0.70	0.24	44,79,121,133	0
27	DMU	W	101	33/33	0.70	0.40	41,89,119,122	0
20	TGL	Y	101	63/63	0.71	0.27	35,70,121,169	0
22	CDL	P	304	100/100	0.71	0.33	38,95,140,162	0
23	CHD	C	303	29/29	0.72	0.39	75,97,118,124	0
19	PGV	N	609	51/51	0.74	0.36	39,91,166,187	0
27	DMU	M	101	33/33	0.77	0.24	34,49,62,87	0
19	PGV	D	201	51/51	0.77	0.30	34,83,159,180	0
20	TGL	L	101	63/63	0.80	0.21	32,61,108,130	0
19	PGV	C	305	51/51	0.80	0.30	34,83,144,188	0
27	DMU	Z	101	33/33	0.80	0.29	40,56,76,89	0
20	TGL	D	202	63/63	0.81	0.20	39,74,102,128	0
20	TGL	A	608	63/63	0.81	0.20	33,76,105,138	0
20	TGL	N	608	63/63	0.83	0.21	33,75,107,121	0
24	PEK	T	102	53/53	0.87	0.24	29,54,103,123	0
24	PEK	G	102	53/53	0.88	0.26	31,54,111,129	0
19	PGV	A	607	51/51	0.88	0.26	21,44,73,90	0
19	PGV	C	301	51/51	0.89	0.31	22,46,88,101	0
19	PGV	N	607	51/51	0.90	0.23	17,49,75,89	0
23	CHD	C	304	29/29	0.90	0.11	25,35,44,47	0
19	PGV	P	303	51/51	0.90	0.29	28,46,107,120	0
23	CHD	P	306	29/29	0.92	0.11	24,37,45,53	0
23	CHD	G	104	29/29	0.94	0.10	21,29,38,49	0
14	HEA	N	602	60/60	0.95	0.12	18,30,45,54	0
14	HEA	N	601	60/60	0.95	0.16	18,34,62,79	0
23	CHD	T	101	29/29	0.95	0.09	20,28,43,56	0
14	HEA	A	601	60/60	0.96	0.14	11,29,56,88	0
14	HEA	A	602	60/60	0.96	0.12	18,28,46,49	0
16	MG	A	604	1/1	0.97	0.07	13,13,13,13	0
18	PER	N	606	2/2	0.97	0.19	38,38,38,46	0
26	ZN	F	101	1/1	0.97	0.14	21,21,21,21	0

Continued on next page...

Continued from previous page...



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
26	ZN	S	101	1/1	0.97	0.11	21,21,21,21	0
18	PER	A	606	2/2	0.98	0.20	36,36,36,42	0
15	CU	N	603	1/1	0.98	0.03	18,18,18,18	0
15	CU	A	603	1/1	0.98	0.04	18,18,18,18	0
17	NA	A	605	1/1	0.98	0.10	15,15,15,15	0
17	NA	N	605	1/1	0.98	0.07	17,17,17,17	0
16	MG	N	604	1/1	0.99	0.11	13,13,13,13	0
21	CUA	B	601	2/2	0.99	0.04	17,17,17,20	0
21	CUA	O	601	2/2	0.99	0.08	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PEK G 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PEK P 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DMU J 101:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PEK P 307:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around CDL T 103:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around PSC E 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PGV P 302:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around CHD P 305:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TGL Q 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)












Electron density around CDL P 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD C 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PGV N 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DMU M 101:**



$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around TGL L 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PGV C 305:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)


**Electron density around DMU Z 101:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

















Electron density around CHD C 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV P 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CHD P 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CHD G 104:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around CHD T 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEA A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.