



## Full wwPDB EM Validation Report ⓘ

May 20, 2023 – 09:17 am BST

PDB ID : 7Z3O  
EMDB ID : EMD-14480  
Title : Cryo-EM structure of the ribosome-associated RAC complex on the 80S ribosome - RAC-2 conformation  
Authors : Kisonaite, M.; Wild, K.; Sinning, I.  
Deposited on : 2022-03-02  
Resolution : 3.30 Å(reported)  
Based on initial model : 7OLC

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.32.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	3337	
2	2	1796	
3	3	120	
4	4	156	
5	A	316	
6	B	302	
7	C	446	
8	D	578	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	LA	254	 99%
10	LB	392	 99%
11	LC	365	 99%
12	LD	304	 99%
13	LE	200	 97%
14	LF	249	 99%
15	LG	262	 89% 10%
16	LH	192	 99%
17	LI	219	 99% 5%
18	LJ	173	 96%
19	LK	165	 93% 53% 6%
20	LL	213	 98%
21	LM	142	 99%
22	LN	203	 100%
23	LO	204	 99%
24	LP	187	 99% 6%
25	LQ	213	 85% 14%
26	LR	192	 96%
27	LS	174	 99%
28	LT	160	 99%
29	LU	127	 81% 18%
30	LV	139	 97%
31	LW	161	 82% 17% 10%
32	LX	156	 78% 22%
33	LY	138	97%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	LZ	135	100%
35	La	149	99%
36	Lb	65	95% 5%
37	Lc	108	90% 10%
38	Ld	120	8% 99%
39	Le	131	95% 5%
40	Lf	109	98%
41	Lg	119	94% 6%
42	Lh	126	96%
43	Li	110	92% 7%
44	Lj	95	89% 9%
45	Lk	81	5% 99%
46	Ll	51	96%
47	Lm	128	40% 59%
48	Ln	25	80% 16%
48	Lr	25	32% 80% 16%
49	Lo	106	97%
50	Lp	92	99%
51	Lq	147	96%
52	Ls	312	37% 60% 93% 39%
53	NC	27	100%
54	SA	285	73% 27%
55	SB	255	91% 9%
56	SC	263	82% 18%
57	SD	254	83% 16%




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	SE	264	 99%
59	SF	212	 7% 92% 6%
60	SG	239	 97%
61	SH	203	 96%
62	SI	202	 98%
63	SJ	190	 94% 6%
64	SK	159	 55% 44%
65	SL	161	 91% 7%
66	SM	144	 54% 81% 18%
67	SN	151	 99%
68	SO	150	 90% 10%
69	SP	153	 11% 75% 25%
70	SQ	143	 6% 97%
71	SR	143	 87% 10%
72	SS	156	 87% 12%
73	ST	153	 92% 7%
74	SU	116	 87% 11%
75	SV	98	 88% 12%
76	SW	130	 99%
77	SX	145	 98%
78	SY	136	 6% 95%
79	SZ	99	 5% 70% 30%
80	Sa	119	 87% 13%
81	Sb	82	 99%
82	Sc	68	 6% 87% 10%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
83	Sd	56	 91% 7%
84	Se	62	 65% 35%
85	Sf	154	 9% 47% 53%

## 2 Entry composition

There are 88 unique types of molecules in this entry. The entry contains 213449 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 26S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	1	3191	68242	30465	12334	22252	3191	0	0

- Molecule 2 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	2	1765	37637	16817	6705	12350	1765	0	0

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	3	119	2535	1132	453	831	119	0	0

- Molecule 4 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	4	156	3319	1484	589	1090	156	0	0

- Molecule 5 is a protein called Putative guanine nucleotide-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	A	312	2438	1534	424	468	12	0	0

- Molecule 6 is a protein called HABP4\_PA1-RBP1 domain-containing protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	B	31	243	144	49	50	0	0

- Molecule 7 is a protein called Putative ribosome associated protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	C	444	3566	2218	661	683	4	0	0

- Molecule 8 is a protein called Putative heat shock protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	D	519	3942	2470	689	780	3	0	0

- Molecule 9 is a protein called 60S ribosomal protein L2-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	LA	252	1925	1203	385	334	3	0	0

- Molecule 10 is a protein called 60S ribosomal protein L3-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	LB	387	3088	1964	576	535	13	0	0

- Molecule 11 is a protein called 60S ribosomal protein L4-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	LC	363	2758	1741	527	481	9	0	0

- Molecule 12 is a protein called 60S ribosomal protein l5-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	LD	300	2440	1545	431	461	3	0	0

- Molecule 13 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	LE	194	1518	974	274	267	3	0	0

- Molecule 14 is a protein called 60S ribosomal protein l7-like protein.



Mol	Chain	Residues	Atoms					AltConf	Trace
14	LF	247	Total	C	N	O	S	0	0
			2017	1294	376	344	3		

- Molecule 15 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LG	235	Total	C	N	O	S	0	0
			1900	1218	351	326	5		

- Molecule 16 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LH	191	Total	C	N	O	S	0	0
			1505	955	269	275	6		

- Molecule 17 is a protein called 60S ribosomal protein L10-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LI	217	Total	C	N	O	S	0	0
			1760	1109	343	299	9		

- Molecule 18 is a protein called Putative ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LJ	167	Total	C	N	O	S	0	0
			1367	854	268	239	6		

- Molecule 19 is a protein called 60S ribosomal protein L12-like protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	LK	155	Total	C	N	O	0	0
			762	452	155	155		

- Molecule 20 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	LL	209	Total	C	N	O	S	0	0
			1666	1037	340	287	2		

- Molecule 21 is a protein called 60S ribosomal protein L14-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	LM	141	1125	714	216	194	1	0	0

- Molecule 22 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	LN	202	1703	1062	360	277	4	0	0

- Molecule 23 is a protein called 60S ribosomal protein L16-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	LO	203	1613	1036	305	267	5	0	0

- Molecule 24 is a protein called 60S ribosomal protein l17-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	LP	186	1472	912	295	262	3	0	0

- Molecule 25 is a protein called Ribosomal protein L18-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	LQ	183	1481	935	306	238	2	0	0

- Molecule 26 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	LR	184	1506	928	324	249	5	0	0

- Molecule 27 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	LS	173	1425	917	266	238	4	0	0

- Molecule 28 is a protein called 60S ribosomal protein l21-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	LT	158	1266	803	246	215	2	0	0

- Molecule 29 is a protein called 60S ribosomal protein L22-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	LU	104	842	547	146	148	1	0	0

- Molecule 30 is a protein called 60S ribosomal protein l23-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	LV	135	994	633	185	169	7	0	0

- Molecule 31 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	LW	133	1075	667	221	185	2	0	0

- Molecule 32 is a protein called 60S ribosomal protein L25-like protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
32	LX	121	965	620	175	170	0	0

- Molecule 33 is a protein called 60S ribosomal protein L26-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	LY	134	1065	664	215	184	2	0	0

- Molecule 34 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	LZ	135	1111	713	207	187	4	0	0

- Molecule 35 is a protein called 60S ribosomal protein L28-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	La	148	1180	745	239	194	2	0	0

- Molecule 36 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	Lb	62	508	310	112	86		0	0

- Molecule 37 is a protein called 60S ribosomal protein l30-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	Lc	97	722	458	125	134	5	0	0

- Molecule 38 is a protein called Putative 60S ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	Ld	119	965	607	188	168	2	0	0

- Molecule 39 is a protein called 60S ribosomal protein L32-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	Le	124	1001	629	205	161	6	0	0

- Molecule 40 is a protein called 60S ribosomal protein l33-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	Lf	107	853	540	170	142	1	0	0

- Molecule 41 is a protein called Ribosomal protein l34-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	Lg	112	891	554	181	152	4	0	0

- Molecule 42 is a protein called Dolichyl-diphosphooligosaccharide--protein glycotransferase.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
42	Lh	122	1003	637	198	168	0	0

- Molecule 43 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	Li	102	836	515	184	136	1	0	0

- Molecule 44 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	Lj	86	684	418	152	109	5	0	0

- Molecule 45 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	Lk	80	658	415	126	115	2	0	0

- Molecule 46 is a protein called Ribosomal protein eL39.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
46	Ll	50	435	275	97	63	0	0

- Molecule 47 is a protein called Putative ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	Lm	52	418	261	86	65	6	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Lm	1	MET	SER	conflict	UNP G0S8G4
Lm	2	GLN	ARG	conflict	UNP G0S8G4

- Molecule 48 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Ln	24	Total	C	N	O	S	0	0
			224	136	61	26	1		
48	Lr	24	Total	C	N	O	S	0	0
			224	136	61	26	1		

- Molecule 49 is a protein called 60S ribosomal protein L44-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Lo	104	Total	C	N	O	S	0	0
			822	520	161	136	5		

- Molecule 50 is a protein called 60S ribosomal protein L43-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Lp	91	Total	C	N	O	S	0	0
			697	430	138	123	6		

- Molecule 51 is a protein called Putative 60S ribosomal protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	Lq	141	Total	C	N	O	0	0
			1083	678	215	190		

- Molecule 52 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Ls	189	Total	C	N	O	S	0	0
			1449	927	250	265	7		

- Molecule 53 is a protein called Nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	NC	27	Total	C	N	O	0	0
			135	81	27	27		

- Molecule 54 is a protein called 40S ribosomal protein S0.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SA	208	Total	C	N	O	S	0	0
			1641	1051	289	295	6		

- Molecule 55 is a protein called 40S ribosomal protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SB	232	Total	C	N	O	S	0	0
			1871	1190	351	325	5		

- Molecule 56 is a protein called 40S ribosomal protein S2-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	SC	216	Total	C	N	O	S	0	0
			1672	1074	294	301	3		

- Molecule 57 is a protein called 40S ribosomal protein S3-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SD	214	Total	C	N	O	S	0	0
			1688	1068	307	305	8		

- Molecule 58 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SE	261	Total	C	N	O	S	0	0
			2072	1314	389	362	7		

- Molecule 59 is a protein called 40S ribosomal protein s5-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SF	199	Total	C	N	O	S	0	0
			1557	971	294	285	7		

- Molecule 60 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SG	232	Total	C	N	O	S	0	0
			1875	1171	376	323	5		

- Molecule 61 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	SH	195	Total	C	N	O	0	0
			1562	983	300	279		

- Molecule 62 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	SI	201	1621	1009	330	281	1	0	0

- Molecule 63 is a protein called 40S ribosomal protein s9-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	SJ	179	1466	933	290	241	2	0	0

- Molecule 64 is a protein called 40S ribosomal protein s10-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	SK	89	742	487	124	129	2	0	0

- Molecule 65 is a protein called 40S ribosomal protein S11-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	SL	150	1222	780	236	201	5	0	0

- Molecule 66 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	SM	118	923	577	167	171	8	0	0

- Molecule 67 is a protein called 40S ribosomal protein S13-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	SN	150	1182	756	220	205	1	0	0

- Molecule 68 is a protein called 40S ribosomal protein S14-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	SO	135	1002	614	199	184	5	0	0

- Molecule 69 is a protein called 40S ribosomal protein s15-like protein.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	SP	115	917	583	172	159	3	0	0

- Molecule 70 is a protein called 40S ribosomal protein S16-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	SQ	138	1081	693	202	184	2	0	0

- Molecule 71 is a protein called 40S ribosomal protein S17-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	SR	128	1045	657	190	195	3	0	0

- Molecule 72 is a protein called Putative ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	SS	137	1118	699	222	196	1	0	0

- Molecule 73 is a protein called 40S ribosomal protein S19-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	ST	142	1117	694	221	201	1	0	0

- Molecule 74 is a protein called 40S ribosomal protein S20-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	SU	103	819	517	150	148	4	0	0

- Molecule 75 is a protein called 40S ribosomal protein S21-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	SV	86	664	408	124	128	4	0	0

- Molecule 76 is a protein called 40S ribosomal protein S22-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	SW	129	1037	659	195	178	5	0	0

- Molecule 77 is a protein called 40S ribosomal protein s23-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	SX	142	1099	694	215	188	2	0	0

- Molecule 78 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
78	SY	132	1061	668	209	182	2	0	0

- Molecule 79 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
79	SZ	69	546	345	101	98	2	0	0

- Molecule 80 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
80	Sa	104	839	518	177	137	7	0	0

- Molecule 81 is a protein called Ribosomal protein s27-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
81	Sb	81	611	386	111	107	7	0	0

- Molecule 82 is a protein called 40S ribosomal protein S28-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
82	Sc	61	484	298	97	88	1	0	0

- Molecule 83 is a protein called Ribosomal protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
83	Sd	52	419	261	84	70	4	0	0

- Molecule 84 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
84	Se	40	322	202	67	53	0	0

- Molecule 85 is a protein called 40S ribosomal protein S27a-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
85	Sf	73	604	382	115	101	6	0	0

- Molecule 86 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
86	1	366	Total 366	Mg 366	0
86	2	80	Total 80	Mg 80	0
86	3	7	Total 7	Mg 7	0
86	4	9	Total 9	Mg 9	0
86	D	1	Total 1	Mg 1	0
86	LC	1	Total 1	Mg 1	0
86	LN	3	Total 3	Mg 3	0
86	LP	1	Total 1	Mg 1	0
86	LV	1	Total 1	Mg 1	0
86	LW	1	Total 1	Mg 1	0
86	Lb	1	Total 1	Mg 1	0
86	Lo	1	Total 1	Mg 1	0

- Molecule 87 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
87	D	1	31	10	5	13	3	0


- Molecule 88 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
88	Lg	1	1	1	0
88	Lj	1	1	1	0
88	Lm	1	1	1	0
88	Lo	1	1	1	0
88	Lp	1	1	1	0
88	Sa	1	1	1	0
88	Sb	1	1	1	0
88	Sd	1	1	1	0

### 3 Residue-property plots i



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 26S rRNA







• Molecule 2: 18S rRNA








• Molecule 3: 5S rRNA



• Molecule 4: 5.8S rRNA




• Molecule 5: Putative guanine nucleotide-binding protein




• Molecule 6: HABP4\_PAI-RBP1 domain-containing protein







• Molecule 7: Putative ribosome associated protein




• Molecule 8: Putative heat shock protein









- Molecule 9: 60S ribosomal protein L2-like protein




- Molecule 10: 60S ribosomal protein L3-like protein




- Molecule 11: 60S ribosomal protein L4-like protein



- Molecule 12: 60S ribosomal protein l5-like protein




- Molecule 13: 60S ribosomal protein L6




- Molecule 14: 60S ribosomal protein l7-like protein





- Molecule 15: 60S ribosomal protein L8




- Molecule 16: uL6




- Molecule 17: 60S ribosomal protein L10-like protein



- Molecule 18: Putative ribosomal protein



- Molecule 19: 60S ribosomal protein L12-like protein




- Molecule 20: 60S ribosomal protein L13



- Molecule 21: 60S ribosomal protein L14-like protein

Chain LM:  99%



- Molecule 22: Ribosomal protein L15

Chain LN:  100%




- Molecule 23: 60S ribosomal protein L16-like protein

Chain LO:  99%





- Molecule 24: 60S ribosomal protein L17-like protein

Chain LP:  6% 99%




- Molecule 25: Ribosomal protein L18-like protein

Chain LQ:  85% 14%



- Molecule 26: Ribosomal protein L19

Chain LR:  96%



- Molecule 27: 60S ribosomal protein L20

Chain LS:  99%




- Molecule 28: 60S ribosomal protein l21-like protein

Chain LT: 99%



- Molecule 29: 60S ribosomal protein L22-like protein

Chain LU: 81% 18%




- Molecule 30: 60S ribosomal protein l23-like protein

Chain LV: 97%




- Molecule 31: eL24

Chain LW: 10% 82% 17%




- Molecule 32: 60S ribosomal protein L25-like protein

Chain LX: 78% 22%



- Molecule 33: 60S ribosomal protein L26-like protein

Chain LY: 97%



- Molecule 34: 60S ribosomal protein L27

Chain LZ: 100%

There are no outlier residues recorded for this chain.


- Molecule 35: 60S ribosomal protein L28-like protein

Chain La:  99%




- Molecule 36: 60S ribosomal protein L29

Chain Lb:  95%




- Molecule 37: 60S ribosomal protein l30-like protein

Chain Lc:  90%



- Molecule 38: Putative 60S ribosomal protein

Chain Ld:  8%



- Molecule 39: 60S ribosomal protein L32-like protein

Chain Le:  95%




- Molecule 40: 60S ribosomal protein l33-like protein

Chain Lf:  98%




- Molecule 41: Ribosomal protein l34-like protein



Chain Lg:  94%





- Molecule 42: Dolichyl-diphosphooligosaccharide--protein glycotransferase




- Molecule 43: 60S ribosomal protein L36



- Molecule 44: Ribosomal protein L37





- Molecule 45: eL38




- Molecule 46: Ribosomal protein eL39





- Molecule 47: Putative ribosomal protein




- Molecule 48: 60S ribosomal protein L41-A




• Molecule 48: 60S ribosomal protein L41-A




• Molecule 49: 60S ribosomal protein L44-like protein






• Molecule 50: 60S ribosomal protein L43-like protein



• Molecule 51: Putative 60S ribosomal protein




• Molecule 52: 60S acidic ribosomal protein P0












- Molecule 59: 40S ribosomal protein s5-like protein




- Molecule 60: 40S ribosomal protein S6




- Molecule 61: 40S ribosomal protein S7




- Molecule 62: 40S ribosomal protein S8



- Molecule 63: 40S ribosomal protein s9-like protein




- Molecule 64: 40S ribosomal protein s10-like protein




PRO  
GLN  
PHE  
ARG  
GLY  
GLY  
PHE  
GLY  
ARG  
GLY  
ARG  
GLY  
ASP  
ALA  
PRO  
SER  
SER

- Molecule 65: 40S ribosomal protein S11-like protein



MET  
A2  
T3  
E4  
L5  
R28  
R72  
R79  
M127  
T151  
GLY  
LYS  
LYS  
SER  
VAL  
VAL  
LYS  
LYS  
PHE  
GLN  
LYS  
PHE

- Molecule 66: 40S ribosomal protein S12



MET  
SER  
ASP  
VAL  
GLU  
GLU  
THR  
THR  
ALA  
PRO  
GLN  
GLU  
VAL  
GLU  
VAL  
SER  
SER  
ALA  
GLU  
ALA  
ALA  
LYS  
LYS  
GLY  
GLN  
MET  
S25  
V26  
L27  
D28  
A29  
L30  
K31  
G32  
V33  
L34  
K35  
L38  
M39  
H40  
D41  
G42  
L43  
A44  
R45  
R57  
Q58  
A59  
V63  
L64  
N65  
E66  
S67  
E71  
A72  
Y73  
K74  
K75  
L80  
H84  
K85  
I86  
I89  
P92  
D93  
G94  
K95  
Q96  
E99  
W100  
A101  
G102  
L103  
C104  
V105  
L106  
D107  
R108  
E109  
G110  
N111  
A112  
R113  
K114  
V115  
V116  
N117  
C118  
S119  
C120  
V121  
K124  
D125  
W126  
G127  
E128  
E129  
S130  
Q131  
E132  
R133  
T134  
V135  
L136  
L137  
N138  
Y139  
F140  
Q141  
Q142  
GLU  
ALA

- Molecule 67: 40S ribosomal protein S13-like protein




MET  
G2  
A151

- Molecule 68: 40S ribosomal protein S14-like protein



MET  
PRO  
PRO  
LYS  
THR  
THR  
THR  
ARG  
PRO  
GLU  
ALA  
ALA  
GLN  
GLU  
ASN  
ILE  
SER  
L116  
L150

- Molecule 69: 40S ribosomal protein s15-like protein




MET  
ALA  
ASP  
THR  
GLU  
TVR  
ASN  
ALA  
GLU  
GLU  
ALA  
ALA  
GLU  
LEU  
LYS  
LYS  
ARG  
ARG  
THR  
PHE  
ARG  
LYS  
PHE  
SER  
TYR  
ARG  
GLY  
ILE  
ASP  
L30  
L33  
D37  
E40  
G56  
K76  
P77  
W78  
E79  
P95  
K135  
H136  
G137  
R138  
P139  
G140  
I141  
G142  
A143  
T144  
HIS  
SER  
SER  
ARG



PHE  
ILE  
PRO  
LEU  
LYS

- Molecule 70: 40S ribosomal protein S16-like protein







- Molecule 71: 40S ribosomal protein S17-like protein




- Molecule 72: Putative ribosomal protein





- Molecule 73: 40S ribosomal protein S19-like protein



- Molecule 74: 40S ribosomal protein S20-like protein




- Molecule 75: 40S ribosomal protein S21-like protein



- Molecule 76: 40S ribosomal protein S22-like protein




- Molecule 77: 40S ribosomal protein s23-like protein





- Molecule 78: 40S ribosomal protein S24




- Molecule 79: 40S ribosomal protein S25





- Molecule 80: 40S ribosomal protein S26





- Molecule 81: Ribosomal protein s27-like protein



- Molecule 82: 40S ribosomal protein S28-like protein



- Molecule 83: Ribosomal protein uS14



- Molecule 84: 40S ribosomal protein S30

Chain Se:  65% 35%

MET	GLY	LYS	VAL	HIS	G6	V485	ASN	ILE	THR	LEU	THR	GLY	GLY	LYS	ARG	LYS	MET	ASN	PRO	ASN	PRO	GLY	ALA
-----	-----	-----	-----	-----	----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 85: 40S ribosomal protein S27a-like protein

Chain Sf:  9% 47% 53%

MET	GLN	ILE	PHE	VAL	LYS	THR	LEU	THR	THR	GLY	LYS	THR	THR	ILE	THR	LEU	GLU	VAL	GLU	PRO	SER	ASP	THR	ILE	ASP	THR	VAL	LYS	SER	LYS	ILE	GLN	ASP	LYS	GLU	GLY	ILE	PRO	PRO	ASP	GLN	GLN	ARG	LEU	ILE	PHE	ALA	GLY	LYS	GLN	LEU	GLU	ASP	GLY	ARG	THR	LEU	SER	ASP	TYR	ASN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ILE	GLN	LYS	GLU	SER	THR	LEU	HIS	LEU	VAL	LEU	VAL	ARG	LEU	ARG	GLY	GLU	ALA	LYS	K79	R80	K81	K82	K83	K89	L103	K104	V108	D109	S110	D111	G112	K113	R119	E120	C121	H145	D151	LYS	SER	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	284425	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	39.4	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	23.126	Depositor
Minimum map value	-11.480	Depositor
Average map value	-0.006	Depositor
Map value standard deviation	0.885	Depositor
Recommended contour level	2.0	Depositor
Map size ( $\text{\AA}$ )	534.60004, 534.60004, 534.60004	wwPDB
Map dimensions	486, 486, 486	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.1, 1.1, 1.1	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, ZN, SAC, OMG, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	1	0.27	0/76339	0.79	14/119028 (0.0%)
2	2	0.23	0/42095	0.79	13/65600 (0.0%)
3	3	0.24	0/2833	0.78	0/4413
4	4	0.26	0/3710	0.77	0/5778
5	A	0.25	0/2495	0.59	0/3390
6	B	0.29	0/242	0.72	0/314
7	C	0.28	0/3624	0.58	0/4860
8	D	0.27	0/4002	0.55	0/5437
9	LA	0.28	0/1964	0.61	0/2641
10	LB	0.26	0/3156	0.54	0/4238
11	LC	0.27	0/2815	0.54	0/3795
12	LD	0.27	0/2487	0.55	0/3341
13	LE	0.28	0/1547	0.55	0/2081
14	LF	0.29	0/2055	0.55	0/2758
15	LG	0.26	0/1929	0.53	0/2579
16	LH	0.28	0/1525	0.59	0/2050
17	LI	0.28	0/1797	0.62	0/2413
18	LJ	0.29	0/1389	0.67	0/1856
19	LK	0.27	0/761	0.55	0/1056
20	LL	0.27	0/1695	0.61	0/2276
21	LM	0.27	0/1144	0.58	0/1539
22	LN	0.27	0/1740	0.62	0/2332
23	LO	0.29	0/1638	0.57	0/2197
24	LP	0.26	0/1495	0.60	0/2014
25	LQ	0.27	0/1507	0.62	0/2017
26	LR	0.29	0/1525	0.64	0/2028
27	LS	0.29	0/1460	0.55	0/1965
28	LT	0.29	0/1292	0.59	0/1738
29	LU	0.30	0/855	0.62	0/1144
30	LV	0.27	0/1012	0.58	0/1361
31	LW	0.30	0/1088	0.68	0/1443
32	LX	0.26	0/981	0.63	0/1324

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	LY	0.26	0/1079	0.59	0/1443
34	LZ	0.28	0/1134	0.60	0/1519
35	La	0.26	0/1212	0.57	0/1627
36	Lb	0.27	0/518	0.59	0/684
37	Lc	0.29	0/731	0.55	0/983
38	Ld	0.29	0/979	0.61	0/1308
39	Le	0.25	0/1019	0.55	0/1358
40	Lf	0.29	0/874	0.60	0/1176
41	Lg	0.28	0/904	0.63	0/1210
42	Lh	0.28	0/1014	0.60	0/1349
43	Li	0.29	0/844	0.72	0/1115
44	Lj	0.28	0/697	0.68	0/922
45	Lk	0.30	0/666	0.63	0/884
46	Ll	0.25	0/445	0.60	0/593
47	Lm	0.26	0/424	0.61	0/561
48	Ln	0.40	0/225	0.94	0/289
48	Lr	0.40	0/225	0.94	0/289
49	Lo	0.27	0/835	0.57	1/1105 (0.1%)
50	Lp	0.28	0/705	0.60	0/940
51	Lq	0.26	0/1101	0.57	0/1482
52	Ls	0.27	0/1477	0.62	1/1995 (0.1%)
54	SA	0.28	0/1683	0.60	0/2299
55	SB	0.27	0/1900	0.61	0/2551
56	SC	0.30	0/1703	0.63	0/2303
57	SD	0.29	0/1712	0.65	1/2299 (0.0%)
58	SE	0.27	0/2112	0.64	0/2842
59	SF	0.28	0/1578	0.67	1/2130 (0.0%)
60	SG	0.27	0/1906	0.64	0/2547
61	SH	0.27	0/1587	0.65	1/2140 (0.0%)
62	SI	0.28	0/1654	0.64	0/2213
63	SJ	0.28	0/1489	0.68	0/1993
64	SK	0.32	0/764	0.70	1/1038 (0.1%)
65	SL	0.28	0/1249	0.68	2/1678 (0.1%)
66	SM	0.27	0/934	0.69	0/1255
67	SN	0.29	0/1205	0.58	0/1627
68	SO	0.27	0/1014	0.68	0/1361
69	SP	0.27	0/932	0.72	0/1248
70	SQ	0.27	0/1098	0.64	0/1472
71	SR	0.30	0/1060	0.67	0/1424
72	SS	0.27	0/1133	0.69	0/1520
73	ST	0.26	0/1137	0.62	0/1533
74	SU	0.27	0/828	0.65	0/1112
75	SV	0.31	0/671	0.71	0/900



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
76	SW	0.29	0/1055	0.65	0/1416
77	SX	0.28	0/1116	0.64	0/1489
78	SY	0.27	0/1075	0.67	0/1431
79	SZ	0.25	0/550	0.63	0/736
80	Sa	0.28	0/852	0.64	0/1136
81	Sb	0.27	0/623	0.60	0/843
82	Sc	0.26	0/487	0.74	1/653 (0.2%)
83	Sd	0.31	0/427	0.69	0/570
84	Se	0.31	0/325	0.77	0/427
85	Sf	0.25	0/614	0.56	0/813
All	All	0.27	0/227778	0.72	36/332837 (0.0%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1205	G	O4'-C1'-N9	9.93	116.14	108.20
2	2	754	A	O4'-C1'-N9	7.83	114.47	108.20
2	2	1392	G	N3-C4-N9	-7.37	121.58	126.00
65	SL	79	ARG	CB-CG-CD	7.11	130.07	111.60
2	2	1400	C	N3-C2-O2	-6.77	117.16	121.90
1	1	2200	C	N3-C2-O2	-6.56	117.31	121.90
65	SL	127	MET	CG-SD-CE	6.19	110.11	100.20
1	1	2667	C	N3-C2-O2	-6.17	117.58	121.90
1	1	250	C	N3-C2-O2	-6.12	117.62	121.90
2	2	724	U	C2-N1-C1'	6.02	124.92	117.70
1	1	2200	C	N1-C2-O2	5.97	122.48	118.90
1	1	1587	U	P-O3'-C3'	5.95	126.84	119.70
52	Ls	173	LEU	CA-CB-CG	5.86	128.78	115.30
1	1	2075	U	OP2-P-O3'	5.80	117.97	105.20
82	Sc	17	LEU	CA-CB-CG	5.79	128.61	115.30
2	2	1454	G	C4-N9-C1'	5.75	133.97	126.50
1	1	1544	G	O4'-C1'-N9	5.70	112.76	108.20
2	2	724	U	N1-C2-O2	5.69	126.78	122.80
1	1	2056	A	O4'-C1'-N9	5.65	112.72	108.20
1	1	1622	A	O4'-C1'-N9	-5.63	103.69	108.20
64	SK	15	LEU	CA-CB-CG	5.60	128.19	115.30
2	2	1392	G	N3-C4-C5	5.58	131.39	128.60
2	2	724	U	N3-C2-O2	-5.57	118.30	122.20
2	2	272	C	C2-N1-C1'	5.55	124.91	118.80
49	Lo	104	LEU	CA-CB-CG	5.53	128.01	115.30
1	1	1479	C	C2-N1-C1'	5.45	124.80	118.80

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1478	U	C2-N1-C1'	5.34	124.11	117.70
59	SF	152	LEU	CA-CB-CG	5.32	127.53	115.30
2	2	1712	C	O4'-C1'-N1	5.25	112.40	108.20
1	1	113	U	O4'-C1'-N1	5.21	112.37	108.20
2	2	1454	G	C8-N9-C1'	-5.19	120.25	127.00
61	SH	22	LEU	CA-CB-CG	5.16	127.16	115.30
2	2	1392	G	C5-C6-O6	5.11	131.66	128.60
2	2	1063	C	N3-C2-O2	-5.10	118.33	121.90
57	SD	75	LEU	CA-CB-CG	5.08	126.99	115.30
1	1	2075	U	P-O3'-C3'	5.02	125.72	119.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	A	310/316 (98%)	293 (94%)	17 (6%)	0	100	100
6	B	27/302 (9%)	26 (96%)	1 (4%)	0	100	100
7	C	442/446 (99%)	428 (97%)	14 (3%)	0	100	100
8	D	511/578 (88%)	497 (97%)	12 (2%)	2 (0%)	34	66
9	LA	250/254 (98%)	237 (95%)	12 (5%)	1 (0%)	34	66
10	LB	385/392 (98%)	363 (94%)	22 (6%)	0	100	100
11	LC	361/365 (99%)	345 (96%)	16 (4%)	0	100	100
12	LD	298/304 (98%)	290 (97%)	8 (3%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	LE	192/200 (96%)	174 (91%)	18 (9%)	0	100	100
14	LF	245/249 (98%)	238 (97%)	7 (3%)	0	100	100
15	LG	233/262 (89%)	224 (96%)	8 (3%)	1 (0%)	34	66
16	LH	189/192 (98%)	183 (97%)	6 (3%)	0	100	100
17	LI	215/219 (98%)	199 (93%)	16 (7%)	0	100	100
18	LJ	165/173 (95%)	160 (97%)	5 (3%)	0	100	100
19	LK	153/165 (93%)	132 (86%)	19 (12%)	2 (1%)	12	40
20	LL	207/213 (97%)	200 (97%)	7 (3%)	0	100	100
21	LM	139/142 (98%)	134 (96%)	5 (4%)	0	100	100
22	LN	200/203 (98%)	192 (96%)	8 (4%)	0	100	100
23	LO	201/204 (98%)	195 (97%)	6 (3%)	0	100	100
24	LP	184/187 (98%)	175 (95%)	9 (5%)	0	100	100
25	LQ	181/213 (85%)	175 (97%)	6 (3%)	0	100	100
26	LR	182/192 (95%)	177 (97%)	5 (3%)	0	100	100
27	LS	171/174 (98%)	165 (96%)	6 (4%)	0	100	100
28	LT	156/160 (98%)	152 (97%)	4 (3%)	0	100	100
29	LU	102/127 (80%)	101 (99%)	1 (1%)	0	100	100
30	LV	133/139 (96%)	131 (98%)	2 (2%)	0	100	100
31	LW	131/161 (81%)	131 (100%)	0	0	100	100
32	LX	119/156 (76%)	113 (95%)	6 (5%)	0	100	100
33	LY	132/138 (96%)	129 (98%)	3 (2%)	0	100	100
34	LZ	133/135 (98%)	130 (98%)	3 (2%)	0	100	100
35	La	146/149 (98%)	137 (94%)	9 (6%)	0	100	100
36	Lb	60/65 (92%)	59 (98%)	1 (2%)	0	100	100
37	Lc	95/108 (88%)	95 (100%)	0	0	100	100
38	Ld	117/120 (98%)	115 (98%)	2 (2%)	0	100	100
39	Le	122/131 (93%)	118 (97%)	4 (3%)	0	100	100
40	Lf	105/109 (96%)	98 (93%)	7 (7%)	0	100	100
41	Lg	110/119 (92%)	104 (94%)	6 (6%)	0	100	100
42	Lh	120/126 (95%)	117 (98%)	3 (2%)	0	100	100
43	Li	100/110 (91%)	95 (95%)	5 (5%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	Lj	84/95 (88%)	80 (95%)	3 (4%)	1 (1%)	13	42
45	Lk	78/81 (96%)	77 (99%)	1 (1%)	0	100	100
46	Ll	48/51 (94%)	46 (96%)	2 (4%)	0	100	100
47	Lm	50/128 (39%)	50 (100%)	0	0	100	100
48	Ln	22/25 (88%)	22 (100%)	0	0	100	100
48	Lr	22/25 (88%)	22 (100%)	0	0	100	100
49	Lo	102/106 (96%)	99 (97%)	3 (3%)	0	100	100
50	Lp	89/92 (97%)	82 (92%)	7 (8%)	0	100	100
51	Lq	139/147 (95%)	135 (97%)	4 (3%)	0	100	100
52	Ls	187/312 (60%)	184 (98%)	3 (2%)	0	100	100
54	SA	206/285 (72%)	192 (93%)	14 (7%)	0	100	100
55	SB	230/255 (90%)	216 (94%)	14 (6%)	0	100	100
56	SC	214/263 (81%)	207 (97%)	7 (3%)	0	100	100
57	SD	210/254 (83%)	198 (94%)	12 (6%)	0	100	100
58	SE	259/264 (98%)	246 (95%)	13 (5%)	0	100	100
59	SF	197/212 (93%)	187 (95%)	10 (5%)	0	100	100
60	SG	230/239 (96%)	222 (96%)	8 (4%)	0	100	100
61	SH	193/203 (95%)	185 (96%)	8 (4%)	0	100	100
62	SI	199/202 (98%)	195 (98%)	4 (2%)	0	100	100
63	SJ	177/190 (93%)	172 (97%)	5 (3%)	0	100	100
64	SK	87/159 (55%)	86 (99%)	1 (1%)	0	100	100
65	SL	148/161 (92%)	145 (98%)	3 (2%)	0	100	100
66	SM	116/144 (81%)	104 (90%)	12 (10%)	0	100	100
67	SN	148/151 (98%)	146 (99%)	2 (1%)	0	100	100
68	SO	133/150 (89%)	124 (93%)	9 (7%)	0	100	100
69	SP	113/153 (74%)	106 (94%)	7 (6%)	0	100	100
70	SQ	136/143 (95%)	128 (94%)	8 (6%)	0	100	100
71	SR	126/143 (88%)	124 (98%)	2 (2%)	0	100	100
72	SS	135/156 (86%)	124 (92%)	11 (8%)	0	100	100
73	ST	140/153 (92%)	134 (96%)	6 (4%)	0	100	100
74	SU	101/116 (87%)	97 (96%)	4 (4%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
75	SV	84/98 (86%)	82 (98%)	2 (2%)	0	100	100
76	SW	127/130 (98%)	118 (93%)	9 (7%)	0	100	100
77	SX	140/145 (97%)	132 (94%)	8 (6%)	0	100	100
78	SY	130/136 (96%)	128 (98%)	2 (2%)	0	100	100
79	SZ	67/99 (68%)	67 (100%)	0	0	100	100
80	Sa	102/119 (86%)	99 (97%)	3 (3%)	0	100	100
81	Sb	79/82 (96%)	75 (95%)	4 (5%)	0	100	100
82	Sc	59/68 (87%)	56 (95%)	3 (5%)	0	100	100
83	Sd	50/56 (89%)	48 (96%)	2 (4%)	0	100	100
84	Se	38/62 (61%)	37 (97%)	1 (3%)	0	100	100
85	Sf	71/154 (46%)	64 (90%)	7 (10%)	0	100	100
All	All	12588/14205 (89%)	12068 (96%)	513 (4%)	7 (0%)	54	81

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	D	450	VAL
19	LK	88	PRO
44	Lj	39	TYR
15	LG	165	LEU
8	D	556	ASP
19	LK	89	PRO
9	LA	196	TRP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	A	271/274 (99%)	268 (99%)	3 (1%)	73	85
6	B	22/224 (10%)	21 (96%)	1 (4%)	27	58
7	C	363/367 (99%)	357 (98%)	6 (2%)	60	78

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	D	427/474 (90%)	427 (100%)	0	100	100
9	LA	196/198 (99%)	196 (100%)	0	100	100
10	LB	327/331 (99%)	327 (100%)	0	100	100
11	LC	284/285 (100%)	284 (100%)	0	100	100
12	LD	250/253 (99%)	250 (100%)	0	100	100
13	LE	162/166 (98%)	162 (100%)	0	100	100
14	LF	213/215 (99%)	212 (100%)	1 (0%)	88	93
15	LG	203/222 (91%)	203 (100%)	0	100	100
16	LH	168/169 (99%)	167 (99%)	1 (1%)	86	91
17	LI	182/183 (100%)	182 (100%)	0	100	100
18	LJ	145/150 (97%)	144 (99%)	1 (1%)	84	90
20	LL	172/176 (98%)	172 (100%)	0	100	100
21	LM	116/117 (99%)	116 (100%)	0	100	100
22	LN	179/180 (99%)	179 (100%)	0	100	100
23	LO	161/162 (99%)	161 (100%)	0	100	100
24	LP	151/152 (99%)	150 (99%)	1 (1%)	84	90
25	LQ	155/178 (87%)	154 (99%)	1 (1%)	86	91
26	LR	153/160 (96%)	153 (100%)	0	100	100
27	LS	153/154 (99%)	153 (100%)	0	100	100
28	LT	134/135 (99%)	134 (100%)	0	100	100
29	LU	92/108 (85%)	91 (99%)	1 (1%)	73	85
30	LV	99/102 (97%)	99 (100%)	0	100	100
31	LW	107/125 (86%)	106 (99%)	1 (1%)	78	87
32	LX	108/129 (84%)	108 (100%)	0	100	100
33	LY	117/119 (98%)	117 (100%)	0	100	100
34	LZ	121/121 (100%)	121 (100%)	0	100	100
35	La	121/122 (99%)	121 (100%)	0	100	100
36	Lb	53/55 (96%)	53 (100%)	0	100	100
37	Lc	78/88 (89%)	78 (100%)	0	100	100
38	Ld	104/105 (99%)	104 (100%)	0	100	100
39	Le	107/114 (94%)	107 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	Lf	88/90 (98%)	88 (100%)	0	100	100
41	Lg	97/102 (95%)	97 (100%)	0	100	100
42	Lh	109/112 (97%)	108 (99%)	1 (1%)	78	87
43	Li	86/93 (92%)	85 (99%)	1 (1%)	71	83
44	Lj	70/78 (90%)	70 (100%)	0	100	100
45	Lk	76/77 (99%)	76 (100%)	0	100	100
46	Ll	45/46 (98%)	44 (98%)	1 (2%)	52	74
47	Lm	47/115 (41%)	46 (98%)	1 (2%)	53	75
48	Ln	22/23 (96%)	18 (82%)	4 (18%)	1	7
48	Lr	22/23 (96%)	18 (82%)	4 (18%)	1	7
49	Lo	88/90 (98%)	88 (100%)	0	100	100
50	Lp	73/74 (99%)	73 (100%)	0	100	100
51	Lq	109/112 (97%)	109 (100%)	0	100	100
52	Ls	155/255 (61%)	154 (99%)	1 (1%)	86	91
54	SA	178/225 (79%)	178 (100%)	0	100	100
55	SB	203/223 (91%)	202 (100%)	1 (0%)	88	93
56	SC	181/206 (88%)	181 (100%)	0	100	100
57	SD	182/206 (88%)	180 (99%)	2 (1%)	73	85
58	SE	219/221 (99%)	219 (100%)	0	100	100
59	SF	167/178 (94%)	164 (98%)	3 (2%)	59	78
60	SG	198/204 (97%)	198 (100%)	0	100	100
61	SH	169/177 (96%)	169 (100%)	0	100	100
62	SI	163/164 (99%)	160 (98%)	3 (2%)	59	78
63	SJ	154/162 (95%)	154 (100%)	0	100	100
64	SK	77/126 (61%)	77 (100%)	0	100	100
65	SL	133/143 (93%)	132 (99%)	1 (1%)	81	89
66	SM	101/121 (84%)	100 (99%)	1 (1%)	76	86
67	SN	129/130 (99%)	129 (100%)	0	100	100
68	SO	102/117 (87%)	102 (100%)	0	100	100
69	SP	99/132 (75%)	98 (99%)	1 (1%)	76	86
70	SQ	111/115 (96%)	111 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
71	SR	119/131 (91%)	115 (97%)	4 (3%)	37	65
72	SS	120/135 (89%)	119 (99%)	1 (1%)	81	89
73	ST	114/124 (92%)	113 (99%)	1 (1%)	78	87
74	SU	93/103 (90%)	91 (98%)	2 (2%)	52	74
75	SV	69/80 (86%)	69 (100%)	0	100	100
76	SW	112/113 (99%)	112 (100%)	0	100	100
77	SX	113/116 (97%)	113 (100%)	0	100	100
78	SY	112/115 (97%)	109 (97%)	3 (3%)	44	71
79	SZ	60/80 (75%)	60 (100%)	0	100	100
80	Sa	91/103 (88%)	90 (99%)	1 (1%)	73	85
81	Sb	70/71 (99%)	70 (100%)	0	100	100
82	Sc	54/61 (88%)	53 (98%)	1 (2%)	57	77
83	Sd	43/46 (94%)	42 (98%)	1 (2%)	50	73
84	Se	34/51 (67%)	34 (100%)	0	100	100
85	Sf	66/139 (48%)	65 (98%)	1 (2%)	65	81
All	All	10617/11721 (91%)	10560 (100%)	57 (0%)	89	93

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	A	58	ARG
5	A	118	ARG
5	A	225	LYS
6	B	89	ARG
7	C	37	ARG
7	C	200	ASN
7	C	333	LYS
7	C	354	LYS
7	C	361	LYS
7	C	420	LYS
14	LF	23	LYS
16	LH	15	ASN
18	LJ	63	ASN
24	LP	30	ARG
25	LQ	119	ARG
29	LU	16	LYS
31	LW	110	LYS

Continued on next page...



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
42	Lh	64	ASN
43	Li	45	ARG
46	Ll	30	ARG
47	Lm	128	LYS
48	Ln	4	LYS
48	Ln	10	THR
48	Ln	16	LYS
48	Ln	17	ARG
48	Lr	4	LYS
48	Lr	10	THR
48	Lr	16	LYS
48	Lr	17	ARG
52	Ls	61	ARG
55	SB	219	LYS
57	SD	7	GLN
57	SD	144	LYS
59	SF	41	ARG
59	SF	50	GLN
59	SF	201	LYS
62	SI	140	LYS
62	SI	155	LYS
62	SI	198	ARG
65	SL	72	ARG
66	SM	96	GLN
69	SP	76	LYS
71	SR	5	ARG
71	SR	14	LYS
71	SR	45	ARG
71	SR	67	ARG
72	SS	90	ARG
73	ST	78	LYS
74	SU	26	ARG
74	SU	33	LYS
78	SY	115	LYS
78	SY	126	LYS
78	SY	134	LYS
80	Sa	93	ARG
82	Sc	66	ARG
83	Sd	16	LYS
85	Sf	119	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
5	A	147	HIS
5	A	159	ASN
7	C	297	GLN
7	C	360	ASN
8	D	363	ASN
12	LD	249	GLN
17	LI	55	ASN
20	LL	103	ASN
21	LM	105	GLN
22	LN	87	GLN
22	LN	90	ASN
31	LW	102	ASN
32	LX	107	GLN
35	La	66	ASN
41	Lg	109	GLN
42	Lh	33	GLN
43	Li	42	GLN
54	SA	52	ASN
57	SD	29	GLN
57	SD	224	GLN
58	SE	67	GLN
58	SE	209	HIS
59	SF	187	ASN
60	SG	13	GLN
60	SG	201	GLN
60	SG	225	GLN
61	SH	81	GLN
63	SJ	140	ASN
71	SR	31	ASN
72	SS	26	GLN
72	SS	127	HIS
73	ST	128	GLN
73	ST	130	GLN
75	SV	50	ASN
76	SW	42	GLN
78	SY	25	GLN
78	SY	109	GLN
82	Sc	28	GLN

### 5.3.3 RNA [i](#)

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	3188/3337 (95%)	521 (16%)	51 (1%)
2	2	1761/1796 (98%)	330 (18%)	35 (1%)
3	3	118/120 (98%)	9 (7%)	1 (0%)
4	4	155/156 (99%)	24 (15%)	2 (1%)
All	All	5222/5409 (96%)	884 (16%)	89 (1%)

All (884) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	27	A
1	1	41	A
1	1	44	A
1	1	50	A
1	1	60	G
1	1	61	A
1	1	66	A
1	1	67	A
1	1	93	G
1	1	97	G
1	1	111	G
1	1	114	C
1	1	117	A
1	1	118	U
1	1	119	U
1	1	123	A
1	1	132	U
1	1	133	C
1	1	134	G
1	1	135	G
1	1	144	G
1	1	152	G
1	1	153	A
1	1	165	G
1	1	170	A
1	1	179	C
1	1	181	G
1	1	184	U
1	1	185	U
1	1	204	C
1	1	207	A
1	1	212	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	213	A
1	1	214	G
1	1	215	A
1	1	225	A
1	1	234	C
1	1	251	U
1	1	262	G
1	1	276	G
1	1	277	A
1	1	279	U
1	1	288	A
1	1	308	C
1	1	316	A
1	1	332	C
1	1	343	C
1	1	363	U
1	1	369	G
1	1	385	G
1	1	391	U
1	1	392	A
1	1	394	C
1	1	395	A
1	1	396	C
1	1	414	G
1	1	415	A
1	1	422	U
1	1	432	C
1	1	433	U
1	1	434	U
1	1	445	G
1	1	446	A
1	1	447	U
1	1	456	G
1	1	458	U
1	1	460	U
1	1	461	C
1	1	469	C
1	1	470	A
1	1	471	C
1	1	472	U
1	1	475	G
1	1	476	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	481	C
1	1	485	G
1	1	487	C
1	1	489	A
1	1	511	U
1	1	512	A
1	1	527	G
1	1	538	G
1	1	539	G
1	1	547	A
1	1	549	A
1	1	559	G
1	1	560	U
1	1	570	G
1	1	580	A
1	1	583	A
1	1	591	C
1	1	592	U
1	1	593	G
1	1	597	G
1	1	599	A
1	1	608	U
1	1	609	A
1	1	610	A
1	1	624	C
1	1	637	A
1	1	648	A
1	1	665	A
1	1	669	U
1	1	679	A
1	1	697	A
1	1	700	G
1	1	703	A
1	1	704	A
1	1	715	A
1	1	722	G
1	1	746	U
1	1	748	U
1	1	749	U
1	1	758	U
1	1	759	U
1	1	763	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	767	G
1	1	783	A
1	1	788	A
1	1	799	A
1	1	812	A
1	1	843	C
1	1	856	U
1	1	861	U
1	1	862	G
1	1	878	A
1	1	889	G
1	1	890	G
1	1	896	A
1	1	898	G
1	1	899	A
1	1	919	G
1	1	926	A
1	1	941	C
1	1	942	U
1	1	943	C
1	1	959	A
1	1	960	C
1	1	961	C
1	1	962	U
1	1	984	A
1	1	992	G
1	1	998	C
1	1	999	G
1	1	1003	G
1	1	1006	A
1	1	1007	U
1	1	1008	U
1	1	1009	U
1	1	1010	U
1	1	1011	U
1	1	1012	A
1	1	1013	G
1	1	1015	C
1	1	1017	U
1	1	1030	A
1	1	1032	C
1	1	1047	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	1048	A
1	1	1055	G
1	1	1064	C
1	1	1065	U
1	1	1068	A
1	1	1077	U
1	1	1078	U
1	1	1079	C
1	1	1080	G
1	1	1081	A
1	1	1086	A
1	1	1087	U
1	1	1088	C
1	1	1100	G
1	1	1114	G
1	1	1131	G
1	1	1134	U
1	1	1136	A
1	1	1142	A
1	1	1163	G
1	1	1164	U
1	1	1165	G
1	1	1175	C
1	1	1184	C
1	1	1189	G
1	1	1195	A
1	1	1204	U
1	1	1205	G
1	1	1215	C
1	1	1218	U
1	1	1219	G
1	1	1220	G
1	1	1221	C
1	1	1222	C
1	1	1224	U
1	1	1225	G
1	1	1226	G
1	1	1227	A
1	1	1228	A
1	1	1229	G
1	1	1231	C
1	1	1233	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	1245	G
1	1	1246	A
1	1	1247	C
1	1	1248	U
1	1	1264	U
1	1	1268	G
1	1	1272	G
1	1	1278	G
1	1	1290	G
1	1	1291	A
1	1	1292	U
1	1	1296	G
1	1	1313	A
1	1	1314	U
1	1	1331	A
1	1	1332	G
1	1	1333	A
1	1	1335	A
1	1	1336	C
1	1	1337	G
1	1	1339	U
1	1	1369	A
1	1	1382	A
1	1	1383	G
1	1	1402	A
1	1	1404	G
1	1	1417	G
1	1	1420	C
1	1	1433	G
1	1	1458	G
1	1	1464	A
1	1	1465	A
1	1	1466	G
1	1	1485	G
1	1	1491	C
1	1	1495	U
1	1	1506	U
1	1	1516	U
1	1	1537	U
1	1	1538	U
1	1	1539	C
1	1	1540	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	1543	G
1	1	1545	G
1	1	1552	G
1	1	1554	G
1	1	1555	C
1	1	1560	U
1	1	1561	G
1	1	1562	U
1	1	1563	G
1	1	1567	A
1	1	1585	A
1	1	1587	U
1	1	1588	C
1	1	1609	U
1	1	1611	C
1	1	1619	C
1	1	1622	A
1	1	1623	A
1	1	1624	C
1	1	1625	U
1	1	1637	C
1	1	1685	U
1	1	1696	A
1	1	1697	C
1	1	1704	U
1	1	1727	G
1	1	1730	A
1	1	1731	G
1	1	1740	A
1	1	1741	C
1	1	1742	U
1	1	1745	U
1	1	1746	G
1	1	1748	C
1	1	1750	G
1	1	1760	G
1	1	1777	A
1	1	1794	A
1	1	1796	A
1	1	1797	A
1	1	1798	U
1	1	1799	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	1800	C
1	1	1801	U
1	1	1819	A
1	1	1820	U
1	1	1821	A
1	1	1822	A
1	1	1826	C
1	1	1829	C
1	1	1830	A
1	1	1858	G
1	1	1859	A
1	1	1860	U
1	1	1866	A
1	1	1886	G
1	1	1887	C
1	1	1888	A
1	1	1906	C
1	1	1933	G
1	1	1934	G
1	1	1935	C
1	1	1936	A
1	1	1937	C
1	1	1938	G
1	1	1939	U
1	1	1941	G
1	1	2045	G
1	1	2046	C
1	1	2047	G
1	1	2048	U
1	1	2051	G
1	1	2054	U
1	1	2055	A
1	1	2063	A
1	1	2065	U
1	1	2076	A
1	1	2084	G
1	1	2085	G
1	1	2094	A
1	1	2107	A
1	1	2121	A
1	1	2132	G
1	1	2133	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	2134	G
1	1	2139	U
1	1	2151	A
1	1	2168	U
1	1	2170	A
1	1	2171	A
1	1	2172	U
1	1	2173	G
1	1	2192	A
1	1	2207	A
1	1	2212	G
1	1	2216	G
1	1	2219	A
1	1	2221	U
1	1	2228	C
1	1	2233	A
1	1	2235	G
1	1	2236	G
1	1	2242	A
1	1	2244	A
1	1	2248	C
1	1	2251	G
1	1	2270	G
1	1	2273	U
1	1	2276	A
1	1	2278	G
1	1	2281	U
1	1	2297	U
1	1	2299	U
1	1	2335	A
1	1	2336	A
1	1	2337	C
1	1	2338	G
1	1	2339	G
1	1	2356	G
1	1	2360	A
1	1	2364	A
1	1	2365	A
1	1	2366	G
1	1	2367	A
1	1	2374	U
1	1	2382	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	2409	U
1	1	2410	A
1	1	2459	U
1	1	2460	C
1	1	2463	A
1	1	2464	U
1	1	2465	U
1	1	2474	A
1	1	2477	U
1	1	2478	A
1	1	2487	A
1	1	2488	G
1	1	2489	C
1	1	2492	G
1	1	2498	A
1	1	2501	U
1	1	2502	G
1	1	2503	C
1	1	2504	G
1	1	2505	U
1	1	2506	C
1	1	2508	A
1	1	2510	C
1	1	2513	C
1	1	2516	G
1	1	2521	A
1	1	2529	U
1	1	2530	C
1	1	2531	G
1	1	2532	C
1	1	2533	G
1	1	2543	G
1	1	2544	G
1	1	2552	A
1	1	2553	C
1	1	2565	G
1	1	2566	G
1	1	2573	G
1	1	2578	OMG
1	1	2585	A
1	1	2611	U
1	1	2615	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	2622	G
1	1	2633	A
1	1	2636	G
1	1	2648	A
1	1	2650	A
1	1	2653	A
1	1	2655	A
1	1	2663	A
1	1	2673	G
1	1	2687	G
1	1	2688	U
1	1	2711	U
1	1	2712	G
1	1	2714	C
1	1	2721	A
1	1	2731	C
1	1	2732	C
1	1	2736	G
1	1	2737	A
1	1	2755	G
1	1	2758	A
1	1	2759	G
1	1	2760	A
1	1	2763	A
1	1	2769	C
1	1	2776	A
1	1	2777	U
1	1	2778	A
1	1	2788	U
1	1	2798	G
1	1	2803	C
1	1	2804	A
1	1	2828	U
1	1	2830	G
1	1	2831	A
1	1	2846	A
1	1	2858	C
1	1	2863	U
1	1	2882	U
1	1	2894	U
1	1	2895	A
1	1	2906	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	2930	A
1	1	2942	C
1	1	2970	A
1	1	3007	A
1	1	3008	U
1	1	3014	U
1	1	3017	G
1	1	3036	G
1	1	3044	A
1	1	3050	C
1	1	3051	C
1	1	3059	G
1	1	3074	G
1	1	3080	A
1	1	3088	A
1	1	3089	U
1	1	3100	A
1	1	3101	C
1	1	3111	C
1	1	3112	U
1	1	3113	A
1	1	3119	A
1	1	3122	U
1	1	3127	G
1	1	3128	A
1	1	3130	G
1	1	3131	U
1	1	3132	A
1	1	3135	A
1	1	3141	G
1	1	3146	C
1	1	3147	G
1	1	3162	C
1	1	3163	A
1	1	3164	G
1	1	3170	U
1	1	3188	G
1	1	3189	U
1	1	3200	A
1	1	3201	A
1	1	3211	U
1	1	3214	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	3217	U
1	1	3218	U
1	1	3219	A
1	1	3223	A
1	1	3225	G
1	1	3227	G
1	1	3229	G
1	1	3230	G
1	1	3231	G
1	1	3235	A
1	1	3245	C
1	1	3257	A
1	1	3258	U
1	1	3259	G
1	1	3260	U
1	1	3282	U
1	1	3286	G
1	1	3292	U
1	1	3299	U
1	1	3309	U
1	1	3310	G
1	1	3319	C
1	1	3324	C
1	1	3325	U
1	1	3331	U
1	1	3332	A
1	1	3333	G
2	2	17	C
2	2	25	C
2	2	26	A
2	2	27	U
2	2	34	G
2	2	42	G
2	2	47	A
2	2	57	G
2	2	68	A
2	2	69	G
2	2	73	U
2	2	74	U
2	2	75	A
2	2	76	U
2	2	77	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	103	A
2	2	113	C
2	2	115	U
2	2	126	G
2	2	127	U
2	2	138	A
2	2	155	U
2	2	156	U
2	2	174	U
2	2	175	G
2	2	176	A
2	2	184	G
2	2	185	A
2	2	186	C
2	2	187	U
2	2	190	G
2	2	192	A
2	2	195	G
2	2	210	A
2	2	212	U
2	2	213	A
2	2	214	A
2	2	215	A
2	2	216	A
2	2	221	A
2	2	222	U
2	2	223	G
2	2	224	C
2	2	231	G
2	2	232	G
2	2	234	C
2	2	236	U
2	2	237	U
2	2	247	C
2	2	258	C
2	2	262	A
2	2	268	A
2	2	269	C
2	2	270	G
2	2	274	U
2	2	275	U
2	2	277	C

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	296	A
2	2	311	C
2	2	313	A
2	2	317	U
2	2	319	G
2	2	321	C
2	2	326	G
2	2	334	G
2	2	335	C
2	2	338	G
2	2	349	A
2	2	353	G
2	2	356	A
2	2	357	A
2	2	358	C
2	2	367	A
2	2	377	C
2	2	396	A
2	2	397	A
2	2	399	C
2	2	401	G
2	2	414	A
2	2	415	G
2	2	421	C
2	2	422	A
2	2	423	G
2	2	431	G
2	2	436	U
2	2	441	C
2	2	445	C
2	2	451	A
2	2	452	C
2	2	465	A
2	2	472	A
2	2	474	A
2	2	490	U
2	2	491	U
2	2	492	C
2	2	493	G
2	2	505	U
2	2	510	U
2	2	511	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	512	A
2	2	535	A
2	2	536	G
2	2	537	G
2	2	538	A
2	2	539	A
2	2	540	C
2	2	541	A
2	2	552	A
2	2	553	A
2	2	554	G
2	2	555	U
2	2	556	C
2	2	562	C
2	2	567	A
2	2	571	G
2	2	576	A
2	2	577	A
2	2	579	U
2	2	591	A
2	2	592	G
2	2	608	U
2	2	611	A
2	2	612	G
2	2	616	A
2	2	617	A
2	2	619	A
2	2	620	A
2	2	621	G
2	2	636	U
2	2	651	C
2	2	652	G
2	2	674	G
2	2	675	G
2	2	676	C
2	2	677	U
2	2	678	G
2	2	679	G
2	2	680	G
2	2	681	C
2	2	686	C
2	2	688	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	689	U
2	2	690	U
2	2	692	C
2	2	693	U
2	2	705	G
2	2	725	G
2	2	726	U
2	2	727	C
2	2	728	G
2	2	731	G
2	2	732	A
2	2	741	U
2	2	754	A
2	2	755	A
2	2	764	G
2	2	765	C
2	2	773	A
2	2	774	G
2	2	779	A
2	2	780	U
2	2	781	G
2	2	787	A
2	2	792	U
2	2	793	U
2	2	809	A
2	2	810	A
2	2	819	G
2	2	821	G
2	2	824	U
2	2	828	U
2	2	829	U
2	2	830	U
2	2	832	G
2	2	833	U
2	2	861	A
2	2	884	U
2	2	896	A
2	2	910	U
2	2	911	G
2	2	912	G
2	2	931	A
2	2	933	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	940	G
2	2	949	A
2	2	957	U
2	2	958	U
2	2	964	A
2	2	982	G
2	2	988	C
2	2	990	A
2	2	991	A
2	2	1002	U
2	2	1003	A
2	2	1024	A
2	2	1026	C
2	2	1037	A
2	2	1055	A
2	2	1056	U
2	2	1057	U
2	2	1058	U
2	2	1059	U
2	2	1079	C
2	2	1088	A
2	2	1089	A
2	2	1090	A
2	2	1093	G
2	2	1094	U
2	2	1095	U
2	2	1097	G
2	2	1135	A
2	2	1140	A
2	2	1147	G
2	2	1155	C
2	2	1156	C
2	2	1157	A
2	2	1166	G
2	2	1182	U
2	2	1188	U
2	2	1191	A
2	2	1193	A
2	2	1194	C
2	2	1196	G
2	2	1197	G
2	2	1214	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	1215	G
2	2	1223	G
2	2	1225	G
2	2	1226	G
2	2	1227	A
2	2	1228	U
2	2	1237	U
2	2	1238	G
2	2	1240	G
2	2	1241	A
2	2	1242	G
2	2	1243	C
2	2	1248	U
2	2	1249	C
2	2	1252	G
2	2	1253	A
2	2	1254	U
2	2	1255	U
2	2	1282	U
2	2	1283	U
2	2	1311	U
2	2	1312	U
2	2	1313	G
2	2	1318	A
2	2	1338	G
2	2	1341	A
2	2	1342	A
2	2	1344	U
2	2	1357	C
2	2	1358	U
2	2	1360	G
2	2	1379	A
2	2	1387	U
2	2	1409	U
2	2	1411	U
2	2	1421	A
2	2	1423	A
2	2	1424	G
2	2	1439	U
2	2	1441	G
2	2	1444	G
2	2	1455	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	1467	A
2	2	1474	G
2	2	1478	C
2	2	1482	G
2	2	1486	A
2	2	1487	C
2	2	1489	C
2	2	1499	A
2	2	1502	G
2	2	1512	A
2	2	1517	G
2	2	1519	U
2	2	1532	G
2	2	1533	C
2	2	1534	U
2	2	1538	G
2	2	1553	U
2	2	1555	A
2	2	1564	C
2	2	1565	A
2	2	1570	G
2	2	1580	G
2	2	1586	G
2	2	1597	G
2	2	1612	G
2	2	1617	U
2	2	1627	A
2	2	1631	A
2	2	1653	U
2	2	1654	G
2	2	1677	A
2	2	1678	C
2	2	1682	C
2	2	1683	C
2	2	1684	C
2	2	1685	A
2	2	1688	G
2	2	1693	C
2	2	1697	A
2	2	1699	C
2	2	1700	G
2	2	1702	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	2	1708	A
2	2	1709	G
2	2	1711	G
2	2	1712	C
2	2	1713	C
2	2	1726	A
2	2	1756	G
2	2	1762	A
2	2	1763	G
2	2	1765	U
2	2	1766	C
2	2	1776	G
2	2	1778	A
2	2	1779	C
2	2	1788	G
2	2	1789	G
2	2	1790	A
2	2	1791	U
2	2	1792	C
2	2	1795	U
2	2	1796	U
3	3	7	G
3	3	54	U
3	3	55	A
3	3	65	G
3	3	73	U
3	3	90	G
3	3	92	C
3	3	101	A
3	3	111	G
4	4	23	U
4	4	34	U
4	4	35	C
4	4	48	A
4	4	59	A
4	4	62	A
4	4	63	G
4	4	79	A
4	4	80	A
4	4	81	U
4	4	82	U
4	4	83	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	4	84	C
4	4	85	G
4	4	86	U
4	4	87	G
4	4	88	A
4	4	95	G
4	4	104	A
4	4	106	C
4	4	111	A
4	4	113	U
4	4	125	U
4	4	138	A

All (89) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	133	C
1	1	250	C
1	1	275	G
1	1	431	A
1	1	459	C
1	1	469	C
1	1	484	A
1	1	609	A
1	1	703	A
1	1	746	U
1	1	898	G
1	1	960	C
1	1	1009	U
1	1	1012	A
1	1	1016	U
1	1	1047	A
1	1	1219	G
1	1	1224	U
1	1	1226	G
1	1	1246	A
1	1	1267	C
1	1	1277	A
1	1	1290	G
1	1	1338	A
1	1	1587	U
1	1	1741	C

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1	1796	A
1	1	2064	C
1	1	2075	U
1	1	2167	C
1	1	2172	U
1	1	2220	C
1	1	2227	U
1	1	2232	U
1	1	2502	G
1	1	2503	C
1	1	2532	C
1	1	2552	A
1	1	2621	G
1	1	2731	C
1	1	3074	G
1	1	3079	U
1	1	3121	G
1	1	3163	A
1	1	3210	U
1	1	3224	C
1	1	3230	G
1	1	3258	U
1	1	3281	G
1	1	3298	U
1	1	3332	A
2	2	75	A
2	2	102	A
2	2	184	G
2	2	211	U
2	2	231	G
2	2	233	G
2	2	269	C
2	2	352	G
2	2	414	A
2	2	509	A
2	2	539	A
2	2	552	A
2	2	555	U
2	2	604	G
2	2	676	C
2	2	678	G
2	2	740	C

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
2	2	754	A
2	2	792	U
2	2	832	G
2	2	1094	U
2	2	1165	U
2	2	1193	A
2	2	1224	A
2	2	1241	A
2	2	1252	G
2	2	1282	U
2	2	1341	A
2	2	1378	U
2	2	1477	C
2	2	1531	U
2	2	1564	C
2	2	1569	A
2	2	1616	C
2	2	1653	U
3	3	72	G
4	4	86	U
4	4	87	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	OMG	1	2578	1	18,26,27	1.14	2 (11%)	19,38,41	0.82	1 (5%)
23	SAC	LO	2	23	7,8,9	0.99	0	8,9,11	0.86	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	1	2578	1	-	2/5/27/28	0/3/3/3
23	SAC	LO	2	23	-	2/7/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	2578	OMG	C8-N7	-2.85	1.30	1.35
1	1	2578	OMG	C5-C6	-2.40	1.42	1.47

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2578	OMG	O6-C6-C5	2.29	128.84	124.37
23	LO	2	SAC	OG-CB-CA	-2.05	105.75	110.97

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
23	LO	2	SAC	N-CA-CB-OG
23	LO	2	SAC	C-CA-CB-OG
1	1	2578	OMG	O4'-C4'-C5'-O5'
1	1	2578	OMG	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 481 ligands modelled in this entry, 480 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
87	ATP	D	601	86	26,33,33	0.62	0	31,52,52	0.74	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
87	ATP	D	601	86	-	4/18/38/38	0/3/3/3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
87	D	601	ATP	C5-C6-N6	2.31	123.86	120.35
87	D	601	ATP	PB-O3B-PG	2.06	139.90	132.83

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
87	D	601	ATP	C3'-C4'-C5'-O5'
87	D	601	ATP	PA-O3A-PB-O2B
87	D	601	ATP	O4'-C4'-C5'-O5'
87	D	601	ATP	C5'-O5'-PA-O3A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14480. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 243



Y Index: 243




Z Index: 243


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 253



Y Index: 267




Z Index: 258


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2245  $\text{nm}^3$ ; this corresponds to an approximate mass of 2028 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of 0.303 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.303 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.26	3.78	3.31
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14480 and PDB model 7Z3O. Per-residue inclusion information can be found in section 3 on page 21.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.0).

## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 95% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (2.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9140	 0.4620
1	 0.9880	 0.5080
2	 0.9510	 0.4360
3	 0.9980	 0.5100
4	 0.9950	 0.5170
A	 0.7170	 0.3140
B	 0.4770	 0.3630
C	 0.6170	 0.2520
D	 0.4680	 0.1790
LA	 0.9250	 0.5420
LB	 0.9540	 0.5310
LC	 0.9440	 0.5300
LD	 0.9340	 0.4740
LE	 0.9260	 0.4760
LF	 0.9360	 0.5110
LG	 0.9270	 0.4970
LH	 0.9340	 0.4900
LI	 0.9080	 0.5030
LJ	 0.9180	 0.4420
LK	 0.4400	 0.1350
LL	 0.9560	 0.5180
LM	 0.9290	 0.4960
LN	 0.9530	 0.5500
LO	 0.9480	 0.5130
LP	 0.8870	 0.5030
LQ	 0.9500	 0.5400
LR	 0.9240	 0.5020
LS	 0.9430	 0.5260
LT	 0.9400	 0.5140
LU	 0.9090	 0.4580
LV	 0.9370	 0.5310
LW	 0.7970	 0.3950
LX	 0.9280	 0.5070
LY	 0.9640	 0.5190
LZ	 0.9430	 0.5100























*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
La	 0.9540	 0.5430
Lb	 0.9170	 0.4880
Lc	 0.9270	 0.4980
Ld	 0.8530	 0.4950
Le	 0.9430	 0.5430
Lf	 0.9390	 0.5400
Lg	 0.9370	 0.5280
Lh	 0.9290	 0.4920
Li	 0.9060	 0.4760
Lj	 0.9510	 0.5530
Lk	 0.8820	 0.4560
Ll	 0.9300	 0.5270
Lm	 0.9430	 0.5150
Ln	 0.8520	 0.4730
Lo	 0.9530	 0.5340
Lp	 0.9050	 0.5190
Lq	 0.9490	 0.5240
Lr	 0.5960	 0.2870
Ls	 0.3250	 0.1470
NC	 0.1260	 0.3880
SA	 0.9020	 0.4520
SB	 0.8580	 0.4510
SC	 0.8750	 0.4610
SD	 0.7540	 0.3640
SE	 0.8600	 0.4640
SF	 0.7550	 0.3620
SG	 0.8870	 0.4130
SH	 0.8690	 0.4260
SI	 0.8800	 0.4630
SJ	 0.8530	 0.4350
SK	 0.8160	 0.3240
SL	 0.8560	 0.4990
SM	 0.3060	 0.1880
SN	 0.8760	 0.4700
SO	 0.9090	 0.4740
SP	 0.7420	 0.2980
SQ	 0.7450	 0.3470
SR	 0.8360	 0.3960
SS	 0.7820	 0.3100
ST	 0.7960	 0.3260
SU	 0.7630	 0.3490
SV	 0.8960	 0.4610

Continued on next page...

*Continued from previous page...*

Chain	Atom inclusion	Q-score
SW	 0.9030	 0.4890
SX	 0.8760	 0.4770
SY	 0.8670	 0.4190
SZ	 0.7790	 0.3090
Sa	 0.9080	 0.4830
Sb	 0.8900	 0.4730
Sc	 0.8120	 0.4170
Sd	 0.8060	 0.3710
Se	 0.9070	 0.4650
Sf	 0.6990	 0.1840