



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 19, 2023 – 01:14 pm BST

PDB ID : 8B79
Title : The crystal structure of M644G variant of DNA Pol Epsilon containing UTP in the polymerase active site
Authors : Parkash, V.; Johansson, E.
Deposited on : 2022-09-29
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1191	
1	B	1191	
2	C	11	
2	P	11	
3	D	16	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	T	16	 88% 6% 6%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 19091 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase epsilon catalytic subunit A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1118	9014	5773	1500	1698	43	0	0	0
1	B	1119	8937	5715	1494	1687	41	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P21951
A	-3	GLY	-	expression tag	UNP P21951
A	-2	ASP	-	expression tag	UNP P21951
A	-1	PRO	-	expression tag	UNP P21951
A	0	HIS	-	expression tag	UNP P21951
A	644	GLY	MET	engineered mutation	UNP P21951
B	-4	GLY	-	expression tag	UNP P21951
B	-3	GLY	-	expression tag	UNP P21951
B	-2	ASP	-	expression tag	UNP P21951
B	-1	PRO	-	expression tag	UNP P21951
B	0	HIS	-	expression tag	UNP P21951
B	644	GLY	MET	engineered mutation	UNP P21951


- Molecule 2 is a DNA chain called Primer DNA sequence.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	11	217	106	38	63	10	0	0	0
2	P	11	221	106	38	66	11	0	0	0

- Molecule 3 is a DNA chain called Template DNA Sequence.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	15	Total	C	N	O	P	0	0	0
			309	147	57	90	15			
3	T	15	Total	C	N	O	P	0	0	0
			309	147	57	90	15			

- Molecule 4 is URIDINE 5'-TRIPHOSPHATE (three-letter code: UTP) (formula: $C_9H_{15}N_2O_{15}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			29	9	2	15	3		
4	B	1	Total	C	N	O	P	0	0
			29	9	2	15	3		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Ca	0	0
			3	3		
5	B	3	Total	Ca	0	0
			3	3		

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
7	A	2	Total	O	0	0
			2	2		
7	B	6	Total	O	0	0
			6	6		
7	D	2	Total	O	0	0
			2	2		
7	P	1	Total	O	0	0
			1	1		
7	T	1	Total	O	0	0
			1	1		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA polymerase epsilon catalytic subunit A





- Molecule 1: DNA polymerase epsilon catalytic subunit A



• Molecule 2: Primer DNA sequence



• Molecule 2: Primer DNA sequence




• Molecule 3: Template DNA Sequence

Chain D:  69% 25% 6%



- Molecule 3: Template DNA Sequence

Chain T:  88% 6% 6%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	154.40Å 70.70Å 159.40Å 90.00° 112.80° 90.00°	Depositor
Resolution (Å)	43.54 – 2.65 48.98 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.54-2.65) 99.9 (48.98-2.65)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.21 (at 2.65Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.215 , 0.248 0.217 , 0.248	Depositor DCC
R_{free} test set	4636 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	73.4	Xtrriage
Anisotropy	0.143	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.000 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	19091	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.67 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6480e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UTP, ACT, DOC, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/9220	0.50	0/12479
1	B	0.30	0/9140	0.52	0/12386
2	C	0.56	0/222	0.99	0/341
2	P	0.54	0/226	0.95	0/346
3	D	0.50	0/346	0.92	0/532
3	T	0.49	0/346	0.92	0/532
All	All	0.31	0/19500	0.55	0/26616

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9014	0	8824	133	0
1	B	8937	0	8672	135	0
2	C	217	0	123	3	0
2	P	221	0	125	1	0
3	D	309	0	170	3	0
3	T	309	0	170	1	0
4	A	29	0	11	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	29	0	11	1	0
5	A	3	0	0	0	0
5	B	3	0	0	0	0
6	A	4	0	3	0	0
6	B	4	0	3	0	0
7	A	2	0	0	0	0
7	B	6	0	0	0	0
7	D	2	0	0	0	0
7	P	1	0	0	0	0
7	T	1	0	0	0	0
All	All	19091	0	18112	270	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (270) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:639:VAL:HG12	1:B:946:VAL:HG22	1.43	0.97
1:A:700:ILE:HG21	1:A:738:ARG:HB3	1.59	0.82
1:A:314:MET:HE1	1:A:479:VAL:HA	1.70	0.74
1:B:160:LEU:HD11	1:B:206:LEU:HD21	1.70	0.73
1:A:986:LEU:HA	1:A:996:LYS:HD3	1.73	0.70
1:A:547:LEU:HD21	1:A:736:LYS:HE2	1.73	0.69
1:A:1137:ILE:HD12	1:A:1137:ILE:H	1.57	0.69
1:B:792:LYS:HG2	1:B:813:ILE:HD13	1.74	0.68
1:A:1112:PHE:HA	1:A:1119:LYS:HD2	1.76	0.67
1:B:919:THR:HA	1:B:940:ASN:HD22	1.59	0.67
1:B:209:ILE:HG21	1:B:239:ILE:HD12	1.77	0.66
1:B:164:LEU:HD21	1:B:167:LEU:HD23	1.77	0.66
1:B:913:ARG:O	1:B:917:LYS:HG3	1.95	0.66
1:A:736:LYS:O	1:A:740:THR:HG23	1.96	0.66
1:A:298:LEU:HD13	1:A:1110:ALA:HB1	1.77	0.66
1:B:893:PHE:HB2	1:B:901:LEU:HB2	1.77	0.65
1:A:287:MET:HG3	1:A:315:ILE:HG12	1.77	0.65
1:A:583:GLU:OE1	1:A:867:ARG:NH2	2.30	0.64
1:B:329:SER:HB3	1:B:464:PHE:HA	1.78	0.64
1:B:315:ILE:HD13	1:B:369:VAL:HG11	1.79	0.63
1:A:76:VAL:HG22	1:A:266:LYS:HG3	1.80	0.63
1:B:1049:ASN:HD21	1:B:1088:GLN:HB3	1.64	0.63
1:A:315:ILE:HG21	1:A:369:VAL:HG11	1.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:690:PHE:HE2	1:A:740:THR:HG22	1.63	0.63
1:B:612:GLU:O	1:B:616:GLN:HG3	1.98	0.62
1:B:695:ASP:OD1	1:B:696:GLU:N	2.29	0.62
1:A:398:MET:HG2	1:A:402:ILE:HD11	1.80	0.62
1:A:974:GLU:H	1:A:974:GLU:CD	2.03	0.61
1:A:296:PRO:HB2	1:A:299:LYS:HB2	1.83	0.61
1:A:512:THR:HG21	1:A:825:VAL:HG22	1.81	0.61
1:A:329:SER:HB3	1:A:464:PHE:HA	1.83	0.60
1:B:548:LEU:HD23	1:B:689:PHE:HB3	1.83	0.60
1:A:1056:LEU:HB3	1:A:1082:VAL:HG11	1.82	0.60
1:B:1112:PHE:CG	1:B:1137:ILE:HD11	2.37	0.59
1:B:1092:ILE:HG23	1:B:1109:VAL:HG12	1.84	0.59
1:B:1011:THR:HG23	1:B:1014:GLY:H	1.68	0.59
1:B:588:LEU:N	1:B:589:PRO:CD	2.66	0.58
1:A:588:LEU:HB3	1:A:589:PRO:HD3	1.85	0.58
1:A:969:TYR:CZ	1:A:982:LYS:HG3	2.39	0.58
1:B:681:LEU:HB2	1:B:849:ILE:HD13	1.86	0.58
1:A:728:TYR:O	1:A:732:VAL:HG23	2.03	0.58
1:A:350:PHE:CG	1:A:361:ARG:HD3	2.39	0.57
1:B:455:ASP:HB3	1:B:458:LEU:HG	1.85	0.57
1:A:722:THR:HG22	1:A:725:GLU:HG3	1.86	0.57
1:A:989:ARG:HH21	2:P:8:DG:P	2.28	0.57
1:B:664:ASP:O	1:B:665:CYS:HB3	2.04	0.57
1:A:35:GLN:HE21	1:A:39:ASN:HD21	1.51	0.56
1:B:291:ILE:HG13	1:B:383:ASP:OD2	2.05	0.56
1:B:1124:ARG:NH1	1:B:1132:LEU:O	2.38	0.56
1:A:951:LYS:HB2	1:A:974:GLU:HA	1.87	0.56
1:B:924:GLN:NE2	1:B:936:THR:OG1	2.35	0.56
1:B:1112:PHE:CE1	1:B:1123:LEU:HD21	2.39	0.56
1:A:577:ASP:OD1	1:A:579:SER:OG	2.22	0.56
1:A:1037:LEU:HD12	1:A:1042:LEU:HD13	1.86	0.55
1:A:711:ASN:ND2	1:A:716:SER:HB3	2.22	0.55
1:B:1079:GLU:O	1:B:1079:GLU:OE1	2.25	0.55
1:A:700:ILE:CG2	1:A:738:ARG:HB3	2.34	0.54
1:A:1116:ILE:N	1:A:1117:PRO:HD2	2.22	0.54
1:A:863:ALA:O	1:A:867:ARG:HG3	2.07	0.54
1:B:613:ILE:HD12	1:B:891:TYR:HB3	1.90	0.54
1:B:621:LEU:HD21	1:B:888:PRO:HG3	1.90	0.54
1:A:1120:ARG:HB2	1:A:1135:LEU:HD11	1.89	0.54
1:B:146:GLU:HG2	1:B:187:THR:HB	1.90	0.54
1:B:910:LEU:O	1:B:914:VAL:HG23	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:539:ILE:HD12	1:A:728:TYR:CD2	2.43	0.54
1:B:728:TYR:O	1:B:732:VAL:HG23	2.08	0.54
1:B:321:LEU:HB3	1:B:349:ILE:HD12	1.91	0.53
1:B:609:ASN:HD21	1:B:893:PHE:HA	1.72	0.53
1:B:693:LYS:CD	1:B:694:MET:H	2.20	0.53
1:A:865:VAL:HG12	1:A:871:PRO:HD3	1.90	0.53
1:A:244:GLU:OE1	1:A:252:ARG:NH2	2.41	0.53
1:A:1056:LEU:HD13	1:A:1070:ALA:HB3	1.90	0.53
1:A:980:GLU:HB3	1:A:982:LYS:HE2	1.90	0.53
1:B:924:GLN:HE21	1:B:936:THR:HG1	1.56	0.53
1:A:87:VAL:HG22	1:A:88:SER:O	2.09	0.52
1:A:581:ILE:HG21	1:A:625:LYS:HB2	1.90	0.52
1:A:1096:LYS:HB3	1:A:1127:THR:OG1	2.09	0.52
1:A:828:ASN:HD22	4:A:1201:UTP:H2'	1.75	0.52
1:A:695:ASP:OD1	1:A:696:GLU:N	2.41	0.52
1:B:342:GLU:CD	1:B:342:GLU:H	2.13	0.52
1:A:585:LEU:HD21	1:A:618:THR:HG23	1.90	0.52
1:B:685:TRP:HB3	1:B:756:VAL:HG22	1.92	0.52
1:B:1024:ASN:OD1	1:B:1173:ARG:HD3	2.09	0.52
1:B:552:THR:OG1	1:B:553:TYR:N	2.43	0.51
1:B:340:LYS:HB3	1:B:342:GLU:OE1	2.09	0.51
1:A:1120:ARG:HD3	1:A:1124:ARG:CZ	2.41	0.51
1:B:861:ALA:O	1:B:865:VAL:HG23	2.09	0.51
1:B:338:THR:HG23	1:B:344:PRO:HA	1.92	0.51
1:A:695:ASP:O	1:A:699:MET:HG3	2.11	0.51
1:A:270:GLN:HA	1:A:270:GLN:OE1	2.10	0.51
1:A:727:SER:O	1:A:731:GLN:HG3	2.10	0.51
1:B:571:LYS:HG2	1:B:633:LEU:HD23	1.93	0.51
1:A:992:LEU:HD23	1:A:995:ILE:HG12	1.93	0.51
1:B:354:ASP:OD1	1:B:354:ASP:N	2.42	0.51
1:B:907:CYS:SG	1:B:946:VAL:HG23	2.51	0.50
1:A:321:LEU:HB3	1:A:349:ILE:HD13	1.93	0.50
1:A:320:PHE:HA	1:A:348:THR:O	2.12	0.50
1:A:1096:LYS:HG3	1:A:1098:PHE:CE1	2.46	0.50
1:B:588:LEU:N	1:B:589:PRO:HD2	2.27	0.49
1:B:244:GLU:OE1	1:B:252:ARG:NH2	2.45	0.49
2:C:10:DT:H2''	2:C:11:DOC:H5'	1.95	0.49
1:B:693:LYS:HD3	1:B:694:MET:H	1.78	0.49
1:A:150:ASN:ND2	1:A:153:GLU:OE2	2.46	0.49
1:A:656:PRO:HG2	1:A:841:TRP:HB3	1.93	0.49
1:B:355:GLU:HB3	1:B:394:HIS:HE2	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:568:SER:O	1:B:633:LEU:HD13	2.13	0.49
1:A:794:ASN:O	1:A:798:ILE:HG13	2.12	0.49
1:B:588:LEU:HB3	1:B:589:PRO:HD3	1.95	0.49
1:B:746:VAL:HG13	1:B:747:TYR:CD2	2.47	0.49
1:B:32:LEU:O	1:B:36:GLN:HG3	2.13	0.48
1:B:207:ARG:O	1:B:211:GLN:HG3	2.14	0.48
1:B:621:LEU:O	1:B:624:LEU:HB2	2.13	0.48
1:B:696:GLU:O	1:B:700:ILE:HG12	2.13	0.48
1:B:512:THR:HG21	1:B:825:VAL:HG12	1.95	0.48
1:B:68:ASP:O	1:B:72:ILE:HG13	2.14	0.48
1:B:645:TYR:O	1:B:649:MET:HG3	2.14	0.48
1:B:956:PRO:HG2	1:B:965:ILE:HG21	1.96	0.48
1:B:928:ASP:HB3	1:B:933:ILE:HB	1.96	0.47
1:A:456:PRO:HA	1:A:459:MET:HG2	1.96	0.47
1:B:393:ILE:HG22	1:B:394:HIS:ND1	2.28	0.47
1:B:591:ALA:HA	1:B:912:TYR:CD1	2.49	0.47
1:B:383:ASP:O	1:B:387:ILE:HG13	2.14	0.47
1:A:802:ASP:O	1:A:806:ARG:HG3	2.15	0.47
1:B:462:TYR:CE2	1:B:466:LYS:HD2	2.49	0.47
1:A:279:ILE:HG22	1:A:279:ILE:O	2.15	0.47
1:A:170:ILE:HD12	1:A:171:ARG:H	1.79	0.47
1:A:365:HIS:O	1:A:369:VAL:HG23	2.14	0.47
1:A:713:ASN:O	1:A:714:LYS:C	2.53	0.47
1:A:737:LYS:O	1:A:741:GLU:HG3	2.14	0.47
1:A:1041:ASP:O	1:A:1045:LEU:HB2	2.14	0.47
1:B:61:ASN:OD1	1:B:61:ASN:N	2.43	0.47
1:B:845:GLU:O	1:B:849:ILE:HG13	2.15	0.47
1:A:329:SER:OG	1:A:467:PRO:HG3	2.15	0.47
1:A:709:PHE:CD2	1:A:726:LEU:HD11	2.50	0.47
1:B:722:THR:HG22	1:B:725:GLU:OE2	2.15	0.47
1:B:434:GLN:HB2	2:C:9:DT:OP2	2.15	0.47
1:A:314:MET:CE	1:A:479:VAL:HA	2.43	0.46
1:B:1025:ARG:HG3	1:B:1026:TRP:N	2.30	0.46
1:B:562:GLU:OE1	1:B:870:ARG:NH2	2.48	0.46
1:B:778:ARG:NH1	1:B:779:ASP:OD1	2.48	0.46
1:B:1180:LEU:O	1:B:1184:ILE:HG13	2.14	0.46
1:A:858:ILE:HD11	1:A:879:ILE:HG13	1.97	0.46
1:A:732:VAL:O	1:A:736:LYS:HG2	2.15	0.46
1:A:200:PHE:CZ	1:A:204:LYS:HE3	2.51	0.46
1:A:549:GLU:OE1	1:A:751:LYS:HE2	2.15	0.46
1:B:235:ALA:HA	1:B:238:LEU:HD23	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1112:PHE:CD1	1:B:1137:ILE:HD11	2.51	0.46
1:A:828:ASN:ND2	4:A:1201:UTP:H2'	2.31	0.45
1:B:397:ASP:O	1:B:401:GLU:HG2	2.16	0.45
1:A:59:GLN:HA	1:A:269:GLN:OE1	2.17	0.45
1:B:736:LYS:O	1:B:740:THR:HG23	2.16	0.45
1:B:1022:VAL:O	1:B:1026:TRP:HD1	1.99	0.45
1:A:241:ASP:OD1	1:A:242:ILE:N	2.48	0.45
1:A:681:LEU:HB2	1:A:849:ILE:HD13	1.98	0.45
1:B:57:PRO:HG3	1:B:267:VAL:HG12	1.99	0.45
1:A:295:LYS:NZ	1:A:457:GLU:OE2	2.46	0.45
1:A:981:LEU:HD21	1:A:986:LEU:HD23	1.99	0.44
1:A:696:GLU:HG2	1:A:742:TYR:OH	2.17	0.44
1:B:485:TYR:CE2	1:B:490:HIS:HB2	2.53	0.44
1:B:640:ASP:O	1:B:945:GLU:HG2	2.17	0.44
1:B:806:ARG:O	1:B:810:LYS:HG3	2.17	0.44
1:B:906:PRO:HA	1:B:909:MET:SD	2.57	0.44
1:A:244:GLU:HG2	1:A:531:LEU:HB2	1.98	0.44
1:A:858:ILE:HD12	1:A:858:ILE:HA	1.87	0.44
1:B:356:VAL:O	1:B:360:GLN:HG3	2.17	0.44
1:A:1056:LEU:CB	1:A:1082:VAL:HG11	2.47	0.44
1:A:324:ASN:OD1	1:A:355:GLU:N	2.50	0.44
1:A:723:PHE:CZ	1:A:731:GLN:HB3	2.52	0.44
1:B:260:ARG:HB2	1:B:263:LYS:HD2	2.00	0.44
1:A:690:PHE:CE2	1:A:740:THR:HG22	2.50	0.44
1:B:433:PRO:HG2	1:B:436:SER:HB2	2.00	0.44
1:B:789:LYS:HD3	1:B:789:LYS:C	2.38	0.44
1:A:164:LEU:HD21	1:A:167:LEU:HD23	1.99	0.44
1:A:560:SER:HB2	1:A:966:LYS:HG3	1.99	0.44
1:A:1094:SER:O	1:A:1105:ARG:HD2	2.18	0.43
1:B:627:ASN:HB2	1:B:630:ARG:NH1	2.33	0.43
1:A:704:LEU:HD12	1:A:709:PHE:HZ	1.83	0.43
1:B:387:ILE:O	1:B:391:SER:OG	2.21	0.43
1:A:44:ASP:OD1	1:A:54:ARG:NH2	2.50	0.43
1:A:723:PHE:O	1:A:726:LEU:HB2	2.18	0.43
1:A:323:THR:OG1	1:A:351:ASN:HA	2.18	0.43
1:B:590:GLU:HA	1:B:593:LYS:HD2	2.00	0.43
1:A:426:VAL:HA	1:A:430:SER:HB3	1.99	0.43
1:A:677:CYS:O	1:A:763:CYS:HA	2.17	0.43
1:B:664:ASP:O	1:B:665:CYS:CB	2.66	0.43
1:B:1094:SER:O	1:B:1105:ARG:HD2	2.18	0.43
1:B:1124:ARG:HG2	1:B:1124:ARG:HH11	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:640:ASP:O	1:A:945:GLU:HG2	2.18	0.43
1:A:731:GLN:O	1:A:735:ILE:HG13	2.19	0.43
1:A:1076:PHE:CE2	1:A:1077:LEU:HG	2.54	0.43
1:B:194:VAL:HG12	1:B:198:GLN:HG3	2.01	0.43
1:B:1112:PHE:HE1	1:B:1123:LEU:HD21	1.84	0.43
1:B:722:THR:HG23	1:B:725:GLU:H	1.84	0.43
1:B:722:THR:OG1	1:B:723:PHE:N	2.51	0.43
1:A:404:PHE:CZ	1:A:414:SER:HB3	2.53	0.43
1:B:289:PHE:CG	1:B:362:PHE:HZ	2.37	0.43
1:B:548:LEU:HD23	1:B:548:LEU:HA	1.89	0.43
1:A:888:PRO:HB2	1:A:905:TYR:CD2	2.53	0.43
1:B:361:ARG:HE	1:B:361:ARG:HB2	1.57	0.42
1:B:36:GLN:OE1	1:B:86:LEU:HD22	2.19	0.42
1:A:727:SER:C	1:A:729:ALA:N	2.71	0.42
1:B:521:MET:HG2	1:B:531:LEU:HD11	2.01	0.42
1:B:951:LYS:HB2	1:B:974:GLU:HA	2.01	0.42
1:A:291:ILE:HG21	1:A:387:ILE:HD11	2.00	0.42
1:B:731:GLN:O	1:B:735:ILE:HD12	2.19	0.42
1:A:692:SER:OG	1:A:739:LEU:HD11	2.19	0.42
1:A:978:LEU:HD21	1:A:981:LEU:HB2	2.02	0.42
1:B:966:LYS:HD3	3:D:9:DC:H5''	2.01	0.42
1:B:1013:GLU:OE1	1:B:1013:GLU:N	2.50	0.42
3:D:11:DC:H2''	3:D:12:DG:C8	2.54	0.42
1:A:729:ALA:O	1:A:730:ASP:C	2.58	0.42
1:A:294:THR:HG22	1:A:460:THR:HG23	2.02	0.42
1:A:751:LYS:HB2	1:A:751:LYS:HE3	1.82	0.42
1:A:998:PHE:CZ	1:A:1002:ILE:HG13	2.55	0.42
1:A:483:TYR:O	1:A:487:LYS:HB2	2.20	0.42
1:A:288:ALA:HA	1:A:375:SER:O	2.20	0.42
1:A:354:ASP:OD1	1:A:354:ASP:N	2.53	0.42
1:A:711:ASN:HD21	1:A:716:SER:HB3	1.84	0.42
1:A:1005:VAL:HG21	1:A:1022:VAL:HG21	2.00	0.42
1:B:583:GLU:OE1	1:B:867:ARG:NH2	2.53	0.42
1:B:1183:LYS:HA	1:B:1183:LYS:HD2	1.78	0.42
1:A:683:TRP:CZ2	1:A:758:ARG:HD2	2.55	0.42
1:B:287:MET:O	1:B:374:ILE:HA	2.19	0.42
1:B:982:LYS:HB3	2:C:10:DT:H5''	2.02	0.42
1:A:356:VAL:HG22	1:A:394:HIS:HB3	2.02	0.41
1:B:517:GLU:OE1	1:B:833:TYR:OH	2.28	0.41
1:B:592:LEU:HD23	1:B:592:LEU:HA	1.77	0.41
1:A:171:ARG:HA	1:A:186:LYS:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:322:ILE:HD13	1:B:361:ARG:HG2	2.02	0.41
1:B:656:PRO:HG2	1:B:841:TRP:HB3	2.03	0.41
1:B:728:TYR:O	1:B:731:GLN:HB2	2.19	0.41
1:B:981:LEU:HD21	1:B:986:LEU:HD23	2.01	0.41
1:B:1103:THR:HG23	3:D:14:DT:OP1	2.20	0.41
1:B:179:ASN:HB3	1:B:182:LEU:HD12	2.01	0.41
1:B:462:TYR:CZ	1:B:466:LYS:HD2	2.55	0.41
1:A:51:GLY:O	1:A:128:SER:OG	2.38	0.41
1:A:994:LEU:HD21	1:A:1030:LEU:HD11	2.02	0.41
1:A:204:LYS:HA	1:A:204:LYS:HD3	1.74	0.41
1:B:324:ASN:ND2	1:B:327:ILE:HG13	2.35	0.41
1:B:625:LYS:O	1:B:625:LYS:HG3	2.19	0.41
1:B:787:LEU:HD23	1:B:787:LEU:HA	1.92	0.41
1:A:554:VAL:HB	1:A:684:ALA:HB3	2.03	0.41
1:B:222:ILE:H	1:B:222:ILE:HG13	1.66	0.41
1:B:651:THR:HG23	1:B:940:ASN:HA	2.02	0.41
1:A:149:VAL:O	1:A:153:GLU:HB2	2.20	0.41
1:A:252:ARG:HA	1:A:252:ARG:HD3	1.80	0.41
1:A:1095:SER:HA	1:A:1142:ASP:HB2	2.02	0.41
1:B:458:LEU:C	1:B:461:PRO:HD2	2.40	0.41
1:A:217:ASN:HD22	1:A:217:ASN:HA	1.71	0.41
1:A:567:ARG:HG2	1:A:952:ALA:HB2	2.01	0.41
1:A:744:ARG:NH1	3:T:16:DA:H4'	2.36	0.41
1:A:1155:GLN:HG3	1:A:1174:VAL:CG1	2.51	0.41
1:B:559:GLU:HG3	1:B:874:LEU:HD22	2.02	0.41
1:B:1049:ASN:HD22	1:B:1090:LYS:HG2	1.86	0.41
1:B:1182:ARG:HG3	1:B:1182:ARG:HH11	1.86	0.41
1:B:309:MET:HE3	1:B:470:LEU:HD21	2.03	0.41
1:B:496:LEU:HG	1:B:500:ILE:HD12	2.02	0.41
1:A:152:VAL:O	1:A:156:VAL:HG22	2.21	0.40
1:A:1030:LEU:HD13	1:A:1147:ARG:HA	2.03	0.40
1:A:1101:PRO:HD2	1:A:1104:GLU:OE2	2.20	0.40
1:B:810:LYS:O	1:B:814:VAL:HG23	2.21	0.40
1:A:485:TYR:CE2	1:A:490:HIS:HB2	2.56	0.40
1:A:1112:PHE:CD1	1:A:1137:ILE:HG13	2.55	0.40
1:B:539:ILE:H	1:B:539:ILE:HG13	1.61	0.40
1:B:595:SER:OG	1:B:903:LEU:HD23	2.22	0.40
1:A:72:ILE:O	1:A:266:LYS:HE2	2.21	0.40
1:A:595:SER:HA	1:A:599:GLU:HB2	2.03	0.40
1:B:324:ASN:O	1:B:328:ILE:HG12	2.22	0.40
1:B:645:TYR:HB2	4:B:1201:UTP:O2'	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:MET:HA	1:A:118:ASP:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1110/1191 (93%)	1067 (96%)	43 (4%)	0	100	100
1	B	1111/1191 (93%)	1064 (96%)	45 (4%)	2 (0%)	47	64
All	All	2221/2382 (93%)	2131 (96%)	88 (4%)	2 (0%)	51	69

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	589	PRO
1	B	555	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	985/1066 (92%)	963 (98%)	22 (2%)	52	70
1	B	966/1066 (91%)	953 (99%)	13 (1%)	69	82
All	All	1951/2132 (92%)	1916 (98%)	35 (2%)	59	75

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	SER
1	A	303	SER
1	A	335	PHE
1	A	372	THR
1	A	380	ASP
1	A	383	ASP
1	A	431	TYR
1	A	537	ASP
1	A	640	ASP
1	A	721	LEU
1	A	722	THR
1	A	907	CYS
1	A	913	ARG
1	A	925	GLU
1	A	958	SER
1	A	1000	SER
1	A	1004	LYS
1	A	1025	ARG
1	A	1040	GLU
1	A	1051	SER
1	A	1076	PHE
1	A	1083	LYS
1	B	200	PHE
1	B	310	MET
1	B	318	GLU
1	B	361	ARG
1	B	431	TYR
1	B	537	ASP
1	B	640	ASP
1	B	724	ASP
1	B	904	SER
1	B	1004	LYS
1	B	1044	SER
1	B	1050	ARG
1	B	1076	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	168	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	ASN
1	A	828	ASN
1	B	112	GLN
1	B	198	GLN
1	B	924	GLN
1	B	1049	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DOC	P	11	3,2	16,19,20	0.38	0	20,26,29	0.34	0
2	DOC	C	11	3,2	16,19,20	0.39	0	20,26,29	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DOC	P	11	3,2	-	2/7/18/19	0/2/2/2
2	DOC	C	11	3,2	-	2/7/18/19	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	11	DOC	C3'-C4'-C5'-O5'
2	C	11	DOC	O4'-C4'-C5'-O5'
2	P	11	DOC	O4'-C4'-C5'-O5'
2	P	11	DOC	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	11	DOC	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ACT	B	1205	5	3,3,3	1.29	0	3,3,3	1.37	0
4	UTP	A	1201	5	22,30,30	0.98	1 (4%)	27,47,47	1.00	1 (3%)
4	UTP	B	1201	5	22,30,30	0.99	1 (4%)	27,47,47	0.99	1 (3%)
6	ACT	A	1205	5	3,3,3	1.31	0	3,3,3	1.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	UTP	A	1201	5	-	3/20/38/38	0/2/2/2
4	UTP	B	1201	5	-	3/20/38/38	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1201	UTP	C4-N3	3.04	1.38	1.33
4	A	1201	UTP	C4-N3	3.04	1.38	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1201	UTP	C5-C4-N3	-3.88	114.77	123.31
4	A	1201	UTP	C5-C4-N3	-3.87	114.80	123.31

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1201	UTP	PB-O3B-PG-O3G
4	A	1201	UTP	PG-O3B-PB-O1B
4	B	1201	UTP	PB-O3A-PA-O1A
4	A	1201	UTP	PB-O3A-PA-O2A
4	A	1201	UTP	PB-O3A-PA-O1A
4	B	1201	UTP	PB-O3A-PA-O2A


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1201	UTP	2	0
4	B	1201	UTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1118/1191 (93%)	0.18	35 (3%) 49 45	43, 75, 103, 141	0
1	B	1119/1191 (93%)	0.23	49 (4%) 34 31	45, 76, 110, 139	0
2	C	10/11 (90%)	-0.32	0 100 100	52, 61, 81, 81	0
2	P	10/11 (90%)	-0.24	0 100 100	51, 60, 80, 86	1 (10%)
3	D	15/16 (93%)	-0.14	0 100 100	48, 63, 90, 109	0
3	T	15/16 (93%)	-0.19	0 100 100	48, 60, 88, 113	0
All	All	2287/2436 (93%)	0.19	84 (3%) 41 38	43, 75, 107, 141	1 (0%)

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	750	VAL	5.2
1	B	608	THR	4.6
1	B	539	ILE	4.5
1	B	749	ARG	4.4
1	A	749	ARG	4.4
1	B	747	TYR	4.3
1	B	603	SER	4.3
1	B	748	HIS	4.2
1	B	690	PHE	4.2
1	B	602	SER	4.1
1	B	596	VAL	4.0
1	B	743	SER	3.9
1	A	32	LEU	3.9
1	B	715	PHE	3.7
1	A	715	PHE	3.6
1	B	689	PHE	3.5
1	B	548	LEU	3.5
1	A	742	TYR	3.4
1	B	125	GLU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	592	LEU	3.4
1	B	751	LYS	3.3
1	B	893	PHE	3.3
1	B	218	VAL	3.3
1	B	894	THR	3.2
1	A	739	LEU	3.2
1	B	613	ILE	3.2
1	A	748	HIS	3.1
1	A	750	VAL	3.1
1	A	547	LEU	3.1
1	B	716	SER	3.1
1	B	662	GLU	3.0
1	B	892	PHE	2.9
1	A	747	TYR	2.9
1	B	713	ASN	2.9
1	A	716	SER	2.9
1	A	664	ASP	2.9
1	A	723	PHE	2.8
1	A	549	GLU	2.8
1	B	753	SER	2.8
1	A	690	PHE	2.8
1	B	691	PRO	2.7
1	B	547	LEU	2.7
1	B	1115	ASP	2.7
1	A	1046	ILE	2.7
1	A	1099	ASN	2.6
1	A	613	ILE	2.6
1	B	585	LEU	2.6
1	A	709	PHE	2.5
1	B	899	LYS	2.5
1	A	1076	PHE	2.5
1	B	464	PHE	2.4
1	B	609	ASN	2.4
1	B	1135	LEU	2.4
1	A	661	ALA	2.4
1	B	721	LEU	2.4
1	A	714	LYS	2.4
1	A	324	ASN	2.4
1	B	607	VAL	2.4
1	B	220	ARG	2.4
1	B	578	PRO	2.4
1	A	605	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	541	ARG	2.4
1	B	584	LEU	2.3
1	B	34	ALA	2.3
1	A	1135	LEU	2.3
1	B	1079	GLU	2.3
1	B	739	LEU	2.3
1	B	1118	ILE	2.3
1	A	125	GLU	2.3
1	B	898	GLY	2.3
1	B	615	ASN	2.2
1	A	721	LEU	2.2
1	A	691	PRO	2.2
1	A	305	VAL	2.2
1	A	899	LYS	2.2
1	A	743	SER	2.1
1	B	549	GLU	2.1
1	A	548	LEU	2.1
1	A	607	VAL	2.1
1	A	713	ASN	2.1
1	B	1132	LEU	2.0
1	B	593	LYS	2.0
1	A	893	PHE	2.0
1	A	359	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	DOC	C	11	18/19	0.96	0.19	39,51,66,69	0
2	DOC	P	11	18/19	0.97	0.22	38,51,62,63	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	CA	A	1204	1/1	0.71	0.18	95,95,95,95	0
5	CA	A	1203	1/1	0.82	0.15	80,80,80,80	0
5	CA	A	1202	1/1	0.82	0.12	58,58,58,58	0
5	CA	B	1203	1/1	0.85	0.24	81,81,81,81	0
5	CA	B	1202	1/1	0.91	0.16	70,70,70,70	0
6	ACT	B	1205	4/4	0.91	0.36	72,74,77,77	0
6	ACT	A	1205	4/4	0.96	0.28	75,78,80,88	0
4	UTP	A	1201	29/29	0.96	0.20	44,53,60,64	0
4	UTP	B	1201	29/29	0.97	0.21	42,55,66,68	0
5	CA	B	1204	1/1	0.97	0.17	76,76,76,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UTP A 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.