



Full wwPDB EM Validation Report ⓘ

Apr 6, 2024 – 01:47 PM EDT

PDB ID : 8FRU
EMDB ID : EMD-29407
Title : 60S subunit of the Giardia lamblia 80S ribosome
Authors : Eiler, D.R.; Wimberly, B.T.; Bilodeau, D.Y.; Rissland, O.S.; Kieft, J.S.
Deposited on : 2023-01-08
Resolution : 2.49 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	379	98%
2	a	149	98%
3	C	316	5% 95%
4	I	210	8% 90% 5% 6%
5	p	94	6% 97%
6	D	297	18% 92% 6%
7	H	185	8% 90% 9%
8	G	225	13% 83% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J	173	
10	O	197	
11	L	234	
12	M	131	
13	N	204	
14	Q	179	
15	S	205	
16	R	196	
17	T	159	
18	V	142	
19	P	164	
20	X	141	
21	Y	135	
22	W	102	
23	Z	135	
24	b	62	
25	h	124	
26	F	235	
27	d	106	
28	e	136	
29	g	120	
30	f	123	
31	i	90	
32	k	77	
33	o	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	U	171	
35	c	109	
36	j	100	
37	l	51	
38	m	127	
39	A	251	
40	n	25	
41	3	120	
42	4	141	
43	1	2687	

2 Entry composition [i](#)

There are 49 unique types of molecules in this entry. The entry contains 140991 atoms, of which 30508 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60S ribosomal protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	378	2982	1884	565	512	21	0	0

- Molecule 2 is a protein called 60S ribosomal protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	a	148	1201	759	240	199	3	0	0

- Molecule 3 is a protein called 60S ribosomal protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	313	2430	1531	472	418	9	0	0

- Molecule 4 is a protein called 60S ribosomal protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	I	198	1610	1012	315	274	9	0	0

- Molecule 5 is a protein called 60S ribosomal protein eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	p	93	722	444	147	125	6	0	0

- Molecule 6 is a protein called 60S ribosomal protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	D	290	2323	1474	430	411	8	0	0

- Molecule 7 is a protein called 60S ribosomal protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	H	183	1439	912	262	254	11	0	0

- Molecule 8 is a protein called 60S ribosomal protein eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	G	197	1573	1002	286	280	5	0	0

- Molecule 9 is a protein called 60S ribosomal protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	159	1272	802	233	232	5	0	0

- Molecule 10 is a protein called 60S ribosomal protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	O	196	1595	1003	311	269	12	0	0

- Molecule 11 is a protein called 60S ribosomal protein eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	L	202	1611	1002	327	276	6	0	0

- Molecule 12 is a protein called 60S ribosomal protein eL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	M	130	1020	647	186	181	6	0	0

- Molecule 13 is a protein called 60S ribosomal protein eL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	N	203	1707	1080	357	264	6	0	0

- Molecule 14 is a protein called 60S ribosomal protein eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	Q	179	1407	876	280	241	10	0	0

- Molecule 15 is a protein called 60S ribosomal protein eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	S	173	1447	914	276	247	10	0	0

- Molecule 16 is a protein called 60S ribosomal protein eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	R	184	1532	944	325	258	5	0	0

- Molecule 17 is a protein called 60S ribosomal protein eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	T	153	1231	767	256	201	7	0	0

- Molecule 18 is a protein called 60S ribosomal protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	V	137	1040	654	200	181	5	0	0

- Molecule 19 is a protein called 60S ribosomal protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	P	153	1228	777	239	208	4	0	0

- Molecule 20 is a protein called 60S ribosomal protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	X	116	936	601	169	163	3	0	0

- Molecule 21 is a protein called 60S ribosomal protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	Y	135	1087	671	222	186	8	0	0

- Molecule 22 is a protein called 60S ribosomal protein eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	64	531	337	107	84	3	0	0

- Molecule 23 is a protein called 60S ribosomal protein eL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	Z	134	1062	666	200	189	7	0	0

- Molecule 24 is a protein called 60S ribosomal protein eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	b	57	471	284	106	79	2	0	0

- Molecule 25 is a protein called 60S ribosomal protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	h	122	985	628	190	162	5	0	0

- Molecule 26 is a protein called 60S ribosomal protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	F	221	1776	1129	322	320	5	0	0

- Molecule 27 is a protein called 60S ribosomal protein eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	d	97	795	507	155	132	1	0	0

- Molecule 28 is a protein called 60S ribosomal protein eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	e	124	1025	650	206	163	6	0	0

- Molecule 29 is a protein called 60S ribosomal protein eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	g	97	782	483	162	132	5	0	0

- Molecule 30 is a protein called 60S ribosomal protein eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	f	122	967	616	179	168	4	0	0

- Molecule 31 is a protein called 60S ribosomal protein eL36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	i	83	677	430	135	108	4	0	0

- Molecule 32 is a protein called 60S ribosomal protein eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	k	76	588	369	103	112	4	0	0

- Molecule 33 is a protein called 60S ribosomal protein eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	o	93	767	478	159	125	5	0	0

- Molecule 34 is a protein called 60S ribosomal protein eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	U	100	822	525	141	154	2	0	0

- Molecule 35 is a protein called 60S ribosomal protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	c	99	Total	C	N	O	S	0	0
			738	464	128	142	4		

- Molecule 36 is a protein called 60S ribosomal protein eL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	j	88	Total	C	N	O	S	0	0
			707	432	151	117	7		

- Molecule 37 is a protein called 60S ribosomal protein eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	50	Total	C	N	O	S	0	0
			450	289	98	62	1		

- Molecule 38 is a protein called 60S ribosomal protein eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	50	Total	C	N	O	S	0	0
			414	252	87	68	7		

- Molecule 39 is a protein called 60S ribosomal protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	A	248	Total	C	N	O	S	0	0
			1857	1146	381	318	12		

- Molecule 40 is a protein called 60S ribosomal protein eL41.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	n	25	Total	C	N	O	0	0
			125	75	25	25		

- Molecule 41 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
41	3	117	Total	C	H	N	O	P	0	0
			3762	1116	1265	457	808	116		

- Molecule 42 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
42	4	141	4550	1341	1536	560	973	140	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	138	C	-	insertion	GB 583967408

- Molecule 43 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
43	1	2551	82424	24325	27707	10140	17706	2546	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	1894	U	-	insertion	GB 2333213660

- Molecule 44 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
44	B	1	Total	K	0
			1	1	
44	A	1	Total	K	0
			1	1	
44	1	25	Total	K	0
			25	25	

- Molecule 45 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
45	a	1	Total	Mg	0
			1	1	
45	V	1	Total	Mg	0
			1	1	
45	P	1	Total	Mg	0
			1	1	
45	3	1	Total	Mg	0
			1	1	
45	4	5	Total	Mg	0
			5	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
45	1	120	Total	Mg	0
			120	120	


- Molecule 46 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
46	j	1	Total	Zn	0
			1	1	
46	m	1	Total	Zn	0
			1	1	

- Molecule 47 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
47	4	2	Total	Na	0
			2	2	
47	1	31	Total	Na	0
			31	31	

- Molecule 48 is SPERMIDINE (three-letter code: SPD) (formula: C₇H₁₉N₃).



Mol	Chain	Residues	Atoms			AltConf
48	1	1	Total	C	N	0
			10	7	3	

- Molecule 49 is water.

Mol	Chain	Residues	Atoms		AltConf
49	B	31	Total 31	O 31	0
49	a	33	Total 33	O 33	0
49	C	34	Total 34	O 34	0
49	I	11	Total 11	O 11	0
49	p	1	Total 1	O 1	0
49	D	7	Total 7	O 7	0
49	H	4	Total 4	O 4	0
49	G	5	Total 5	O 5	0
49	O	9	Total 9	O 9	0
49	L	23	Total 23	O 23	0
49	N	45	Total 45	O 45	0
49	Q	11	Total 11	O 11	0
49	S	2	Total 2	O 2	0
49	R	8	Total 8	O 8	0
49	T	24	Total 24	O 24	0
49	V	6	Total 6	O 6	0
49	P	18	Total 18	O 18	0
49	X	9	Total 9	O 9	0
49	Y	6	Total 6	O 6	0
49	W	1	Total 1	O 1	0
49	Z	1	Total 1	O 1	0
49	b	7	Total 7	O 7	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
49	h	2	Total 2	O 2	0
49	F	4	Total 4	O 4	0
49	d	3	Total 3	O 3	0
49	e	20	Total 20	O 20	0
49	g	12	Total 12	O 12	0
49	f	9	Total 9	O 9	0
49	i	2	Total 2	O 2	0
49	o	12	Total 12	O 12	0
49	j	23	Total 23	O 23	0
49	l	14	Total 14	O 14	0
49	A	23	Total 23	O 23	0
49	n	2	Total 2	O 2	0
49	3	29	Total 29	O 29	0
49	4	150	Total 150	O 150	0
49	1	2521	Total 2521	O 2521	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 60S ribosomal protein uL3




- Molecule 2: 60S ribosomal protein uL15




- Molecule 3: 60S ribosomal protein uL4




- Molecule 4: 60S ribosomal protein uL16




- Molecule 5: 60S ribosomal protein eL43




- Molecule 6: 60S ribosomal protein uL18




- Molecule 7: 60S ribosomal protein uL6




- Molecule 8: 60S ribosomal protein eL8





- Molecule 9: 60S ribosomal protein uL5




- Molecule 10: 60S ribosomal protein uL13



- Molecule 11: 60S ribosomal protein eL13




- Molecule 12: 60S ribosomal protein eL14





- Molecule 13: 60S ribosomal protein eL15





- Molecule 14: 60S ribosomal protein eL18




- Molecule 15: 60S ribosomal protein eL20



- Molecule 16: 60S ribosomal protein eL19








• Molecule 17: 60S ribosomal protein eL21





• Molecule 18: 60S ribosomal protein uL14





• Molecule 19: 60S ribosomal protein uL22




• Molecule 20: 60S ribosomal protein uL23




• Molecule 21: 60S ribosomal protein uL24




• Molecule 22: 60S ribosomal protein eL24




• Molecule 23: 60S ribosomal protein eL27




• Molecule 24: 60S ribosomal protein eL29




• Molecule 25: 60S ribosomal protein uL29




• Molecule 26: 60S ribosomal protein uL30



• Molecule 27: 60S ribosomal protein eL31




• Molecule 28: 60S ribosomal protein eL32





• Molecule 29: 60S ribosomal protein eL34









• Molecule 30: 60S ribosomal protein eL33





• Molecule 31: 60S ribosomal protein eL36






• Molecule 32: 60S ribosomal protein eL38





• Molecule 33: 60S ribosomal protein eL42




• Molecule 34: 60S ribosomal protein eL22



• Molecule 35: 60S ribosomal protein eL30




• Molecule 36: 60S ribosomal protein eL37




• Molecule 37: 60S ribosomal protein eL39



• Molecule 38: 60S ribosomal protein eL40




• Molecule 39: 60S ribosomal protein uL2



• Molecule 40: 60S ribosomal protein eL41





• Molecule 41: 5S rRNA







• Molecule 42: 5.8S rRNA



• Molecule 43: 28S rRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	289618	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	72.26	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1900	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.990	Depositor
Minimum map value	-1.460	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.152	Depositor
Recommended contour level	0.461	Depositor
Map size (Å)	369.495, 369.495, 369.495	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8211, 0.8211, 0.8211	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, SPD, K, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.34	0/3053	0.56	0/4122
2	a	0.36	0/1231	0.59	0/1647
3	C	0.32	0/2482	0.57	0/3368
4	I	0.32	0/1646	0.55	0/2203
5	p	0.32	0/731	0.62	0/975
6	D	0.32	0/2365	0.54	1/3172 (0.0%)
7	H	0.30	0/1466	0.52	0/1980
8	G	0.31	0/1603	0.51	0/2167
9	J	0.29	0/1295	0.52	0/1739
10	O	0.32	0/1627	0.54	0/2182
11	L	0.31	0/1634	0.56	0/2188
12	M	0.30	0/1033	0.51	0/1385
13	N	0.37	0/1750	0.62	0/2346
14	Q	0.31	0/1430	0.57	0/1913
15	S	0.33	0/1482	0.54	0/1991
16	R	0.29	0/1548	0.57	0/2047
17	T	0.35	0/1255	0.58	0/1686
18	V	0.32	0/1060	0.56	0/1430
19	P	0.34	0/1254	0.53	0/1677
20	X	0.30	0/956	0.55	0/1293
21	Y	0.33	0/1102	0.58	0/1467
22	W	0.33	0/542	0.56	0/724
23	Z	0.28	0/1080	0.54	0/1458
24	b	0.29	0/479	0.56	0/635
25	h	0.32	0/998	0.54	0/1330
26	F	0.33	0/1806	0.52	0/2436
27	d	0.32	0/808	0.53	0/1083
28	e	0.32	0/1047	0.57	0/1394
29	g	0.32	0/797	0.56	0/1070
30	f	0.34	0/987	0.55	0/1328
31	i	0.31	0/686	0.53	0/909
32	k	0.28	0/592	0.48	0/790

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	o	0.32	0/778	0.58	0/1029
34	U	0.31	0/838	0.50	0/1127
35	c	0.30	0/746	0.50	0/1011
36	j	0.36	0/722	0.60	0/956
37	l	0.31	0/460	0.56	0/609
38	m	0.32	0/419	0.59	0/558
39	A	0.35	0/1890	0.60	0/2539
41	3	0.63	0/2793	0.80	0/4354
42	4	0.77	2/3367 (0.1%)	0.96	8/5253 (0.2%)
43	1	0.76	2/61178 (0.0%)	0.89	31/95481 (0.0%)
All	All	0.61	4/115016 (0.0%)	0.78	40/169052 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1	714	G	N3-C4	6.11	1.39	1.35
43	1	714	G	C5-C4	5.35	1.42	1.38
42	4	140	G	C5-C4	5.34	1.42	1.38
42	4	140	G	N3-C4	5.23	1.39	1.35

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1	714	G	C6-N1-C2	18.64	136.28	125.10
42	4	140	G	C6-N1-C2	17.07	135.34	125.10
43	1	1929	G	C6-N1-C2	16.95	135.27	125.10
43	1	714	G	N1-C2-N3	-12.96	116.13	123.90
42	4	140	G	N1-C2-N3	-12.23	116.56	123.90
43	1	1929	G	N1-C2-N3	-11.84	116.80	123.90
43	1	1929	G	C5-C6-N1	-11.52	105.74	111.50
43	1	714	G	C5-C6-N1	-11.43	105.78	111.50
42	4	140	G	C5-C6-N1	-10.90	106.05	111.50
43	1	714	G	C2-N3-C4	8.73	116.27	111.90
43	1	714	G	N3-C4-C5	-8.34	124.43	128.60
42	4	140	G	C2-N3-C4	8.23	116.02	111.90
43	1	1929	G	C2-N3-C4	8.06	115.93	111.90
43	1	354	G	O4'-C1'-N9	7.63	114.30	108.20
6	D	257	PRO	CA-N-CD	-7.05	101.63	111.50
43	1	1929	G	N3-C4-C5	-6.97	125.11	128.60
43	1	550	G	O4'-C1'-N9	6.93	113.75	108.20
43	1	1929	G	N1-C6-O6	6.78	123.97	119.90
42	4	140	G	N3-C4-C5	-6.66	125.27	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1	1107	G	O4'-C1'-N9	6.63	113.50	108.20
43	1	1278	U	C5-C4-O4	-6.59	121.94	125.90
42	4	140	G	N1-C6-O6	6.39	123.73	119.90
43	1	1929	G	C4-C5-N7	-5.76	108.50	110.80
43	1	714	G	N3-C2-N2	5.70	123.89	119.90
43	1	714	G	N3-C4-N9	5.67	129.40	126.00
43	1	1177	U	C2-N1-C1'	5.48	124.27	117.70
43	1	714	G	C5-C6-O6	5.39	131.84	128.60
42	4	140	G	N1-C2-N2	5.39	121.05	116.20
43	1	1929	G	N1-C2-N2	5.37	121.03	116.20
43	1	2307	U	O4'-C1'-N1	5.24	112.39	108.20
43	1	177	G	N3-C4-N9	5.23	129.14	126.00
43	1	767	G	N3-C4-N9	5.21	129.13	126.00
43	1	637	U	C2-N1-C1'	5.20	123.94	117.70
43	1	2066	C	C6-N1-C2	-5.16	118.23	120.30
42	4	140	G	C4-C5-N7	-5.15	108.74	110.80
43	1	2370	G	O4'-C1'-N9	5.11	112.29	108.20
43	1	1285	G	O4'-C1'-N9	5.10	112.28	108.20
43	1	2236	G	N1-C6-O6	-5.08	116.85	119.90
43	1	2636	C	O4'-C1'-N1	5.07	112.26	108.20
43	1	1809	G	N3-C4-C5	-5.01	126.10	128.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	376/379 (99%)	361 (96%)	15 (4%)	0	100	100
2	a	146/149 (98%)	141 (97%)	5 (3%)	0	100	100
3	C	311/316 (98%)	296 (95%)	15 (5%)	0	100	100
4	I	194/210 (92%)	182 (94%)	12 (6%)	0	100	100
5	p	91/94 (97%)	85 (93%)	6 (7%)	0	100	100
6	D	286/297 (96%)	274 (96%)	12 (4%)	0	100	100
7	H	181/185 (98%)	170 (94%)	11 (6%)	0	100	100
8	G	195/225 (87%)	185 (95%)	10 (5%)	0	100	100
9	J	155/173 (90%)	150 (97%)	5 (3%)	0	100	100
10	O	194/197 (98%)	192 (99%)	2 (1%)	0	100	100
11	L	200/234 (86%)	197 (98%)	3 (2%)	0	100	100
12	M	128/131 (98%)	123 (96%)	5 (4%)	0	100	100
13	N	201/204 (98%)	195 (97%)	6 (3%)	0	100	100
14	Q	177/179 (99%)	173 (98%)	4 (2%)	0	100	100
15	S	171/205 (83%)	164 (96%)	7 (4%)	0	100	100
16	R	182/196 (93%)	176 (97%)	6 (3%)	0	100	100
17	T	151/159 (95%)	148 (98%)	3 (2%)	0	100	100
18	V	135/142 (95%)	131 (97%)	4 (3%)	0	100	100
19	P	151/164 (92%)	145 (96%)	6 (4%)	0	100	100
20	X	114/141 (81%)	108 (95%)	6 (5%)	0	100	100
21	Y	133/135 (98%)	132 (99%)	1 (1%)	0	100	100
22	W	62/102 (61%)	61 (98%)	1 (2%)	0	100	100
23	Z	132/135 (98%)	123 (93%)	9 (7%)	0	100	100
24	b	55/62 (89%)	55 (100%)	0	0	100	100
25	h	120/124 (97%)	117 (98%)	3 (2%)	0	100	100
26	F	219/235 (93%)	212 (97%)	7 (3%)	0	100	100
27	d	93/106 (88%)	92 (99%)	1 (1%)	0	100	100
28	e	122/136 (90%)	116 (95%)	6 (5%)	0	100	100
29	g	95/120 (79%)	93 (98%)	2 (2%)	0	100	100
30	f	120/123 (98%)	112 (93%)	8 (7%)	0	100	100
31	i	79/90 (88%)	76 (96%)	3 (4%)	0	100	100
32	k	74/77 (96%)	70 (95%)	4 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
33	o	91/106 (86%)	88 (97%)	3 (3%)	0	100	100
34	U	98/171 (57%)	89 (91%)	9 (9%)	0	100	100
35	c	97/109 (89%)	96 (99%)	1 (1%)	0	100	100
36	j	85/100 (85%)	83 (98%)	2 (2%)	0	100	100
37	l	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
38	m	48/127 (38%)	45 (94%)	3 (6%)	0	100	100
39	A	246/251 (98%)	237 (96%)	9 (4%)	0	100	100
All	All	5756/6340 (91%)	5540 (96%)	216 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	311/313 (99%)	304 (98%)	7 (2%)	50	76
2	a	126/127 (99%)	124 (98%)	2 (2%)	62	84
3	C	257/263 (98%)	245 (95%)	12 (5%)	26	49
4	I	166/177 (94%)	156 (94%)	10 (6%)	19	37
5	p	72/73 (99%)	70 (97%)	2 (3%)	43	70
6	D	233/242 (96%)	217 (93%)	16 (7%)	15	30
7	H	160/164 (98%)	144 (90%)	16 (10%)	7	15
8	G	174/198 (88%)	164 (94%)	10 (6%)	20	39
9	J	135/149 (91%)	127 (94%)	8 (6%)	19	37
10	O	164/165 (99%)	152 (93%)	12 (7%)	14	27
11	L	169/197 (86%)	163 (96%)	6 (4%)	35	61
12	M	109/111 (98%)	106 (97%)	3 (3%)	43	70
13	N	174/175 (99%)	167 (96%)	7 (4%)	31	56
14	Q	153/155 (99%)	145 (95%)	8 (5%)	23	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	S	154/182 (85%)	147 (96%)	7 (4%)	27	51
16	R	157/167 (94%)	142 (90%)	15 (10%)	8	16
17	T	127/133 (96%)	120 (94%)	7 (6%)	21	41
18	V	109/114 (96%)	103 (94%)	6 (6%)	21	41
19	P	129/139 (93%)	123 (95%)	6 (5%)	26	49
20	X	104/123 (85%)	99 (95%)	5 (5%)	25	48
21	Y	114/115 (99%)	105 (92%)	9 (8%)	12	24
22	W	57/92 (62%)	55 (96%)	2 (4%)	36	62
23	Z	117/119 (98%)	101 (86%)	16 (14%)	3	7
24	b	52/57 (91%)	49 (94%)	3 (6%)	20	38
25	h	105/107 (98%)	96 (91%)	9 (9%)	10	20
26	F	187/204 (92%)	171 (91%)	16 (9%)	10	20
27	d	85/92 (92%)	77 (91%)	8 (9%)	8	17
28	e	110/120 (92%)	103 (94%)	7 (6%)	17	33
29	g	86/100 (86%)	78 (91%)	8 (9%)	9	17
30	f	101/103 (98%)	90 (89%)	11 (11%)	6	12
31	i	71/78 (91%)	71 (100%)	0	100	100
32	k	66/68 (97%)	58 (88%)	8 (12%)	5	9
33	o	83/93 (89%)	77 (93%)	6 (7%)	14	28
34	U	88/153 (58%)	83 (94%)	5 (6%)	20	39
35	c	82/92 (89%)	77 (94%)	5 (6%)	18	36
36	j	72/83 (87%)	66 (92%)	6 (8%)	11	22
37	l	48/49 (98%)	45 (94%)	3 (6%)	18	34
38	m	45/110 (41%)	42 (93%)	3 (7%)	16	31
39	A	186/192 (97%)	179 (96%)	7 (4%)	33	58
All	All	4938/5394 (92%)	4641 (94%)	297 (6%)	23	37

All (297) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	10	ARG
1	B	61	ASP
1	B	199	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	237	ARG
1	B	300	LEU
1	B	302	ASP
1	B	334	ARG
2	a	84	GLU
2	a	106	ARG
3	C	103	ARG
3	C	112	TYR
3	C	130	ARG
3	C	165	LEU
3	C	217	CYS
3	C	231	SER
3	C	267	THR
3	C	268	ASP
3	C	287	ASP
3	C	301	LYS
3	C	306	ARG
3	C	307	LEU
4	I	1	MET
4	I	10	ARG
4	I	28	ASP
4	I	39	ARG
4	I	121	LYS
4	I	125	THR
4	I	147	TYR
4	I	154	ARG
4	I	196	ASN
4	I	202	ARG
5	p	45	ASP
5	p	61	SER
6	D	28	THR
6	D	56	THR
6	D	65	THR
6	D	81	HIS
6	D	114	SER
6	D	119	GLU
6	D	124	GLN
6	D	187	ARG
6	D	196	PHE
6	D	199	SER
6	D	220	GLU
6	D	231	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	D	275	LEU
6	D	277	LEU
6	D	288	LYS
6	D	290	GLU
7	H	1	MET
7	H	3	LEU
7	H	14	ASP
7	H	16	GLU
7	H	18	THR
7	H	20	ASN
7	H	46	HIS
7	H	104	ASN
7	H	109	GLU
7	H	142	LEU
7	H	148	GLU
7	H	149	ASP
7	H	150	VAL
7	H	165	ASN
7	H	173	ASP
7	H	179	SER
8	G	53	VAL
8	G	83	SER
8	G	86	GLU
8	G	102	LYS
8	G	111	LEU
8	G	112	VAL
8	G	149	THR
8	G	177	THR
8	G	191	THR
8	G	201	HIS
9	J	21	ILE
9	J	49	LYS
9	J	61	ARG
9	J	93	TYR
9	J	115	LYS
9	J	119	SER
9	J	120	MET
9	J	129	VAL
10	O	15	ARG
10	O	30	VAL
10	O	41	SER
10	O	45	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	O	71	ARG
10	O	111	ARG
10	O	129	GLU
10	O	141	GLU
10	O	149	ASP
10	O	181	LYS
10	O	186	GLN
10	O	194	LYS
11	L	36	SER
11	L	99	ARG
11	L	163	GLU
11	L	165	GLN
11	L	208	ARG
11	L	219	ARG
12	M	13	VAL
12	M	20	ASP
12	M	72	GLN
13	N	5	LYS
13	N	19	LEU
13	N	24	ARG
13	N	117	ASN
13	N	124	ASP
13	N	187	SER
13	N	197	THR
14	Q	45	THR
14	Q	51	ARG
14	Q	57	THR
14	Q	63	SER
14	Q	66	ARG
14	Q	83	SER
14	Q	109	ARG
14	Q	170	ARG
15	S	35	GLN
15	S	77	SER
15	S	160	ASP
15	S	162	ASP
15	S	164	ARG
15	S	176	VAL
15	S	199	ARG
16	R	16	LYS
16	R	23	ARG
16	R	28	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
16	R	56	LYS
16	R	72	LEU
16	R	81	ARG
16	R	108	ARG
16	R	114	LYS
16	R	140	GLU
16	R	147	LYS
16	R	154	LYS
16	R	156	LYS
16	R	161	GLN
16	R	162	ARG
16	R	182	LEU
17	T	3	HIS
17	T	18	LYS
17	T	21	ARG
17	T	29	THR
17	T	122	THR
17	T	146	SER
17	T	149	ASP
18	V	13	ASN
18	V	14	LYS
18	V	17	ILE
18	V	74	LEU
18	V	130	ARG
18	V	133	LYS
19	P	17	ARG
19	P	42	ARG
19	P	52	ASN
19	P	125	ARG
19	P	128	ARG
19	P	138	LYS
20	X	54	SER
20	X	56	ASP
20	X	59	CYS
20	X	83	PHE
20	X	136	SER
21	Y	32	SER
21	Y	37	GLU
21	Y	43	LYS
21	Y	53	ASP
21	Y	80	VAL
21	Y	86	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	Y	104	CYS
21	Y	111	MET
21	Y	120	LYS
22	W	6	GLN
22	W	63	GLU
23	Z	7	LYS
23	Z	16	GLN
23	Z	27	VAL
23	Z	35	ARG
23	Z	44	ILE
23	Z	49	ARG
23	Z	72	CYS
23	Z	79	MET
23	Z	90	LYS
23	Z	91	ASP
23	Z	96	GLN
23	Z	100	ASP
23	Z	103	LYS
23	Z	118	ARG
23	Z	123	ARG
23	Z	130	LYS
24	b	26	LYS
24	b	47	ARG
24	b	52	ARG
25	h	8	ASP
25	h	19	ARG
25	h	27	GLU
25	h	67	ARG
25	h	68	ASP
25	h	69	GLU
25	h	95	GLN
25	h	98	ASP
25	h	112	LYS
26	F	56	SER
26	F	67	ASN
26	F	81	VAL
26	F	82	VAL
26	F	99	SER
26	F	115	ASN
26	F	126	ASP
26	F	159	VAL
26	F	165	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	F	170	LYS
26	F	172	ASN
26	F	174	LEU
26	F	189	SER
26	F	209	ASP
26	F	225	LYS
26	F	231	VAL
27	d	1	MET
27	d	8	THR
27	d	38	LEU
27	d	42	GLU
27	d	50	VAL
27	d	69	GLU
27	d	87	ASP
27	d	89	GLU
28	e	16	LYS
28	e	57	MET
28	e	79	HIS
28	e	80	ARG
28	e	82	SER
28	e	109	SER
28	e	118	LYS
29	g	7	THR
29	g	9	ARG
29	g	17	ARG
29	g	22	ARG
29	g	25	ARG
29	g	72	ARG
29	g	84	ARG
29	g	89	GLU
30	f	1	MET
30	f	25	ARG
30	f	39	ARG
30	f	64	LYS
30	f	67	ARG
30	f	81	THR
30	f	90	HIS
30	f	103	ASP
30	f	104	ARG
30	f	110	GLU
30	f	120	VAL
32	k	11	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	k	16	ASP
32	k	36	VAL
32	k	42	THR
32	k	48	THR
32	k	58	LYS
32	k	65	LYS
32	k	71	GLN
33	o	19	THR
33	o	42	ASP
33	o	74	SER
33	o	76	LYS
33	o	81	GLN
33	o	88	ARG
34	U	70	SER
34	U	84	ASP
34	U	93	ASN
34	U	97	HIS
34	U	142	PHE
35	c	47	PHE
35	c	72	ARG
35	c	77	SER
35	c	87	ARG
35	c	103	ASP
36	j	48	CYS
36	j	57	ARG
36	j	75	MET
36	j	76	SER
36	j	93	ASN
36	j	95	ARG
37	l	19	MET
37	l	25	ARG
37	l	35	LYS
38	m	81	THR
38	m	88	GLU
38	m	124	SER
39	A	7	VAL
39	A	46	LYS
39	A	66	MET
39	A	102	LEU
39	A	146	THR
39	A	147	ARG
39	A	159	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
4	I	195	ASN
7	H	46	HIS
20	X	71	ASN
30	f	54	HIS
34	U	93	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
41	3	116/120 (96%)	19 (16%)	1 (0%)
42	4	140/141 (99%)	26 (18%)	1 (0%)
43	1	2544/2687 (94%)	353 (13%)	21 (0%)
All	All	2800/2948 (94%)	398 (14%)	23 (0%)

All (398) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
41	3	10	A
41	3	12	C
41	3	22	A
41	3	28	C
41	3	36	G
41	3	37	U
41	3	38	U
41	3	40	C
41	3	42	A
41	3	53	G
41	3	54	A
41	3	64	A
41	3	75	G
41	3	76	U
41	3	85	C
41	3	92	G
41	3	100	A
41	3	110	G
41	3	115	A
42	4	3	C
42	4	9	G
42	4	13	G
42	4	17	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
42	4	23	C
42	4	27	C
42	4	34	G
42	4	35	C
42	4	38	C
42	4	59	A
42	4	62	C
42	4	63	G
42	4	73	C
42	4	75	C
42	4	84	C
42	4	85	G
42	4	86	A
42	4	87	G
42	4	90	G
42	4	101	C
42	4	103	A
42	4	105	C
42	4	116	C
42	4	118	G
42	4	119	G
42	4	120	C
43	1	4	G
43	1	23	G
43	1	38	A
43	1	41	A
43	1	47	G
43	1	57	G
43	1	58	A
43	1	63	A
43	1	64	A
43	1	66	C
43	1	68	A
43	1	72	G
43	1	73	G
43	1	75	A
43	1	83	U
43	1	88	G
43	1	121	G
43	1	126	G
43	1	131	G
43	1	132	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	134	C
43	1	153	A
43	1	154	G
43	1	161	C
43	1	175	G
43	1	184	C
43	1	220	A
43	1	238	U
43	1	247	A
43	1	248	A
43	1	249	G
43	1	254	G
43	1	255	C
43	1	279	G
43	1	300	C
43	1	302	A
43	1	326	G
43	1	328	A
43	1	335	G
43	1	336	C
43	1	347	A
43	1	348	A
43	1	349	G
43	1	350	A
43	1	373	C
43	1	374	C
43	1	375	C
43	1	376	G
43	1	382	C
43	1	394	C
43	1	395	A
43	1	406	A
43	1	407	G
43	1	423	A
43	1	427	C
43	1	428	G
43	1	433	A
43	1	434	G
43	1	435	C
43	1	436	C
43	1	441	C
43	1	442	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	458	G
43	1	462	C
43	1	467	G
43	1	481	C
43	1	484	C
43	1	489	G
43	1	495	G
43	1	500	G
43	1	515	G
43	1	530	G
43	1	532	U
43	1	552	G
43	1	564	G
43	1	576	C
43	1	582	G
43	1	589	U
43	1	594	C
43	1	610	G
43	1	611	A
43	1	612	G
43	1	622	G
43	1	629	A
43	1	631	G
43	1	632	A
43	1	636	A
43	1	638	C
43	1	640	A
43	1	652	G
43	1	659	G
43	1	674	C
43	1	675	C
43	1	693	C
43	1	707	G
43	1	721	G
43	1	725	G
43	1	726	G
43	1	744	U
43	1	746	G
43	1	748	C
43	1	758	A
43	1	774	G
43	1	775	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	786	C
43	1	806	G
43	1	807	A
43	1	812	G
43	1	825	G
43	1	839	G
43	1	852	G
43	1	861	A
43	1	863	C
43	1	889	C
43	1	896	C
43	1	899	G
43	1	907	G
43	1	915	G
43	1	920	G
43	1	983	G
43	1	985	A
43	1	1000	A
43	1	1001	A
43	1	1002	A
43	1	1003	U
43	1	1005	G
43	1	1006	A
43	1	1007	G
43	1	1014	G
43	1	1015	G
43	1	1028	G
43	1	1029	C
43	1	1030	G
43	1	1043	G
43	1	1051	G
43	1	1071	C
43	1	1073	G
43	1	1079	G
43	1	1108	G
43	1	1120	G
43	1	1123	C
43	1	1138	C
43	1	1148	C
43	1	1149	G
43	1	1150	C
43	1	1164	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	1165	G
43	1	1166	G
43	1	1212	G
43	1	1218	G
43	1	1231	A
43	1	1235	G
43	1	1236	G
43	1	1237	A
43	1	1240	G
43	1	1244	G
43	1	1246	G
43	1	1251	C
43	1	1256	C
43	1	1259	A
43	1	1260	C
43	1	1265	A
43	1	1274	A
43	1	1294	C
43	1	1295	C
43	1	1298	C
43	1	1304	C
43	1	1307	C
43	1	1308	C
43	1	1310	C
43	1	1321	C
43	1	1352	G
43	1	1366	C
43	1	1370	A
43	1	1379	A
43	1	1380	C
43	1	1387	C
43	1	1391	G
43	1	1404	G
43	1	1413	C
43	1	1415	C
43	1	1434	C
43	1	1437	G
43	1	1438	A
43	1	1453	C
43	1	1454	C
43	1	1455	G
43	1	1460	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	1471	G
43	1	1472	A
43	1	1480	A
43	1	1496	C
43	1	1508	C
43	1	1509	G
43	1	1516	A
43	1	1536	G
43	1	1580	C
43	1	1588	G
43	1	1598	G
43	1	1599	A
43	1	1600	A
43	1	1609	G
43	1	1618	A
43	1	1627	U
43	1	1630	A
43	1	1645	A
43	1	1646	G
43	1	1674	A
43	1	1691	C
43	1	1692	G
43	1	1694	C
43	1	1695	C
43	1	1711	U
43	1	1732	G
43	1	1735	G
43	1	1742	A
43	1	1758	G
43	1	1759	G
43	1	1766	A
43	1	1784	U
43	1	1793	G
43	1	1796	U
43	1	1799	A
43	1	1801	G
43	1	1820	U
43	1	1821	G
43	1	1822	U
43	1	1849	A
43	1	1859	A
43	1	1860	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	1861	G
43	1	1864	C
43	1	1871	C
43	1	1879	G
43	1	1883	C
43	1	1887	A
43	1	1888	A
43	1	1889	G
43	1	1890	A
43	1	1896	U
43	1	1897	U
43	1	1906	C
43	1	1907	U
43	1	1982	C
43	1	1983	C
43	1	1984	G
43	1	1985	C
43	1	1987	G
43	1	1988	C
43	1	1998	C
43	1	2008	C
43	1	2010	C
43	1	2011	G
43	1	2015	A
43	1	2016	C
43	1	2028	G
43	1	2029	G
43	1	2036	G
43	1	2048	G
43	1	2049	C
43	1	2074	U
43	1	2077	C
43	1	2078	A
43	1	2079	C
43	1	2097	C
43	1	2098	G
43	1	2099	G
43	1	2102	A
43	1	2103	C
43	1	2111	G
43	1	2113	A
43	1	2118	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	2126	A
43	1	2136	G
43	1	2138	C
43	1	2150	G
43	1	2151	U
43	1	2174	G
43	1	2175	G
43	1	2176	G
43	1	2177	C
43	1	2184	A
43	1	2198	C
43	1	2199	G
43	1	2217	G
43	1	2221	G
43	1	2222	A
43	1	2231	C
43	1	2235	G
43	1	2237	G
43	1	2238	A
43	1	2264	C
43	1	2265	C
43	1	2266	G
43	1	2292	G
43	1	2294	U
43	1	2296	U
43	1	2308	A
43	1	2319	G
43	1	2320	C
43	1	2344	U
43	1	2354	C
43	1	2355	A
43	1	2356	A
43	1	2362	C
43	1	2363	G
43	1	2367	G
43	1	2391	A
43	1	2398	U
43	1	2399	U
43	1	2403	C
43	1	2414	C
43	1	2415	C
43	1	2428	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	1	2429	G
43	1	2445	A
43	1	2446	G
43	1	2465	G
43	1	2497	C
43	1	2503	G
43	1	2513	G
43	1	2514	G
43	1	2530	G
43	1	2533	U
43	1	2536	A
43	1	2542	G
43	1	2544	A
43	1	2545	C
43	1	2566	G
43	1	2571	G
43	1	2573	G
43	1	2578	A
43	1	2579	G
43	1	2582	C
43	1	2585	U
43	1	2591	G
43	1	2592	U
43	1	2607	C
43	1	2608	G
43	1	2626	G
43	1	2627	C
43	1	2637	C
43	1	2646	G
43	1	2647	C
43	1	2648	A
43	1	2651	G
43	1	2655	U
43	1	2656	G
43	1	2666	G
43	1	2672	C
43	1	2678	U
43	1	2684	G
43	1	2685	C

All (23) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
41	3	75	G
42	4	16	G
43	1	174	C
43	1	334	U
43	1	347	A
43	1	375	C
43	1	434	G
43	1	631	G
43	1	1014	G
43	1	1165	G
43	1	1293	C
43	1	1365	C
43	1	1414	C
43	1	1436	U
43	1	1599	A
43	1	1645	A
43	1	2176	G
43	1	2319	G
43	1	2353	U
43	1	2354	C
43	1	2535	U
43	1	2565	G
43	1	2581	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 192 ligands modelled in this entry, 191 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
48	SPD	1	2701	-	9,9,9	0.31	0	8,8,8	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	SPD	1	2701	-	-	3/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
48	1	2701	SPD	C3-C4-C5-N6
48	1	2701	SPD	C2-C3-C4-C5
48	1	2701	SPD	N1-C2-C3-C4

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29407. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225




Y Index: 225




Z Index: 225


6.2.2 Raw map



X Index: 351



Y Index: 351




Z Index: 351


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 239




Y Index: 217




Z Index: 280


6.3.2 Raw map



X Index: 371



Y Index: 332




Z Index: 417


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.461. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 802 nm³; this corresponds to an approximate mass of 725 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.402 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.402 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.49	-	-
Author-provided FSC curve	2.49	2.88	2.53
Unmasked-calculated*	3.21	4.40	3.27

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.21 differs from the reported value 2.49 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-29407 and PDB model 8FRU. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.461 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.461).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



















The table lists the average atom inclusion at the recommended contour level (0.461) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8790	 0.6480
1	 0.9530	 0.6560
3	 0.9660	 0.6420
4	 0.9470	 0.6450
A	 0.9250	 0.6780
B	 0.8720	 0.6590
C	 0.8610	 0.6580
D	 0.7220	 0.6050
F	 0.8330	 0.6440
G	 0.7110	 0.6020
H	 0.7690	 0.6170
I	 0.8020	 0.6380
J	 0.6240	 0.5710
L	 0.8210	 0.6430
M	 0.7730	 0.6190
N	 0.9720	 0.6840
O	 0.8610	 0.6470
P	 0.8540	 0.6530
Q	 0.8750	 0.6510
R	 0.7620	 0.6220
S	 0.8580	 0.6480
T	 0.8610	 0.6500
U	 0.4150	 0.5480
V	 0.8220	 0.6520
W	 0.8630	 0.6490
X	 0.8480	 0.6520
Y	 0.8540	 0.6400
Z	 0.6280	 0.5930
a	 0.9270	 0.6700
b	 0.9050	 0.6590
c	 0.6890	 0.6160
d	 0.8560	 0.6510
e	 0.8740	 0.6470
f	 0.8240	 0.6480
g	 0.8940	 0.6530



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
h	 0.7500	 0.6110
i	 0.8140	 0.6330
j	 0.9260	 0.6740
k	 0.4970	 0.5470
l	 0.9260	 0.6670
m	 0.8430	 0.6390
n	 0.9200	 0.6640
o	 0.8790	 0.6660
p	 0.8370	 0.6540