



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 11, 2024 – 06:08 PM JST

PDB ID : 8HPE  
Title : Crystal structure of Leucine dehydrogenase  
Authors : Li, X.; Song, W.  
Deposited on : 2022-12-12  
Resolution : 3.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1335 (3.24-3.20)
Clashscore	141614	1460 (3.24-3.20)
Ramachandran outliers	138981	1437 (3.24-3.20)
Sidechain outliers	138945	1436 (3.24-3.20)
RSRZ outliers	127900	1291 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	 4% 77% 21% ..
1	B	366	 6% 72% 23% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	406	-	-	-	X
2	SO4	A	407	-	-	-	X
2	SO4	A	408	-	-	-	X
2	SO4	A	409	-	-	-	X
3	GOL	B	404	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Leucine dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	359	2745	1719	475	541	10	0	0	0
1	B	356	2727	1710	471	536	10	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	168	VAL	PHE	conflict	UNP A0A0G3E5D9
B	168	VAL	PHE	conflict	UNP A0A0G3E5D9

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	A	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total	O	0	0
			5	5		
4	B	5	Total	O	0	0
			5	5		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leucine dehydrogenase



- Molecule 1: Leucine dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.95Å 120.95Å 177.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.24 – 3.22 46.20 – 3.22	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.24-3.22) 99.9 (46.20-3.22)	Depositor EDS
$R_{merge}$	0.30	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.76 (at 3.25Å)	Xtrriage
Refinement program	REFMAC 5	Depositor
R, $R_{free}$	0.233 , 0.295 0.234 , 0.294	Depositor DCC
$R_{free}$ test set	1078 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	67.8	Xtrriage
Anisotropy	0.493	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 49.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	5559	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.70	0/2786	0.87	0/3769
1	B	0.82	1/2768 (0.0%)	0.89	1/3744 (0.0%)
All	All	0.77	1/5554 (0.0%)	0.88	1/7513 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	288	ILE	C-N	21.96	1.84	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	288	ILE	O-C-N	-11.46	104.36	122.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2745	0	2719	45	0
1	B	2727	0	2705	51	3
2	A	50	0	0	0	0
2	B	15	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	6	0	8	0	0
3	B	6	0	8	1	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
All	All	5559	0	5440	93	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:ILE:C	1:B:289:ASN:N	1.84	1.31
1:A:174:GLU:HA	1:A:198:GLY:O	1.71	0.90
1:B:203:VAL:HG23	1:B:211:VAL:HG13	1.56	0.88
1:A:188:TYR:OH	1:A:217:GLU:OE1	2.07	0.71
1:A:156:VAL:HA	1:A:288:ILE:HG22	1.73	0.69
1:A:59:ASP:OD1	1:A:62:ARG:NH2	2.28	0.67
1:B:156:VAL:HA	1:B:288:ILE:HG22	1.75	0.67
1:B:156:VAL:HA	1:B:288:ILE:CG2	2.25	0.66
1:B:203:VAL:CG2	1:B:211:VAL:HG13	2.25	0.66
1:A:156:VAL:HA	1:A:288:ILE:CG2	2.25	0.66
1:A:283:ALA:CB	1:A:288:ILE:HD11	2.27	0.65
1:B:188:TYR:OH	1:B:217:GLU:OE1	2.14	0.64
1:B:283:ALA:CB	1:B:288:ILE:HD11	2.29	0.63
1:B:174:GLU:HA	1:B:198:GLY:O	1.98	0.63
1:B:168:VAL:HG21	1:B:176:LYS:HD2	1.82	0.61
1:A:226:ASN:ND2	1:A:226:ASN:H	1.97	0.60
1:B:157:TYR:CE2	1:B:193:HIS:HB3	2.36	0.60
1:B:27:LEU:HD11	1:B:29:ALA:HB2	1.84	0.58
1:A:343:GLU:O	1:A:347:SER:OG	2.20	0.57
1:B:348:LEU:O	1:B:352:ARG:HG3	2.05	0.57
1:A:27:LEU:HD11	1:A:29:ALA:HB2	1.87	0.56
1:A:168:VAL:HG11	1:A:176:LYS:CE	2.35	0.56
1:B:357:ARG:NH2	2:B:402:SO4:O3	2.39	0.55
1:A:283:ALA:HB1	1:A:288:ILE:HD11	1.88	0.55
1:B:202:ILE:HD13	1:B:231:VAL:CG1	2.37	0.55
1:B:181:GLN:HE22	1:B:244:THR:HG21	1.72	0.55
1:A:204:THR:HG21	1:A:228:ILE:HB	1.89	0.55
1:A:168:VAL:HG11	1:A:176:LYS:HE2	1.88	0.54
1:B:245:VAL:CG1	1:B:275:ILE:HD11	2.38	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:ALA:HB1	1:B:288:ILE:HD11	1.90	0.53
1:A:181:GLN:HE22	1:A:244:THR:HG21	1.74	0.52
1:A:178:ILE:CD1	1:A:235:ILE:HD12	2.39	0.52
1:A:348:LEU:O	1:A:352:ARG:HG3	2.10	0.52
1:B:178:ILE:HD13	1:B:235:ILE:HB	1.92	0.52
1:B:157:TYR:CE1	1:B:161:LYS:HE2	2.46	0.51
1:B:204:THR:HG21	1:B:228:ILE:HB	1.92	0.51
1:A:229:TYR:HB2	1:A:252:GLN:OE1	2.11	0.51
1:A:4:GLU:HA	1:A:4:GLU:OE1	2.11	0.50
1:B:278:MET:HE3	1:B:280:ILE:HD12	1.92	0.50
1:A:226:ASN:ND2	1:A:226:ASN:N	2.60	0.50
1:A:245:VAL:CG1	1:A:275:ILE:HD11	2.42	0.50
1:A:126:ASP:OD2	1:A:140:PRO:HG2	2.12	0.49
1:A:224:GLU:HG3	1:A:225:PRO:HD2	1.94	0.49
1:B:195:HIS:HB2	1:B:218:PHE:HB3	1.95	0.49
1:B:203:VAL:HG23	1:B:211:VAL:CG1	2.36	0.49
1:B:207:ASN:O	1:B:211:VAL:HG23	2.13	0.48
1:A:38:LEU:HD11	1:A:345:ILE:HG12	1.95	0.48
1:A:43:GLY:HA3	1:A:81:ALA:O	2.15	0.47
1:A:282:TYR:CZ	1:A:284:PRO:HA	2.49	0.47
1:B:138:ILE:HD12	1:B:139:SER:N	2.29	0.47
1:A:106:GLN:HB2	1:A:132:THR:HB	1.96	0.47
1:A:282:TYR:CE2	1:A:284:PRO:HA	2.50	0.46
1:A:275:ILE:HG23	1:A:280:ILE:HB	1.97	0.46
1:B:95:GLU:HB3	3:B:404:GOL:H12	1.96	0.46
1:B:282:TYR:CZ	1:B:284:PRO:HA	2.51	0.46
1:B:16:GLN:NE2	1:B:111:ARG:HE	2.14	0.46
1:B:43:GLY:HA3	1:B:81:ALA:O	2.14	0.46
1:B:212:GLN:O	1:B:216:GLU:HB2	2.16	0.46
1:A:250:ILE:N	1:A:251:PRO:HD2	2.31	0.45
1:A:283:ALA:HB3	1:A:288:ILE:HD11	1.98	0.45
1:B:106:GLN:HB2	1:B:132:THR:HB	1.99	0.45
1:B:16:GLN:HE22	1:B:111:ARG:HE	1.63	0.45
1:B:282:TYR:CE2	1:B:284:PRO:HA	2.51	0.45
1:B:321:LYS:HD2	1:B:324:GLU:OE1	2.17	0.45
1:B:44:GLY:HA2	1:B:115:ALA:O	2.17	0.44
1:A:202:ILE:HD13	1:A:231:VAL:CG1	2.47	0.44
1:A:44:GLY:HA2	1:A:115:ALA:O	2.18	0.44
1:B:181:GLN:NE2	1:B:244:THR:HG21	2.33	0.44
1:A:42:LEU:HA	1:A:113:ILE:O	2.18	0.43
1:B:183:VAL:HG12	1:B:183:VAL:O	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:ALA:HB1	1:B:256:LYS:HD3	2.00	0.43
1:B:207:ASN:HD22	1:B:210:ALA:HB2	1.84	0.43
1:A:12:TYR:CG	1:A:65:LYS:HE3	2.54	0.42
1:B:230:GLY:HA2	1:B:252:GLN:O	2.20	0.42
1:A:121:THR:O	1:A:124:ASP:HB2	2.20	0.42
1:A:183:VAL:HG12	1:A:183:VAL:O	2.19	0.42
1:B:7:GLU:HA	1:B:7:GLU:OE1	2.20	0.42
1:A:16:GLN:HA	1:B:19:PHE:O	2.20	0.42
1:B:224:GLU:HG3	1:B:225:PRO:HD2	2.02	0.42
1:A:181:GLN:NE2	1:A:244:THR:HG21	2.34	0.42
1:B:154:TYR:OH	1:B:313:GLU:HG3	2.20	0.42
1:A:139:SER:N	1:A:140:PRO:CD	2.82	0.41
1:A:18:VAL:HG13	1:B:18:VAL:HG22	2.01	0.41
1:A:41:ALA:HB1	1:A:81:ALA:HB2	2.02	0.41
1:B:121:THR:O	1:B:124:ASP:HB2	2.20	0.41
1:B:164:ALA:O	1:B:168:VAL:HB	2.20	0.41
1:B:187:ALA:O	1:B:190:LEU:HB3	2.20	0.41
1:A:19:PHE:O	1:B:16:GLN:HA	2.21	0.41
1:A:203:VAL:HG23	1:A:211:VAL:HG13	2.02	0.41
1:B:246:ASN:ND2	1:B:248:GLU:HG2	2.36	0.40
1:A:68:THR:OG1	1:A:80:GLY:HA3	2.22	0.40
1:B:42:LEU:HA	1:B:113:ILE:O	2.21	0.40
1:A:16:GLN:HE22	1:A:111:ARG:HE	1.70	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:VAL:O	1:B:168:VAL:O[8_556]	0.65	1.55
1:B:168:VAL:C	1:B:168:VAL:O[8_556]	1.89	0.31
1:B:232:GLU:OE2	1:B:253:LEU:O[8_556]	1.91	0.29

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/366 (97%)	320 (90%)	32 (9%)	3 (1%)	19	57
1	B	352/366 (96%)	317 (90%)	32 (9%)	3 (1%)	17	55
All	All	707/732 (97%)	637 (90%)	64 (9%)	6 (1%)	19	57

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	228	ILE
1	B	289	ASN
1	A	228	ILE
1	A	51	ASP
1	B	313	GLU
1	A	313	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/289 (98%)	269 (95%)	14 (5%)	25	60
1	B	281/289 (97%)	264 (94%)	17 (6%)	19	53
All	All	564/578 (98%)	533 (94%)	31 (6%)	21	57

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	49	THR
1	A	97	MET
1	A	117	ASP
1	A	122	VAL
1	A	132	THR
1	A	133	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	149	SER
1	A	197	GLU
1	A	221	SER
1	A	226	ASN
1	A	314	SER
1	A	340	LEU
1	A	365	ARG
1	B	21	GLN
1	B	49	THR
1	B	97	MET
1	B	116	GLU
1	B	117	ASP
1	B	132	THR
1	B	133	ASP
1	B	139	SER
1	B	149	SER
1	B	185	ASN
1	B	197	GLU
1	B	209	GLU
1	B	213	ARG
1	B	285	ASP
1	B	314	SER
1	B	340	LEU
1	B	365	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	GLN
1	A	181	GLN
1	A	226	ASN
1	A	295	ASN
1	B	16	GLN
1	B	181	GLN
1	B	207	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	406	-	4,4,4	0.38	0	6,6,6	0.04	0
2	SO4	A	404	-	4,4,4	0.37	0	6,6,6	0.05	0
3	GOL	A	411	-	5,5,5	0.09	0	5,5,5	0.25	0
2	SO4	A	408	-	4,4,4	0.35	0	6,6,6	0.06	0
2	SO4	B	403	-	4,4,4	0.36	0	6,6,6	0.10	0
3	GOL	B	404	-	5,5,5	0.14	0	5,5,5	0.39	0
2	SO4	A	402	-	4,4,4	0.36	0	6,6,6	0.09	0
2	SO4	A	405	-	4,4,4	0.38	0	6,6,6	0.08	0
2	SO4	A	409	-	4,4,4	0.34	0	6,6,6	0.07	0
2	SO4	B	401	-	4,4,4	0.37	0	6,6,6	0.05	0
2	SO4	A	403	-	4,4,4	0.38	0	6,6,6	0.06	0
2	SO4	A	407	-	4,4,4	0.37	0	6,6,6	0.09	0
2	SO4	A	410	-	4,4,4	0.37	0	6,6,6	0.08	0
2	SO4	B	402	-	4,4,4	0.37	0	6,6,6	0.08	0
2	SO4	A	401	-	4,4,4	0.36	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	411	-	-	2/4/4/4	-
3	GOL	B	404	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	411	GOL	C1-C2-C3-O3
3	A	411	GOL	O2-C2-C3-O3


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	404	GOL	1	0
2	B	402	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	288:ILE	C	289:ASN	N	1.84



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	359/366 (98%)	-0.02	14 (3%) 39 27	41, 69, 107, 129	0
1	B	356/366 (97%)	0.22	22 (6%) 20 12	44, 81, 125, 139	0
All	All	715/732 (97%)	0.10	36 (5%) 28 17	41, 74, 120, 139	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	139	SER	5.2
1	B	218	PHE	4.7
1	A	141	SER	4.1
1	A	276	HIS	3.6
1	B	219	GLY	3.6
1	B	201	LEU	3.6
1	A	146	GLY	3.5
1	A	140	PRO	3.4
1	B	220	ALA	3.3
1	B	330	GLY	3.2
1	B	211	VAL	3.1
1	B	188	TYR	3.0
1	B	269	ASN	2.8
1	A	304	ASN	2.8
1	B	212	GLN	2.8
1	B	303	TYR	2.7
1	A	303	TYR	2.6
1	B	216	GLU	2.6
1	A	269	ASN	2.5
1	B	174	GLU	2.4
1	B	329	ASP	2.4
1	B	331	ILE	2.4
1	B	194	LEU	2.4
1	B	173	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	140	PRO	2.3
1	B	221	SER	2.3
1	B	195	HIS	2.3
1	A	329	ASP	2.3
1	A	271	HIS	2.2
1	B	276	HIS	2.2
1	A	247	ASP	2.2
1	B	328	ARG	2.1
1	B	204	THR	2.1
1	A	222	ALA	2.1
1	A	330	GLY	2.1
1	A	327	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	409	5/5	0.57	0.58	139,140,142,145	0
2	SO4	A	407	5/5	0.60	0.54	141,142,148,157	0
2	SO4	A	410	5/5	0.64	0.40	139,141,147,148	0
2	SO4	A	408	5/5	0.73	0.46	154,154,163,163	0
2	SO4	A	406	5/5	0.74	0.52	150,152,152,156	0
3	GOL	B	404	6/6	0.76	0.41	67,69,71,72	0
3	GOL	A	411	6/6	0.80	0.33	69,76,77,78	0
2	SO4	A	403	5/5	0.83	0.43	140,149,150,152	0
2	SO4	A	402	5/5	0.83	0.33	128,131,133,137	0
2	SO4	A	404	5/5	0.84	0.21	123,126,128,135	0
2	SO4	B	402	5/5	0.84	0.25	105,109,117,117	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	B	403	5/5	0.85	0.24	98,100,113,115	0
2	SO4	A	405	5/5	0.91	0.22	99,105,110,112	0
2	SO4	A	401	5/5	0.91	0.24	97,99,107,108	0
2	SO4	B	401	5/5	0.94	0.16	94,95,96,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around SO4 A 407:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 410:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 408:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GOL B 404:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around GOL A 411:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 B 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around SO4 A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.