



wwPDB EM Validation Summary Report ⓘ

May 22, 2024 – 04:33 PM JST

PDB ID : 8J7B
EMDB ID : EMD-36037
Title : Coordinates of Cryo-EM structure of the Arabidopsis thaliana PSI in state 2 (PSI-ST2)
Authors : Chen, S.J.B.; Wu, J.H.; Sui, S.F.; Zhang, L.X.
Deposited on : 2023-04-27
Resolution : 3.22 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	241	
2	2	257	
3	3	273	
4	4	251	
5	A	750	
6	B	734	
7	C	81	
8	D	204	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	E	143	
10	F	221	
11	G	160	
12	H	145	
13	I	37	
14	J	44	
15	K	130	
16	L	219	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
17	CHL	1	601	X	-	-	-
17	CHL	1	606	X	-	-	-
17	CHL	2	601	X	-	-	-
17	CHL	2	605	X	-	-	-
17	CHL	2	606	X	-	-	-
17	CHL	2	607	X	-	-	-
17	CHL	2	615	X	-	-	-
17	CHL	3	606	X	-	-	-
17	CHL	4	605	X	-	-	-
17	CHL	4	606	X	-	-	-
17	CHL	4	607	X	-	-	-
17	CHL	4	615	X	-	-	-
18	CLA	1	602	X	-	-	-
18	CLA	1	603	X	-	-	-
18	CLA	1	604	X	-	-	-
18	CLA	1	605	X	-	-	-
18	CLA	1	607	X	-	-	-
18	CLA	1	608	X	-	-	-
18	CLA	1	609	X	-	-	-
18	CLA	1	610	X	-	-	-
18	CLA	1	611	X	-	-	-
18	CLA	1	612	X	-	-	-
18	CLA	1	613	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
18	CLA	2	602	X	-	-	-
18	CLA	2	603	X	-	-	-
18	CLA	2	604	X	-	-	-
18	CLA	2	608	X	-	-	-
18	CLA	2	609	X	-	-	-
18	CLA	2	610	X	-	-	-
18	CLA	2	611	X	-	-	-
18	CLA	2	612	X	-	-	-
18	CLA	2	613	X	-	-	-
18	CLA	3	601	X	-	-	-
18	CLA	3	602	X	-	-	-
18	CLA	3	603	X	-	-	-
18	CLA	3	604	X	-	-	-
18	CLA	3	605	X	-	-	-
18	CLA	3	607	X	-	-	-
18	CLA	3	608	X	-	-	-
18	CLA	3	609	X	-	-	-
18	CLA	3	610	X	-	-	-
18	CLA	3	611	X	-	-	-
18	CLA	3	612	X	-	-	-
18	CLA	4	601	X	-	-	-
18	CLA	4	602	X	-	-	-
18	CLA	4	603	X	-	-	-
18	CLA	4	604	X	-	-	-
18	CLA	4	608	X	-	-	-
18	CLA	4	609	X	-	-	-
18	CLA	4	610	X	-	-	-
18	CLA	4	611	X	-	-	-
18	CLA	4	612	X	-	-	-
18	CLA	4	613	X	-	-	-
18	CLA	4	614	X	-	-	-
18	CLA	A	802	X	-	-	-
18	CLA	A	803	X	-	-	-
18	CLA	A	804	X	-	-	-
18	CLA	A	805	X	-	-	-
18	CLA	A	806	X	-	-	-
18	CLA	A	807	X	-	-	-
18	CLA	A	808	X	-	-	-
18	CLA	A	809	X	-	-	-
18	CLA	A	810	X	-	-	-
18	CLA	A	811	X	-	-	-
18	CLA	A	812	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
18	CLA	A	813	X	-	-	-
18	CLA	A	814	X	-	-	-
18	CLA	A	815	X	-	-	-
18	CLA	A	816	X	-	-	-
18	CLA	A	817	X	-	-	-
18	CLA	A	818	X	-	-	-
18	CLA	A	819	X	-	-	-
18	CLA	A	820	X	-	-	-
18	CLA	A	821	X	-	-	-
18	CLA	A	822	X	-	-	-
18	CLA	A	823	X	-	-	-
18	CLA	A	824	X	-	-	-
18	CLA	A	825	X	-	-	-
18	CLA	A	826	X	-	-	-
18	CLA	A	827	X	-	-	-
18	CLA	A	828	X	-	-	-
18	CLA	A	829	X	-	-	-
18	CLA	A	830	X	-	-	-
18	CLA	A	831	X	-	-	-
18	CLA	A	832	X	-	-	-
18	CLA	A	833	X	-	-	-
18	CLA	A	834	X	-	-	-
18	CLA	A	835	X	-	-	-
18	CLA	A	836	X	-	-	-
18	CLA	A	837	X	-	-	-
18	CLA	A	838	X	-	-	-
18	CLA	A	839	X	-	-	-
18	CLA	A	840	X	-	-	-
18	CLA	A	841	X	-	-	-
18	CLA	A	842	X	-	-	-
18	CLA	A	843	X	-	-	-
18	CLA	A	844	X	-	-	-
18	CLA	A	845	X	-	-	-
18	CLA	B	802	X	-	-	-
18	CLA	B	803	X	-	-	-
18	CLA	B	804	X	-	-	-
18	CLA	B	805	X	-	-	-
18	CLA	B	806	X	-	-	-
18	CLA	B	807	X	-	-	-
18	CLA	B	808	X	-	-	-
18	CLA	B	809	X	-	-	-
18	CLA	B	810	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
18	CLA	B	811	X	-	-	-
18	CLA	B	812	X	-	-	-
18	CLA	B	813	X	-	-	-
18	CLA	B	814	X	-	-	-
18	CLA	B	815	X	-	-	-
18	CLA	B	816	X	-	-	-
18	CLA	B	817	X	-	-	-
18	CLA	B	818	X	-	-	-
18	CLA	B	819	X	-	-	-
18	CLA	B	820	X	-	-	-
18	CLA	B	821	X	-	-	-
18	CLA	B	822	X	-	-	-
18	CLA	B	823	X	-	-	-
18	CLA	B	824	X	-	-	-
18	CLA	B	825	X	-	-	-
18	CLA	B	826	X	-	-	-
18	CLA	B	827	X	-	-	-
18	CLA	B	828	X	-	-	-
18	CLA	B	829	X	-	-	-
18	CLA	B	830	X	-	-	-
18	CLA	B	831	X	-	-	-
18	CLA	B	832	X	-	-	-
18	CLA	B	833	X	-	-	-
18	CLA	B	834	X	-	-	-
18	CLA	B	835	X	-	-	-
18	CLA	B	836	X	-	-	-
18	CLA	B	837	X	-	-	-
18	CLA	B	838	X	-	-	-
18	CLA	B	839	X	-	-	-
18	CLA	B	840	X	-	-	-
18	CLA	B	841	X	-	-	-
18	CLA	F	301	X	-	-	-
18	CLA	F	302	X	-	-	-
18	CLA	F	303	X	-	-	-
18	CLA	G	201	X	-	-	-
18	CLA	G	202	X	-	-	-
18	CLA	G	203	X	-	-	-
18	CLA	H	201	X	-	-	-
18	CLA	J	101	X	-	-	-
18	CLA	K	201	X	-	-	-
18	CLA	K	203	X	-	-	-
18	CLA	K	204	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
18	CLA	K	206	X	-	-	-
18	CLA	L	302	X	-	-	-
18	CLA	L	303	X	-	-	-
18	CLA	L	304	X	-	-	-
24	CL0	A	801	X	-	-	-

2 Entry composition [i](#)

There are 27 unique types of molecules in this entry. The entry contains 35077 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chlorophyll a-b binding protein 6, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	193	1496	975	248	268	5	0	0

- Molecule 2 is a protein called Photosystem I chlorophyll a/b-binding protein 2, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	2	201	1566	1024	256	282	4	0	0

- Molecule 3 is a protein called Photosystem I chlorophyll a/b-binding protein 3-1, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	3	218	1666	1088	270	303	5	0	0

- Molecule 4 is a protein called Chlorophyll a-b binding protein 4, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	4	196	1551	1013	253	282	3	0	0

- Molecule 5 is a protein called Photosystem I P700 chlorophyll a apoprotein A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	A	737	5807	3807	986	996	18	0	0

- Molecule 6 is a protein called Photosystem I P700 chlorophyll a apoprotein A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	B	732	5854	3842	997	1001	14	0	0

- Molecule 7 is a protein called Photosystem I iron-sulfur center.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	C	80	616	381	107	117	11	0	0

- Molecule 8 is a protein called Photosystem I reaction center subunit II-2, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	D	143	1128	723	195	206	4	0	0

- Molecule 9 is a protein called Photosystem I reaction center subunit IV A, chloroplastic.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	E	64	517	331	92	94	0	0

- Molecule 10 is a protein called Photosystem I reaction center subunit III, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	F	152	1208	789	207	209	3	0	0

- Molecule 11 is a protein called Photosystem I reaction center subunit V, chloroplastic.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	G	91	708	458	118	132	0	0

- Molecule 12 is a protein called Photosystem I reaction center subunit VI-2, chloroplastic.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	H	90	693	451	112	130	0	0

- Molecule 13 is a protein called Photosystem I reaction center subunit VIII.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	I	31	239	162	39	37	1	0	0

- Molecule 14 is a protein called Photosystem I reaction center subunit IX.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	J	41	327	221	50	55	1	0	0


- Molecule 15 is a protein called Photosystem I reaction center subunit psaK, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	K	84	593	373	104	113	3	0	0

- Molecule 16 is a protein called Photosystem I reaction center subunit XI, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	L	160	1207	799	191	215	2	0	0

- Molecule 17 is CHLOROPHYLL B (three-letter code: CHL) (formula: $C_{55}H_{70}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
17	1	1	52	41	1	4	6	0
17	1	1	41	32	1	4	4	0
17	2	1	42	33	1	4	4	0
17	2	1	43	34	1	4	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
17	2	1	Total	C	Mg	N	O	0
			47	36	1	4	6	
17	2	1	Total	C	Mg	N	O	0
			43	34	1	4	4	
17	2	1	Total	C	Mg	N	O	0
			51	40	1	4	6	
17	3	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
17	4	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
17	4	1	Total	C	Mg	N	O	0
			41	32	1	4	4	
17	4	1	Total	C	Mg	N	O	0
			41	32	1	4	4	
17	4	1	Total	C	Mg	N	O	0
			46	35	1	4	6	

- Molecule 18 is CHLOROPHYLL A (three-letter code: CLA) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
18	1	1	Total	C	Mg	N	O	0
			54	44	1	4	5	
18	1	1	Total	C	Mg	N	O	0
			54	44	1	4	5	
18	1	1	Total	C	Mg	N	O	0
			49	39	1	4	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	1	1	46	36	1	4	5	0
18	1	1	44	34	1	4	5	0
18	1	1	40	32	1	4	3	0
18	1	1	42	34	1	4	3	0
18	1	1	38	30	1	4	3	0
18	1	1	45	35	1	4	5	0
18	1	1	46	36	1	4	5	0
18	1	1	38	30	1	4	3	0
18	2	1	44	34	1	4	5	0
18	2	1	65	55	1	4	5	0
18	2	1	47	37	1	4	5	0
18	2	1	65	55	1	4	5	0
18	2	1	43	34	1	4	4	0
18	2	1	43	35	1	4	3	0
18	2	1	38	30	1	4	3	0
18	2	1	45	35	1	4	5	0
18	2	1	44	34	1	4	5	0
18	3	1	41	33	1	4	3	0
18	3	1	36	30	1	4	1	0
18	3	1	41	33	1	4	3	0
18	3	1	54	44	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	3	1	41	33	1	4	3	0
18	3	1	45	35	1	4	5	0
18	3	1	60	50	1	4	5	0
18	3	1	40	32	1	4	3	0
18	3	1	40	32	1	4	3	0
18	3	1	45	35	1	4	5	0
18	3	1	55	45	1	4	5	0
18	4	1	60	50	1	4	5	0
18	4	1	46	36	1	4	5	0
18	4	1	45	35	1	4	5	0
18	4	1	54	44	1	4	5	0
18	4	1	45	35	1	4	5	0
18	4	1	57	47	1	4	5	0
18	4	1	41	33	1	4	3	0
18	4	1	42	34	1	4	3	0
18	4	1	43	33	1	4	5	0
18	4	1	50	40	1	4	5	0
18	4	1	44	34	1	4	5	0
18	A	1	59	49	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	52	42	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	A	1	65	55	1	4	5	0
18	A	1	45	35	1	4	5	0
18	A	1	60	50	1	4	5	0
18	A	1	55	45	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	54	44	1	4	5	0
18	A	1	50	40	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	50	40	1	4	5	0
18	A	1	42	34	1	4	3	0
18	A	1	41	33	1	4	3	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	52	42	1	4	5	0
18	A	1	50	40	1	4	5	0
18	A	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	55	45	1	4	5	0
18	A	1	45	35	1	4	5	0
18	A	1	45	35	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	42	34	1	4	3	0
18	A	1	65	55	1	4	5	0
18	A	1	59	49	1	4	5	0
18	A	1	56	46	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	65	55	1	4	5	0
18	A	1	45	35	1	4	5	0
18	A	1	51	41	1	4	5	0
18	A	1	50	40	1	4	5	0
18	A	1	45	35	1	4	5	0
18	B	1	60	50	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	B	1	43	35	1	4	3	0
18	B	1	65	55	1	4	5	0
18	B	1	47	37	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	62	52	1	4	5	0
18	B	1	42	34	1	4	3	0
18	B	1	60	50	1	4	5	0
18	B	1	45	35	1	4	5	0
18	B	1	45	35	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	55	45	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	54	44	1	4	5	0
18	B	1	55	45	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	43	35	1	4	3	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	B	1	43	35	1	4	3	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	62	52	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	52	42	1	4	5	0
18	B	1	50	40	1	4	5	0
18	B	1	43	35	1	4	3	0
18	B	1	65	55	1	4	5	0
18	B	1	56	46	1	4	5	0
18	B	1	41	33	1	4	3	0
18	B	1	59	49	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	50	40	1	4	5	0
18	B	1	65	55	1	4	5	0
18	B	1	47	37	1	4	5	0
18	F	1	41	33	1	4	3	0
18	F	1	57	47	1	4	5	0
18	F	1	51	41	1	4	5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
18	G	1	Total 45	C 35	Mg 1	N 4	O 5	0
18	G	1	Total 42	C 34	Mg 1	N 4	O 3	0
18	G	1	Total 45	C 35	Mg 1	N 4	O 5	0
18	H	1	Total 60	C 50	Mg 1	N 4	O 5	0
18	J	1	Total 51	C 41	Mg 1	N 4	O 5	0
18	K	1	Total 39	C 31	Mg 1	N 4	O 3	0
18	K	1	Total 37	C 31	Mg 1	N 4	O 1	0
18	K	1	Total 46	C 36	Mg 1	N 4	O 5	0
18	K	1	Total 45	C 35	Mg 1	N 4	O 5	0
18	L	1	Total 45	C 35	Mg 1	N 4	O 5	0
18	L	1	Total 65	C 55	Mg 1	N 4	O 5	0
18	L	1	Total 45	C 35	Mg 1	N 4	O 5	0

- Molecule 19 is (3S,5R,6S,3'S,5'R,6'S)-5,6,5',6'-DIEPOXY-5,6,5',6'-TETRAHYDRO-BETA, BETA-CAROTENE-3,3'-DIOL (three-letter code: XAT) (formula: C₄₀H₅₆O₄).




Mol	Chain	Residues	Atoms			AltConf
19	1	1	Total	C	O	0
			44	40	4	
19	2	1	Total	C	O	0
			44	40	4	
19	4	1	Total	C	O	0
			44	40	4	

- Molecule 20 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: $C_{38}H_{75}O_{10}P$).




Mol	Chain	Residues	Atoms				AltConf
20	1	1	Total	C	O	P	0
			49	38	10	1	
20	2	1	Total	C	O	P	0
			37	26	10	1	
20	A	1	Total	C	O	P	0
			30	19	10	1	
20	A	1	Total	C	O	P	0
			49	38	10	1	
20	B	1	Total	C	O	P	0
			38	27	10	1	
20	B	1	Total	C	O	P	0
			49	38	10	1	

- Molecule 21 is (3R,3'R,6S)-4,5-DIDEHYDRO-5,6-DIHYDRO-BETA,BETA-CAROTENE-3,3'-DIOL (three-letter code: LUT) (formula: $C_{40}H_{56}O_2$).



Mol	Chain	Residues	Atoms			AltConf
21	1	1	Total	C	O	0
			42	40	2	
21	2	1	Total	C	O	0
			42	40	2	
21	2	1	Total	C	O	0
			42	40	2	
21	3	1	Total	C	O	0
			42	40	2	
21	4	1	Total	C	O	0
			42	40	2	

- Molecule 22 is BETA-CAROTENE (three-letter code: BCR) (formula: $C_{40}H_{56}$).




Mol	Chain	Residues	Atoms	AltConf
22	3	1	Total C 40 40	0
22	4	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	A	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	B	1	Total C 40 40	0
22	F	1	Total C 40 40	0
22	G	1	Total C 40 40	0
22	I	1	Total C 40 40	0
22	J	1	Total C 40 40	0
22	K	1	Total C 40 40	0
22	K	1	Total C 40 40	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
22	L	1	Total C 40 40	0
22	L	1	Total C 40 40	0
22	L	1	Total C 40 40	0

- Molecule 23 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula: $C_{45}H_{86}O_{10}$).




Mol	Chain	Residues	Atoms	AltConf
23	4	1	Total C O 39 29 10	0
23	4	1	Total C O 33 23 10	0

- Molecule 24 is CHLOROPHYLL A ISOMER (three-letter code: CL0) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	Mg	N		O
24	A	1	60	52	1	4	3	0

- Molecule 25 is PHYLLOQUINONE (three-letter code: PQN) (formula: $C_{31}H_{46}O_2$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
25	A	1	33	31	2	0
25	B	1	33	31	2	0

- Molecule 26 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			AltConf
26	A	1	Total	Fe	S	0
			8	4	4	
26	C	1	Total	Fe	S	0
			8	4	4	
26	C	1	Total	Fe	S	0
			8	4	4	

- Molecule 27 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (three-letter code: DGD) (formula: $C_{51}H_{96}O_{15}$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
27	B	1	66	51	15	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chlorophyll a-b binding protein 6, chloroplastic




- Molecule 2: Photosystem I chlorophyll a/b-binding protein 2, chloroplastic




- Molecule 3: Photosystem I chlorophyll a/b-binding protein 3-1, chloroplastic




- Molecule 4: Chlorophyll a-b binding protein 4, chloroplastic






- Molecule 5: Photosystem I P700 chlorophyll a apoprotein A1

Chain A: 87% 11%



- Molecule 6: Photosystem I P700 chlorophyll a apoprotein A2

Chain B: 88% 12%




- Molecule 7: Photosystem I iron-sulfur center

Chain C: 93% 6%



- Molecule 8: Photosystem I reaction center subunit II-2, chloroplastic

Chain D: 64% 6% 30%



- Molecule 9: Photosystem I reaction center subunit IV A, chloroplastic



MET ALA ALA MET THR THR ALA ALA SER THR VAL VAL PHE VAL VAL LEU PRO ALA ALA THR VAL ASN VAL THR SER VAL VAL ALA GLY SER ALA SER SER ARG SER SER VAL SER PHE LEU PRO MET ARG ASN ALA GLY SER ARG LEU VAL VAL ARG ALA ALA GLU ASP PRO ALA ALA PRO VAL ALA SER SER SER LYS ASP SER PRO

ALA ALA ALA ALA ALA PRO ASP GLY THR ALA VAL THR LYS PRO LYS ASN PRO PRO P78 I89 L90 R91 V141 ALA


- Molecule 10: Photosystem I reaction center subunit III, chloroplastic



MET SER THR LEU THR ILE PRO ALA ASN LEU VAL VAL LEU ASN VAL ASN ARG SER ASN LYS SER LEU THR GLN SER VAL PRO LYS SER SER ALA ARG PHE VAL CYS SER ASP ASP LYS SER SER SER THR PRO THR GLN SER MET LYS ALA PHE SER ALA VAL ALA SER SER SER ILE LEU SER LEU

ALA PRO MET ALA VAL ALA D88 S94 S95 R119 L128 L138 W147 G148 E149 I160 K180 R195 R199 W203 P204 E210 D215 K219 ASP VAL

- Molecule 11: Photosystem I reaction center subunit V, chloroplastic



MET ALA THR SER ALA ALA LEU LEU SER PRO THR THR PHE THR SER THR ALA ILE SER HIS LYS ASN PRO ASN ILE SER PHE HIS GLY LEU ARG PRO LEU ARG ARG LEU GLY GLY SER SER ALA LEU PRO LYS LEU THR THR GLY ARG LYS VAL VAL ALA

GLU L62 S63 P64 V67 I68 L74 R88 G108 E114 K120 S121 L147 N152 TYR ASP PRO PHE PHE GLY

- Molecule 12: Photosystem I reaction center subunit VI-2, chloroplastic



MET ALA SER PHE THR ILE ALA ALA VAL GLN PRO SER ALA ALA VAL LYS LEU GLY SER SER LEU ALA GLY ALA LYS LEU ILE LYS PRO SER ARG ARG GLN SER PHE LYS THR LYS ALA THR ARG ALA GLY ALA VAL VAL ALA LYS TYR GLY ASP SER LYS S56 S76 D77

S80 S87 E91 L104 I108 T116 Y117 M121 I129 L145

- Molecule 13: Photosystem I reaction center subunit VIII



MET THR THR PHE H5 I110 L27 K35 ILE PHE


- Molecule 14: Photosystem I reaction center subunit IX



M1 V10 A11 P12 L22 I27 E28 L32 T38 F41 PHE SER PHE


- Molecule 15: Photosystem I reaction center subunit psaK, chloroplastic

Chain K:  52% 13% 35%



- Molecule 16: Photosystem I reaction center subunit XI, chloroplastic

Chain L:  66% 7% 27%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	137602	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.5	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	35.714	Depositor
Minimum map value	-22.642	Depositor
Average map value	0.012	Depositor
Map value standard deviation	1.070	Depositor
Recommended contour level	3.21	Depositor
Map size (Å)	365.232, 365.232, 365.232	wwPDB
Map dimensions	336, 336, 336	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LMG, SF4, XAT, LHG, BCR, CL0, PQN, CHL, DGD, LUT, CLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.25	0/1546	0.46	0/2110
2	2	0.25	0/1622	0.45	0/2219
3	3	0.26	0/1717	0.47	0/2336
4	4	0.25	0/1599	0.42	0/2178
5	A	0.24	0/6005	0.42	0/8194
6	B	0.24	0/6065	0.43	0/8279
7	C	0.24	0/629	0.50	0/852
8	D	0.25	0/1157	0.50	0/1563
9	E	0.25	0/528	0.48	0/715
10	F	0.25	0/1238	0.45	0/1670
11	G	0.24	0/724	0.42	0/981
12	H	0.25	0/713	0.46	0/968
13	I	0.25	0/245	0.40	0/333
14	J	0.24	0/336	0.46	0/458
15	K	0.27	0/599	0.63	2/809 (0.2%)
16	L	0.26	0/1244	0.43	0/1700
All	All	0.25	0/25967	0.45	2/35365 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	K	74	PRO	CA-N-CD	-7.33	101.24	111.50
15	K	74	PRO	N-CD-CG	-5.20	95.41	103.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1496	0	1471	34	0
2	2	1566	0	1519	21	0
3	3	1666	0	1627	23	0
4	4	1551	0	1508	22	0
5	A	5807	0	5659	61	0
6	B	5854	0	5646	67	0
7	C	616	0	600	4	0
8	D	1128	0	1134	8	0
9	E	517	0	526	1	0
10	F	1208	0	1243	10	0
11	G	708	0	700	6	0
12	H	693	0	690	6	0
13	I	239	0	258	2	0
14	J	327	0	342	7	0
15	K	593	0	614	12	0
16	L	1207	0	1209	14	0
17	1	93	0	62	10	0
17	2	226	0	150	13	0
17	3	45	0	30	2	0
17	4	169	0	100	3	0
18	1	496	0	354	30	0
18	2	434	0	352	29	0
18	3	498	0	377	16	0
18	4	527	0	412	21	0
18	A	2533	0	2495	115	0
18	B	2284	0	2242	106	0
18	F	149	0	123	8	0
18	G	132	0	97	1	0
18	H	60	0	59	3	0
18	J	51	0	41	2	0
18	K	167	0	116	2	0
18	L	155	0	138	8	0
19	1	44	0	56	18	0
19	2	44	0	56	9	0
19	4	44	0	56	5	0
20	1	49	0	74	13	0
20	2	37	0	44	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	A	79	0	104	6	0
20	B	87	0	120	5	0
21	1	42	0	56	3	0
21	2	84	0	112	11	0
21	3	42	0	56	5	0
21	4	42	0	56	4	0
22	3	40	0	56	4	0
22	4	40	0	56	4	0
22	A	240	0	336	27	0
22	B	320	0	448	43	0
22	F	40	0	56	3	0
22	G	40	0	56	2	0
22	I	40	0	56	0	0
22	J	40	0	56	6	0
22	K	80	0	112	7	0
22	L	120	0	168	16	0
23	4	72	0	84	1	0
24	A	60	0	68	4	0
25	A	33	0	46	4	0
25	B	33	0	46	3	0
26	A	8	0	0	0	0
26	C	16	0	0	0	0
27	B	66	0	96	5	0
All	All	35077	0	34424	647	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 647 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
18:B:814:CLA:H3A	22:B:845:BCR:H393	1.51	0.91
1:1:172:PHE:HB2	18:1:609:CLA:HMD2	1.60	0.84
17:1:601:CHL:HBB1	20:1:615:LHG:H252	1.57	0.84
21:2:619:LUT:H8	21:2:619:LUT:H181	1.60	0.82
22:B:801:BCR:H12C	22:B:801:BCR:H341	1.63	0.81

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	191/241 (79%)	190 (100%)	1 (0%)	0	100	100
2	2	199/257 (77%)	198 (100%)	1 (0%)	0	100	100
3	3	216/273 (79%)	213 (99%)	3 (1%)	0	100	100
4	4	194/251 (77%)	191 (98%)	3 (2%)	0	100	100
5	A	735/750 (98%)	725 (99%)	10 (1%)	0	100	100
6	B	730/734 (100%)	716 (98%)	14 (2%)	0	100	100
7	C	78/81 (96%)	74 (95%)	4 (5%)	0	100	100
8	D	141/204 (69%)	137 (97%)	4 (3%)	0	100	100
9	E	62/143 (43%)	61 (98%)	1 (2%)	0	100	100
10	F	150/221 (68%)	149 (99%)	1 (1%)	0	100	100
11	G	89/160 (56%)	88 (99%)	1 (1%)	0	100	100
12	H	88/145 (61%)	88 (100%)	0	0	100	100
13	I	29/37 (78%)	28 (97%)	1 (3%)	0	100	100
14	J	39/44 (89%)	38 (97%)	1 (3%)	0	100	100
15	K	82/130 (63%)	82 (100%)	0	0	100	100
16	L	158/219 (72%)	155 (98%)	3 (2%)	0	100	100
All	All	3181/3890 (82%)	3133 (98%)	48 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	153/190 (80%)	151 (99%)	2 (1%)	69	86
2	2	163/205 (80%)	155 (95%)	8 (5%)	25	60
3	3	167/211 (79%)	164 (98%)	3 (2%)	59	81
4	4	163/210 (78%)	162 (99%)	1 (1%)	86	93
5	A	598/610 (98%)	594 (99%)	4 (1%)	84	93
6	B	599/600 (100%)	594 (99%)	5 (1%)	81	92
7	C	70/71 (99%)	69 (99%)	1 (1%)	67	85
8	D	121/170 (71%)	119 (98%)	2 (2%)	60	82
9	E	57/114 (50%)	57 (100%)	0	100	100
10	F	125/185 (68%)	121 (97%)	4 (3%)	39	70
11	G	77/133 (58%)	75 (97%)	2 (3%)	46	75
12	H	75/113 (66%)	72 (96%)	3 (4%)	31	65
13	I	27/33 (82%)	27 (100%)	0	100	100
14	J	36/39 (92%)	35 (97%)	1 (3%)	43	73
15	K	61/95 (64%)	60 (98%)	1 (2%)	62	83
16	L	126/174 (72%)	126 (100%)	0	100	100
All	All	2618/3153 (83%)	2581 (99%)	37 (1%)	68	85

5 of 37 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	F	95	SER
14	J	41	PHE
10	F	147	TRP
12	H	76	SER
3	3	264	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
4	4	222	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

201 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	CLA	3	602	-	55,63,73	1.63	5 (9%)	64,101,113	1.42	7 (10%)
18	CLA	B	803	-	65,73,73	1.48	6 (9%)	76,113,113	1.40	7 (9%)
18	CLA	A	821	-	45,53,73	1.81	5 (11%)	52,89,113	1.58	6 (11%)
22	BCR	B	848	-	41,41,41	1.72	8 (19%)	56,56,56	1.58	11 (19%)
18	CLA	A	826	-	65,73,73	1.49	5 (7%)	76,113,113	1.39	6 (7%)
18	CLA	B	834	-	60,68,73	1.56	6 (10%)	70,107,113	1.43	9 (12%)
18	CLA	4	604	-	43,51,73	1.88	6 (13%)	54,87,113	1.62	8 (14%)
17	CHL	2	615	2	43,51,74	2.36	14 (32%)	45,86,114	2.90	20 (44%)
22	BCR	I	101	-	41,41,41	1.72	8 (19%)	56,56,56	1.50	10 (17%)
18	CLA	B	818	-	60,68,73	1.54	5 (8%)	70,107,113	1.47	7 (10%)
18	CLA	B	824	-	65,73,73	1.48	5 (7%)	76,113,113	1.39	7 (9%)
17	CHL	4	605	-	40,49,74	2.38	14 (35%)	42,84,114	2.83	18 (42%)
17	CHL	4	606	-	41,49,74	2.25	13 (31%)	51,84,114	2.77	17 (33%)
18	CLA	B	832	-	65,73,73	1.50	5 (7%)	76,113,113	1.34	7 (9%)
18	CLA	A	833	-	56,64,73	1.59	5 (8%)	65,102,113	1.48	6 (9%)
18	CLA	A	808	-	50,58,73	1.70	5 (10%)	58,95,113	1.54	9 (15%)
18	CLA	4	611	-	40,49,73	1.89	6 (15%)	45,84,113	1.60	6 (13%)
18	CLA	B	808	-	65,73,73	1.47	6 (9%)	76,113,113	1.38	8 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	XAT	4	617	-	39,47,47	1.72	8 (20%)	54,74,74	1.72	12 (22%)
22	BCR	B	844	-	41,41,41	1.74	8 (19%)	56,56,56	1.79	12 (21%)
18	CLA	B	836	-	50,58,73	1.71	6 (12%)	58,95,113	3.64	12 (20%)
22	BCR	F	304	-	41,41,41	1.84	7 (17%)	56,56,56	2.14	16 (28%)
18	CLA	B	825	-	62,70,73	1.50	5 (8%)	72,109,113	1.48	10 (13%)
27	DGD	B	850	-	67,67,67	0.84	2 (2%)	81,81,81	0.94	4 (4%)
18	CLA	2	604	-	43,51,73	1.81	6 (13%)	48,86,113	1.61	6 (12%)
18	CLA	A	805	-	52,60,73	1.65	5 (9%)	60,97,113	1.54	6 (10%)
18	CLA	B	816	-	55,63,73	1.60	5 (9%)	64,101,113	1.49	9 (14%)
22	BCR	L	306	-	41,41,41	1.75	8 (19%)	56,56,56	1.91	16 (28%)
18	CLA	A	837	5	45,53,73	1.81	5 (11%)	52,89,113	1.57	7 (13%)
17	CHL	2	605	-	42,50,74	2.37	14 (33%)	45,85,114	2.85	18 (40%)
22	BCR	A	848	-	41,41,41	1.73	8 (19%)	56,56,56	1.61	11 (19%)
22	BCR	A	851	-	41,41,41	1.88	8 (19%)	56,56,56	2.48	19 (33%)
18	CLA	A	835	-	65,73,73	1.48	5 (7%)	76,113,113	1.39	7 (9%)
26	SF4	C	102	-	0,12,12	-	-	-	-	-
18	CLA	F	302	-	51,59,73	1.69	5 (9%)	59,96,113	1.55	7 (11%)
22	BCR	A	852	-	41,41,41	1.74	8 (19%)	56,56,56	1.90	14 (25%)
18	CLA	A	843	-	65,73,73	1.48	5 (7%)	76,113,113	1.40	6 (7%)
18	CLA	3	612	-	39,48,73	1.87	6 (15%)	44,83,113	1.69	7 (15%)
18	CLA	B	820	-	50,58,73	1.68	6 (12%)	58,95,113	1.57	8 (13%)
18	CLA	A	840	-	52,60,73	1.68	5 (9%)	60,97,113	1.51	7 (11%)
18	CLA	A	842	-	65,73,73	1.48	6 (9%)	76,113,113	1.50	8 (10%)
18	CLA	L	302	-	45,53,73	1.80	5 (11%)	52,89,113	1.60	7 (13%)
18	CLA	3	610	-	39,48,73	1.91	5 (12%)	44,83,113	1.65	7 (15%)
18	CLA	A	811	-	65,73,73	1.47	6 (9%)	76,113,113	1.40	7 (9%)
18	CLA	B	813	-	65,73,73	1.48	6 (9%)	76,113,113	1.46	9 (11%)
17	CHL	1	601	1	51,60,74	2.22	15 (29%)	54,97,114	2.68	21 (38%)
18	CLA	1	613	-	37,46,73	2.00	7 (18%)	46,81,113	1.75	10 (21%)
18	CLA	A	815	-	45,53,73	1.75	5 (11%)	52,89,113	1.61	6 (11%)
18	CLA	B	807	-	52,60,73	1.66	6 (11%)	60,97,113	1.52	7 (11%)
22	BCR	B	801	-	41,41,41	1.81	8 (19%)	56,56,56	1.77	13 (23%)
22	BCR	A	853	-	41,41,41	1.81	8 (19%)	56,56,56	1.75	14 (25%)
18	CLA	A	827	-	59,67,73	1.56	5 (8%)	68,105,113	1.48	8 (11%)
18	CLA	2	609	-	47,55,73	1.70	6 (12%)	54,91,113	1.62	7 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	CLA	3	605	-	41,49,73	1.90	7 (17%)	51,84,113	1.69	8 (15%)
18	CLA	A	829	-	65,73,73	1.47	5 (7%)	76,113,113	1.37	7 (9%)
18	CLA	1	603	-	54,62,73	1.63	6 (11%)	62,99,113	1.51	8 (12%)
24	CL0	A	801	-	60,67,73	2.09	15 (25%)	68,102,113	3.89	29 (42%)
18	CLA	J	101	-	51,59,73	1.70	5 (9%)	59,96,113	1.49	8 (13%)
22	BCR	L	305	-	41,41,41	1.76	8 (19%)	56,56,56	1.75	14 (25%)
22	BCR	K	202	-	41,41,41	1.74	8 (19%)	56,56,56	1.93	14 (25%)
18	CLA	1	608	1	40,48,73	1.91	7 (17%)	50,83,113	1.71	9 (18%)
18	CLA	B	817	-	59,67,73	1.57	5 (8%)	68,105,113	1.42	8 (11%)
20	LHG	A	847	18	29,29,48	0.33	0	32,35,54	0.43	0
20	LHG	A	846	-	48,48,48	0.27	0	51,54,54	0.33	0
18	CLA	4	614	-	50,58,73	1.70	5 (10%)	58,95,113	1.57	8 (13%)
22	BCR	B	843	-	41,41,41	1.78	8 (19%)	56,56,56	1.92	14 (25%)
18	CLA	3	609	-	53,62,73	1.66	6 (11%)	61,100,113	1.45	8 (13%)
18	CLA	2	612	2	65,73,73	1.47	6 (9%)	76,113,113	1.42	6 (7%)
18	CLA	A	830	-	65,73,73	1.47	6 (9%)	76,113,113	1.52	11 (14%)
18	CLA	2	603	-	43,52,73	1.82	5 (11%)	49,88,113	1.59	6 (12%)
18	CLA	1	609	-	42,50,73	1.81	6 (14%)	48,85,113	1.66	6 (12%)
18	CLA	A	818	-	60,68,73	1.52	5 (8%)	70,107,113	5.15	9 (12%)
25	PQN	B	842	-	34,34,34	0.42	0	42,45,45	0.40	0
22	BCR	3	614	-	41,41,41	1.73	8 (19%)	56,56,56	1.57	12 (21%)
18	CLA	A	810	5	50,58,73	1.70	6 (12%)	58,95,113	1.64	12 (20%)
18	CLA	A	803	-	65,73,73	1.50	5 (7%)	76,113,113	1.34	7 (9%)
18	CLA	A	845	20	50,58,73	1.71	5 (10%)	58,95,113	1.52	8 (13%)
18	CLA	G	202	-	42,50,73	1.83	6 (14%)	48,85,113	1.59	6 (12%)
18	CLA	1	611	-	45,53,73	1.80	5 (11%)	52,89,113	1.57	6 (11%)
18	CLA	H	201	-	60,68,73	1.54	5 (8%)	70,107,113	1.40	6 (8%)
18	CLA	B	823	-	45,53,73	1.80	6 (13%)	52,89,113	1.55	7 (13%)
18	CLA	B	804	-	41,49,73	1.82	5 (12%)	47,84,113	1.72	7 (14%)
18	CLA	3	607	-	45,53,73	1.81	6 (13%)	52,89,113	1.58	7 (13%)
18	CLA	4	602	4	60,68,73	1.53	5 (8%)	70,107,113	1.46	7 (10%)
18	CLA	B	833	-	45,53,73	1.77	5 (11%)	52,89,113	1.66	9 (17%)
18	CLA	B	809	6	65,73,73	1.47	5 (7%)	76,113,113	1.41	7 (9%)
17	CHL	2	607	-	51,59,74	2.22	16 (31%)	55,96,114	2.68	21 (38%)
18	CLA	A	839	-	55,63,73	1.60	5 (9%)	64,101,113	1.48	7 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	CLA	B	829	-	56,64,73	1.60	6 (10%)	65,102,113	1.47	8 (12%)
18	CLA	A	838	-	51,59,73	1.70	5 (9%)	59,96,113	1.50	9 (15%)
22	BCR	4	618	-	41,41,41	1.73	8 (19%)	56,56,56	1.69	10 (17%)
18	CLA	B	828	-	65,73,73	1.50	6 (9%)	76,113,113	1.35	7 (9%)
18	CLA	1	604	-	49,57,73	1.72	5 (10%)	55,93,113	1.60	8 (14%)
18	CLA	B	811	-	54,62,73	1.68	6 (11%)	67,100,113	1.54	9 (13%)
18	CLA	A	814	-	65,73,73	1.51	5 (7%)	76,113,113	1.35	7 (9%)
18	CLA	2	602	2	65,73,73	1.49	6 (9%)	76,113,113	1.37	8 (10%)
18	CLA	A	820	-	65,73,73	1.48	5 (7%)	76,113,113	1.42	7 (9%)
21	LUT	2	619	-	42,43,43	1.66	8 (19%)	51,60,60	1.88	12 (23%)
18	CLA	1	602	1	54,62,73	1.62	5 (9%)	62,99,113	1.48	7 (11%)
18	CLA	B	812	-	43,51,73	1.84	5 (11%)	49,86,113	1.55	6 (12%)
21	LUT	1	616	-	42,43,43	1.69	7 (16%)	51,60,60	2.00	12 (23%)
18	CLA	A	816	-	42,50,73	1.83	6 (14%)	48,85,113	1.61	7 (14%)
18	CLA	B	802	-	65,73,73	1.50	6 (9%)	76,113,113	1.35	6 (7%)
18	CLA	3	611	-	37,44,73	1.97	6 (16%)	42,77,113	1.65	6 (14%)
17	CHL	1	606	-	40,49,74	2.55	16 (40%)	41,84,114	2.90	18 (43%)
18	CLA	4	609	-	54,62,73	1.62	6 (11%)	62,99,113	1.49	9 (14%)
18	CLA	3	601	-	60,68,73	1.54	6 (10%)	70,107,113	1.44	8 (11%)
18	CLA	A	809	-	65,73,73	1.46	5 (7%)	76,113,113	1.41	7 (9%)
18	CLA	4	603	-	44,52,73	1.86	7 (15%)	55,88,113	1.62	8 (14%)
18	CLA	B	831	-	43,51,73	1.79	5 (11%)	49,86,113	1.64	7 (14%)
21	LUT	4	616	-	42,43,43	1.64	8 (19%)	51,60,60	1.55	11 (21%)
20	LHG	2	618	18	36,36,48	0.31	0	39,42,54	0.53	1 (2%)
18	CLA	B	827	-	65,73,73	1.49	5 (7%)	76,113,113	1.40	7 (9%)
23	LMG	4	619	-	39,39,55	0.22	0	47,47,63	0.24	0
19	XAT	1	614	-	39,47,47	0.83	1 (2%)	54,74,74	3.20	18 (33%)
18	CLA	B	805	-	65,73,73	1.52	6 (9%)	76,113,113	1.34	8 (10%)
18	CLA	A	812	-	65,73,73	1.50	5 (7%)	76,113,113	1.36	7 (9%)
22	BCR	B	845	-	41,41,41	1.80	8 (19%)	56,56,56	1.80	14 (25%)
18	CLA	A	841	-	65,73,73	1.49	5 (7%)	76,113,113	1.39	9 (11%)
18	CLA	B	819	-	55,63,73	1.63	5 (9%)	64,101,113	1.47	8 (12%)
18	CLA	A	832	-	50,58,73	1.68	6 (12%)	58,95,113	1.56	9 (15%)
22	BCR	K	205	-	41,41,41	1.75	8 (19%)	56,56,56	1.97	16 (28%)
18	CLA	B	826	-	62,70,73	1.51	6 (9%)	72,109,113	1.44	7 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	CHL	4	607	-	46,54,74	2.29	15 (32%)	49,90,114	2.81	20 (40%)
18	CLA	3	603	-	45,53,73	1.78	5 (11%)	52,89,113	1.61	7 (13%)
20	LHG	B	852	-	48,48,48	0.27	0	51,54,54	0.33	0
21	LUT	2	616	-	42,43,43	1.66	8 (19%)	51,60,60	2.02	12 (23%)
18	CLA	B	821	-	47,55,73	1.72	5 (10%)	54,91,113	1.72	9 (16%)
25	PQN	A	855	-	34,34,34	0.41	0	42,45,45	0.42	0
18	CLA	F	301	-	57,65,73	1.61	5 (8%)	66,103,113	1.40	7 (10%)
26	SF4	C	101	-	0,12,12	-	-	-	-	-
22	BCR	J	102	-	41,41,41	1.75	8 (19%)	56,56,56	1.77	14 (25%)
18	CLA	B	838	-	47,55,73	1.76	6 (12%)	54,91,113	1.54	8 (14%)
18	CLA	A	844	-	65,73,73	1.49	5 (7%)	76,113,113	1.39	8 (10%)
18	CLA	G	201	-	45,53,73	1.79	5 (11%)	52,89,113	1.56	6 (11%)
18	CLA	1	610	20	37,46,73	2.01	6 (16%)	46,81,113	1.74	9 (19%)
18	CLA	B	815	-	43,51,73	1.79	6 (13%)	49,86,113	1.61	6 (12%)
18	CLA	4	601	4	46,54,73	1.76	5 (10%)	53,90,113	1.56	6 (11%)
22	BCR	A	849	-	41,41,41	1.79	8 (19%)	56,56,56	1.95	13 (23%)
18	CLA	A	822	-	65,73,73	1.49	5 (7%)	76,113,113	1.37	8 (10%)
18	CLA	A	824	-	41,49,73	1.85	6 (14%)	47,84,113	1.64	8 (17%)
18	CLA	B	814	-	65,73,73	1.47	5 (7%)	76,113,113	1.40	9 (11%)
18	CLA	B	841	20	65,73,73	1.49	5 (7%)	76,113,113	1.39	7 (9%)
22	BCR	B	847	-	41,41,41	1.73	8 (19%)	56,56,56	1.57	10 (17%)
18	CLA	A	813	-	54,62,73	1.63	6 (11%)	62,99,113	1.51	8 (12%)
18	CLA	B	837	-	65,73,73	1.48	5 (7%)	76,113,113	1.42	9 (11%)
18	CLA	2	611	-	44,52,73	1.81	6 (13%)	51,88,113	1.67	6 (11%)
18	CLA	A	819	-	59,67,73	1.58	6 (10%)	68,105,113	1.45	7 (10%)
18	CLA	K	206	15	37,47,73	1.95	5 (13%)	42,81,113	1.68	8 (19%)
18	CLA	L	304	-	45,53,73	1.79	5 (11%)	52,89,113	1.61	7 (13%)
18	CLA	A	836	-	45,53,73	1.82	5 (11%)	52,89,113	1.58	7 (13%)
18	CLA	G	203	11	45,53,73	1.77	5 (11%)	52,89,113	1.62	6 (11%)
18	CLA	A	807	-	65,73,73	1.50	6 (9%)	76,113,113	1.34	8 (10%)
20	LHG	B	851	18	37,37,48	0.30	0	40,43,54	0.49	0
21	LUT	3	613	-	42,43,43	1.71	8 (19%)	51,60,60	1.92	14 (27%)
22	BCR	L	301	-	41,41,41	1.76	8 (19%)	56,56,56	2.17	12 (21%)
18	CLA	F	303	10	41,49,73	1.86	5 (12%)	47,84,113	1.67	7 (14%)
18	CLA	B	810	-	65,73,73	1.50	6 (9%)	76,113,113	1.35	7 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	CLA	B	840	-	65,73,73	1.50	6 (9%)	76,113,113	1.36	7 (9%)
18	CLA	1	607	-	43,52,73	1.84	5 (11%)	49,88,113	1.57	7 (14%)
18	CLA	3	608	-	41,49,73	1.80	5 (12%)	47,84,113	1.75	9 (19%)
18	CLA	A	825	-	55,63,73	1.63	5 (9%)	64,101,113	1.43	8 (12%)
17	CHL	2	601	2	47,55,74	2.32	15 (31%)	50,91,114	2.77	19 (38%)
18	CLA	A	823	-	42,50,73	1.80	5 (11%)	48,85,113	1.65	6 (12%)
18	CLA	1	605	-	46,54,73	1.77	5 (10%)	53,90,113	1.57	6 (11%)
18	CLA	A	802	-	65,73,73	1.48	6 (9%)	76,113,113	1.44	8 (10%)
19	XAT	2	617	-	39,47,47	1.78	7 (17%)	54,74,74	2.05	14 (25%)
18	CLA	4	608	4	45,53,73	1.78	6 (13%)	52,89,113	1.58	6 (11%)
18	CLA	A	834	-	65,73,73	1.50	5 (7%)	76,113,113	1.38	8 (10%)
18	CLA	K	201	15	38,45,73	1.92	6 (15%)	43,78,113	1.64	6 (13%)
20	LHG	1	615	18	48,48,48	0.93	2 (4%)	51,54,54	1.03	3 (5%)
18	CLA	A	817	-	45,53,73	1.81	6 (13%)	52,89,113	1.56	7 (13%)
18	CLA	A	831	-	65,73,73	1.48	5 (7%)	76,113,113	1.41	7 (9%)
18	CLA	B	839	-	65,73,73	1.49	6 (9%)	76,113,113	1.37	7 (9%)
17	CHL	2	606	-	43,51,74	2.36	14 (32%)	45,86,114	2.86	18 (40%)
18	CLA	B	835	-	42,50,73	1.84	6 (14%)	48,85,113	1.60	7 (14%)
18	CLA	1	612	-	46,54,73	1.75	6 (13%)	53,90,113	1.62	7 (13%)
18	CLA	4	613	-	45,53,73	1.78	6 (13%)	52,89,113	1.74	8 (15%)
18	CLA	A	828	-	65,73,73	1.49	6 (9%)	76,113,113	1.43	6 (7%)
23	LMG	4	620	-	33,33,55	0.24	0	41,41,63	0.33	0
18	CLA	4	610	-	42,50,73	1.83	5 (11%)	48,85,113	1.58	6 (12%)
22	BCR	A	850	-	41,41,41	1.82	8 (19%)	56,56,56	1.90	13 (23%)
18	CLA	B	806	6	65,73,73	1.47	5 (7%)	76,113,113	1.38	8 (10%)
22	BCR	B	849	-	41,41,41	1.75	8 (19%)	56,56,56	1.80	13 (23%)
22	BCR	B	846	-	41,41,41	1.74	8 (19%)	56,56,56	1.70	10 (17%)
18	CLA	2	608	-	45,53,73	1.76	5 (11%)	52,89,113	1.61	6 (11%)
18	CLA	K	203	-	45,53,73	1.78	5 (11%)	52,89,113	1.63	8 (15%)
18	CLA	B	822	-	65,73,73	1.49	5 (7%)	76,113,113	1.49	9 (11%)
26	SF4	A	854	-	0,12,12	-	-	-	-	-
17	CHL	3	606	-	45,53,74	2.33	15 (33%)	52,89,114	2.65	18 (34%)
18	CLA	4	612	-	57,65,73	1.57	5 (8%)	66,103,113	1.49	7 (10%)
18	CLA	A	804	-	65,73,73	1.48	5 (7%)	76,113,113	1.47	9 (11%)
18	CLA	L	303	-	65,73,73	1.48	5 (7%)	76,113,113	1.42	9 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	CLA	2	613	-	43,51,73	1.82	5 (11%)	49,86,113	1.57	7 (14%)
17	CHL	4	615	4	40,49,74	2.24	13 (32%)	45,84,114	2.97	18 (40%)
18	CLA	B	830	-	43,51,73	1.80	5 (11%)	49,86,113	1.61	7 (14%)
18	CLA	2	610	20	38,45,73	2.98	8 (21%)	41,76,113	1.50	8 (19%)
22	BCR	G	204	-	41,41,41	1.73	8 (19%)	56,56,56	1.64	11 (19%)
18	CLA	K	204	-	46,54,73	1.78	6 (13%)	53,90,113	1.57	7 (13%)
18	CLA	3	604	-	40,49,73	1.88	6 (15%)	45,84,113	1.58	7 (15%)
18	CLA	A	806	-	65,73,73	1.47	6 (9%)	76,113,113	1.40	6 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	CLA	3	602	-	1/1/13/20	9/25/103/115	-
18	CLA	B	803	-	1/1/15/20	10/37/115/115	-
18	CLA	A	821	-	1/1/11/20	1/13/91/115	-
22	BCR	B	848	-	-	0/29/63/63	0/2/2/2
18	CLA	A	826	-	1/1/15/20	9/37/115/115	-
18	CLA	B	834	-	1/1/14/20	7/31/109/115	-
18	CLA	4	604	-	1/1/11/20	6/11/87/115	-
17	CHL	2	615	2	3/3/15/26	2/12/110/137	-
22	BCR	I	101	-	-	0/29/63/63	0/2/2/2
18	CLA	B	818	-	1/1/14/20	7/31/109/115	-
18	CLA	B	824	-	1/1/15/20	14/37/115/115	-
17	CHL	4	605	-	3/3/15/26	2/8/106/137	-
17	CHL	4	606	-	3/3/15/26	2/10/106/137	-
18	CLA	B	832	-	1/1/15/20	15/37/115/115	-
18	CLA	A	833	-	1/1/13/20	7/27/105/115	-
18	CLA	A	808	-	1/1/12/20	2/19/97/115	-
18	CLA	4	611	-	1/1/10/20	4/8/86/115	-
18	CLA	B	808	-	1/1/15/20	16/37/115/115	-
19	XAT	4	617	-	-	3/31/93/93	0/4/4/4
22	BCR	B	844	-	-	11/29/63/63	0/2/2/2
18	CLA	B	836	-	1/1/12/20	5/19/97/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	BCR	F	304	-	-	12/29/63/63	0/2/2/2
18	CLA	B	825	-	1/1/14/20	10/34/112/115	-
27	DGD	B	850	-	-	11/55/95/95	0/2/2/2
18	CLA	2	604	-	1/1/10/20	6/9/88/115	-
18	CLA	A	805	-	1/1/12/20	5/22/100/115	-
18	CLA	B	816	-	1/1/13/20	6/25/103/115	-
22	BCR	L	306	-	-	5/29/63/63	0/2/2/2
18	CLA	A	837	5	1/1/11/20	3/13/91/115	-
17	CHL	2	605	-	3/3/15/26	4/10/108/137	-
22	BCR	A	848	-	-	0/29/63/63	0/2/2/2
22	BCR	A	851	-	-	7/29/63/63	0/2/2/2
18	CLA	A	835	-	1/1/15/20	16/37/115/115	-
26	SF4	C	102	-	-	-	0/6/5/5
18	CLA	F	302	-	1/1/12/20	5/21/99/115	-
22	BCR	A	852	-	-	13/29/63/63	0/2/2/2
18	CLA	A	843	-	1/1/15/20	11/37/115/115	-
18	CLA	3	612	-	1/1/10/20	0/6/84/115	-
18	CLA	B	820	-	1/1/12/20	5/19/97/115	-
18	CLA	A	840	-	1/1/12/20	6/22/100/115	-
18	CLA	A	842	-	1/1/15/20	17/37/115/115	-
18	CLA	L	302	-	1/1/11/20	1/13/91/115	-
18	CLA	3	610	-	1/1/10/20	1/6/84/115	-
18	CLA	A	811	-	1/1/15/20	10/37/115/115	-
18	CLA	B	813	-	1/1/15/20	15/37/115/115	-
17	CHL	1	601	1	3/3/17/26	10/22/120/137	-
18	CLA	1	613	-	1/1/10/20	0/4/80/115	-
18	CLA	A	815	-	1/1/11/20	6/13/91/115	-
18	CLA	B	807	-	1/1/12/20	5/22/100/115	-
22	BCR	B	801	-	-	3/29/63/63	0/2/2/2
22	BCR	A	853	-	-	3/29/63/63	0/2/2/2
18	CLA	A	827	-	1/1/13/20	3/30/108/115	-
18	CLA	2	609	-	1/1/11/20	9/16/94/115	-
18	CLA	3	605	-	1/1/10/20	6/10/86/115	-
18	CLA	A	829	-	1/1/15/20	15/37/115/115	-
18	CLA	1	603	-	1/1/12/20	8/24/102/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	CL0	A	801	-	2/2/16/25	8/33/115/135	-
18	CLA	J	101	-	1/1/12/20	7/21/99/115	-
22	BCR	L	305	-	-	2/29/63/63	0/2/2/2
22	BCR	K	202	-	-	2/29/63/63	0/2/2/2
18	CLA	1	608	1	1/1/10/20	2/8/84/115	-
18	CLA	B	817	-	1/1/13/20	9/30/108/115	-
20	LHG	A	847	18	-	2/34/34/53	-
20	LHG	A	846	-	-	5/53/53/53	-
18	CLA	4	614	-	1/1/12/20	8/19/97/115	-
22	BCR	B	843	-	-	1/29/63/63	0/2/2/2
18	CLA	3	609	-	1/1/13/20	7/23/101/115	-
18	CLA	2	612	2	1/1/15/20	17/37/115/115	-
18	CLA	A	830	-	1/1/15/20	13/37/115/115	-
18	CLA	2	603	-	1/1/11/20	3/11/89/115	-
18	CLA	1	609	-	1/1/10/20	4/9/87/115	-
18	CLA	A	818	-	1/1/14/20	13/31/109/115	-
25	PQN	B	842	-	-	6/23/43/43	0/2/2/2
22	BCR	3	614	-	-	3/29/63/63	0/2/2/2
18	CLA	A	810	5	1/1/12/20	3/19/97/115	-
18	CLA	A	803	-	1/1/15/20	19/37/115/115	-
18	CLA	A	845	20	1/1/12/20	6/19/97/115	-
18	CLA	G	202	-	1/1/10/20	3/10/88/115	-
18	CLA	1	611	-	1/1/11/20	4/13/91/115	-
18	CLA	H	201	-	1/1/14/20	15/31/109/115	-
18	CLA	B	823	-	1/1/11/20	6/13/91/115	-
18	CLA	B	804	-	1/1/10/20	2/8/86/115	-
18	CLA	3	607	-	1/1/11/20	4/13/91/115	-
18	CLA	4	602	4	1/1/14/20	6/31/109/115	-
18	CLA	B	833	-	1/1/11/20	4/13/91/115	-
18	CLA	B	809	6	1/1/15/20	18/37/115/115	-
17	CHL	2	607	-	3/3/17/26	5/21/119/137	-
18	CLA	A	839	-	1/1/13/20	11/25/103/115	-
18	CLA	B	829	-	1/1/13/20	4/27/105/115	-
18	CLA	A	838	-	1/1/12/20	4/21/99/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	BCR	4	618	-	-	6/29/63/63	0/2/2/2
18	CLA	B	828	-	1/1/15/20	19/37/115/115	-
18	CLA	1	604	-	1/1/11/20	7/18/96/115	-
18	CLA	B	811	-	1/1/13/20	11/25/101/115	-
18	CLA	A	814	-	1/1/15/20	10/37/115/115	-
18	CLA	2	602	2	1/1/15/20	16/37/115/115	-
18	CLA	A	820	-	1/1/15/20	14/37/115/115	-
21	LUT	2	619	-	-	5/29/67/67	0/2/2/2
18	CLA	1	602	1	1/1/12/20	6/24/102/115	-
18	CLA	B	812	-	1/1/10/20	1/11/89/115	-
21	LUT	1	616	-	-	1/29/67/67	0/2/2/2
18	CLA	A	816	-	1/1/10/20	2/10/88/115	-
18	CLA	B	802	-	1/1/15/20	15/37/115/115	-
18	CLA	3	611	-	1/1/8/20	0/0/74/115	-
17	CHL	1	606	-	3/3/15/26	0/8/106/137	-
18	CLA	4	609	-	1/1/12/20	6/24/102/115	-
18	CLA	3	601	-	1/1/14/20	13/31/109/115	-
18	CLA	A	809	-	1/1/15/20	14/37/115/115	-
18	CLA	4	603	-	1/1/11/20	6/13/89/115	-
18	CLA	B	831	-	1/1/10/20	0/11/89/115	-
21	LUT	4	616	-	-	2/29/67/67	0/2/2/2
20	LHG	2	618	18	-	11/41/41/53	-
18	CLA	B	827	-	1/1/15/20	20/37/115/115	-
23	LMG	4	619	-	-	5/34/54/70	0/1/1/1
19	XAT	1	614	-	-	8/31/93/93	0/4/4/4
18	CLA	B	805	-	1/1/15/20	16/37/115/115	-
18	CLA	A	812	-	1/1/15/20	17/37/115/115	-
22	BCR	B	845	-	-	9/29/63/63	0/2/2/2
18	CLA	A	841	-	1/1/15/20	14/37/115/115	-
18	CLA	B	819	-	1/1/13/20	9/25/103/115	-
18	CLA	A	832	-	1/1/12/20	5/19/97/115	-
22	BCR	K	205	-	-	9/29/63/63	0/2/2/2
18	CLA	B	826	-	1/1/14/20	6/34/112/115	-
17	CHL	4	607	-	3/3/16/26	4/15/113/137	-
18	CLA	3	603	-	1/1/11/20	8/13/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	LHG	B	852	-	-	14/53/53/53	-
21	LUT	2	616	-	-	4/29/67/67	0/2/2/2
18	CLA	B	821	-	1/1/11/20	3/16/94/115	-
25	PQN	A	855	-	-	1/23/43/43	0/2/2/2
18	CLA	F	301	-	1/1/13/20	14/28/106/115	-
26	SF4	C	101	-	-	-	0/6/5/5
22	BCR	J	102	-	-	2/29/63/63	0/2/2/2
18	CLA	B	838	-	1/1/11/20	1/16/94/115	-
18	CLA	A	844	-	1/1/15/20	10/37/115/115	-
18	CLA	G	201	-	1/1/11/20	7/13/91/115	-
18	CLA	1	610	20	1/1/10/20	1/4/80/115	-
18	CLA	B	815	-	1/1/10/20	2/11/89/115	-
18	CLA	4	601	4	1/1/11/20	5/15/93/115	-
22	BCR	A	849	-	-	6/29/63/63	0/2/2/2
18	CLA	A	822	-	1/1/15/20	13/37/115/115	-
18	CLA	A	824	-	1/1/10/20	2/8/86/115	-
18	CLA	B	814	-	1/1/15/20	15/37/115/115	-
18	CLA	B	841	20	1/1/15/20	22/37/115/115	-
22	BCR	B	847	-	-	2/29/63/63	0/2/2/2
18	CLA	A	813	-	1/1/12/20	9/24/102/115	-
18	CLA	B	837	-	1/1/15/20	13/37/115/115	-
18	CLA	2	611	-	1/1/11/20	5/11/89/115	-
18	CLA	A	819	-	1/1/13/20	14/30/108/115	-
18	CLA	K	206	15	1/1/9/20	0/6/80/115	-
18	CLA	L	304	-	1/1/11/20	1/13/91/115	-
18	CLA	A	836	-	1/1/11/20	6/13/91/115	-
18	CLA	G	203	11	1/1/11/20	3/13/91/115	-
18	CLA	A	807	-	1/1/15/20	13/37/115/115	-
20	LHG	B	851	18	-	5/42/42/53	-
21	LUT	3	613	-	-	6/29/67/67	0/2/2/2
22	BCR	L	301	-	-	3/29/63/63	0/2/2/2
18	CLA	F	303	10	1/1/10/20	0/8/86/115	-
18	CLA	B	810	-	1/1/15/20	11/37/115/115	-
18	CLA	B	840	-	1/1/15/20	17/37/115/115	-
18	CLA	1	607	-	1/1/11/20	6/11/89/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	CLA	3	608	-	1/1/10/20	3/8/86/115	-
18	CLA	A	825	-	1/1/13/20	7/25/103/115	-
17	CHL	2	601	2	3/3/16/26	7/17/115/137	-
18	CLA	A	823	-	1/1/10/20	4/10/88/115	-
18	CLA	1	605	-	1/1/11/20	8/15/93/115	-
18	CLA	A	802	-	1/1/15/20	17/37/115/115	-
19	XAT	2	617	-	-	16/31/93/93	0/4/4/4
18	CLA	4	608	4	1/1/11/20	4/13/91/115	-
18	CLA	A	834	-	1/1/15/20	7/37/115/115	-
18	CLA	K	201	15	1/1/8/20	0/2/76/115	-
20	LHG	1	615	18	-	34/53/53/53	-
18	CLA	A	817	-	1/1/11/20	3/13/91/115	-
18	CLA	A	831	-	1/1/15/20	11/37/115/115	-
18	CLA	B	839	-	1/1/15/20	8/37/115/115	-
17	CHL	2	606	-	3/3/15/26	2/12/110/137	-
18	CLA	B	835	-	1/1/10/20	4/10/88/115	-
18	CLA	1	612	-	1/1/11/20	4/15/93/115	-
18	CLA	4	613	-	1/1/11/20	4/13/91/115	-
18	CLA	A	828	-	1/1/15/20	8/37/115/115	-
23	LMG	4	620	-	-	7/28/48/70	0/1/1/1
18	CLA	4	610	-	1/1/10/20	2/10/88/115	-
22	BCR	A	850	-	-	4/29/63/63	0/2/2/2
18	CLA	B	806	6	1/1/15/20	12/37/115/115	-
22	BCR	B	849	-	-	7/29/63/63	0/2/2/2
22	BCR	B	846	-	-	8/29/63/63	0/2/2/2
18	CLA	2	608	-	1/1/11/20	7/13/91/115	-
18	CLA	K	203	-	1/1/11/20	6/13/91/115	-
18	CLA	B	822	-	1/1/15/20	16/37/115/115	-
26	SF4	A	854	-	-	-	0/6/5/5
17	CHL	3	606	-	3/3/16/26	5/13/111/137	-
18	CLA	4	612	-	1/1/13/20	13/28/106/115	-
18	CLA	A	804	-	1/1/15/20	19/37/115/115	-
18	CLA	L	303	-	1/1/15/20	11/37/115/115	-
18	CLA	2	613	-	1/1/10/20	4/11/89/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	CHL	4	615	4	3/3/15/26	0/10/106/137	-
18	CLA	B	830	-	1/1/10/20	2/11/89/115	-
18	CLA	2	610	20	1/1/7/20	5/10/70/115	-
22	BCR	G	204	-	-	2/29/63/63	0/2/2/2
18	CLA	K	204	-	1/1/11/20	10/15/93/115	-
18	CLA	3	604	-	1/1/10/20	0/8/86/115	-
18	CLA	A	806	-	1/1/15/20	20/37/115/115	-

The worst 5 of 1220 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	2	610	CLA	C1A-NA	12.67	1.40	1.29
24	A	801	CL0	C1D-ND	8.48	1.48	1.37
18	B	812	CLA	C4B-NB	7.96	1.42	1.35
18	B	805	CLA	C4B-NB	7.83	1.42	1.35
18	B	838	CLA	C4B-NB	7.78	1.42	1.35

The worst 5 of 1744 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	A	818	CLA	O2D-CGD-CBD	26.04	157.54	111.27
18	A	818	CLA	O2D-CGD-O1D	-25.22	74.53	123.84
18	A	818	CLA	O1D-CGD-CBD	-20.27	83.01	124.48
18	B	836	CLA	C5-C3-C4	-16.66	77.79	114.60
18	B	836	CLA	C4-C3-C2	-13.89	82.51	122.65

5 of 179 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
17	1	601	CHL	NA
17	1	601	CHL	NC
17	1	601	CHL	ND
17	1	606	CHL	NA
17	1	606	CHL	NC

5 of 1437 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	2	605	CHL	C3C-C2C-CMC-OMC
17	2	601	CHL	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	2	601	CHL	C3A-C2A-CAA-CBA
17	2	601	CHL	CHA-CBD-CGD-O1D
17	2	601	CHL	CHA-CBD-CGD-O2D

There are no ring outliers.

170 monomers are involved in 505 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	3	602	CLA	2	0
18	B	803	CLA	4	0
18	A	821	CLA	2	0
22	B	848	BCR	4	0
18	A	826	CLA	3	0
18	B	834	CLA	2	0
17	2	615	CHL	5	0
18	B	818	CLA	5	0
18	B	824	CLA	7	0
17	4	605	CHL	1	0
18	B	832	CLA	6	0
18	A	833	CLA	2	0
18	A	808	CLA	2	0
18	B	808	CLA	5	0
19	4	617	XAT	5	0
22	B	844	BCR	2	0
18	B	836	CLA	2	0
22	F	304	BCR	3	0
18	B	825	CLA	4	0
27	B	850	DGD	5	0
18	2	604	CLA	5	0
18	A	805	CLA	4	0
18	B	816	CLA	1	0
22	L	306	BCR	4	0
17	2	605	CHL	3	0
22	A	848	BCR	3	0
22	A	851	BCR	8	0
18	A	835	CLA	5	0
18	F	302	CLA	6	0
22	A	852	BCR	2	0
18	A	843	CLA	2	0
18	3	612	CLA	2	0
18	B	820	CLA	2	0
18	A	842	CLA	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	L	302	CLA	3	0
18	3	610	CLA	1	0
18	A	811	CLA	4	0
18	B	813	CLA	5	0
17	1	601	CHL	10	0
18	A	815	CLA	1	0
22	B	801	BCR	10	0
22	A	853	BCR	7	0
18	A	827	CLA	1	0
18	2	609	CLA	5	0
18	3	605	CLA	1	0
18	A	829	CLA	7	0
18	1	603	CLA	1	0
24	A	801	CL0	4	0
18	J	101	CLA	2	0
22	L	305	BCR	8	0
22	K	202	BCR	3	0
18	1	608	CLA	2	0
18	B	817	CLA	2	0
20	A	846	LHG	6	0
18	4	614	CLA	2	0
22	B	843	BCR	4	0
18	3	609	CLA	1	0
18	2	612	CLA	5	0
18	A	830	CLA	4	0
18	2	603	CLA	3	0
18	1	609	CLA	10	0
18	A	818	CLA	1	0
25	B	842	PQN	3	0
22	3	614	BCR	4	0
18	A	810	CLA	2	0
18	A	803	CLA	5	0
18	A	845	CLA	1	0
18	1	611	CLA	1	0
18	H	201	CLA	3	0
18	B	823	CLA	2	0
18	B	804	CLA	1	0
18	3	607	CLA	4	0
18	4	602	CLA	6	0
18	B	833	CLA	1	0
18	B	809	CLA	6	0
17	2	607	CHL	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	A	839	CLA	1	0
22	4	618	BCR	4	0
18	B	828	CLA	7	0
18	1	604	CLA	3	0
18	B	811	CLA	1	0
18	A	814	CLA	3	0
18	2	602	CLA	10	0
18	A	820	CLA	4	0
21	2	619	LUT	7	0
18	1	602	CLA	9	0
18	B	812	CLA	1	0
21	1	616	LUT	3	0
18	B	802	CLA	4	0
18	4	609	CLA	2	0
18	3	601	CLA	4	0
18	A	809	CLA	10	0
18	4	603	CLA	2	0
21	4	616	LUT	4	0
20	2	618	LHG	3	0
18	B	827	CLA	5	0
19	1	614	XAT	18	0
18	B	805	CLA	6	0
18	A	812	CLA	8	0
22	B	845	BCR	8	0
18	A	841	CLA	6	0
18	B	819	CLA	2	0
18	A	832	CLA	2	0
22	K	205	BCR	4	0
18	B	826	CLA	3	0
17	4	607	CHL	2	0
18	3	603	CLA	2	0
20	B	852	LHG	3	0
21	2	616	LUT	4	0
18	B	821	CLA	1	0
25	A	855	PQN	4	0
18	F	301	CLA	1	0
22	J	102	BCR	6	0
18	B	838	CLA	1	0
18	A	844	CLA	4	0
18	G	201	CLA	1	0
18	4	601	CLA	1	0
22	A	849	BCR	2	0

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	A	822	CLA	5	0
18	B	814	CLA	3	0
18	B	841	CLA	3	0
22	B	847	BCR	5	0
18	A	813	CLA	4	0
18	B	837	CLA	2	0
18	A	819	CLA	3	0
18	L	304	CLA	1	0
18	A	836	CLA	1	0
18	A	807	CLA	3	0
20	B	851	LHG	2	0
21	3	613	LUT	5	0
22	L	301	BCR	4	0
18	F	303	CLA	1	0
18	B	840	CLA	8	0
18	1	607	CLA	1	0
18	A	825	CLA	3	0
17	2	601	CHL	1	0
18	A	823	CLA	1	0
18	1	605	CLA	1	0
18	A	802	CLA	3	0
19	2	617	XAT	9	0
18	4	608	CLA	3	0
18	A	834	CLA	3	0
18	K	201	CLA	1	0
20	1	615	LHG	13	0
18	A	817	CLA	1	0
18	A	831	CLA	1	0
18	B	839	CLA	2	0
17	2	606	CHL	2	0
18	1	612	CLA	2	0
18	4	613	CLA	2	0
18	A	828	CLA	3	0
23	4	620	LMG	1	0
18	4	610	CLA	2	0
22	A	850	BCR	5	0
18	B	806	CLA	3	0
22	B	849	BCR	4	0
22	B	846	BCR	6	0
18	2	608	CLA	2	0
18	B	822	CLA	9	0
17	3	606	CHL	2	0



Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	4	612	CLA	3	0
18	A	804	CLA	6	0
18	L	303	CLA	4	0
18	2	613	CLA	1	0
17	4	615	CHL	1	0
18	B	830	CLA	1	0
22	G	204	BCR	2	0
18	K	204	CLA	1	0
18	3	604	CLA	1	0
18	A	806	CLA	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























































































































































Ligand CLA 3 607






Ligand CLA 4 602


























































































































































































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36037. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 157



Y Index: 174




Z Index: 182


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 3.21. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 489 nm³; this corresponds to an approximate mass of 442 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.311\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-36037 and PDB model 8J7B. Per-residue inclusion information can be found in section [3](#) on page [26](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 3.21 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.21).



































9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (3.21) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9520	 0.5760
1	 0.9220	 0.4980
2	 0.9450	 0.5180
3	 0.9450	 0.5120
4	 0.9520	 0.5350
A	 0.9570	 0.6050
B	 0.9670	 0.6150
C	 0.9810	 0.6130
D	 0.9770	 0.6080
E	 0.9760	 0.6050
F	 0.9210	 0.5690
G	 0.9520	 0.5730
H	 0.9350	 0.5650
I	 0.9790	 0.6000
J	 0.8600	 0.5340
K	 0.8620	 0.4680
L	 0.9610	 0.5960

