



# wwPDB X-ray Structure Validation Summary Report i

Aug 10, 2023 – 08:17 am BST

PDB ID : 8P5R  
Title : Crystal structure of full-length, homohexameric 2-oxoglutarate dehydrogenase KGD from Mycobacterium smegmatis in complex with GarA  
Authors : Wagner, T.; Mechaly, A.M.; Alzari, P.M.; Bellinzoni, M.  
Deposited on : 2023-05-24  
Resolution : 4.56 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1060 (5.30-3.80)
Clashscore	141614	1128 (5.30-3.80)
Ramachandran outliers	138981	1072 (5.30-3.80)
Sidechain outliers	138945	1053 (5.30-3.80)
RSRZ outliers	127900	1101 (5.30-3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



*Continued on next page...*

*Continued from previous page...*



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CA	A	1302	-	-	-	X

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 57005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multifunctional 2-oxoglutarate metabolism enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1106	Total	C 8579	N 5394	O 1535	S 1619	31	0	0
1	B	1108	Total	C 8591	N 5404	O 1534	S 1622	31	0	0
1	C	1109	Total	C 8593	N 5407	O 1531	S 1624	31	0	0
1	D	1107	Total	C 8544	N 5379	O 1519	S 1615	31	0	0
1	E	1109	Total	C 8537	N 5373	O 1516	S 1617	31	0	0
1	F	1105	Total	C 8513	N 5357	O 1517	S 1608	31	0	0
1	N	30	Total	C 266	N 172	O 41	S 52	1	0	0
1	O	30	Total	C 266	N 172	O 41	S 52	1	0	0
1	P	30	Total	C 266	N 172	O 41	S 52	1	0	0
1	Q	30	Total	C 266	N 172	O 41	S 52	1	0	0

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	initiating methionine	UNP A0R2B1
A	-21	GLY	-	expression tag	UNP A0R2B1
A	-20	SER	-	expression tag	UNP A0R2B1
A	-19	SER	-	expression tag	UNP A0R2B1
A	-18	HIS	-	expression tag	UNP A0R2B1
A	-17	HIS	-	expression tag	UNP A0R2B1
A	-16	HIS	-	expression tag	UNP A0R2B1
A	-15	HIS	-	expression tag	UNP A0R2B1
A	-14	HIS	-	expression tag	UNP A0R2B1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	HIS	-	expression tag	UNP A0R2B1
A	-12	SER	-	expression tag	UNP A0R2B1
A	-11	SER	-	expression tag	UNP A0R2B1
A	-10	GLY	-	expression tag	UNP A0R2B1
A	-9	LEU	-	expression tag	UNP A0R2B1
A	-8	VAL	-	expression tag	UNP A0R2B1
A	-7	PRO	-	expression tag	UNP A0R2B1
A	-6	ARG	-	expression tag	UNP A0R2B1
A	-5	GLY	-	expression tag	UNP A0R2B1
A	-4	SER	-	expression tag	UNP A0R2B1
A	-3	HIS	-	expression tag	UNP A0R2B1
A	-2	MET	-	expression tag	UNP A0R2B1
A	-1	ALA	-	expression tag	UNP A0R2B1
A	0	SER	-	expression tag	UNP A0R2B1
A	1	VAL	-	expression tag	UNP A0R2B1
B	-22	MET	-	initiating methionine	UNP A0R2B1
B	-21	GLY	-	expression tag	UNP A0R2B1
B	-20	SER	-	expression tag	UNP A0R2B1
B	-19	SER	-	expression tag	UNP A0R2B1
B	-18	HIS	-	expression tag	UNP A0R2B1
B	-17	HIS	-	expression tag	UNP A0R2B1
B	-16	HIS	-	expression tag	UNP A0R2B1
B	-15	HIS	-	expression tag	UNP A0R2B1
B	-14	HIS	-	expression tag	UNP A0R2B1
B	-13	HIS	-	expression tag	UNP A0R2B1
B	-12	SER	-	expression tag	UNP A0R2B1
B	-11	SER	-	expression tag	UNP A0R2B1
B	-10	GLY	-	expression tag	UNP A0R2B1
B	-9	LEU	-	expression tag	UNP A0R2B1
B	-8	VAL	-	expression tag	UNP A0R2B1
B	-7	PRO	-	expression tag	UNP A0R2B1
B	-6	ARG	-	expression tag	UNP A0R2B1
B	-5	GLY	-	expression tag	UNP A0R2B1
B	-4	SER	-	expression tag	UNP A0R2B1
B	-3	HIS	-	expression tag	UNP A0R2B1
B	-2	MET	-	expression tag	UNP A0R2B1
B	-1	ALA	-	expression tag	UNP A0R2B1
B	0	SER	-	expression tag	UNP A0R2B1
B	1	VAL	-	expression tag	UNP A0R2B1
C	-22	MET	-	initiating methionine	UNP A0R2B1
C	-21	GLY	-	expression tag	UNP A0R2B1
C	-20	SER	-	expression tag	UNP A0R2B1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	SER	-	expression tag	UNP A0R2B1
C	-18	HIS	-	expression tag	UNP A0R2B1
C	-17	HIS	-	expression tag	UNP A0R2B1
C	-16	HIS	-	expression tag	UNP A0R2B1
C	-15	HIS	-	expression tag	UNP A0R2B1
C	-14	HIS	-	expression tag	UNP A0R2B1
C	-13	HIS	-	expression tag	UNP A0R2B1
C	-12	SER	-	expression tag	UNP A0R2B1
C	-11	SER	-	expression tag	UNP A0R2B1
C	-10	GLY	-	expression tag	UNP A0R2B1
C	-9	LEU	-	expression tag	UNP A0R2B1
C	-8	VAL	-	expression tag	UNP A0R2B1
C	-7	PRO	-	expression tag	UNP A0R2B1
C	-6	ARG	-	expression tag	UNP A0R2B1
C	-5	GLY	-	expression tag	UNP A0R2B1
C	-4	SER	-	expression tag	UNP A0R2B1
C	-3	HIS	-	expression tag	UNP A0R2B1
C	-2	MET	-	expression tag	UNP A0R2B1
C	-1	ALA	-	expression tag	UNP A0R2B1
C	0	SER	-	expression tag	UNP A0R2B1
C	1	VAL	-	expression tag	UNP A0R2B1
D	-22	MET	-	initiating methionine	UNP A0R2B1
D	-21	GLY	-	expression tag	UNP A0R2B1
D	-20	SER	-	expression tag	UNP A0R2B1
D	-19	SER	-	expression tag	UNP A0R2B1
D	-18	HIS	-	expression tag	UNP A0R2B1
D	-17	HIS	-	expression tag	UNP A0R2B1
D	-16	HIS	-	expression tag	UNP A0R2B1
D	-15	HIS	-	expression tag	UNP A0R2B1
D	-14	HIS	-	expression tag	UNP A0R2B1
D	-13	HIS	-	expression tag	UNP A0R2B1
D	-12	SER	-	expression tag	UNP A0R2B1
D	-11	SER	-	expression tag	UNP A0R2B1
D	-10	GLY	-	expression tag	UNP A0R2B1
D	-9	LEU	-	expression tag	UNP A0R2B1
D	-8	VAL	-	expression tag	UNP A0R2B1
D	-7	PRO	-	expression tag	UNP A0R2B1
D	-6	ARG	-	expression tag	UNP A0R2B1
D	-5	GLY	-	expression tag	UNP A0R2B1
D	-4	SER	-	expression tag	UNP A0R2B1
D	-3	HIS	-	expression tag	UNP A0R2B1
D	-2	MET	-	expression tag	UNP A0R2B1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	ALA	-	expression tag	UNP A0R2B1
D	0	SER	-	expression tag	UNP A0R2B1
D	1	VAL	-	expression tag	UNP A0R2B1
E	-22	MET	-	initiating methionine	UNP A0R2B1
E	-21	GLY	-	expression tag	UNP A0R2B1
E	-20	SER	-	expression tag	UNP A0R2B1
E	-19	SER	-	expression tag	UNP A0R2B1
E	-18	HIS	-	expression tag	UNP A0R2B1
E	-17	HIS	-	expression tag	UNP A0R2B1
E	-16	HIS	-	expression tag	UNP A0R2B1
E	-15	HIS	-	expression tag	UNP A0R2B1
E	-14	HIS	-	expression tag	UNP A0R2B1
E	-13	HIS	-	expression tag	UNP A0R2B1
E	-12	SER	-	expression tag	UNP A0R2B1
E	-11	SER	-	expression tag	UNP A0R2B1
E	-10	GLY	-	expression tag	UNP A0R2B1
E	-9	LEU	-	expression tag	UNP A0R2B1
E	-8	VAL	-	expression tag	UNP A0R2B1
E	-7	PRO	-	expression tag	UNP A0R2B1
E	-6	ARG	-	expression tag	UNP A0R2B1
E	-5	GLY	-	expression tag	UNP A0R2B1
E	-4	SER	-	expression tag	UNP A0R2B1
E	-3	HIS	-	expression tag	UNP A0R2B1
E	-2	MET	-	expression tag	UNP A0R2B1
E	-1	ALA	-	expression tag	UNP A0R2B1
E	0	SER	-	expression tag	UNP A0R2B1
E	1	VAL	-	expression tag	UNP A0R2B1
F	-22	MET	-	initiating methionine	UNP A0R2B1
F	-21	GLY	-	expression tag	UNP A0R2B1
F	-20	SER	-	expression tag	UNP A0R2B1
F	-19	SER	-	expression tag	UNP A0R2B1
F	-18	HIS	-	expression tag	UNP A0R2B1
F	-17	HIS	-	expression tag	UNP A0R2B1
F	-16	HIS	-	expression tag	UNP A0R2B1
F	-15	HIS	-	expression tag	UNP A0R2B1
F	-14	HIS	-	expression tag	UNP A0R2B1
F	-13	HIS	-	expression tag	UNP A0R2B1
F	-12	SER	-	expression tag	UNP A0R2B1
F	-11	SER	-	expression tag	UNP A0R2B1
F	-10	GLY	-	expression tag	UNP A0R2B1
F	-9	LEU	-	expression tag	UNP A0R2B1
F	-8	VAL	-	expression tag	UNP A0R2B1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	-7	PRO	-	expression tag	UNP A0R2B1
F	-6	ARG	-	expression tag	UNP A0R2B1
F	-5	GLY	-	expression tag	UNP A0R2B1
F	-4	SER	-	expression tag	UNP A0R2B1
F	-3	HIS	-	expression tag	UNP A0R2B1
F	-2	MET	-	expression tag	UNP A0R2B1
F	-1	ALA	-	expression tag	UNP A0R2B1
F	0	SER	-	expression tag	UNP A0R2B1
F	1	VAL	-	expression tag	UNP A0R2B1
N	-22	MET	-	initiating methionine	UNP A0R2B1
N	-21	GLY	-	expression tag	UNP A0R2B1
N	-20	SER	-	expression tag	UNP A0R2B1
N	-19	SER	-	expression tag	UNP A0R2B1
N	-18	HIS	-	expression tag	UNP A0R2B1
N	-17	HIS	-	expression tag	UNP A0R2B1
N	-16	HIS	-	expression tag	UNP A0R2B1
N	-15	HIS	-	expression tag	UNP A0R2B1
N	-14	HIS	-	expression tag	UNP A0R2B1
N	-13	HIS	-	expression tag	UNP A0R2B1
N	-12	SER	-	expression tag	UNP A0R2B1
N	-11	SER	-	expression tag	UNP A0R2B1
N	-10	GLY	-	expression tag	UNP A0R2B1
N	-9	LEU	-	expression tag	UNP A0R2B1
N	-8	VAL	-	expression tag	UNP A0R2B1
N	-7	PRO	-	expression tag	UNP A0R2B1
N	-6	ARG	-	expression tag	UNP A0R2B1
N	-5	GLY	-	expression tag	UNP A0R2B1
N	-4	SER	-	expression tag	UNP A0R2B1
N	-3	HIS	-	expression tag	UNP A0R2B1
N	-2	MET	-	expression tag	UNP A0R2B1
N	-1	ALA	-	expression tag	UNP A0R2B1
N	0	SER	-	expression tag	UNP A0R2B1
N	1	VAL	-	expression tag	UNP A0R2B1
O	-22	MET	-	initiating methionine	UNP A0R2B1
O	-21	GLY	-	expression tag	UNP A0R2B1
O	-20	SER	-	expression tag	UNP A0R2B1
O	-19	SER	-	expression tag	UNP A0R2B1
O	-18	HIS	-	expression tag	UNP A0R2B1
O	-17	HIS	-	expression tag	UNP A0R2B1
O	-16	HIS	-	expression tag	UNP A0R2B1
O	-15	HIS	-	expression tag	UNP A0R2B1
O	-14	HIS	-	expression tag	UNP A0R2B1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
O	-13	HIS	-	expression tag	UNP A0R2B1
O	-12	SER	-	expression tag	UNP A0R2B1
O	-11	SER	-	expression tag	UNP A0R2B1
O	-10	GLY	-	expression tag	UNP A0R2B1
O	-9	LEU	-	expression tag	UNP A0R2B1
O	-8	VAL	-	expression tag	UNP A0R2B1
O	-7	PRO	-	expression tag	UNP A0R2B1
O	-6	ARG	-	expression tag	UNP A0R2B1
O	-5	GLY	-	expression tag	UNP A0R2B1
O	-4	SER	-	expression tag	UNP A0R2B1
O	-3	HIS	-	expression tag	UNP A0R2B1
O	-2	MET	-	expression tag	UNP A0R2B1
O	-1	ALA	-	expression tag	UNP A0R2B1
O	0	SER	-	expression tag	UNP A0R2B1
O	1	VAL	-	expression tag	UNP A0R2B1
P	-22	MET	-	initiating methionine	UNP A0R2B1
P	-21	GLY	-	expression tag	UNP A0R2B1
P	-20	SER	-	expression tag	UNP A0R2B1
P	-19	SER	-	expression tag	UNP A0R2B1
P	-18	HIS	-	expression tag	UNP A0R2B1
P	-17	HIS	-	expression tag	UNP A0R2B1
P	-16	HIS	-	expression tag	UNP A0R2B1
P	-15	HIS	-	expression tag	UNP A0R2B1
P	-14	HIS	-	expression tag	UNP A0R2B1
P	-13	HIS	-	expression tag	UNP A0R2B1
P	-12	SER	-	expression tag	UNP A0R2B1
P	-11	SER	-	expression tag	UNP A0R2B1
P	-10	GLY	-	expression tag	UNP A0R2B1
P	-9	LEU	-	expression tag	UNP A0R2B1
P	-8	VAL	-	expression tag	UNP A0R2B1
P	-7	PRO	-	expression tag	UNP A0R2B1
P	-6	ARG	-	expression tag	UNP A0R2B1
P	-5	GLY	-	expression tag	UNP A0R2B1
P	-4	SER	-	expression tag	UNP A0R2B1
P	-3	HIS	-	expression tag	UNP A0R2B1
P	-2	MET	-	expression tag	UNP A0R2B1
P	-1	ALA	-	expression tag	UNP A0R2B1
P	0	SER	-	expression tag	UNP A0R2B1
P	1	VAL	-	expression tag	UNP A0R2B1
Q	-22	MET	-	initiating methionine	UNP A0R2B1
Q	-21	GLY	-	expression tag	UNP A0R2B1
Q	-20	SER	-	expression tag	UNP A0R2B1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
Q	-19	SER	-	expression tag	UNP A0R2B1
Q	-18	HIS	-	expression tag	UNP A0R2B1
Q	-17	HIS	-	expression tag	UNP A0R2B1
Q	-16	HIS	-	expression tag	UNP A0R2B1
Q	-15	HIS	-	expression tag	UNP A0R2B1
Q	-14	HIS	-	expression tag	UNP A0R2B1
Q	-13	HIS	-	expression tag	UNP A0R2B1
Q	-12	SER	-	expression tag	UNP A0R2B1
Q	-11	SER	-	expression tag	UNP A0R2B1
Q	-10	GLY	-	expression tag	UNP A0R2B1
Q	-9	LEU	-	expression tag	UNP A0R2B1
Q	-8	VAL	-	expression tag	UNP A0R2B1
Q	-7	PRO	-	expression tag	UNP A0R2B1
Q	-6	ARG	-	expression tag	UNP A0R2B1
Q	-5	GLY	-	expression tag	UNP A0R2B1
Q	-4	SER	-	expression tag	UNP A0R2B1
Q	-3	HIS	-	expression tag	UNP A0R2B1
Q	-2	MET	-	expression tag	UNP A0R2B1
Q	-1	ALA	-	expression tag	UNP A0R2B1
Q	0	SER	-	expression tag	UNP A0R2B1
Q	1	VAL	-	expression tag	UNP A0R2B1

- Molecule 2 is a protein called Glycogen accumulation regulator GarA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	G	98	Total	C	N	O	0	0	0
			744	464	135	145			
2	H	96	Total	C	N	O	0	0	0
			710	438	131	141			
2	I	97	Total	C	N	O	0	0	0
			740	462	134	144			
2	J	97	Total	C	N	O	0	0	0
			740	462	134	144			
2	K	97	Total	C	N	O	0	0	0
			740	462	134	144			
2	L	97	Total	C	N	O	0	0	0
			740	462	134	144			


- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		
4	B	2	Total	Ca	0	0
			2	2		
4	C	1	Total	Ca	0	0
			1	1		
4	D	1	Total	Ca	0	0
			1	1		
4	E	1	Total	Ca	0	0
			1	1		
4	F	1	Total	Ca	0	0
			1	1		

- Molecule 5 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: C<sub>12</sub>H<sub>19</sub>N<sub>4</sub>O<sub>7</sub>P<sub>2</sub>S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
5	B	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
5	C	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
5	D	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
5	E	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
5	F	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme




- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme





- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme











- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme









- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme



- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme



- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme


## Chain O:


98%







- Molecule 1: Multifunctional 2-oxoglutarate metabolism enzyme









- Molecule 2: Glycogen accumulation regulator GarA



- Molecule 2: Glycogen accumulation regulator GarA



- Molecule 2: Glycogen accumulation regulator GarA





- Molecule 2: Glycogen accumulation regulator GarA



MET	THR	ASP	LYS	ASP	SER	ASN	LEU	GLY	ALA	ASP	CIN	SER	GLU	ASP	VAL	THR	VAL	GLU	THR	THR	SER	VAL	PHE	ARG	ALA	ASP	PHE	LEU	ASN	GLU	LEU	ASP	ALA	PRO	ALA	ALA	ALA	ALA	GLY	GLY	THR	GLU	GLY	GLY	GLY	VAL	VAL	SER	GLY	GLY	LEU	P51	A65	L56	L57	V58	R61	R63
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 2: Glycogen accumulation regulator GarA



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	325.75Å    325.75Å    396.94Å 90.00°      90.00°      120.00°	Depositor
Resolution (Å)	45.99 – 4.56 45.99 – 4.56	Depositor EDS
% Data completeness (in resolution range)	89.6 (45.99-4.56) 89.6 (45.99-4.56)	Depositor EDS
$R_{merge}$	0.24	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.92 (at 4.64Å)	Xtriage
Refinement program	BUSTER 2.10.4 (8-JUN-2022)	Depositor
$R$ , $R_{free}$	0.198 , 0.229 0.193 , 0.217	Depositor DCC
$R_{free}$ test set	6055 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	197.4	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 338.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.390 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	57005	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	236.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.83% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, TPP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/8751	0.45	0/11855
1	B	0.29	0/8764	0.45	0/11874
1	C	0.28	0/8767	0.45	0/11877
1	D	0.28	0/8717	0.45	0/11816
1	E	0.29	0/8710	0.45	0/11812
1	F	0.28	0/8685	0.45	0/11776
1	N	0.37	0/276	0.49	0/375
1	O	0.37	0/276	0.49	0/375
1	P	0.38	0/276	0.49	0/375
1	Q	0.40	0/276	0.49	0/375
2	G	0.25	0/757	0.43	0/1025
2	H	0.31	0/722	0.52	0/980
2	I	0.23	0/753	0.42	0/1020
2	J	0.23	0/753	0.42	0/1020
2	K	0.28	0/753	0.44	0/1020
2	L	0.26	0/753	0.43	0/1020
All	All	0.29	0/57989	0.45	0/78595

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8579	0	8402	136	0
1	B	8591	0	8414	135	0
1	C	8593	0	8408	129	0
1	D	8544	0	8341	128	0
1	E	8537	0	8299	130	0
1	F	8513	0	8287	126	0
1	N	266	0	233	13	0
1	O	266	0	233	15	0
1	P	266	0	233	11	0
1	Q	266	0	233	15	0
2	G	744	0	730	13	0
2	H	710	0	656	12	0
2	I	740	0	727	14	0
2	J	740	0	727	17	0
2	K	740	0	727	9	0
2	L	740	0	727	13	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	A	26	0	16	2	0
5	B	26	0	16	1	0
5	C	26	0	16	1	0
5	D	26	0	16	1	0
5	E	26	0	16	0	0
5	F	26	0	16	2	0
All	All	57005	0	55473	857	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 857 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:634:ARG:HE	1:B:636:SER:HB3	1.05	1.08
1:E:542:ARG:HE	1:E:599:LEU:HD21	1.15	1.05
1:E:634:ARG:HE	1:E:636:SER:HB3	1.16	1.05
1:F:645:ASP:HB3	1:F:677:ASN:HA	1.41	1.01
1:F:634:ARG:HE	1:F:636:SER:HB3	1.26	1.01

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1100/1250 (88%)	1029 (94%)	68 (6%)	3 (0%)	41 76
1	B	1102/1250 (88%)	1022 (93%)	76 (7%)	4 (0%)	34 72
1	C	1103/1250 (88%)	1028 (93%)	72 (6%)	3 (0%)	41 76
1	D	1101/1250 (88%)	1026 (93%)	71 (6%)	4 (0%)	34 72
1	E	1103/1250 (88%)	1022 (93%)	77 (7%)	4 (0%)	34 72
1	F	1099/1250 (88%)	1018 (93%)	77 (7%)	4 (0%)	34 72
1	N	28/1250 (2%)	24 (86%)	4 (14%)	0	100 100
1	O	28/1250 (2%)	24 (86%)	4 (14%)	0	100 100
1	P	28/1250 (2%)	24 (86%)	4 (14%)	0	100 100
1	Q	28/1250 (2%)	25 (89%)	2 (7%)	1 (4%)	3 28
2	G	96/158 (61%)	87 (91%)	8 (8%)	1 (1%)	15 54
2	H	94/158 (60%)	79 (84%)	14 (15%)	1 (1%)	14 52
2	I	95/158 (60%)	87 (92%)	8 (8%)	0	100 100
2	J	95/158 (60%)	87 (92%)	8 (8%)	0	100 100
2	K	95/158 (60%)	87 (92%)	8 (8%)	0	100 100
2	L	95/158 (60%)	90 (95%)	5 (5%)	0	100 100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	7290/13448 (54%)	6759 (93%)	506 (7%)	25 (0%)	41 76

5 of 25 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	358	ASP
1	B	358	ASP
1	C	358	ASP
1	C	445	ARG
1	D	358	ASP

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	892/1037 (86%)	862 (97%)	30 (3%)	37 60
1	B	894/1037 (86%)	865 (97%)	29 (3%)	39 62
1	C	893/1037 (86%)	863 (97%)	30 (3%)	37 60
1	D	885/1037 (85%)	852 (96%)	33 (4%)	34 59
1	E	880/1037 (85%)	848 (96%)	32 (4%)	35 59
1	F	878/1037 (85%)	854 (97%)	24 (3%)	44 66
1	N	30/1037 (3%)	24 (80%)	6 (20%)	1 8
1	O	30/1037 (3%)	24 (80%)	6 (20%)	1 8
1	P	30/1037 (3%)	24 (80%)	6 (20%)	1 8
1	Q	30/1037 (3%)	23 (77%)	7 (23%)	1 5
2	G	81/127 (64%)	80 (99%)	1 (1%)	71 84
2	H	72/127 (57%)	64 (89%)	8 (11%)	6 25
2	I	81/127 (64%)	81 (100%)	0	100 100
2	J	81/127 (64%)	79 (98%)	2 (2%)	47 68
2	K	81/127 (64%)	78 (96%)	3 (4%)	34 59
2	L	81/127 (64%)	79 (98%)	2 (2%)	47 68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5919/11132 (53%)	5700 (96%)	219 (4%)	34 59

5 of 219 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	950	LEU
1	E	797	GLN
1	N	39	ASP
1	D	1157	ARG
1	E	307	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 59 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	503	GLN
2	I	81	HIS
1	D	1107	ASN
2	H	116	ASN
1	F	982	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 20 ligands modelled in this entry, 14 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	TPP	A	1303	3	22,27,27	0.63	0	29,40,40	0.69	1 (3%)
5	TPP	E	1303	3	22,27,27	0.66	0	29,40,40	0.65	1 (3%)
5	TPP	C	1303	3	22,27,27	0.70	0	29,40,40	0.80	2 (6%)
5	TPP	B	1303	3	22,27,27	0.68	0	29,40,40	0.80	1 (3%)
5	TPP	F	1303	3	22,27,27	0.71	0	29,40,40	0.77	1 (3%)
5	TPP	D	1303	3	22,27,27	0.66	0	29,40,40	0.77	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TPP	A	1303	3	-	8/16/17/17	0/2/2/2
5	TPP	E	1303	3	-	8/16/17/17	0/2/2/2
5	TPP	C	1303	3	-	3/16/17/17	0/2/2/2
5	TPP	B	1303	3	-	8/16/17/17	0/2/2/2
5	TPP	F	1303	3	-	11/16/17/17	0/2/2/2
5	TPP	D	1303	3	-	8/16/17/17	0/2/2/2

There are no bond length outliers.

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
5	D	1303	TPP	C5-C4-N3	2.24	112.04	107.57
5	B	1303	TPP	C5-C4-N3	2.22	112.01	107.57
5	E	1303	TPP	C5-C4-N3	2.21	111.99	107.57
5	C	1303	TPP	C5-C4-N3	2.15	111.87	107.57
5	F	1303	TPP	C5-C4-N3	2.14	111.86	107.57

There are no chirality outliers.

5 of 46 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	1303	TPP	C4'-C5'-C7'-N3
5	A	1303	TPP	C4-C5-C6-C7
5	A	1303	TPP	C5-C6-C7-O7
5	A	1303	TPP	C7-O7-PA-O1A
5	A	1303	TPP	C7-O7-PA-O2A


There are no ring outliers.


5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1303	TPP	2	0
5	C	1303	TPP	1	0
5	B	1303	TPP	1	0
5	F	1303	TPP	2	0
5	D	1303	TPP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1106/1250 (88%)	0.42	55 (4%) 28 25	155, 233, 300, 300	0
1	B	1108/1250 (88%)	0.40	40 (3%) 42 35	138, 225, 289, 300	0
1	C	1109/1250 (88%)	0.44	50 (4%) 33 28	148, 231, 298, 300	0
1	D	1107/1250 (88%)	0.44	54 (4%) 29 25	150, 232, 296, 300	0
1	E	1109/1250 (88%)	0.40	41 (3%) 41 33	145, 225, 290, 300	0
1	F	1105/1250 (88%)	0.41	56 (5%) 28 24	162, 233, 299, 300	0
1	N	30/1250 (2%)	1.02	6 (20%) 1 1	268, 300, 300, 300	0
1	O	30/1250 (2%)	0.91	3 (10%) 7 7	280, 300, 300, 300	0
1	P	30/1250 (2%)	0.77	7 (23%) 0 1	274, 300, 300, 300	0
1	Q	30/1250 (2%)	1.37	10 (33%) 0 1	259, 300, 300, 300	0
2	G	98/158 (62%)	0.83	18 (18%) 1 2	211, 283, 300, 300	0
2	H	96/158 (60%)	0.17	3 (3%) 49 39	179, 238, 300, 300	0
2	I	97/158 (61%)	0.58	12 (12%) 4 5	207, 279, 300, 300	0
2	J	97/158 (61%)	0.59	16 (16%) 1 2	218, 281, 300, 300	0
2	K	97/158 (61%)	0.29	4 (4%) 37 30	183, 236, 295, 300	0
2	L	97/158 (61%)	0.79	14 (14%) 2 3	230, 284, 300, 300	0
All	All	7346/13448 (54%)	0.44	389 (5%) 26 23	138, 233, 300, 300	0

The worst 5 of 389 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	629	GLU	11.4
1	B	629	GLU	9.1
1	A	629	GLU	6.9
1	F	629	GLU	6.6
1	C	747	HIS	6.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	CA	A	1302	1/1	0.56	0.64	300,300,300,300	0
4	CA	B	1304	1/1	0.75	0.12	170,170,170,170	0
4	CA	F	1302	1/1	0.76	0.39	300,300,300,300	0
4	CA	B	1302	1/1	0.84	0.55	220,220,220,220	0
4	CA	E	1302	1/1	0.93	0.54	239,239,239,239	0
5	TPP	A	1303	26/26	0.93	0.48	226,226,226,226	0
4	CA	D	1302	1/1	0.94	0.21	298,298,298,298	0
5	TPP	B	1303	26/26	0.94	0.42	216,216,216,216	0
5	TPP	D	1303	26/26	0.94	0.42	223,223,223,223	0
5	TPP	F	1303	26/26	0.94	0.48	230,230,230,230	0
5	TPP	E	1303	26/26	0.95	0.42	223,223,223,223	0
4	CA	A	1304	1/1	0.95	0.12	176,176,176,176	0
5	TPP	C	1303	26/26	0.96	0.41	225,225,225,225	0
4	CA	C	1302	1/1	0.96	0.21	289,289,289,289	0
3	MG	B	1301	1/1	0.96	0.31	216,216,216,216	0
3	MG	E	1301	1/1	0.96	0.30	190,190,190,190	0
3	MG	D	1301	1/1	0.98	0.31	149,149,149,149	0
3	MG	F	1301	1/1	0.99	0.30	119,119,119,119	0
3	MG	A	1301	1/1	0.99	0.24	106,106,106,106	0
3	MG	C	1301	1/1	0.99	0.32	160,160,160,160	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.