



wwPDB EM Validation Summary Report ⓘ

Oct 28, 2024 – 12:55 AM EDT

PDB ID : 8TEP
EMDB ID : EMD-41194
Title : Human cytomegalovirus portal vertex, virion configuration 1 (VC1)
Authors : Jih, J.; Liu, Y.T.; Liu, W.; Zhou, H.
Deposited on : 2023-07-06
Resolution : 3.50 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2241	
1	C	2241	
2	B	983	
2	D	983	
3	E	642	
3	F	642	
4	G	594	
5	H	1370	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	I	1370	81% 18%
5	J	1370	81% 15%
5	K	1370	81% 14% 5%
5	L	1370	84% 15%
5	M	1370	82% 16%
6	N	75	71% 13% 16%
6	O	75	73% 9% 16%
6	P	75	68% 16% 19%
6	Q	75	67% 17% 16%
6	R	75	65% 19% 16%
6	S	75	76% 8% 16%
7	T	290	72% 10% 17%
7	W	290	89% 11%
8	U	306	80% 15% 5%
8	V	306	74% 20% 6%
8	X	306	84% 12%
8	Y	306	79% 13% 7%
9	Z	1048	23% 73%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 112987 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large tegument protein deneddylase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	723	Total	C	N	O	S	0	0
			5833	3733	1026	1052	22		
1	C	699	Total	C	N	O	S	0	0
			5651	3626	997	1006	22		

- Molecule 2 is a protein called Inner tegument protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	492	Total	C	N	O	S	0	0
			3993	2535	709	734	15		
2	D	453	Total	C	N	O	S	0	0
			3685	2349	645	676	15		

- Molecule 3 is a protein called Capsid vertex component 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	E	482	Total	C	N	O	S	0	0
			3915	2516	688	699	12		
3	F	492	Total	C	N	O	S	0	0
			3986	2562	705	708	11		

- Molecule 4 is a protein called Capsid vertex component 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	G	472	Total	C	N	O	S	0	0
			3873	2422	744	693	14		

- Molecule 5 is a protein called Major capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	H	1311	Total	C	N	O	S	0	0
			10406	6630	1802	1913	61		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	1350	Total	C	N	O	S	0	0
			10693	6809	1853	1970	61		
5	J	1317	Total	C	N	O	S	0	0
			10433	6641	1814	1919	59		
5	K	1298	Total	C	N	O	S	0	0
			10282	6544	1792	1887	59		
5	L	1350	Total	C	N	O	S	0	0
			10693	6809	1853	1970	61		
5	M	1350	Total	C	N	O	S	0	0
			10693	6809	1853	1970	61		

- Molecule 6 is a protein called Small capsomere-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	N	63	Total	C	N	O	S	0	0
			513	321	97	91	4		
6	O	63	Total	C	N	O	S	0	0
			513	321	97	91	4		
6	P	63	Total	C	N	O	S	0	0
			513	321	97	91	4		
6	Q	63	Total	C	N	O	S	0	0
			513	321	97	91	4		
6	R	63	Total	C	N	O	S	0	0
			513	321	97	91	4		
6	S	63	Total	C	N	O	S	0	0
			513	321	97	91	4		

- Molecule 7 is a protein called Triplex capsid protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	T	240	Total	C	N	O	S	0	0
			1919	1235	335	338	11		
7	W	290	Total	C	N	O	S	0	0
			2325	1485	411	417	12		

- Molecule 8 is a protein called Triplex capsid protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	U	292	Total	C	N	O	S	0	0
			2317	1489	399	411	18		
8	V	288	Total	C	N	O	S	0	0
			2292	1471	397	407	17		


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	X	295	Total 2334	C 1501	N 402	O 412	S 19	0	0
8	Y	285	Total 2266	C 1456	N 387	O 405	S 18	0	0

- Molecule 9 is a protein called Large structural phosphoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	Z	284	Total 2320	C 1463	N 425	O 420	S 12	0	0



• Molecule 2: Inner tegument protein



LEU
SER
SER
ILE
ASP
PRO
PRO
ALA
GLY
THR
SER
VAL
SER
LEU
PRO
PRO
ALA
ALA
SER
PRO

• Molecule 3: Capsid vertex component 2



MET
SER
LEU
LEU
HIS
HIS
THR
PHE
TRP
LEU
SER
SER
PRO
VAL
SER
VAL
SER
VAL
PRO
PRO
ALA
ALA
SER
PRO

V12
A13
V14
M22
R32
E36
R43
G44
G45
M53
V56
L65
R66
D67
Q73
T74
Y75
C76
E77
E80
G81
R82
E87
A88
N91
Q92
E95
L96
ASP
GLY
LEU
PRO
PRO
SER
SER
ARG
THR
LEU

LEU
GLN
PRO
PRO
CYS
ARG
PRO
ARG
SER
SER
SER
PRO
GLY
THR
VAL
VAL
ALA
GLY
ALA
SER
VAL
VAL
SER
ASP
VAL
VAL
ALA
SER
SER
ASP
VAL
VAL
ALA
ALA
VAL
VAL
ALA
ALA
GLY
ALA
ALA
SER

THR
TRP
LEU
ALA
GLN
CYS
ALA
ALA
GLU
ARG
PRO
LEU
PRO
PRO
GLY

M179
V180
P181
S182
Y183
F184
G185
I186
T187
Q188
M189
D190
HIS
HIS
ASP
ASP
I192
I193
R194
F195
H196
T197
H197
L198
D198
F199
R200
G201
E202
E202
V203
V204
M205
T206
M207
F208
E209
M210
A211
S212
T213
W214
D215
F216
S217
F218
G219
I220
W221
Y222
Y223
R224
L225

K226
R227
G228
L229
Y230
T231
Q232
P233
R234
W235
K236
R237
V238
Y239
H240
L241
A242
M244
D245
N246
F247
S248
P249
I249
S250
Q251
E252
L253
L254
L255
G256
V257
W258
N259
A260
L261
E262
N263
V264
T265
W266
Y267
P268
T269
V270
D271
C272
V273
L274
S275
D276
L277
E278
A279
A280
A281
C282
L283
L284
A285

A286
Y287
G288
H289
A290
L291
W292
E293
R294
R295
D296
P297
P298
D299
S300
V301
A302
T303
V304
L305
G306
E307
L308
P309
Q310
Q311
L312
P313
R314
L315
A316
D317
D318
V319
S320
R321
E322
I323
A324
A325
W326
E327
G328
PRO
VAL
GLN
ALA
ALA
G333
N334
N335
Y336
Y337
A338
Y339
R340
D341
S342
P343
D344
L345

R346
Y347
Y348
N349
P350
LEU
SER
GLY
GLY
ARG
H356
Y357
H358
P359
G360
T361
F362
D363
H365
V366
L367
V368
R369
L370
F371
H372
K373
L374
R374
G375
V376
I377
Q378
D379
L380
P381
G382
G384
THR
ILE
THR
GLU
GLU
LEU
VAL
GLN
GLU
ARG
LEU
SER
GLY
GLN
VAL
D401
D402
V403
L404
S405

L406
W407
S408
R409
R410
L411
L412
V413
G414
K415
L416
G417
R418
D419
V420
P421
V422
V423
V424
H425
E426
Q427
Q428
Y429
L430
R431
S432
G433
L434
T435
A436
L437
A438
G439
L440
L441
L442
L443
W444
K445
V446
T447
M448
A449
D450
S451
V452
F453
A454
P455
R456
T457
G458
K459
P460
T461
L462
A463
D464
L465

L466
G467
S468
D469
A470
V471
ALA
GLY
GLY
GLY
PRO
GLY
ARG
D539
P540
S541
R542
ARG
GLU
GLY
TYR
GLY
GLY
GLY
HIS
GLY
ASP
GLY
GLY
GLY
R496
R496
M497
F498
E499
F500
L501
V502
R503
Y504
Y505
I506
G507
W509
A511
R512
D513
P514
A515
V516
T517
L518
S519
Q520
L521
F522
G524
L525


A526
L527
L528
A529
L530
T531
E532
S533
V534
R535
S536
G537
M538
D539
P540
S541
R542
ARG
GLU
GLY
ASP
SER
ALA
ALA
GLY
GLY
GLY
ASP
GLY
GLY
GLY
R496
R496
M497
F498
E499
F500
L501
V502
R503
Y504
Y505
I506
G507
W509
A511
R512
D513
P514
A515
V516
T517
L518
S519
Q520
L521
F522
G524
L525

V586
H587
D588
A589
L590
L591
F592
H593
Y594
E595
H596
G597
L598
G599
R600
L601
L602
S603
V604
T605
L606
P607
R608
H609
R610
V611
S612
L613
L614
G615
S616
S617
L618
F619
N620
V621
N622
D623
I624
Y625
E626
L627
L628
Y629
F630
L631
V632
L633
G634
F635
L636
P637
S638
V639
A640
V641
L642



• Molecule 3: Capsid vertex component 2




MET
S2
L3
L4
F7
P11
F16
H19
E20
V23
E29
V30
L34
D37
T41
M42
R43
G44
G45
GLY
TRP
ARG
GLU
GLU
ASP
VAL
VAL
LEU
LEU
MET
D54
R55
V56
R57
K58
R59
L61
L61
R62
Q63
L68
R71
V72
Y75
L79
E80
G81
R82
E85




• Molecule 5: Major capsid protein






• Molecule 5: Major capsid protein







• Molecule 5: Major capsid protein






• Molecule 5: Major capsid protein






• Molecule 5: Major capsid protein


Chain L: 84% 15%



• Molecule 5: Major capsid protein

Chain M: 6% 82% 16%






• Molecule 6: Small capsomere-interacting protein




• Molecule 6: Small capsomere-interacting protein




• Molecule 6: Small capsomere-interacting protein




• Molecule 6: Small capsomere-interacting protein




• Molecule 6: Small capsomere-interacting protein




• Molecule 6: Small capsomere-interacting protein




• Molecule 7: Triplex capsid protein 1



• Molecule 7: Triplex capsid protein 1





• Molecule 8: Triplex capsid protein 2









• Molecule 8: Triplex capsid protein 2



• Molecule 8: Triplex capsid protein 2



• Molecule 8: Triplex capsid protein 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C5	Depositor
Number of particles used	35055	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47.2	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.035	Depositor
Minimum map value	-0.023	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.005	Depositor
Map size (Å)	489.6, 489.6, 489.6	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.36, 1.36, 1.36	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/5975	0.51	0/8149
1	C	0.26	0/5787	0.54	1/7885 (0.0%)
2	B	0.25	0/4082	0.52	1/5535 (0.0%)
2	D	0.27	0/3768	0.51	0/5111
3	E	0.25	0/4015	0.52	0/5453
3	F	0.24	0/4090	0.50	1/5557 (0.0%)
4	G	0.25	0/3962	0.60	0/5371
5	H	0.33	0/10653	0.62	7/14508 (0.0%)
5	I	0.31	0/10949	0.59	5/14916 (0.0%)
5	J	0.29	0/10682	0.55	2/14553 (0.0%)
5	K	0.30	0/10527	0.58	6/14339 (0.0%)
5	L	0.28	0/10949	0.54	3/14916 (0.0%)
5	M	0.25	0/10949	0.51	0/14916
6	N	0.23	0/520	0.53	0/697
6	O	0.23	0/520	0.51	0/697
6	P	0.23	0/520	0.56	0/697
6	Q	0.25	0/520	0.57	0/697
6	R	0.24	0/520	0.58	0/697
6	S	0.23	0/520	0.53	0/697
7	T	0.25	0/1960	0.56	1/2658 (0.0%)
7	W	0.33	0/2374	0.62	0/3221
8	U	0.25	0/2361	0.51	0/3206
8	V	0.27	0/2333	0.57	0/3164
8	X	0.25	0/2379	0.51	0/3230
8	Y	0.25	0/2305	0.54	0/3126
9	Z	0.25	0/2358	0.53	0/3182
All	All	0.28	0/115578	0.55	27/157178 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	H	0	1
5	J	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	555	ARG	NE-CZ-NH2	10.46	125.53	120.30
5	H	1195	ARG	NE-CZ-NH2	10.05	125.33	120.30
5	K	988	ARG	NE-CZ-NH2	8.23	124.41	120.30
5	K	555	ARG	NE-CZ-NH2	7.65	124.12	120.30
5	K	1195	ARG	NE-CZ-NH2	7.28	123.94	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	H	611	TYR	Sidechain
5	J	555	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5833	0	5848	153	0
1	C	5651	0	5691	129	0
2	B	3993	0	3925	121	0
2	D	3685	0	3611	95	0
3	E	3915	0	3838	84	0
3	F	3986	0	3912	65	0
4	G	3873	0	3792	48	0
5	H	10406	0	10362	127	0
5	I	10693	0	10635	162	0
5	J	10433	0	10379	133	0
5	K	10282	0	10238	118	0
5	L	10693	0	10635	137	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	M	10693	0	10635	147	0
6	N	513	0	539	8	0
6	O	513	0	539	8	0
6	P	513	0	539	10	0
6	Q	513	0	539	9	0
6	R	513	0	539	9	0
6	S	513	0	539	5	0
7	T	1919	0	1957	20	0
7	W	2325	0	2363	21	0
8	U	2317	0	2405	35	0
8	V	2292	0	2379	42	0
8	X	2334	0	2431	25	0
8	Y	2266	0	2355	25	0
9	Z	2320	0	2351	23	0
All	All	112987	0	112976	1638	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1638 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:K:1327:THR:HG21	5:K:1333:MET:HB2	1.58	0.83
5:M:446:LEU:HD21	5:M:1024:THR:HG21	1.61	0.83
1:A:1553:PRO:HB3	2:B:402:ILE:HA	1.62	0.80
5:H:446:LEU:HD11	5:H:1021:VAL:HG23	1.64	0.80
1:C:1700:VAL:HG11	1:C:1750:ILE:HG21	1.66	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	711/2241 (32%)	685 (96%)	26 (4%)	0	100	100
1	C	681/2241 (30%)	657 (96%)	24 (4%)	0	100	100
2	B	488/983 (50%)	476 (98%)	12 (2%)	0	100	100
2	D	445/983 (45%)	436 (98%)	9 (2%)	0	100	100
3	E	468/642 (73%)	461 (98%)	7 (2%)	0	100	100
3	F	478/642 (74%)	467 (98%)	11 (2%)	0	100	100
4	G	468/594 (79%)	446 (95%)	22 (5%)	0	100	100
5	H	1305/1370 (95%)	1255 (96%)	47 (4%)	3 (0%)	44	75
5	I	1346/1370 (98%)	1291 (96%)	55 (4%)	0	100	100
5	J	1313/1370 (96%)	1245 (95%)	66 (5%)	2 (0%)	44	75
5	K	1292/1370 (94%)	1238 (96%)	53 (4%)	1 (0%)	48	79
5	L	1346/1370 (98%)	1280 (95%)	65 (5%)	1 (0%)	48	79
5	M	1346/1370 (98%)	1284 (95%)	61 (4%)	1 (0%)	48	79
6	N	61/75 (81%)	59 (97%)	2 (3%)	0	100	100
6	O	61/75 (81%)	58 (95%)	3 (5%)	0	100	100
6	P	61/75 (81%)	60 (98%)	1 (2%)	0	100	100
6	Q	61/75 (81%)	59 (97%)	2 (3%)	0	100	100
6	R	61/75 (81%)	61 (100%)	0	0	100	100
6	S	61/75 (81%)	57 (93%)	4 (7%)	0	100	100
7	T	236/290 (81%)	228 (97%)	8 (3%)	0	100	100
7	W	288/290 (99%)	274 (95%)	14 (5%)	0	100	100
8	U	288/306 (94%)	281 (98%)	7 (2%)	0	100	100
8	V	282/306 (92%)	262 (93%)	18 (6%)	2 (1%)	19	53
8	X	291/306 (95%)	281 (97%)	10 (3%)	0	100	100
8	Y	279/306 (91%)	266 (95%)	11 (4%)	2 (1%)	19	53
9	Z	282/1048 (27%)	270 (96%)	12 (4%)	0	100	100
All	All	13999/19848 (70%)	13437 (96%)	550 (4%)	12 (0%)	50	79

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	H	764	GLU
8	Y	297	ASN
5	J	377	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	L	377	LYS
8	V	297	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	647/1941 (33%)	646 (100%)	1 (0%)	92	97
1	C	626/1941 (32%)	626 (100%)	0	100	100
2	B	431/837 (52%)	430 (100%)	1 (0%)	92	97
2	D	400/837 (48%)	397 (99%)	3 (1%)	79	88
3	E	417/526 (79%)	416 (100%)	1 (0%)	92	97
3	F	423/526 (80%)	422 (100%)	1 (0%)	92	97
4	G	398/500 (80%)	397 (100%)	1 (0%)	91	96
5	H	1144/1192 (96%)	1138 (100%)	6 (0%)	86	93
5	I	1175/1192 (99%)	1173 (100%)	2 (0%)	92	97
5	J	1146/1192 (96%)	1144 (100%)	2 (0%)	92	97
5	K	1131/1192 (95%)	1128 (100%)	3 (0%)	91	96
5	L	1175/1192 (99%)	1174 (100%)	1 (0%)	92	97
5	M	1175/1192 (99%)	1174 (100%)	1 (0%)	92	97
6	N	59/68 (87%)	59 (100%)	0	100	100
6	O	59/68 (87%)	58 (98%)	1 (2%)	56	75
6	P	59/68 (87%)	59 (100%)	0	100	100
6	Q	59/68 (87%)	59 (100%)	0	100	100
6	R	59/68 (87%)	59 (100%)	0	100	100
6	S	59/68 (87%)	59 (100%)	0	100	100
7	T	209/252 (83%)	208 (100%)	1 (0%)	86	93
7	W	252/252 (100%)	250 (99%)	2 (1%)	79	88
8	U	262/273 (96%)	261 (100%)	1 (0%)	89	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	V	260/273 (95%)	259 (100%)	1 (0%)	89	95
8	X	263/273 (96%)	263 (100%)	0	100	100
8	Y	257/273 (94%)	256 (100%)	1 (0%)	89	95
9	Z	255/883 (29%)	254 (100%)	1 (0%)	89	95
All	All	12400/17147 (72%)	12369 (100%)	31 (0%)	90	96

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	I	36	ARG
7	W	40	HIS
5	J	1247	ARG
8	Y	75	ARG
7	T	136	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 40 such sidechains are listed below:

Mol	Chain	Res	Type
5	K	965	HIS
5	M	919	ASN
5	L	649	HIS
5	M	278	ASN
5	M	1133	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41194. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180



Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 235




Y Index: 218




Z Index: 203


6.3.2 Raw map



X Index: 233



Y Index: 221




Z Index: 189


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.005. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4271 nm³; this corresponds to an approximate mass of 3858 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.49	4.08	3.55
Unmasked-calculated*	3.89	6.15	4.00

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.89 differs from the reported value 3.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41194 and PDB model 8STEP. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).























































9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5980	 0.3740
A	 0.3660	 0.2590
B	 0.3970	 0.2380
C	 0.1390	 0.1570
D	 0.1140	 0.1200
E	 0.2180	 0.2180
F	 0.1150	 0.1960
G	 0.7370	 0.4310
H	 0.7570	 0.4380
I	 0.7440	 0.4340
J	 0.6960	 0.4280
K	 0.7470	 0.4340
L	 0.7190	 0.4320
M	 0.6800	 0.4260
N	 0.6930	 0.3750
O	 0.7210	 0.4110
P	 0.5840	 0.3640
Q	 0.6730	 0.3730
R	 0.5940	 0.3800
S	 0.5120	 0.3750
T	 0.6480	 0.4150
U	 0.7190	 0.4300
V	 0.7250	 0.4310
W	 0.7210	 0.4410
X	 0.6620	 0.4320
Y	 0.6510	 0.4240
Z	 0.6320	 0.4060

