

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 24, 2024 – 06:03 PM EDT

PDB ID : 4J6W

Title : Crystal structure of HFQ from Pseudomonas aeruginosa in complex with CTP

Authors: Nikulin, A.D.; Murina, V.; Lekontseva, N.

Deposited on : 2013-02-12

Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.37.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.37.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}({\rm \AA})) \end{array}$
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
1	A	82	72%	9% • 18%						
1	В	82	70%	10% • 20%						
1	С	82	66%	13% • 20%						
1	D	82	65%	11% • 21%						
1	Е	82	67%	11% •• 20%						

Continued on next page...



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Length	Quality of chain		
1	F	82	70%	13%	16%



# 2 Entry composition (i)


There are 9 unique types of molecules in this entry. The entry contains 3869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Protein hfq.

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace
1	A	67	Total	С	N	О	S	0	1	0
1	Λ	01	546	353	96	96	1	U	1	U
1	В	66	Total	С	N	Ο	S	0	1	0
1	Ъ	00	540	349	94	96	1	U	1	0
1	С	66	Total	С	N	О	S	0	1	0
1		00	539	347	97	94	1	U		
1	D	65	Total	С	N	О	S	0	0	0
1	D	0.5	526	339	93	93	1	U		
1	Е	66	Total	С	N	О	S	0	2	0
1		00	546	350	99	96	1	U		
1	F	69	Total	С	N	О	S	0	1	0
	Г		559	359	99	100	1	U	1	$\begin{vmatrix} 0 \end{vmatrix}$


• Molecule 2 is CYTIDINE-5'-TRIPHOSPHATE (three-letter code: CTP) (formula:  $C_9H_{16}N_3O_{14}P_3$ ).





Mol	Chain	Residues		At	oms	,		ZeroOcc	AltConf	
2	A	1	Total	С	N	О	Р	0	0	
	Λ		29	9	3	14	3		0	
2	В	1	Total	С	N	О	Р	0	0	
2	Ъ	1	29	9	3	14	3		0	
2	С	1	Total	С	N	О	Р	0	0	
2		1	29	9	3	14	3			
2	D	1	Total	С	N	О	Р	0	0	
2	D	1	29	9	3	14	3			
2	Е	1	Total	С	N	О	Р	0	0	
	<u> 1</u> 2	1	29	9	3	14	3			
2	F	1	Total	С	N	О	Р	0	0	
	F.	1	29	9	3	14	3		U	

• Molecule 3 is CYTIDINE-5'-MONOPHOSPHATE (three-letter code: C5P) (formula:  $C_9H_{14}N_3O_8P$ ).



Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	
3	Δ	1	Total	С	N	О	Р	0	0	
			21	9	3	8	1	0	0	
3	$\mathbf{C}$	1	Total	$\mathbf{C}$	N	Ο	Р	0	0	
J	O	1	21	9	3	8	1	0	0	
3	D	1	Total	С	N	Ο	Р	0	0	
3	D	1	21	9	3	8	1			
3	E	1	Total	С	N	О	Р	0	0	
3	Ľ		21	9	3	8	1		0	

 $\bullet$  Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	В	1	Total Mg 1 1	0	0
4	С	2	Total Mg 2 2	0	0
4	D	2	Total Mg 2 2	0	0
4	Е	2	Total Mg 2 2	0	0

 $\bullet$  Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Na 1 1	0	0
5	F	2	Total Na 2 2	0	0

 $\bullet$  Molecule 6 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula:  $\mathrm{C_{12}H_{26}O_{7}}).$ 




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total 19	C 12	O 7	0	0

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	Е	1	Total Cl 1 1	0	0
7	F	1	Total Cl 1 1	0	0

 $\bullet \ \ \mathrm{Molecule} \ 8 \ \mathrm{is} \ \mathrm{CYTIDINE} - 5\text{'}-\mathrm{DIPHOSPHATE} \ (\mathrm{three-letter} \ \mathrm{code} \colon \ \mathrm{CDP}) \ (\mathrm{formula:} \ \ \mathrm{C}_9\mathrm{H}_{15}\mathrm{N}_3\mathrm{O}_{11}\mathrm{P}_2).$ 



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
Q	Ŀ	1	Total	С	N	О	Р	0	0
0	Г	1	25	9	3	11	2		0

#### • Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	66	Total O 66 66	0	0
9	В	49	Total O 49 49	0	0
9	С	50	Total O 50 50	0	0
9	D	42	Total O 42 42	0	0
9	Е	38	Total O 38 38	0	0
9	F	53	Total O 53 53	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein hfq Chain A: 18% • Molecule 1: Protein hfq Chain B: • Molecule 1: Protein hfq 66% 13% 20% • Molecule 1: Protein hfq Chain D: 65% 11% 21% • Molecule 1: Protein hfq Chain E: 67% 11% 20% • Molecule 1: Protein hfq







# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	61.28Å 74.55Å 109.61Å	Donositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 - 1.80	Depositor
Resolution (A)	47.34 - 1.70	EDS
% Data completeness	99.5 (50.00-1.80)	Depositor
(in resolution range)	96.8 (47.34-1.70)	EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.06	Depositor
$< I/\sigma(I) > 1$	1.77 (at 1.70Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
D D.	0.193 , 0.241	Depositor
$R, R_{free}$	0.195 , $0.241$	DCC
$R_{free}$ test set	2773 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.1	Xtriage
Anisotropy	0.391	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.38, 57.5	EDS
L-test for twinning <sup>2</sup>	$< L >=0.38, < L^2>=0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3869	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 7.86% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, CDP, NA, C5P, CTP, P6G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
MIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.41	0/560	0.58	0/761	
1	В	0.42	0/553	0.60	0/750	
1	С	0.43	0/555	0.60	0/752	
1	D	0.47	0/536	0.60	0/727	
1	Е	0.45	0/559	0.59	0/757	
1	F	0.41	0/570	0.58	0/774	
All	All	0.43	0/3333	0.59	0/4521	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintenain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1
1	Е	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group	
1	В	47	LYS	Peptide	
1	Е	47	LYS	Peptide	



#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	546	0	576	8	0
1	В	540	0	569	7	0
1	С	539	0	568	11	0
1	D	526	0	552	10	0
1	Ε	546	0	573	15	0
1	F	559	0	583	11	0
2	A	29	0	12	0	0
2	В	29	0	12	2	0
2	С	29	0	12	2	0
2	D	29	0	12	1	0
2	Ε	29	0	12	1	0
2	F	29	0	12	1	0
3	A	21	0	12	0	0
3	С	21	0	12	6	0
3	D	21	0	12	2	0
3	Ε	21	0	12	3	0
4	A	1	0	0	0	0
4	В	1	0	0	0	0
4	С	2	0	0	0	0
4	D	2	0	0	0	0
4	Ε	2	0	0	0	0
5	A	1	0	0	0	0
5	F	2	0	0	0	0
6	D	19	0	25	1	0
7	E	1	0	0	0	0
7	F	1	0	0	1	0
8	F	25	0	12	3	0
9	A	66	0	0	3	1
9	В	49	0	0	1	1
9	С	50	0	0	2	0
9	D	42	0	0	2	0
9	E	38	0	0	5	0
9	F	53	0	0	3	0
All	All	3869	0	3578	67	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.



All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

		Interatomic	Clash		
Atom-1	Atom-2	$\mathbf{distance} \ (\mathbf{\mathring{A}})$	overlap(Å)		
1:C:5:HIS:NE2	3:C:102:C5P:N3	2.22	0.87		
3:C:102:C5P:H5'2	3:C:102:C5P:H6	1.56	0.86		
3:C:102:C5P:H3'	8:F:101:CDP:O2A	1.78	0.83		
1:E:19[A]:ARG:NH1	9:E:220:HOH:O	2.14	0.81		
3:E:101:C5P:O2P	9:E:229:HOH:O	2.02	0.75		
1:C:19[B]:ARG:NH1	9:C:245:HOH:O	2.22	0.71		
1:A:56:LYS:NZ	9:A:250:HOH:O	2.22	0.70		
1:A:7:LEU:HD12	1:A:71:PRO:HG2	1.79	0.65		
1:E:66:ARG:NH1	9:E:233:HOH:O	2.30	0.65		
1:D:49:THR:O	9:D:234:HOH:O	2.14	0.64		
2:E:102:CTP:O2A	9:E:217:HOH:O	2.15	0.63		
1:D:40:ASP:HB2	1:F:5:HIS:HD2	1.64	0.62		
1:A:48[A]:ASN:HA	9:A:263:HOH:O	2.00	0.62		
8:F:101:CDP:O1B	9:F:228:HOH:O	2.16	0.62		
1:C:25:TYR:HB2	1:C:61:THR:HG22	1.87	0.56		
1:B:5:HIS:HE1	2:B:101:CTP:HN41	1.52	0.56		
1:C:56:LYS:HB3	3:C:102:C5P:O3'	2.05	0.56		
1:C:61:THR:HG21	9:F:202:HOH:O	2.05	0.56		
1:E:5:HIS:CD2	1:E:6:SER:H	2.25	0.55		
1:E:4:GLY:N	3:E:101:C5P:HN41	2.06	0.54		
2:C:101:CTP:O2B	2:C:101:CTP:H5'1	2.09	0.53		
1:D:47:LYS:O	1:D:48:ASN:HB2	2.10	0.52		
3:D:101:C5P:H6	3:D:101:C5P:H5'1	1.90	0.52		
1:A:7:LEU:HD21	1:E:45:LEU:HB2	1.92	0.51		
1:B:5:HIS:CE1	2:B:101:CTP:HN41	2.28	0.51		
1:D:40:ASP:OD2	1:F:5:HIS:HB3	2.11	0.50		
1:F:37:GLU:HG2	1:F:45:LEU:HD23	1.94	0.50		
1:B:48:ASN:ND2	9:B:233:HOH:O	2.21	0.49		
1:D:50:VAL:HA	9:D:234:HOH:O	2.12	0.49		
3:C:102:C5P:O3P	3:E:101:C5P:H3'	2.13	0.49		
1:C:5:HIS:ND1	1:C:9:ASP:OD1	2.46	0.48		
1:C:40:ASP:OD2	1:E:5:HIS:HB3	2.12	0.48		
1:E:5:HIS:CG	1:E:6:SER:H	2.31	0.48		
1:C:40:ASP:HB2	1:E:5:HIS:ND1	2.29	0.48		
2:C:101:CTP:O3G	9:C:243:HOH:O	2.20	0.48		
1:A:45:LEU:HD11	1:A:51:SER:HB3	1.95	0.47		
1:A:70:LEU:HD22	1:E:45:LEU:HD21	1.97	0.47		
1:D:41:GLN:HE21	1:F:5:HIS:CE1	2.31	0.47		
6:D:103:P6G:O1	6:D:103:P6G:H141	2.14	0.47		
1:C:5:HIS:HB3	9:F:236:HOH:O	2.15	0.47		

Continued on next page...



Continued from previous page...

A. 1	A. 0	Interatomic	Clash	
Atom-1	Atom-2	${ m distance} \; ({ m \AA})$	overlap (Å)	
1:D:9:ASP:HB2	1:D:10:PRO:HD3	1.97	0.46	
1:B:47:LYS:HD3	1:B:51:SER:OG	2.16	0.45	
1:C:9:ASP:HB2	1:C:10:PRO:HD3	1.99	0.45	
1:E:47:LYS:HE3	1:E:48[B]:ASN:HA	1.99	0.45	
1:F:48[B]:ASN:ND2	1:F:49:THR:HG22	2.31	0.45	
1:E:56:LYS:NZ	9:E:211:HOH:O	2.49	0.45	
1:B:37[A]:GLU:HB3	1:B:45:LEU:HD23	1.98	0.44	
1:D:45:LEU:HD22	1:D:51:SER:HB3	1.99	0.44	
3:C:102:C5P:H5'1	8:F:101:CDP:PA	2.58	0.44	
1:D:45:LEU:HD12	1:F:7:LEU:HD11	1.99	0.44	
1:B:56:LYS:HA	1:B:59:ILE:HD12	2.00	0.44	
1:B:37[B]:GLU:HB3	1:B:45:LEU:HD23	1.99	0.43	
1:A:48[B]:ASN:HB2	1:A:49:THR:H	1.49	0.43	
1:F:4:GLY:HA2	1:F:5:HIS:HA	1.82	0.43	
1:F:7:LEU:HD12	1:F:71:PRO:HG2	2.01	0.43	
1:D:5:HIS:NE2	3:D:101:C5P:N4	2.67	0.42	
9:A:207:HOH:O	1:E:51:SER:HB2	2.19	0.42	
1:F:37:GLU:HB2	1:F:47:LYS:HE3	2.01	0.42	
2:F:102:CTP:H5'1	2:F:102:CTP:O3B	2.18	0.42	
1:C:48:ASN:O	1:C:49:THR:OG1	2.34	0.41	
2:D:102:CTP:O3B	2:D:102:CTP:H5'1	2.19	0.41	
1:E:37:GLU:HB2	1:E:47:LYS:HB2	2.02	0.41	
1:E:47:LYS:HG2	1:E:51:SER:OG	2.21	0.40	
1:F:25:TYR:CZ	1:F:31:LYS:HD2	2.56	0.40	
1:F:67:PRO:HA	7:F:103:CL:CL	2.59	0.40	

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$egin{aligned}  ext{Clash} \  ext{overlap } ( ext{Å}) \end{aligned}$
9:A:227:HOH:O	9:B:219:HOH:O[4_466]	2.11	0.09

# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	66/82 (80%)	63 (96%)	3 (4%)	0	100 100
1	В	65/82 (79%)	63 (97%)	2 (3%)	0	100 100
1	С	65/82 (79%)	62 (95%)	2 (3%)	1 (2%)	10 2
1	D	63/82 (77%)	60 (95%)	1 (2%)	2 (3%)	4 0
1	Е	66/82 (80%)	61 (92%)	3 (4%)	2 (3%)	4 0
1	F	68/82 (83%)	64 (94%)	2 (3%)	2 (3%)	4 0
All	All	393/492 (80%)	373 (95%)	13 (3%)	7 (2%)	12 2

#### All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	48	ASN
1	D	48	ASN
1	D	49	THR
1	F	48[A]	ASN
1	F	48[B]	ASN
1	Ε	48[A]	ASN
1	Ε	48[B]	ASN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	65/74~(88%)	64 (98%)	1 (2%)	65	56
1	В	64/74 (86%)	63 (98%)	1 (2%)	62	54
1	С	64/74 (86%)	62 (97%)	2 (3%)	40	25
1	D	62/74 (84%)	60 (97%)	2 (3%)	39	25
1	E	64/74 (86%)	63 (98%)	1 (2%)	62	54
1	F	66/74 (89%)	66 (100%)	0	100	100
All	All	385/444 (87%)	378 (98%)	7 (2%)	59	48



A 11	$\langle - \rangle$	• 1	• . 1			• 1	1 .		1. / 1	1 1
$A \Pi $	(7)	residiles	with	a.	non-rotameric	sidec	hain	are	listed	pelow.
	· ,	I CDIG GCD	** 1011	$\sim$	IIOII IOCOIIICIIC	DIGEOU.	IICUIII	COL C	IID CCC	OCIOII.

Mol	Chain	Res	Type
1	A	49	THR
1	В	69	ARG
1	С	6	SER
1	С	69	ARG
1	D	37	GLU
1	D	47	LYS
1	Е	47	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	HIS
1	A	41	GLN
1	В	5	HIS
1	D	41	GLN
1	Е	41	GLN
1	F	5	HIS
1	F	52	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

# 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

# 5.6 Ligand geometry (i)

Of 25 ligands modelled in this entry, 13 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuno	Chain	Res	Link	Вс	ond leng	ths	В	ond ang	eles
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	СТР	С	101	-	26,30,30	0.88	1 (3%)	39,47,47	1.06	3 (7%)
3	C5P	D	101	4,5	22,22,22	0.61	0	33,33,33	0.93	1 (3%)
3	C5P	Е	101	4	22,22,22	0.62	0	33,33,33	0.54	0
6	P6G	D	103	5	18,18,18	0.45	0	17,17,17	0.49	0
2	CTP	A	101	-	26,30,30	0.82	0	39,47,47	1.18	3 (7%)
2	CTP	Е	102	-	26,30,30	0.85	0	39,47,47	1.08	3 (7%)
2	CTP	F	102	-	26,30,30	0.80	0	39,47,47	1.00	2 (5%)
3	C5P	С	102	4	22,22,22	0.63	0	33,33,33	2.21	6 (18%)
8	CDP	F	101	4,5	24,26,26	0.83	0	37,40,40	1.09	2 (5%)
2	CTP	В	101	4	26,30,30	0.93	0	39,47,47	1.00	3 (7%)
2	CTP	D	102	-	26,30,30	0.82	0	39,47,47	1.11	4 (10%)
3	C5P	A	102	4	22,22,22	0.60	0	33,33,33	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CTP	С	101	-	-	4/22/38/38	0/2/2/2
3	C5P	D	101	4,5	-	1/10/26/26	0/2/2/2
3	C5P	Е	101	4	-	3/10/26/26	0/2/2/2
6	P6G	D	103	5	-	10/16/16/16	-
2	CTP	A	101	-	-	4/22/38/38	0/2/2/2
2	CTP	Е	102	-	-	8/22/38/38	0/2/2/2
2	CTP	F	102	-	-	4/22/38/38	0/2/2/2
3	C5P	С	102	4	-	4/10/26/26	0/2/2/2
8	CDP	F	101	4,5	-	3/16/32/32	0/2/2/2
2	CTP	В	101	4	-	4/22/38/38	0/2/2/2
2	CTP	D	102	-	-	7/22/38/38	0/2/2/2
3	C5P	A	102	4	-	1/10/26/26	0/2/2/2

All (1) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	Ideal(A)
2	С	101	CTP	C6-C5	2.14	1.40	1.35

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	С	102	C5P	O3P-P-O1P	-6.57	84.98	110.68
3	С	102	C5P	O3P-P-O5'	-5.96	90.88	106.73
3	С	102	C5P	O2P-P-O3P	-5.27	87.49	107.64
3	С	102	C5P	O2P-P-O1P	4.29	127.48	110.68
2	С	101	CTP	PB-O3B-PG	-3.74	119.98	132.83
3	С	102	C5P	O2P-P-O5'	3.72	116.63	106.73
3	С	102	C5P	O5'-P-O1P	3.18	115.38	106.47
2	D	102	CTP	PB-O3B-PG	-3.17	121.94	132.83
2	D	102	CTP	PB-O3A-PA	-3.11	122.16	132.83
2	A	101	CTP	PB-O3B-PG	-2.80	123.23	132.83
2	F	102	CTP	PB-O3A-PA	-2.75	123.40	132.83
2	С	101	CTP	PB-O3A-PA	-2.69	123.59	132.83
2	Ε	102	CTP	PB-O3A-PA	-2.69	123.61	132.83
2	Ε	102	CTP	PB-O3B-PG	-2.47	124.34	132.83
2	В	101	CTP	PB-O3B-PG	-2.40	124.60	132.83
2	A	101	CTP	PB-O3A-PA	-2.36	124.74	132.83
2	D	102	CTP	C3'-C2'-C1'	2.34	105.86	101.43
8	F	101	CDP	O2B-PB-O3B	2.33	116.54	107.64
8	F	101	CDP	O2A-PA-O1A	2.18	123.03	112.24
2	В	101	CTP	O2G-PG-O3B	2.14	111.82	104.64
2	Е	102	CTP	O2G-PG-O3B	2.13	111.79	104.64
2	D	102	CTP	O2-C2-N3	-2.07	118.97	122.33
2	С	101	CTP	C3'-C2'-C1'	2.06	105.34	101.43
2	В	101	CTP	C5'-C4'-C3'	-2.06	107.48	115.18
2	F	102	CTP	PB-O3B-PG	-2.04	125.82	132.83
3	D	101	C5P	O2P-P-O1P	2.03	118.65	110.68
2	A	101	CTP	C3'-C2'-C1'	2.01	105.24	101.43

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	101	CTP	C3'-C4'-C5'-O5'
2	A	101	CTP	O4'-C4'-C5'-O5'
2	В	101	CTP	C5'-O5'-PA-O3A
2	С	101	CTP	PB-O3B-PG-O2G
2	С	101	CTP	PB-O3B-PG-O3G

Continued on next page...



Continued from previous page...

Mol	nued fron Chain	Res	$\overline{ ext{Type}}$	Atoms
2	D	102	CTP	C5'-O5'-PA-O1A
2	D	102	CTP	C5'-O5'-PA-O3A
$\frac{2}{2}$	D	102	CTP	PB-O3B-PG-O2G
2	E	102	CTP	C5'-O5'-PA-O1A
2	E	102	CTP	C5'-O5'-PA-O3A
$\frac{2}{2}$	E		CTP	PB-O3B-PG-O2G
		102		
3	Е	102	CTP	PB-O3B-PG-O3G C5'-O5'-P-O3P
	С	102	C5P	
3	С	102	C5P	C5'-O5'-P-O2P
3	С	102	C5P	C3'-C4'-C5'-O5'
3	E	101	C5P	C5'-O5'-P-O3P
8	F	101	CDP	PA-O3A-PB-O3B
2	С	101	CTP	O4'-C4'-C5'-O5'
2	F	102	CTP	O4'-C4'-C5'-O5'
6	D	103	P6G	O13-C14-C15-O16
6	D	103	P6G	O4-C5-C6-O7
2	С	101	CTP	C3'-C4'-C5'-O5'
2	F	102	CTP	C3'-C4'-C5'-O5'
6	D	103	P6G	O10-C11-C12-O13
6	D	103	P6G	O1-C2-C3-O4
6	D	103	P6G	O7-C8-C9-O10
3	С	102	C5P	O4'-C4'-C5'-O5'
3	E	101	C5P	C5'-O5'-P-O1P
2	D	102	CTP	PA-O3A-PB-O1B
2	D	102	CTP	PB-O3A-PA-O5'
6	D	103	P6G	C6-C5-O4-C3
6	D	103	P6G	C8-C9-O10-C11
6	D	103	P6G	C12-C11-O10-C9
6	D	103	P6G	C11-C12-O13-C14
6	D	103	P6G	C18-C17-O16-C15
2	В	101	CTP	PG-O3B-PB-O2B
2	Ε	102	CTP	PG-O3B-PB-O2B
3	A	102	C5P	O4'-C4'-C5'-O5'
2	A	101	CTP	PB-O3A-PA-O1A
3	Е	101	C5P	C5'-O5'-P-O2P
2	D	102	CTP	PB-O3B-PG-O1G
8	F	101	CDP	PA-O3A-PB-O1B
3	D	101	C5P	O4'-C4'-C5'-O5'
2	D	102	CTP	PB-O3B-PG-O3G
2	В	101	CTP	PG-O3B-PB-O1B
2	Е	102	CTP	PB-O3A-PA-O1A
2	Е	102	CTP	PB-O3A-PA-O2A
			l	

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	F	102	CTP	PB-O3A-PA-O2A
2	A	101	CTP	C5'-O5'-PA-O1A
2	В	101	CTP	C5'-O5'-PA-O2A
2	Е	102	CTP	C5'-O5'-PA-O2A
2	F	102	CTP	C5'-O5'-PA-O1A
8	F	101	CDP	C5'-O5'-PA-O1A


There are no ring outliers.


10 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	101	CTP	2	0
3	D	101	C5P	2	0
3	Е	101	C5P	3	0
6	D	103	P6G	1	0
2	Е	102	CTP	1	0
2	F	102	CTP	1	0
3	С	102	C5P	6	0
8	F	101	CDP	3	0
2	В	101	CTP	2	0
2	D	102	CTP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$OWAB(Å^2)$	Q<0.9
1	A	67/82 (81%)	-0.08	3 (4%) 33 27	9, 19, 39, 53	1 (1%)
1	В	66/82 (80%)	-0.12	2 (3%) 50 44	9, 20, 37, 50	0
1	С	66/82 (80%)	-0.04	1 (1%) 73 70	11, 20, 41, 57	1 (1%)
1	D	65/82 (79%)	-0.19	3 (4%) 32 26	9, 20, 39, 69	0
1	E	66/82 (80%)	0.07	4 (6%) 21 16	10, 22, 46, 80	1 (1%)
1	F	69/82 (84%)	0.03	3 (4%) 35 29	9, 23, 46, 65	3 (4%)
All	All	399/492 (81%)	-0.05	16 (4%) 38 32	9, 20, 43, 80	6 (1%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	48[A]	ASN	4.2
1	F	5	HIS	4.2
1	В	5	HIS	4.0
1	Е	69	ARG	4.0
1	Е	5	HIS	3.7
1	A	48[A]	ASN	3.6
1	Е	68	VAL	3.6
1	Е	4	GLY	3.5
1	С	50	VAL	3.4
1	D	48	ASN	3.2
1	В	70	LEU	2.9
1	A	5	HIS	2.8
1	A	50	VAL	2.5
1	F	72	SER	2.2
1	D	5	HIS	2.1
1	D	49	THR	2.1



#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
5	NA	F	105	1/1	0.46	0.14	55,55,55,55	0
3	C5P	D	101	21/21	0.67	0.21	23,30,40,46	21
3	C5P	A	102	21/21	0.78	0.20	23,31,39,41	21
3	C5P	С	102	21/21	0.80	0.17	22,34,46,51	21
2	CTP	Е	102	29/29	0.82	0.14	16,33,57,71	29
4	MG	С	104	1/1	0.85	0.07	49,49,49,49	0
2	CTP	A	101	29/29	0.85	0.15	16,33,69,84	0
2	CTP	F	102	29/29	0.86	0.13	18,42,74,87	29
5	NA	A	104	1/1	0.86	0.20	41,41,41,41	0
4	MG	A	103	1/1	0.86	0.21	40,40,40,40	0
6	P6G	D	103	19/19	0.86	0.12	24,37,46,50	0
7	CL	F	103	1/1	0.87	0.19	48,48,48,48	0
3	C5P	Е	101	21/21	0.88	0.12	19,25,33,36	21
2	CTP	С	101	29/29	0.89	0.14	16,36,64,77	29
8	CDP	F	101	25/25	0.89	0.12	16,26,35,43	25
2	CTP	D	102	29/29	0.90	0.12	13,26,56,57	0
4	MG	С	103	1/1	0.91	0.10	42,42,42,42	0
2	CTP	В	101	29/29	0.91	0.12	15,24,40,43	29
4	MG	В	102	1/1	0.91	0.06	40,40,40,40	0
5	NA	F	104	1/1	0.91	0.25	37,37,37,37	0
4	MG	D	105	1/1	0.94	0.09	43,43,43,43	0
4	MG	E	104	1/1	0.94	0.09	38,38,38,38	0
4	MG	Е	105	1/1	0.94	0.09	40,40,40,40	0
4	MG	D	104	1/1	0.97	0.13	21,21,21,21	0
7	CL	Е	103	1/1	0.97	0.13	49,49,49,49	0


The following is a graphical depiction of the model fit to experimental electron density of all




instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.















# 



















# Electron density around C5P E 101:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around CTP C 101:

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












# (AB) Electron density around CDP F 101: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around CTP D 102: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)









# 6.5 Other polymers (i)

There are no such residues in this entry.

