



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 10:10 PM EDT

PDB ID : 5K3J  
Title : Crystals structure of Acyl-CoA oxidase-2 in *Caenorhabditis elegans* bound with FAD, ascaroside-CoA, and ATP  
Authors : Zhang, X.; Li, K.; Jones, R.A.; Bruner, S.D.; Butcher, R.A.  
Deposited on : 2016-05-19  
Resolution : 2.68 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3863 (2.70-2.66)
Clashscore	141614	4210 (2.70-2.66)
Ramachandran outliers	138981	4141 (2.70-2.66)
Sidechain outliers	138945	4141 (2.70-2.66)
RSRZ outliers	127900	3780 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	674	
1	B	674	

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 10979 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-coenzyme A oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	662	5275	3344	930	974	27	0	0	0
1	B	659	5243	3323	924	969	27	0	0	0

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	432	ALA	GLU	conflict	UNP O62137
A	662	ALA	-	expression tag	UNP O62137
A	663	ALA	-	expression tag	UNP O62137
A	664	ALA	-	expression tag	UNP O62137
A	665	HIS	-	expression tag	UNP O62137
A	666	HIS	-	expression tag	UNP O62137
A	667	HIS	-	expression tag	UNP O62137
A	668	HIS	-	expression tag	UNP O62137
A	669	HIS	-	expression tag	UNP O62137
A	670	HIS	-	expression tag	UNP O62137
A	671	HIS	-	expression tag	UNP O62137
A	672	HIS	-	expression tag	UNP O62137
A	673	HIS	-	expression tag	UNP O62137
A	674	HIS	-	expression tag	UNP O62137
B	432	ALA	GLU	conflict	UNP O62137
B	662	ALA	-	expression tag	UNP O62137
B	663	ALA	-	expression tag	UNP O62137
B	664	ALA	-	expression tag	UNP O62137
B	665	HIS	-	expression tag	UNP O62137
B	666	HIS	-	expression tag	UNP O62137
B	667	HIS	-	expression tag	UNP O62137
B	668	HIS	-	expression tag	UNP O62137
B	669	HIS	-	expression tag	UNP O62137
B	670	HIS	-	expression tag	UNP O62137
B	671	HIS	-	expression tag	UNP O62137

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	672	HIS	-	expression tag	UNP O62137
B	673	HIS	-	expression tag	UNP O62137
B	674	HIS	-	expression tag	UNP O62137

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
			Total	C	N	O			P	
2	A	1	Total	53	27	9	15	2	0	0
2	B	1	Total	53	27	9	15	2	0	0

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	31	10	5	13	3	0	0
3	B	1	31	10	5	13	3	0	0

- Molecule 4 is {S}-[2-[3-[(2 {R})-4-[[[(2 {R}),3 {S}),4 {R}),5 {R}]-5-(6-aminopurin-9-yl)-4-oxidanyl-3-phosphonoxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-3,3-dimethyl-2-oxidanyl-butanoyl]amino]propanoylamino]ethyl] 5-[(2 {R}),3 {R}),5 {R}),6 {S}]-6-methyl-3,5-bis(oxidanyl)oxan-2-yl]oxypentanethioate (three-letter code: 6QA) (formula: C<sub>32</sub>H<sub>54</sub>N<sub>7</sub>O<sub>21</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total	C	N	O	P	S	0	0
			64	32	7	21	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			64	32	7	21	3	1		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Mg	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	64	Total	O	0	0
			64	64		
6	B	99	Total	O	0	0
			99	99		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Acyl-coenzyme A oxidase



- Molecule 1: Acyl-coenzyme A oxidase



Y593	L594	E595	K596	H625	L639	L645	V648	E649	K650	Y651	L652	K653	P654	H665	HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.04Å 85.57Å 106.90Å 90.00° 91.43° 90.00°	Depositor
Resolution (Å)	39.72 – 2.68 39.72 – 2.68	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.72-2.68) 99.8 (39.72-2.68)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	0.20	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.54 (at 2.69Å)	Xtrriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, $R_{free}$	0.213 , 0.245 0.227 , 0.263	Depositor DCC
$R_{free}$ test set	1938 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtrriage
Anisotropy	1.297	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 16.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.090 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	10979	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, 6QA, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/5379	0.47	0/7264
1	B	0.25	0/5347	0.46	0/7221
All	All	0.25	0/10726	0.47	0/14485

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5275	0	5299	83	0
1	B	5243	0	5249	98	0
2	A	53	0	30	3	0
2	B	53	0	30	5	0
3	A	31	0	12	1	0
3	B	31	0	12	3	0
4	A	64	0	0	0	0
4	B	64	0	0	1	0
5	B	2	0	0	0	0
6	A	64	0	0	3	0
6	B	99	0	0	6	0
All	All	10979	0	10632	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:ARG:HH11	1:B:140:ARG:CG	1.65	1.06
1:B:289:MET:HB3	1:B:293:ARG:NH2	1.74	1.03
1:B:140:ARG:HG2	1:B:140:ARG:NH1	1.51	1.00
1:A:136:GLU:O	1:A:140:ARG:HG3	1.75	0.86
1:B:470:ASP:O	1:B:471:LYS:HB3	1.77	0.84
1:B:471:LYS:HG3	1:B:471:LYS:O	1.78	0.83
1:B:441:GLN:OE1	4:B:705:6QA:C22	2.26	0.83
1:B:289:MET:HB3	1:B:293:ARG:HH22	1.48	0.79
1:B:475:THR:O	1:B:476:ASP:HB2	1.81	0.79
1:B:475:THR:O	1:B:476:ASP:CB	2.32	0.77
1:B:474:GLU:O	1:B:475:THR:CB	2.33	0.77
1:B:140:ARG:HH11	1:B:140:ARG:HG2	0.71	0.77
1:B:473:ASP:O	1:B:474:GLU:CB	2.34	0.76
1:B:279:PRO:HB2	1:B:284:ILE:HD11	1.68	0.76
1:A:329:GLU:CD	1:B:154:HIS:HE2	1.91	0.71
1:A:564:ASN:OD1	1:A:586:VAL:HG23	1.91	0.71
1:B:136:GLU:HG3	1:B:140:ARG:HD2	1.73	0.70
1:B:136:GLU:HG3	1:B:140:ARG:CD	2.22	0.69
1:B:471:LYS:O	1:B:471:LYS:CG	2.42	0.68
1:B:289:MET:HE3	1:B:293:ARG:HH22	1.60	0.67
1:A:53:PRO:HG2	1:A:54:GLU:OE2	1.96	0.65
1:B:188:PRO:HA	2:B:702:FAD:C4	2.26	0.65
1:A:320:GLN:HE21	1:B:154:HIS:HA	1.63	0.63
1:A:304:LEU:HB2	1:A:396:THR:HG23	1.80	0.63
1:B:289:MET:HB3	1:B:293:ARG:HH21	1.62	0.63
1:A:452:LEU:HD22	1:A:457:LYS:HB2	1.80	0.62
1:A:186:TRP:O	1:A:187:TRP:HB2	1.99	0.62
1:A:375:THR:OG1	1:A:378:MET:HB2	1.99	0.62
1:B:186:TRP:O	1:B:187:TRP:HB2	2.00	0.62
1:B:473:ASP:OD1	1:B:577:PHE:HE1	1.83	0.62
1:A:329:GLU:OE1	1:B:154:HIS:NE2	2.32	0.61
1:A:587:ARG:HD3	1:B:522:GLU:OE2	2.01	0.60
1:B:493:ARG:HD3	1:B:576:GLU:OE2	2.01	0.60
1:B:133:LYS:NZ	6:B:802:HOH:O	2.33	0.60
1:A:587:ARG:NH1	6:A:806:HOH:O	2.35	0.59
1:B:528:ARG:NH2	3:B:703:ATP:O1A	2.35	0.59
1:A:3:ASN:N	6:A:805:HOH:O	2.35	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:ARG:HD2	1:B:244:ASN:HB3	1.85	0.59
1:B:2:ALA:N	6:B:804:HOH:O	2.36	0.58
1:B:267:HIS:CD2	1:B:284:ILE:HG13	2.39	0.58
1:A:489:ASN:O	1:A:491:ALA:N	2.36	0.58
1:B:4:ARG:NH1	6:B:803:HOH:O	2.34	0.57
1:A:70:VAL:HG21	1:B:639:LEU:HD11	1.85	0.57
1:A:51:LYS:NZ	6:A:802:HOH:O	2.32	0.57
1:B:136:GLU:O	1:B:140:ARG:HD3	2.05	0.57
1:B:473:ASP:OD2	1:B:473:ASP:N	2.30	0.57
1:A:375:THR:OG1	1:A:378:MET:CE	2.53	0.56
1:B:113:LEU:HA	1:B:116:ALA:HB3	1.88	0.56
1:A:479:SER:O	1:A:481:ASN:N	2.39	0.56
1:A:51:LYS:HG2	1:A:52:ILE:HG13	1.87	0.55
1:A:485:LYS:O	1:A:489:ASN:ND2	2.39	0.55
1:A:659:ALA:HB1	1:B:140:ARG:O	2.06	0.55
1:A:269:LYS:HB2	1:A:277:VAL:HB	1.88	0.55
1:B:470:ASP:O	1:B:471:LYS:CB	2.53	0.54
1:A:206:ILE:HB	1:A:211:TYR:HE2	1.73	0.53
1:B:362:LEU:HD23	1:B:381:LEU:HD13	1.90	0.53
1:B:53:PRO:HG2	1:B:54:GLU:OE2	2.08	0.53
1:A:282:ALA:O	1:A:283:LYS:HB2	2.09	0.53
1:A:188:PRO:HA	2:A:701:FAD:C4	2.39	0.52
1:A:188:PRO:HB2	1:A:191:LEU:HB2	1.91	0.52
1:A:327:GLN:HG2	1:A:328:VAL:HG23	1.90	0.52
1:B:452:LEU:HA	1:B:455:ALA:HB3	1.90	0.52
1:B:289:MET:CE	1:B:293:ARG:HH22	2.21	0.52
1:B:452:LEU:HD21	1:B:458:ALA:HA	1.92	0.52
1:A:567:LEU:HD23	1:A:586:VAL:HG21	1.93	0.51
1:A:645:LEU:HB2	1:A:648:VAL:HG23	1.93	0.51
1:A:113:LEU:HA	1:A:116:ALA:HB3	1.93	0.51
1:B:36:GLU:OE1	1:B:40:ARG:NH2	2.43	0.51
1:B:308:LEU:HD13	1:B:346:LEU:HA	1.91	0.51
1:B:450:VAL:O	1:B:452:LEU:N	2.43	0.50
1:A:522:GLU:OE2	1:B:587:ARG:HD3	2.11	0.50
1:B:108:GLY:HA3	1:B:246:ALA:HB2	1.94	0.50
1:A:209:ASN:HB3	1:A:211:TYR:CE2	2.47	0.50
1:A:576:GLU:HG3	1:B:580:PHE:CE2	2.46	0.50
1:B:489:ASN:OD1	1:B:492:ARG:NH2	2.35	0.50
1:A:391:VAL:HG22	1:A:528:ARG:HG2	1.94	0.50
1:B:9:GLY:O	1:B:625:HIS:NE2	2.40	0.50
1:B:166:VAL:HB	1:B:175:VAL:HG13	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:472:SER:O	1:B:473:ASP:O	2.30	0.49
1:A:113:LEU:HD12	1:A:117:LEU:HD12	1.95	0.49
1:B:505:LEU:HD13	1:B:518:LYS:HG2	1.93	0.49
1:A:653:LYS:HB2	1:A:654:PRO:HD3	1.94	0.49
1:A:630:LEU:HD23	1:B:152:LEU:HD11	1.95	0.48
1:B:562:HIS:O	1:B:566:GLU:HG2	2.13	0.48
1:B:593:TYR:HA	1:B:596:LYS:HB2	1.94	0.48
1:B:502:PHE:HD2	6:B:806:HOH:O	1.94	0.48
1:B:456:GLY:O	1:B:458:ALA:N	2.46	0.48
1:A:444:ARG:HG2	1:A:516:TRP:CH2	2.49	0.48
1:B:126:ALA:C	1:B:266:ARG:HG2	2.34	0.48
1:B:484:VAL:O	1:B:488:GLU:HG2	2.14	0.47
1:A:472:SER:O	1:A:474:GLU:N	2.47	0.47
1:A:402:GLN:NE2	3:B:703:ATP:H1'	2.30	0.47
3:A:702:ATP:H1'	1:B:402:GLN:NE2	2.30	0.47
1:B:156:SER:HB2	2:B:702:FAD:O1A	2.15	0.47
1:B:140:ARG:CG	1:B:140:ARG:NH1	2.37	0.47
1:B:653:LYS:HB2	1:B:654:PRO:HD3	1.96	0.47
1:A:185:LYS:HB2	1:A:251:LEU:HB3	1.97	0.46
1:B:188:PRO:HB2	1:B:191:LEU:HB2	1.97	0.46
1:B:543:VAL:HA	1:B:546:ILE:HD12	1.97	0.46
1:B:490:MET:SD	1:B:574:ALA:HB2	2.55	0.46
1:B:541:ARG:O	1:B:545:ARG:HG3	2.15	0.46
1:A:562:HIS:O	1:A:566:GLU:HG2	2.16	0.46
1:B:489:ASN:HA	1:B:492:ARG:NH1	2.31	0.46
1:A:490:MET:SD	1:A:574:ALA:HB2	2.55	0.46
3:B:703:ATP:N6	6:B:813:HOH:O	2.43	0.46
1:A:24:ASP:HB3	1:A:27:LYS:HB2	1.97	0.46
1:A:145:GLY:HA2	1:A:197:TYR:O	2.16	0.46
1:A:401:GLU:HA	1:A:401:GLU:OE2	2.15	0.45
1:A:521:VAL:O	1:A:525:ARG:HG3	2.16	0.45
1:A:571:ALA:O	1:A:575:LEU:HG	2.16	0.45
1:A:82:LYS:HE3	1:A:83:TYR:CZ	2.51	0.45
1:A:547:GLU:H	1:A:547:GLU:HG2	1.47	0.45
1:A:477:LEU:HD22	1:A:477:LEU:H	1.81	0.45
1:B:273:ASP:OD1	1:B:273:ASP:N	2.41	0.45
2:B:702:FAD:O5'	2:B:702:FAD:O3'	2.30	0.45
1:A:144:ILE:HB	1:A:195:CYS:HA	1.99	0.45
1:A:651:TYR:HB2	1:B:74:THR:HG22	1.97	0.45
2:A:701:FAD:O1A	2:A:701:FAD:H8A	2.16	0.45
1:A:102:GLU:HA	1:A:614:GLN:HB2	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:292:ILE:O	1:B:296:MET:HG2	2.16	0.45
1:A:148:ALA:HA	1:A:188:PRO:CG	2.47	0.45
1:A:564:ASN:OD1	1:A:586:VAL:CG2	2.63	0.45
1:B:156:SER:CB	2:B:702:FAD:O1A	2.65	0.45
1:A:148:ALA:HA	1:A:188:PRO:HG3	1.98	0.44
1:A:338:GLN:O	1:A:342:LEU:HB2	2.17	0.44
1:A:303:PHE:O	1:A:306:HIS:HB3	2.18	0.44
1:A:239:PRO:HB2	1:B:414:MET:HG3	2.00	0.44
1:A:313:ARG:NH2	1:A:606:ASP:OD1	2.37	0.44
1:A:365:GLN:C	1:A:367:LEU:H	2.20	0.44
1:A:527:SER:O	1:A:531:THR:HG23	2.17	0.44
1:B:136:GLU:CG	1:B:140:ARG:HD2	2.45	0.44
1:A:343:PHE:HD2	1:A:594:LEU:HD12	1.84	0.43
1:B:645:LEU:HB2	1:B:648:VAL:HG23	2.00	0.43
1:A:33:TYR:HB3	1:A:38:PHE:CD2	2.54	0.42
1:A:375:THR:OG1	1:A:378:MET:HE3	2.19	0.42
1:A:434:GLU:OE1	2:A:701:FAD:O2B	2.34	0.42
1:A:66:ARG:HD3	1:A:244:ASN:HB3	2.02	0.42
1:A:74:THR:HG22	1:B:651:TYR:HB2	2.01	0.42
1:A:74:THR:HG23	1:B:652:LEU:HG	2.01	0.42
1:B:297:ALA:HA	1:B:392:VAL:HG11	2.01	0.42
1:B:473:ASP:HA	1:B:489:ASN:OD1	2.19	0.42
1:A:284:ILE:H	1:A:284:ILE:HG13	1.59	0.42
1:A:323:LEU:HD23	1:A:323:LEU:HA	1.90	0.42
1:A:208:ARG:HD3	1:A:208:ARG:C	2.40	0.42
1:B:185:LYS:HB2	1:B:251:LEU:HB3	2.02	0.42
1:A:298:MET:SD	1:A:353:ILE:HG23	2.60	0.42
1:B:77:ILE:HD12	1:B:77:ILE:HA	1.93	0.42
1:B:649:GLU:HA	1:B:653:LYS:HG3	2.01	0.42
1:A:639:LEU:HD12	1:A:639:LEU:HA	1.93	0.41
1:A:326:LYS:HB3	1:A:326:LYS:HE2	1.78	0.41
1:A:13:GLU:OE1	1:A:319:ARG:NH2	2.52	0.41
1:B:505:LEU:CD1	1:B:518:LYS:HG2	2.49	0.41
1:B:237:ILE:HG12	1:B:248:ASN:O	2.20	0.41
1:A:58:ILE:HG23	1:A:59:LYS:HG2	2.02	0.41
1:A:119:ILE:HB	1:A:120:PRO:HD3	2.03	0.41
1:B:548:ASP:OD2	1:B:551:VAL:HG23	2.21	0.41
1:A:458:ALA:O	1:A:461:LEU:HB2	2.21	0.41
1:B:248:ASN:ND2	6:B:832:HOH:O	2.54	0.41
1:A:12:PRO:HA	1:A:15:LEU:HB3	2.03	0.40
1:B:136:GLU:HG3	1:B:140:ARG:HD3	2.03	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:THR:N	1:B:253:LEU:O	2.42	0.40
1:B:358:GLU:O	1:B:362:LEU:HB2	2.21	0.40
1:B:497:LYS:O	1:B:501:LYS:HD3	2.21	0.40
1:B:281:HIS:HB3	1:B:282:ALA:H	1.61	0.40
1:A:338:GLN:NE2	2:B:702:FAD:H4B	2.36	0.40
1:A:358:GLU:O	1:A:362:LEU:HG	2.21	0.40
1:B:119:ILE:HB	1:B:120:PRO:HD3	2.03	0.40
1:B:215:PHE:O	1:B:263:LEU:HD12	2.22	0.40
1:B:586:VAL:HA	1:B:589:GLN:HB2	2.04	0.40
1:B:144:ILE:HB	1:B:195:CYS:HA	2.04	0.40
1:B:372:MET:HG2	1:B:373:GLY:H	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	660/674 (98%)	610 (92%)	34 (5%)	16 (2%)	6	13
1	B	655/674 (97%)	615 (94%)	26 (4%)	14 (2%)	7	16
All	All	1315/1348 (98%)	1225 (93%)	60 (5%)	30 (2%)	6	14

All (30) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	TRP
1	A	266	ARG
1	A	283	LYS
1	A	580	PHE
1	B	187	TRP
1	B	280	PRO
1	B	452	LEU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	457	LYS
1	B	473	ASP
1	B	474	GLU
1	B	475	THR
1	B	476	ASP
1	A	473	ASP
1	A	480	LEU
1	B	451	GLU
1	B	471	LYS
1	A	208	ARG
1	A	372	MET
1	A	490	MET
1	A	545	ARG
1	B	480	LEU
1	A	280	PRO
1	A	328	VAL
1	A	451	GLU
1	A	452	LEU
1	A	548	ASP
1	B	282	ALA
1	B	376	SER
1	B	155	GLY
1	A	155	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	562/574 (98%)	526 (94%)	36 (6%)	17 36
1	B	557/574 (97%)	522 (94%)	35 (6%)	18 37
All	All	1119/1148 (98%)	1048 (94%)	71 (6%)	18 37

All (71) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	19	ARG
1	A	66	ARG
1	A	76	LYS
1	A	208	ARG
1	A	209	ASN
1	A	234	VAL
1	A	266	ARG
1	A	268	CYS
1	A	289	MET
1	A	326	LYS
1	A	338	GLN
1	A	342	LEU
1	A	362	LEU
1	A	367	LEU
1	A	368	LYS
1	A	369	ASP
1	A	375	THR
1	A	376	SER
1	A	380	ASP
1	A	389	LYS
1	A	435	ASN
1	A	448	LYS
1	A	454	LYS
1	A	477	LEU
1	A	478	THR
1	A	485	LYS
1	A	493	ARG
1	A	500	GLU
1	A	539	PHE
1	A	547	GLU
1	A	558	LEU
1	A	576	GLU
1	A	580	PHE
1	A	588	ASP
1	A	594	LEU
1	A	653	LYS
1	B	19	ARG
1	B	76	LYS
1	B	140	ARG
1	B	175	VAL
1	B	234	VAL
1	B	266	ARG
1	B	275	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	278	LYS
1	B	283	LYS
1	B	284	ILE
1	B	320	GLN
1	B	367	LEU
1	B	368	LYS
1	B	369	ASP
1	B	371	ASP
1	B	435	ASN
1	B	452	LEU
1	B	453	ILE
1	B	466	SER
1	B	472	SER
1	B	473	ASP
1	B	477	LEU
1	B	478	THR
1	B	480	LEU
1	B	487	PHE
1	B	488	GLU
1	B	493	ARG
1	B	539	PHE
1	B	553	GLU
1	B	558	LEU
1	B	575	LEU
1	B	576	GLU
1	B	584	ASP
1	B	595	GLU
1	B	653	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	410	HIS
1	A	435	ASN
1	B	267	HIS
1	B	435	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ATP	A	702	5	26,33,33	0.92	1 (3%)	31,52,52	1.57	5 (16%)
4	6QA	A	703	-	58,67,67	3.69	18 (31%)	72,98,98	1.59	15 (20%)
2	FAD	B	702	-	53,58,58	3.76	16 (30%)	68,89,89	2.09	14 (20%)
3	ATP	B	703	5	26,33,33	0.94	1 (3%)	31,52,52	1.44	4 (12%)
4	6QA	B	705	-	58,67,67	3.71	18 (31%)	72,98,98	1.59	13 (18%)
2	FAD	A	701	-	53,58,58	3.79	16 (30%)	68,89,89	2.10	13 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	702	5	-	4/18/38/38	0/3/3/3
4	6QA	A	703	-	-	24/55/91/91	0/4/4/4
2	FAD	B	702	-	-	3/30/50/50	0/6/6/6
3	ATP	B	703	5	-	5/18/38/38	0/3/3/3
4	6QA	B	705	-	-	24/55/91/91	0/4/4/4
2	FAD	A	701	-	-	6/30/50/50	0/6/6/6

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	FAD	C2B-C1B	-16.49	1.28	1.53
2	A	701	FAD	C2B-C1B	-16.48	1.28	1.53
4	B	705	6QA	O34-C35	15.80	1.63	1.41
4	A	703	6QA	O34-C35	15.77	1.63	1.41
4	B	705	6QA	C46-C35	-15.58	1.30	1.53
4	A	703	6QA	C46-C35	-15.51	1.30	1.53
2	A	701	FAD	O4B-C1B	14.83	1.61	1.41
2	B	702	FAD	O4B-C1B	14.50	1.61	1.41
4	B	705	6QA	O34-C33	-7.53	1.28	1.45
4	A	703	6QA	O34-C33	-7.50	1.28	1.45
2	A	701	FAD	C4X-N5	7.39	1.45	1.30
2	B	702	FAD	C4X-N5	7.25	1.44	1.30
2	B	702	FAD	O4B-C4B	-6.37	1.30	1.45
4	A	703	6QA	C18-N17	6.30	1.47	1.33
4	B	705	6QA	C18-N17	6.30	1.47	1.33
2	A	701	FAD	O4B-C4B	-6.08	1.31	1.45
2	A	701	FAD	C10-N1	5.29	1.44	1.33
2	B	702	FAD	C10-N1	5.28	1.44	1.33
4	B	705	6QA	C14-N13	5.25	1.45	1.33
4	A	703	6QA	C14-N13	5.24	1.45	1.33
4	B	705	6QA	P50-O49	5.20	1.69	1.59
4	A	703	6QA	P50-O49	5.17	1.69	1.59
4	B	705	6QA	C09-S10	4.54	1.87	1.76
4	A	703	6QA	C09-S10	4.51	1.87	1.76
2	A	701	FAD	C9A-N10	4.28	1.48	1.41
2	A	701	FAD	C2-N1	4.23	1.46	1.36
2	B	702	FAD	C2-N1	4.08	1.46	1.36
2	B	702	FAD	C9A-N10	3.93	1.48	1.41
2	B	702	FAD	O3B-C3B	-3.68	1.34	1.43
2	B	702	FAD	C5X-N5	3.63	1.46	1.39
2	A	701	FAD	O3B-C3B	-3.62	1.34	1.43
4	B	705	6QA	C44-N45	3.59	1.47	1.34
4	A	703	6QA	C44-N45	3.58	1.47	1.34
2	A	701	FAD	C5X-N5	3.56	1.46	1.39
2	B	702	FAD	C2-N3	3.42	1.47	1.39
2	A	701	FAD	C10-N10	3.34	1.44	1.37
2	A	701	FAD	C2-N3	3.33	1.46	1.39
4	B	705	6QA	C15-C14	3.24	1.57	1.51
4	A	703	6QA	C15-C14	3.23	1.57	1.51
4	B	705	6QA	C08-C09	-3.23	1.47	1.50
4	A	703	6QA	C08-C09	-3.19	1.47	1.50
4	B	705	6QA	O47-C46	3.18	1.50	1.43

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	FAD	O2B-C2B	3.16	1.50	1.43
4	A	703	6QA	O47-C46	3.15	1.50	1.43
4	B	705	6QA	C63-C62	-3.14	1.47	1.52
4	A	703	6QA	C63-C62	-3.10	1.47	1.52
2	B	702	FAD	C10-N10	3.04	1.44	1.37
2	A	701	FAD	O2B-C2B	2.94	1.49	1.43
4	B	705	6QA	C63-C02	-2.73	1.48	1.52
4	A	703	6QA	C63-C02	-2.72	1.48	1.52
2	B	702	FAD	C2A-N3A	2.71	1.36	1.32
2	A	701	FAD	C2A-N3A	2.69	1.36	1.32
4	A	703	6QA	C22-C21	2.66	1.59	1.53
4	B	705	6QA	C22-C21	2.65	1.59	1.53
4	B	705	6QA	O04-C03	-2.59	1.35	1.40
4	A	703	6QA	O04-C03	-2.58	1.35	1.40
3	A	702	ATP	C5-C4	2.53	1.47	1.40
2	B	702	FAD	C5A-C4A	-2.51	1.34	1.40
2	A	701	FAD	C5A-C4A	-2.45	1.34	1.40
3	B	703	ATP	C5-C4	2.45	1.47	1.40
2	A	701	FAD	C6A-N6A	2.44	1.42	1.34
4	B	705	6QA	C32-C33	2.42	1.59	1.51
2	B	702	FAD	C6A-N6A	2.42	1.42	1.34
4	A	703	6QA	C32-C33	2.40	1.59	1.51
4	A	703	6QA	P29-O31	2.28	1.68	1.59
4	B	705	6QA	P29-O31	2.28	1.68	1.59
2	B	702	FAD	O2'-C2'	-2.09	1.38	1.43
4	A	703	6QA	O57-C14	-2.09	1.19	1.23
4	B	705	6QA	O57-C14	-2.09	1.19	1.23
2	A	701	FAD	O2'-C2'	-2.05	1.39	1.43

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	FAD	C5A-C6A-N6A	9.59	134.92	120.35
2	B	702	FAD	C5A-C6A-N6A	9.53	134.84	120.35
2	A	701	FAD	N6A-C6A-N1A	-6.46	105.17	118.57
2	B	702	FAD	N6A-C6A-N1A	-6.45	105.18	118.57
2	B	702	FAD	N3A-C2A-N1A	-5.53	120.04	128.68
2	A	701	FAD	N3A-C2A-N1A	-5.38	120.27	128.68
2	A	701	FAD	C7M-C7-C6	-5.14	110.00	119.49
4	A	703	6QA	O58-C09-C08	-4.97	118.12	123.99
4	B	705	6QA	O58-C09-C08	-4.97	118.12	123.99
2	B	702	FAD	C7M-C7-C6	-4.82	110.57	119.49

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	705	6QA	O58-C09-S10	4.39	128.31	122.61
4	A	703	6QA	O58-C09-S10	4.37	128.29	122.61
2	A	701	FAD	C7M-C7-C8	4.37	129.69	120.74
2	B	702	FAD	C7M-C7-C8	4.16	129.26	120.74
4	B	705	6QA	N41-C42-N43	-3.95	122.50	128.68
4	A	703	6QA	N41-C42-N43	-3.95	122.50	128.68
4	A	703	6QA	C11-S10-C09	3.89	113.98	101.87
4	B	705	6QA	C11-S10-C09	3.88	113.94	101.87
3	A	702	ATP	PA-O3A-PB	-3.87	119.56	132.83
3	B	703	ATP	PB-O3B-PG	-3.57	120.56	132.83
3	A	702	ATP	PB-O3B-PG	-3.52	120.76	132.83
4	B	705	6QA	C48-C46-C35	3.44	107.52	99.89
4	A	703	6QA	C48-C46-C35	3.42	107.47	99.89
4	A	703	6QA	C22-C21-C19	-3.26	103.16	108.82
2	A	701	FAD	C4-N3-C2	-3.26	119.62	125.64
4	B	705	6QA	C22-C21-C19	-3.26	103.18	108.82
3	A	702	ATP	N3-C2-N1	-3.07	123.88	128.68
2	B	702	FAD	C4-N3-C2	-3.05	120.00	125.64
3	B	703	ATP	N3-C2-N1	-3.04	123.92	128.68
4	B	705	6QA	C16-C15-C14	-2.95	107.45	112.36
4	A	703	6QA	C16-C15-C14	-2.94	107.47	112.36
2	B	702	FAD	P-O3P-PA	-2.85	123.03	132.83
3	B	703	ATP	C4-C5-N7	-2.81	106.47	109.40
3	A	702	ATP	C4-C5-N7	-2.75	106.53	109.40
4	A	703	6QA	C16-N17-C18	-2.74	117.69	122.59
4	B	705	6QA	C16-N17-C18	-2.73	117.72	122.59
2	B	702	FAD	C4X-C4-N3	2.67	119.97	113.19
2	A	701	FAD	C4X-C4-N3	2.67	119.96	113.19
2	A	701	FAD	C4X-C10-N10	2.64	120.33	116.48
2	B	702	FAD	O4-C4-C4X	-2.46	120.07	126.60
2	A	701	FAD	C10-C4X-N5	-2.46	119.64	124.86
4	B	705	6QA	C23-C21-C22	2.43	114.11	109.17
4	A	703	6QA	C23-C21-C22	2.43	114.11	109.17
2	B	702	FAD	C4X-C10-N10	2.41	120.00	116.48
2	A	701	FAD	C4X-C10-N1	-2.37	119.24	124.73
3	A	702	ATP	C3'-C2'-C1'	2.37	104.54	100.98
2	A	701	FAD	O4-C4-C4X	-2.36	120.35	126.60
3	B	703	ATP	PA-O3A-PB	-2.34	124.80	132.83
2	B	702	FAD	C10-C4X-N5	-2.33	119.91	124.86
4	B	705	6QA	O04-C03-C02	2.31	111.85	108.29
4	A	703	6QA	O04-C03-C02	2.30	111.83	108.29
4	A	703	6QA	C11-C12-N13	-2.25	107.68	112.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	705	6QA	C11-C12-N13	-2.24	107.70	112.42
4	A	703	6QA	C15-C14-N13	2.20	120.12	116.42
4	B	705	6QA	C15-C14-N13	2.18	120.10	116.42
2	A	701	FAD	P-O3P-PA	-2.13	125.52	132.83
2	A	701	FAD	C4-C4X-C10	2.12	120.35	116.79
4	A	703	6QA	C40-C39-N38	-2.09	107.22	109.40
4	B	705	6QA	C40-C39-N38	-2.06	107.25	109.40
2	B	702	FAD	C4X-C10-N1	-2.05	119.96	124.73
2	B	702	FAD	C9A-C5X-N5	-2.03	120.22	122.43
2	B	702	FAD	C8M-C8-C9	-2.01	115.77	119.49
4	A	703	6QA	C46-C48-C33	2.01	106.78	103.22
4	A	703	6QA	C32-C33-C48	-2.00	107.76	114.40

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	FAD	C5B-O5B-PA-O3P
2	B	702	FAD	C5'-O5'-P-O2P
3	B	703	ATP	O4'-C4'-C5'-O5'
4	A	703	6QA	C32-O31-P29-O30
4	A	703	6QA	C32-O31-P29-O54
4	A	703	6QA	O59-C03-O04-C05
4	A	703	6QA	C06-C05-O04-C03
4	A	703	6QA	C06-C07-C08-C09
4	A	703	6QA	C08-C09-S10-C11
4	A	703	6QA	O58-C09-S10-C11
4	A	703	6QA	C12-C11-S10-C09
4	A	703	6QA	S10-C11-C12-N13
4	A	703	6QA	C14-C15-C16-N17
4	B	705	6QA	C32-O31-P29-O30
4	B	705	6QA	C32-O31-P29-O54
4	B	705	6QA	O59-C03-O04-C05
4	B	705	6QA	C06-C05-O04-C03
4	B	705	6QA	C06-C07-C08-C09
4	B	705	6QA	C08-C09-S10-C11
4	B	705	6QA	O58-C09-S10-C11
4	B	705	6QA	C12-C11-S10-C09
4	B	705	6QA	S10-C11-C12-N13
4	B	705	6QA	C14-C15-C16-N17
3	B	703	ATP	C3'-C4'-C5'-O5'
4	A	703	6QA	C02-C03-O04-C05

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	B	705	6QA	C02-C03-O04-C05
4	A	703	6QA	C22-C21-C24-O25
4	A	703	6QA	C23-C21-C24-O25
4	B	705	6QA	C22-C21-C24-O25
4	B	705	6QA	C23-C21-C24-O25
4	B	705	6QA	O04-C05-C06-C07
4	A	703	6QA	O04-C05-C06-C07
3	A	702	ATP	O4'-C4'-C5'-O5'
4	A	703	6QA	C33-C32-O31-P29
4	B	705	6QA	C33-C32-O31-P29
4	A	703	6QA	P26-O28-P29-O31
4	B	705	6QA	P26-O28-P29-O31
2	B	702	FAD	C5'-O5'-P-O3P
3	B	703	ATP	PG-O3B-PB-O2B
2	A	701	FAD	C5B-O5B-PA-O1A
2	B	702	FAD	C5'-O5'-P-O1P
2	A	701	FAD	C3B-C4B-C5B-O5B
3	A	702	ATP	C3'-C4'-C5'-O5'
4	A	703	6QA	O31-C32-C33-C48
4	B	705	6QA	O31-C32-C33-C48
4	A	703	6QA	C19-C21-C24-O25
4	B	705	6QA	C19-C21-C24-O25
2	A	701	FAD	O4B-C4B-C5B-O5B
3	B	703	ATP	PA-O3A-PB-O3B
2	A	701	FAD	PA-O3P-P-O2P
3	A	702	ATP	PB-O3A-PA-O2A
3	B	703	ATP	PG-O3B-PB-O1B
4	A	703	6QA	P29-O28-P26-O25
4	B	705	6QA	P29-O28-P26-O25
4	A	703	6QA	C32-O31-P29-O28
4	B	705	6QA	C32-O31-P29-O28
4	A	703	6QA	O31-C32-C33-O34
4	B	705	6QA	O31-C32-C33-O34
2	A	701	FAD	PA-O3P-P-O1P
3	A	702	ATP	PG-O3B-PB-O1B
4	A	703	6QA	P26-O28-P29-O30
4	A	703	6QA	P26-O28-P29-O54
4	B	705	6QA	P26-O28-P29-O30
4	B	705	6QA	P26-O28-P29-O54
4	A	703	6QA	C21-C24-O25-P26
4	B	705	6QA	C21-C24-O25-P26


There are no ring outliers.






5 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	702	ATP	1	0
2	B	702	FAD	5	0
3	B	703	ATP	3	0
4	B	705	6QA	1	0
2	A	701	FAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	662/674 (98%)	-0.18	9 (1%) 75 76	10, 45, 91, 148	0
1	B	659/674 (97%)	-0.14	18 (2%) 54 54	11, 45, 103, 167	0
All	All	1321/1348 (97%)	-0.16	27 (2%) 65 65	10, 45, 99, 167	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	454	LYS	4.6
1	B	460	LYS	3.9
1	B	496	TRP	3.8
1	B	507	GLU	3.8
1	A	455	ALA	3.7
1	B	505	LEU	3.3
1	B	471	LYS	3.0
1	A	577	PHE	2.9
1	B	455	ALA	2.9
1	B	516	TRP	2.9
1	B	479	SER	2.9
1	B	285	GLY	2.8
1	A	366	LEU	2.6
1	A	374	ASN	2.5
1	B	500	GLU	2.5
1	B	469	ALA	2.5
1	B	512	ARG	2.5
1	B	279	PRO	2.4
1	A	471	LYS	2.4
1	A	581	THR	2.3
1	B	372	MET	2.3
1	A	372	MET	2.2
1	B	498	ALA	2.2
1	B	382	HIS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	575	LEU	2.1
1	A	475	THR	2.1
1	B	280	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	6QA	B	705	64/64	0.74	0.35	39,81,96,112	0
4	6QA	A	703	64/64	0.88	0.23	39,81,96,112	0
5	MG	B	701	1/1	0.88	0.14	44,44,44,44	0
3	ATP	B	703	31/31	0.94	0.14	41,52,71,79	0
2	FAD	B	702	53/53	0.95	0.14	25,34,51,54	0
3	ATP	A	702	31/31	0.95	0.12	40,44,59,62	0
5	MG	B	704	1/1	0.95	0.12	41,41,41,41	0
2	FAD	A	701	53/53	0.98	0.13	21,26,46,49	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 6QA B 705:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 6QA A 703:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP B 703:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FAD B 702:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP A 702:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.