



## wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 12:26 pm GMT

PDB ID : 5LZX  
EMDB ID : EMD-4135  
Title : Structure of the mammalian rescue complex with Pelota and Hbs1l assembled on a UGA stop codon.  
Authors : Shao, S.; Murray, J.; Brown, A.; Taunton, J.; Ramakrishnan, V.; Hegde, R.S.  
Deposited on : 2016-10-02  
Resolution : 3.67 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	
2	B	403	
3	C	425	
4	D	297	
5	E	291	
6	F	247	
7	G	319	
8	H	192	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	214	57% 91% 5%
10	J	178	76% 92% .
11	L	211	67% 95% .
12	M	218	30% 60% 37%
13	N	204	57% 95% 5%
14	O	203	45% 92% 6%
15	P	184	33% 78% 5% 17%
16	Q	188	60% 93% 7%
17	R	196	66% 86% 6% 8%
18	S	176	48% 93% 7%
19	T	160	59% 92% 7%
20	U	128	66% 75% 23%
21	V	140	66% 86% 7% 6%
22	W	157	57% 66% 32%
23	X	156	59% 72% 24%
24	Y	145	52% 88% 8%
25	Z	136	63% 96% .
26	a	148	45% 98% .
27	b	245	36% 41% 58%
28	c	115	60% 83% 15%
29	d	125	44% 77% 9% 14%
30	e	135	54% 88% 7% 5%
31	f	110	41% 94% 5%
32	g	117	65% 92% 5%
33	h	123	76% 95% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	i	105	74% 95%
35	j	97	64% 84% 5% 11%
36	k	70	91% 96%
37	l	51	75% 96%
38	m	102	31% 49% 49%
39	n	25	100% 92% 8%
40	o	106	64% 92% 6%
41	p	92	64% 97%
42	r	137	44% 82% 8% 9%
43	s	318	62% 59% 38%
44	t	165	93% 90% 7%
45	1	7	100% 100%
46	2	76	99% 83% 17%
47	3	75	100% 64% 36%
48	5	3543	38% 74% 25%
49	7	120	13% 88% 12%
50	8	156	38% 74% 23%
51	9	1869	57% 67% 23% 9%
52	AA	295	62% 67% 6% 26%
53	BB	264	72% 75% 5% 19%
54	CC	293	61% 70% 5% 25%
55	DD	243	86% 86% 8% 6%
56	EE	263	82% 94% 5%
57	FF	204	81% 86% 5% 9%
58	GG	249	93% 87% 8% 5%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	HH	194	91% 88% 8% 5%
60	II	208	84% 93% 6%
61	JJ	194	81% 89% 6% 5%
62	KK	165	58% 53% 5% 42%
63	LL	158	69% 81% 9% 9%
64	MM	132	89% 79% 10% 11%
65	NN	151	85% 88% 11%
66	OO	168	67% 73% 8% 19%
67	PP	145	83% 74% 8% 17%
68	QQ	146	90% 92% 5%
69	RR	135	84% 87% 10%
70	SS	152	93% 86% 9% 5%
71	TT	145	91% 90% 7% ..
72	UU	119	76% 77% 7% 16%
73	VV	83	89% 96% .
74	WW	130	76% 95% 5%
75	XX	143	82% 92% 6% ..
76	YY	130	85% 87% 8% 5%
77	ZZ	125	58% 56% . 40%
78	aa	115	70% 80% 7% . 12%
79	bb	84	89% 89% 8% ..
80	cc	69	83% 83% 7% 10%
81	dd	56	86% 89% 9% .
82	ee	133	41% 40% . 59%
83	ff	156	44% 40% . 56%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
84	gg	317	 <p>98% 95%</p>
85	hh	8	 <p>100% 50% 50%</p>
86	ii	403	 <p>92% 88% 8%</p>
87	jj	710	 <p>59% 55% 40%</p>

## 2 Entry composition i

There are 90 unique types of molecules in this entry. The entry contains 222005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 2 is a protein called U13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	394	Total	C	N	O	S	0	0
			3172	2020	597	542	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	initiating methionine	UNP G1TL06

- Molecule 3 is a protein called uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	362	Total	C	N	O	S	0	0
			2883	1812	577	480	14		

- Molecule 4 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	293	Total	C	N	O	S	0	0
			2391	1512	438	427	14		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	-	initiating methionine	UNP G1SYJ6

- Molecule 5 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	216	1729	1115	329	282	3	0	0

- Molecule 6 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	225	1875	1205	358	303	9	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	61	ARG	GLY	conflict	UNP G1TUB1
F	93	ARG	GLY	conflict	UNP G1TUB1
F	131	MET	VAL	conflict	UNP G1TUB1
F	153	ILE	VAL	conflict	UNP G1TUB1

- Molecule 7 is a protein called eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	233	1879	1199	361	315	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	244	GLY	CYS	conflict	UNP G1STW0

- Molecule 8 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	190	1516	954	284	272	6	0	0

- Molecule 9 is a protein called Ribosomal protein L10 (Predicted).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	205	1664	1056	321	274	13	0	0

- Molecule 10 is a protein called uL5.



Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	170	Total	C	N	O	S	0	0
			1362	861	254	241	6		

- Molecule 11 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

- Molecule 12 is a protein called eL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 13 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 14 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	199	Total	C	N	O	S	0	0
			1630	1051	319	255	5		

- Molecule 15 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 16 is a protein called eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

- Molecule 17 is a protein called eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	R	180	1508	933	328	238	9	0	0

- Molecule 18 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	S	176	1462	930	285	236	11	0	0

- Molecule 19 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	T	159	1298	823	252	217	6	0	0

- Molecule 20 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	U	99	809	519	141	147	2	0	0

- Molecule 21 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	V	131	979	618	184	172	5	0	0

- Molecule 22 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	106	860	538	174	144	4	0	0

- Molecule 23 is a protein called uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	X	118	967	618	181	167	1	0	0

- Molecule 24 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Y	134	1115	700	226	186	3	0	0

- Molecule 25 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Z	135	1107	714	208	182	3	0	0

- Molecule 26 is a protein called uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	a	147	1162	734	239	185	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	1	MET	GLN	conflict	UNP G1SNY0

- Molecule 27 is a protein called eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	b	104	848	527	189	129	3	0	0

- Molecule 28 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	98	761	481	134	140	6	0	0

- Molecule 29 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	107	888	560	171	155	2	0	0

- Molecule 30 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	128	1053	667	216	165	5	0	0

- Molecule 31 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	109	876	555	174	143	4	0	0

- Molecule 32 is a protein called eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	114	906	566	187	147	6	0	0

- Molecule 33 is a protein called uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	h	122	1013	640	204	168	1	0	0

- Molecule 34 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	i	102	830	520	176	129	5	0	0

- Molecule 35 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	j	86	705	434	155	111	5	0	0

- Molecule 36 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	k	69	569	366	103	99	1	0	0

- Molecule 37 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	50	Total	C	N	O	S	0	0
			447	286	96	64	1		

- Molecule 38 is a protein called eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 39 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	25	Total	C	N	O	S	0	0
			239	145	64	27	3		

- Molecule 40 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

- Molecule 41 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 42 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	124	Total	C	N	O	S	0	0
			994	616	205	167	6		

- Molecule 43 is a protein called uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	196	Total	C	N	O	S	0	0
			1507	959	263	276	9		

- Molecule 44 is a protein called uL11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	153	Total	C	N	O	S	0	0
			1160	722	218	217	3		

- Molecule 45 is a protein called Nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	1	7	Total	C	N	O	0	0
			49	31	8	10		

- Molecule 46 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	2	76	Total	C	N	O	P	0	0
			1616	723	291	527	75		

- Molecule 47 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	3	75	Total	C	N	O	P	0	0
			1593	712	281	526	74		

- Molecule 48 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	5	3543	Total	C	N	O	P	0	0
			75972	33833	13910	24686	3543		

- Molecule 49 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 50 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	8	151	Total	C	N	O	P	0	0
			3208	1432	564	1062	150		

- Molecule 51 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
51	9	1698	36249	16180	6508	11864	1697	0	0

- Molecule 52 is a protein called uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	AA	217	1710	1086	300	316	8	0	0

- Molecule 53 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	BB	213	1729	1098	309	308	14	0	0

- Molecule 54 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	CC	221	1716	1111	295	301	9	0	0

- Molecule 55 is a protein called uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	DD	228	1768	1126	318	316	8	0	0

- Molecule 56 is a protein called eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	EE	262	2076	1324	386	358	8	0	0

- Molecule 57 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	FF	185	1471	921	277	266	7	0	0

- Molecule 58 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	GG	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 59 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	HH	185	Total	C	N	O	S	0	0
			1488	952	271	264	1		

- Molecule 60 is a protein called eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	II	206	Total	C	N	O	S	0	0
			1686	1058	332	291	5		

- Molecule 61 is a protein called Ribosomal protein S9 (Predicted).

Mol	Chain	Residues	Atoms					AltConf	Trace
61	JJ	185	Total	C	N	O	S	0	0
			1525	969	306	248	2		

- Molecule 62 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	KK	96	Total	C	N	O	S	0	0
			810	530	143	131	6		

- Molecule 63 is a protein called uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	LL	143	Total	C	N	O	S	0	0
			1175	749	222	198	6		

- Molecule 64 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	MM	117	Total	C	N	O	S	0	0
			908	570	161	169	8		

- Molecule 65 is a protein called uS15.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	NN	149	1202	770	228	203	1	0	0

- Molecule 66 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	OO	136	1016	621	199	190	6	0	0

- Molecule 67 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	PP	120	997	635	187	168	7	0	0

- Molecule 68 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	QQ	142	1128	717	213	195	3	0	0

- Molecule 69 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	RR	132	1068	670	199	195	4	0	0

- Molecule 70 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	SS	144	1190	746	241	202	1	0	0

- Molecule 71 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	TT	141	1097	688	211	195	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	conflict	UNP G1TN62

- Molecule 72 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	UU	100	795	498	152	141	4	0	0

- Molecule 73 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	VV	83	636	393	117	121	5	0	0

- Molecule 74 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	WW	129	1034	659	193	176	6	0	0

- Molecule 75 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	XX	141	1098	693	219	183	3	0	0

- Molecule 76 is a protein called eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	YY	124	1011	640	198	168	5	0	0

- Molecule 77 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	ZZ	75	598	382	111	104	1	0	0

- Molecule 78 is a protein called eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	aa	101	Total	C	N	O	S	0	0
			814	507	170	132	5		

- Molecule 79 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	bb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 80 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	cc	62	Total	C	N	O	S	0	0
			488	297	97	92	2		

- Molecule 81 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	dd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 82 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	ee	55	Total	C	N	O	S	0	0
			443	274	97	71	1		

- Molecule 83 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	ff	68	Total	C	N	O	S	0	0
			555	351	103	94	7		

- Molecule 84 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	gg	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 85 is a RNA chain called mRNA (UGA stop codon).

Mol	Chain	Residues	Atoms				AltConf	Trace	
			Total	C	N	O			P
85	hh	8	169	76	29	56	8	0	0

- Molecule 86 is a protein called Protein pelota homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
86	ii	372	2947	1844	528	559	16	0	0

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ii	221	MET	LEU	variant	UNP Q9BRX2
ii	386	GLY	-	expression tag	UNP Q9BRX2
ii	387	SER	-	expression tag	UNP Q9BRX2
ii	388	GLU	-	expression tag	UNP Q9BRX2
ii	389	ASN	-	expression tag	UNP Q9BRX2
ii	390	LEU	-	expression tag	UNP Q9BRX2
ii	391	TYR	-	expression tag	UNP Q9BRX2
ii	392	PHE	-	expression tag	UNP Q9BRX2
ii	393	GLN	-	expression tag	UNP Q9BRX2
ii	394	GLY	-	expression tag	UNP Q9BRX2
ii	395	ALA	-	expression tag	UNP Q9BRX2
ii	396	HIS	-	expression tag	UNP Q9BRX2
ii	397	HIS	-	expression tag	UNP Q9BRX2
ii	398	HIS	-	expression tag	UNP Q9BRX2
ii	399	HIS	-	expression tag	UNP Q9BRX2
ii	400	HIS	-	expression tag	UNP Q9BRX2
ii	401	HIS	-	expression tag	UNP Q9BRX2
ii	402	SER	-	expression tag	UNP Q9BRX2
ii	403	THR	-	expression tag	UNP Q9BRX2

- Molecule 87 is a protein called HBS1-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
87	jj	425	3292	2100	565	609	18	0	0

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
jj	-25	MET	-	initiating methionine	UNP Q9Y450
jj	-24	ASP	-	expression tag	UNP Q9Y450

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
jj	-23	TYR	-	expression tag	UNP Q9Y450
jj	-22	LYS	-	expression tag	UNP Q9Y450
jj	-21	ASP	-	expression tag	UNP Q9Y450
jj	-20	HIS	-	expression tag	UNP Q9Y450
jj	-19	ASP	-	expression tag	UNP Q9Y450
jj	-18	GLY	-	expression tag	UNP Q9Y450
jj	-17	ASP	-	expression tag	UNP Q9Y450
jj	-16	TYR	-	expression tag	UNP Q9Y450
jj	-15	LYS	-	expression tag	UNP Q9Y450
jj	-14	ASP	-	expression tag	UNP Q9Y450
jj	-13	HIS	-	expression tag	UNP Q9Y450
jj	-12	ASP	-	expression tag	UNP Q9Y450
jj	-11	ILE	-	expression tag	UNP Q9Y450
jj	-10	ASP	-	expression tag	UNP Q9Y450
jj	-9	TYR	-	expression tag	UNP Q9Y450
jj	-8	LYS	-	expression tag	UNP Q9Y450
jj	-7	ASP	-	expression tag	UNP Q9Y450
jj	-6	ASP	-	expression tag	UNP Q9Y450
jj	-5	ASP	-	expression tag	UNP Q9Y450
jj	-4	ASP	-	expression tag	UNP Q9Y450
jj	-3	LYS	-	expression tag	UNP Q9Y450
jj	-2	ALA	-	expression tag	UNP Q9Y450
jj	-1	GLY	-	expression tag	UNP Q9Y450
jj	0	SER	-	expression tag	UNP Q9Y450

- Molecule 88 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
88	B	1	Total Mg 1 1	0
88	I	1	Total Mg 1 1	0
88	L	1	Total Mg 1 1	0
88	P	2	Total Mg 2 2	0
88	V	1	Total Mg 1 1	0
88	a	1	Total Mg 1 1	0
88	e	1	Total Mg 1 1	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
88	g	1	Total 1	Mg 1	0
88	j	1	Total 1	Mg 1	0
88	5	176	Total 176	Mg 176	0
88	7	5	Total 5	Mg 5	0
88	8	6	Total 6	Mg 6	0
88	9	66	Total 66	Mg 66	0
88	jj	1	Total 1	Mg 1	0

- Molecule 89 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
89	g	1	Total 1	Zn 1	0
89	j	1	Total 1	Zn 1	0
89	m	1	Total 1	Zn 1	0
89	o	1	Total 1	Zn 1	0
89	p	1	Total 1	Zn 1	0
89	aa	1	Total 1	Zn 1	0
89	dd	1	Total 1	Zn 1	0
89	ff	1	Total 1	Zn 1	0

- Molecule 90 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: C<sub>11</sub>H<sub>18</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
90	jj	1	32	11	5	13	3	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: uL2



- Molecule 2: U13

















ARG  
ILE  
ALA  
LYS  
GLU  
GLY  
GLY  
ALA

• Molecule 3: uL4




GLY  
LYS  
VAL  
LYS  
PRO  
ARG  
ALA  
VAL  
GLY  
ILE  
LYS  
GLN  
LYS  
LYS  
LYS  
PRO  
VAL  
GLY  
ARG  
LYS  
ALA  
ALA  
ALA  
ALA  
LYS  
PRO  
ALA  
ALA  
ASP  
LYS  
ALA  
ALA  
ASP  
LYS  
ARG  
ALA  
GLY  
PRO  
GLU  
ASP  
LYS  
PRO  
ALA  
ALA

• Molecule 4: 60S ribosomal protein L5











• Molecule 11: eL13




• Molecule 12: eL14





• Molecule 13: Ribosomal protein L15









• Molecule 14: uL13




• Molecule 15: uL22





• Molecule 16: eL18









• Molecule 17: eL19




• Molecule 18: eL20




• Molecule 19: eL21




• Molecule 20: eL22




• Molecule 21: uL14




• Molecule 22: eL24





• Molecule 23: uL23








• Molecule 24: uL24




• Molecule 25: 60S ribosomal protein L27




• Molecule 26: uL15





• Molecule 27: eL29











• Molecule 28: eL30




• Molecule 29: eL31




• Molecule 30: eL32





• Molecule 31: eL33








• Molecule 32: eL34





• Molecule 33: uL29



• Molecule 34: 60S ribosomal protein L36





• Molecule 35: Ribosomal protein L37









• Molecule 36: eL38




• Molecule 37: eL39






• Molecule 38: eL40




• Molecule 39: eL41




• Molecule 40: eL42




Molecule 41: eL43




Molecule 42: eL28




Molecule 43: uL10




Molecule 44: uL11








• Molecule 45: Nascent chain





• Molecule 46: P-site tRNA





• Molecule 47: E-site tRNA




• Molecule 48: 28S ribosomal RNA













• Molecule 49: 5S ribosomal RNA








• Molecule 50: 5.8S ribosomal RNA





• Molecule 51: 18S ribosomal RNA










• Molecule 52: uS2




• Molecule 53: 40S ribosomal protein S3a







• Molecule 54: uS5




• Molecule 55: uS3




• Molecule 56: eS4




• Molecule 57: uS7





• Molecule 58: 40S ribosomal protein S6








• Molecule 59: eS7




• Molecule 60: eS8




• Molecule 61: Ribosomal protein S9 (Predicted)








• Molecule 62: eS10




• Molecule 63: uS17





• Molecule 64: 40S ribosomal protein S12









• Molecule 65: uS15



• Molecule 66: uS11




• Molecule 67: uS19








• Molecule 68: uS9





• Molecule 69: eS17





• Molecule 70: uS13





• Molecule 71: eS19










• Molecule 72: uS10





• Molecule 73: eS21




• Molecule 74: uS8




• Molecule 75: uS12






• Molecule 76: eS24




Chain YY:




• Molecule 77: eS25




Chain ZZ:




• Molecule 78: eS26





Chain aa:






• Molecule 79: 40S ribosomal protein S27





Chain bb:






• Molecule 80: eS28




• Molecule 81: uS14




• Molecule 82: eS30




• Molecule 83: eS31








• Molecule 84: RACK1



• Molecule 85: mRNA (UGA stop codon)



• Molecule 86: Protein pelota homolog





I575 K576 A577 C578 T579 R580 F581 R582 A583 R584 I585 L586 I587 F588 N589 I590 E591 I592 P593 I594 T595 K596 G597 F598 P599 V600 L601 L602 H603 Y604 Q605 T606 V607 S608 E609 P610 A611 V612 I613 K614 R615 L616 I617 S618 V619 L620 N621 K622 S623 T624 G625 E626 V627 T628 K629 K630 K631 P632 K633 F634

L635 T636 K637 G638 Q639 N640 A641 L642 V643 E644 L645 Q646 T647 Q648 R649 P650 I651 A652 L653 E654 L655 Y656 K657 D658 F659 K660 E661 L662 G663 R664 F665 M666 L667 R668 Y669 G670 G671 S672 T673 I674 A675 A676 G677 V678 V679 T680 E681 I682 K683 E684

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	37432	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	104478	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.083	Depositor
Minimum map value	-0.033	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	420.0, 420.0, 420.0	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0, 1.0, 1.0	Depositor



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GCP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/1936	0.70	0/2596
2	B	0.36	0/3240	0.65	0/4339
3	C	0.34	0/2937	0.67	0/3946
4	D	0.34	0/2437	0.62	2/3264 (0.1%)
5	E	0.33	0/1762	0.62	0/2362
6	F	0.36	0/1911	0.65	0/2549
7	G	0.34	0/1910	0.62	0/2569
8	H	0.33	0/1535	0.61	0/2063
9	I	0.34	0/1702	0.63	0/2272
10	J	0.34	0/1385	0.61	0/1852
11	L	0.34	0/1733	0.68	0/2316
12	M	0.36	0/1158	0.68	0/1547
13	N	0.35	0/1746	0.67	0/2338
14	O	0.36	0/1662	0.66	0/2222
15	P	0.36	0/1268	0.64	0/1700
16	Q	0.35	0/1539	0.73	0/2054
17	R	0.34	0/1524	0.66	0/2013
18	S	0.35	0/1501	0.65	0/2012
19	T	0.34	0/1326	0.62	0/1770
20	U	0.35	0/823	0.56	0/1104
21	V	0.34	0/993	0.63	0/1332
22	W	0.35	0/873	0.57	0/1158
23	X	0.31	0/984	0.60	0/1323
24	Y	0.32	0/1132	0.62	0/1504
25	Z	0.36	0/1130	0.63	0/1507
26	a	0.33	0/1191	0.63	0/1590
27	b	0.33	0/861	0.58	0/1138
28	c	0.31	0/771	0.54	0/1034
29	d	0.35	0/903	0.66	0/1216
30	e	0.34	0/1071	0.64	0/1429
31	f	0.38	0/895	0.70	0/1198
32	g	0.34	0/916	0.69	0/1220

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	h	0.31	0/1021	0.61	0/1348
34	i	0.34	0/841	0.60	0/1112
35	j	0.35	0/720	0.70	0/952
36	k	0.31	0/575	0.54	0/761
37	l	0.35	0/459	0.63	0/608
38	m	0.31	0/435	0.60	0/575
39	n	0.36	0/240	0.67	0/305
40	o	0.34	0/864	0.62	0/1140
41	p	0.34	0/718	0.59	0/953
42	r	0.34	0/1010	0.65	0/1354
43	s	0.37	0/1530	0.50	0/2064
44	t	0.36	0/1174	0.53	0/1582
45	1	0.44	0/49	0.61	0/65
46	2	0.21	0/1805	0.66	0/2809
47	3	0.21	0/1777	0.65	0/2763
48	5	0.31	14/84961 (0.0%)	0.76	62/132460 (0.0%)
49	7	0.28	0/2858	0.67	0/4455
50	8	0.27	0/3581	0.67	0/5577
51	9	0.27	1/40523 (0.0%)	0.70	8/63130 (0.0%)
52	AA	0.35	0/1747	0.61	0/2374
53	BB	0.33	0/1756	0.58	0/2350
54	CC	0.34	0/1753	0.63	0/2369
55	DD	0.35	0/1796	0.62	0/2417
56	EE	0.35	0/2118	0.64	0/2849
57	FF	0.34	0/1492	0.61	0/2005
58	GG	0.35	0/1946	0.66	0/2590
59	HH	0.35	0/1510	0.58	0/2022
60	II	0.34	0/1715	0.66	0/2287
61	JJ	0.34	0/1550	0.70	0/2069
62	KK	0.35	0/834	0.57	0/1125
63	LL	0.34	0/1195	0.69	0/1597
64	MM	0.36	0/918	0.59	0/1233
65	NN	0.33	0/1226	0.64	0/1649
66	OO	0.34	0/1029	0.72	0/1380
67	PP	0.37	0/1017	0.65	0/1358
68	QQ	0.34	0/1146	0.60	0/1534
69	RR	0.35	0/1082	0.61	0/1452
70	SS	0.35	0/1208	0.66	0/1618
71	TT	0.37	0/1115	0.63	1/1493 (0.1%)
72	UU	0.33	0/805	0.64	0/1081
73	VV	0.36	0/643	0.65	0/860
74	WW	0.34	0/1051	0.68	0/1406
75	XX	0.34	0/1116	0.65	0/1490

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
76	YY	0.37	0/1028	0.64	0/1366
77	ZZ	0.35	0/604	0.61	0/810
78	aa	0.35	0/828	0.73	0/1109
79	bb	0.35	0/665	0.62	0/891
80	cc	0.33	0/490	0.68	0/656
81	dd	0.38	0/470	0.65	0/623
82	ee	0.35	0/447	0.65	0/587
83	ff	0.37	0/567	0.57	0/753
84	gg	0.33	0/2493	0.55	0/3394
85	hh	0.28	0/188	0.81	0/290
86	ii	0.34	0/2996	0.57	0/4050
87	jj	0.34	0/3352	0.55	0/4523
All	All	0.32	15/237792 (0.0%)	0.70	73/348210 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
48	5	0	2
75	XX	0	1
78	aa	0	1
All	All	0	5

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	5	935	A	C5-C6	-17.76	1.25	1.41
48	5	922(A)	G	O3'-P	13.89	1.77	1.61
48	5	935	A	C6-N1	-12.33	1.26	1.35
48	5	935	A	C2-N3	10.66	1.43	1.33
48	5	1411(B)	C	O3'-P	9.43	1.72	1.61

The worst 5 of 73 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	5	481	G	N1-C2-N2	-51.75	69.62	116.20
48	5	481	G	C8-N9-C1'	-51.47	60.09	127.00
48	5	935	A	C5-C6-N6	-47.28	85.88	123.70
48	5	935	A	C6-N1-C2	-34.46	97.92	118.60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	5	935	A	N1-C6-N6	-34.37	97.98	118.60

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
48	5	481	G	Sidechain
48	5	935	A	Sidechain
2	B	16	PHE	Peptide
75	XX	61	GLN	Peptide
78	aa	26	CYS	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/257 (96%)	224 (91%)	19 (8%)	3 (1%)	13	49
2	B	392/403 (97%)	367 (94%)	24 (6%)	1 (0%)	41	74
3	C	360/425 (85%)	338 (94%)	20 (6%)	2 (1%)	25	62
4	D	291/297 (98%)	279 (96%)	10 (3%)	2 (1%)	22	59
5	E	208/291 (72%)	190 (91%)	18 (9%)	0	100	100
6	F	223/247 (90%)	210 (94%)	11 (5%)	2 (1%)	17	54
7	G	229/319 (72%)	221 (96%)	8 (4%)	0	100	100
8	H	188/192 (98%)	172 (92%)	16 (8%)	0	100	100
9	I	201/214 (94%)	183 (91%)	17 (8%)	1 (0%)	29	66

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	J	168/178 (94%)	161 (96%)	7 (4%)	0	100	100
11	L	208/211 (99%)	196 (94%)	11 (5%)	1 (0%)	29	66
12	M	136/218 (62%)	123 (90%)	13 (10%)	0	100	100
13	N	201/204 (98%)	186 (92%)	14 (7%)	1 (0%)	29	66
14	O	197/203 (97%)	183 (93%)	14 (7%)	0	100	100
15	P	151/184 (82%)	142 (94%)	8 (5%)	1 (1%)	22	59
16	Q	185/188 (98%)	168 (91%)	15 (8%)	2 (1%)	14	50
17	R	178/196 (91%)	170 (96%)	8 (4%)	0	100	100
18	S	174/176 (99%)	163 (94%)	9 (5%)	2 (1%)	14	50
19	T	157/160 (98%)	142 (90%)	15 (10%)	0	100	100
20	U	97/128 (76%)	86 (89%)	10 (10%)	1 (1%)	15	51
21	V	129/140 (92%)	121 (94%)	8 (6%)	0	100	100
22	W	102/157 (65%)	97 (95%)	4 (4%)	1 (1%)	15	51
23	X	116/156 (74%)	111 (96%)	5 (4%)	0	100	100
24	Y	132/145 (91%)	128 (97%)	4 (3%)	0	100	100
25	Z	133/136 (98%)	126 (95%)	5 (4%)	2 (2%)	10	44
26	a	145/148 (98%)	136 (94%)	9 (6%)	0	100	100
27	b	100/245 (41%)	92 (92%)	7 (7%)	1 (1%)	15	51
28	c	96/115 (84%)	93 (97%)	3 (3%)	0	100	100
29	d	105/125 (84%)	90 (86%)	14 (13%)	1 (1%)	15	51
30	e	126/135 (93%)	120 (95%)	6 (5%)	0	100	100
31	f	107/110 (97%)	99 (92%)	6 (6%)	2 (2%)	8	40
32	g	112/117 (96%)	104 (93%)	8 (7%)	0	100	100
33	h	120/123 (98%)	117 (98%)	3 (2%)	0	100	100
34	i	100/105 (95%)	93 (93%)	7 (7%)	0	100	100
35	j	84/97 (87%)	75 (89%)	9 (11%)	0	100	100
36	k	67/70 (96%)	64 (96%)	3 (4%)	0	100	100
37	l	48/51 (94%)	42 (88%)	6 (12%)	0	100	100
38	m	50/102 (49%)	48 (96%)	2 (4%)	0	100	100
39	n	23/25 (92%)	23 (100%)	0	0	100	100
40	o	102/106 (96%)	96 (94%)	5 (5%)	1 (1%)	15	51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	p	89/92 (97%)	81 (91%)	7 (8%)	1 (1%)	14	50
42	r	122/137 (89%)	109 (89%)	11 (9%)	2 (2%)	9	43
43	s	194/318 (61%)	175 (90%)	17 (9%)	2 (1%)	15	51
44	t	151/165 (92%)	135 (89%)	14 (9%)	2 (1%)	12	47
45	1	5/7 (71%)	2 (40%)	3 (60%)	0	100	100
52	AA	215/295 (73%)	198 (92%)	16 (7%)	1 (0%)	29	66
53	BB	211/264 (80%)	201 (95%)	10 (5%)	0	100	100
54	CC	219/293 (75%)	204 (93%)	15 (7%)	0	100	100
55	DD	226/243 (93%)	207 (92%)	17 (8%)	2 (1%)	17	54
56	EE	260/263 (99%)	248 (95%)	11 (4%)	1 (0%)	34	69
57	FF	181/204 (89%)	169 (93%)	10 (6%)	2 (1%)	14	50
58	GG	235/249 (94%)	226 (96%)	8 (3%)	1 (0%)	34	69
59	HH	181/194 (93%)	172 (95%)	9 (5%)	0	100	100
60	II	204/208 (98%)	190 (93%)	13 (6%)	1 (0%)	29	66
61	JJ	183/194 (94%)	176 (96%)	6 (3%)	1 (0%)	29	66
62	KK	94/165 (57%)	87 (93%)	6 (6%)	1 (1%)	14	50
63	LL	139/158 (88%)	127 (91%)	11 (8%)	1 (1%)	22	59
64	MM	115/132 (87%)	100 (87%)	15 (13%)	0	100	100
65	NN	147/151 (97%)	139 (95%)	8 (5%)	0	100	100
66	OO	134/168 (80%)	124 (92%)	9 (7%)	1 (1%)	22	59
67	PP	118/145 (81%)	104 (88%)	14 (12%)	0	100	100
68	QQ	140/146 (96%)	130 (93%)	10 (7%)	0	100	100
69	RR	130/135 (96%)	117 (90%)	12 (9%)	1 (1%)	19	56
70	SS	142/152 (93%)	134 (94%)	8 (6%)	0	100	100
71	TT	139/145 (96%)	130 (94%)	8 (6%)	1 (1%)	22	59
72	UU	98/119 (82%)	92 (94%)	6 (6%)	0	100	100
73	VV	81/83 (98%)	77 (95%)	4 (5%)	0	100	100
74	WW	127/130 (98%)	116 (91%)	10 (8%)	1 (1%)	19	56
75	XX	139/143 (97%)	128 (92%)	8 (6%)	3 (2%)	6	37
76	YY	122/130 (94%)	115 (94%)	7 (6%)	0	100	100
77	ZZ	73/125 (58%)	70 (96%)	3 (4%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
78	aa	99/115 (86%)	90 (91%)	7 (7%)	2 (2%)	7	39
79	bb	81/84 (96%)	70 (86%)	10 (12%)	1 (1%)	13	49
80	cc	60/69 (87%)	57 (95%)	3 (5%)	0	100	100
81	dd	53/56 (95%)	48 (91%)	4 (8%)	1 (2%)	8	40
82	ee	53/133 (40%)	51 (96%)	2 (4%)	0	100	100
83	ff	66/156 (42%)	59 (89%)	7 (11%)	0	100	100
84	gg	311/317 (98%)	282 (91%)	26 (8%)	3 (1%)	15	51
86	ii	370/403 (92%)	342 (92%)	27 (7%)	1 (0%)	41	74
87	jj	423/710 (60%)	388 (92%)	31 (7%)	4 (1%)	17	54
All	All	12317/14495 (85%)	11449 (93%)	804 (6%)	64 (0%)	32	66

5 of 64 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
18	S	155	PRO
75	XX	62	PRO
75	XX	86	PRO
1	A	217	GLN
3	C	83	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/199 (96%)	175 (92%)	15 (8%)	12	42
2	B	342/348 (98%)	322 (94%)	20 (6%)	20	52
3	C	302/347 (87%)	282 (93%)	20 (7%)	16	48
4	D	247/250 (99%)	235 (95%)	12 (5%)	25	56
5	E	190/251 (76%)	178 (94%)	12 (6%)	18	49
6	F	196/215 (91%)	182 (93%)	14 (7%)	14	45
7	G	200/272 (74%)	188 (94%)	12 (6%)	19	50

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	H	169/171 (99%)	158 (94%)	11 (6%)	17	48
9	I	175/181 (97%)	165 (94%)	10 (6%)	20	52
10	J	143/149 (96%)	136 (95%)	7 (5%)	25	56
11	L	175/176 (99%)	166 (95%)	9 (5%)	24	55
12	M	117/161 (73%)	110 (94%)	7 (6%)	19	50
13	N	171/172 (99%)	162 (95%)	9 (5%)	22	54
14	O	171/173 (99%)	159 (93%)	12 (7%)	15	45
15	P	134/163 (82%)	125 (93%)	9 (7%)	16	47
16	Q	164/165 (99%)	153 (93%)	11 (7%)	16	47
17	R	159/175 (91%)	148 (93%)	11 (7%)	15	46
18	S	157/157 (100%)	147 (94%)	10 (6%)	17	48
19	T	139/140 (99%)	128 (92%)	11 (8%)	12	42
20	U	89/114 (78%)	87 (98%)	2 (2%)	52	72
21	V	101/107 (94%)	91 (90%)	10 (10%)	8	32
22	W	86/126 (68%)	85 (99%)	1 (1%)	71	84
23	X	106/134 (79%)	100 (94%)	6 (6%)	20	52
24	Y	124/135 (92%)	118 (95%)	6 (5%)	25	56
25	Z	117/118 (99%)	114 (97%)	3 (3%)	46	69
26	a	119/120 (99%)	117 (98%)	2 (2%)	60	79
27	b	84/184 (46%)	81 (96%)	3 (4%)	35	62
28	c	84/98 (86%)	82 (98%)	2 (2%)	49	70
29	d	98/110 (89%)	88 (90%)	10 (10%)	7	31
30	e	114/121 (94%)	105 (92%)	9 (8%)	12	42
31	f	88/89 (99%)	84 (96%)	4 (4%)	27	57
32	g	98/100 (98%)	92 (94%)	6 (6%)	18	50
33	h	109/110 (99%)	104 (95%)	5 (5%)	27	57
34	i	86/89 (97%)	84 (98%)	2 (2%)	50	71
35	j	73/80 (91%)	68 (93%)	5 (7%)	16	47
36	k	64/65 (98%)	62 (97%)	2 (3%)	40	65
37	l	47/48 (98%)	46 (98%)	1 (2%)	53	73
38	m	48/90 (53%)	46 (96%)	2 (4%)	30	59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	n	24/24 (100%)	22 (92%)	2 (8%)	11	40
40	o	92/94 (98%)	87 (95%)	5 (5%)	22	54
41	p	74/75 (99%)	73 (99%)	1 (1%)	67	82
42	r	108/121 (89%)	99 (92%)	9 (8%)	11	40
43	s	164/258 (64%)	158 (96%)	6 (4%)	34	61
44	t	126/137 (92%)	123 (98%)	3 (2%)	49	70
45	1	6/6 (100%)	6 (100%)	0	100	100
52	AA	180/245 (74%)	163 (91%)	17 (9%)	8	35
53	BB	194/231 (84%)	180 (93%)	14 (7%)	14	45
54	CC	187/225 (83%)	172 (92%)	15 (8%)	12	42
55	DD	190/202 (94%)	173 (91%)	17 (9%)	9	37
56	EE	224/225 (100%)	211 (94%)	13 (6%)	20	52
57	FF	158/170 (93%)	150 (95%)	8 (5%)	24	55
58	GG	207/218 (95%)	188 (91%)	19 (9%)	9	36
59	HH	165/174 (95%)	150 (91%)	15 (9%)	9	36
60	II	178/180 (99%)	166 (93%)	12 (7%)	16	47
61	JJ	161/168 (96%)	150 (93%)	11 (7%)	16	47
62	KK	87/136 (64%)	79 (91%)	8 (9%)	9	36
63	LL	130/142 (92%)	116 (89%)	14 (11%)	6	29
64	MM	99/108 (92%)	86 (87%)	13 (13%)	4	22
65	NN	130/131 (99%)	114 (88%)	16 (12%)	4	24
66	OO	106/130 (82%)	94 (89%)	12 (11%)	6	28
67	PP	109/130 (84%)	97 (89%)	12 (11%)	6	29
68	QQ	117/121 (97%)	109 (93%)	8 (7%)	16	47
69	RR	119/121 (98%)	106 (89%)	13 (11%)	6	29
70	SS	125/132 (95%)	111 (89%)	14 (11%)	6	28
71	TT	111/115 (96%)	101 (91%)	10 (9%)	9	37
72	UU	92/107 (86%)	84 (91%)	8 (9%)	10	39
73	VV	67/67 (100%)	64 (96%)	3 (4%)	27	57
74	WW	112/113 (99%)	107 (96%)	5 (4%)	27	57
75	XX	113/115 (98%)	106 (94%)	7 (6%)	18	49

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
76	YY	107/112 (96%)	96 (90%)	11 (10%)	7	31
77	ZZ	66/103 (64%)	61 (92%)	5 (8%)	13	43
78	aa	88/98 (90%)	81 (92%)	7 (8%)	12	42
79	bb	75/76 (99%)	67 (89%)	8 (11%)	6	30
80	cc	55/62 (89%)	50 (91%)	5 (9%)	9	36
81	dd	48/49 (98%)	44 (92%)	4 (8%)	11	40
82	ee	46/106 (43%)	44 (96%)	2 (4%)	29	58
83	ff	61/140 (44%)	55 (90%)	6 (10%)	8	33
84	gg	272/275 (99%)	262 (96%)	10 (4%)	34	61
86	ii	326/353 (92%)	309 (95%)	17 (5%)	23	55
87	jj	358/608 (59%)	330 (92%)	28 (8%)	12	42
All	All	10733/12306 (87%)	10017 (93%)	716 (7%)	20	47

5 of 716 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
61	JJ	69	ARG
70	SS	60	THR
62	KK	89	ILE
61	JJ	61	LEU
65	NN	132	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
82	ee	117	ASN
86	ii	109	GLN
43	s	34	ASN
42	r	121	GLN
87	jj	385	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
46	2	74/76 (97%)	13 (17%)	0
47	3	72/75 (96%)	27 (37%)	1 (1%)

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
48	5	3506/3543 (98%)	849 (24%)	165 (4%)
49	7	119/120 (99%)	12 (10%)	2 (1%)
50	8	150/156 (96%)	35 (23%)	7 (4%)
51	9	1680/1869 (89%)	425 (25%)	84 (5%)
85	hh	7/8 (87%)	4 (57%)	0
All	All	5608/5847 (95%)	1365 (24%)	259 (4%)

5 of 1365 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
46	2	8	U
46	2	9	A
46	2	13	U
46	2	16	C
46	2	19	G

5 of 259 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
51	9	1330	G
51	9	1493	C
48	5	2089	G
48	5	2046	G
51	9	1621	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 273 ligands modelled in this entry, 272 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
90	GCP	jj	700	88	27,34,34	1.59	6 (22%)	34,54,54	1.86	8 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
90	GCP	jj	700	88	-	4/15/38/38	0/3/3/3

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
90	jj	700	GCP	C5-C6	4.46	1.49	1.41
90	jj	700	GCP	PG-O3G	2.86	1.61	1.54
90	jj	700	GCP	PG-O2G	2.85	1.61	1.54
90	jj	700	GCP	PB-O3A	2.80	1.61	1.58
90	jj	700	GCP	C5-C4	2.60	1.47	1.40

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
90	jj	700	GCP	C2-N3-C4	5.05	121.13	115.36
90	jj	700	GCP	C2-N1-C6	3.90	122.13	115.93
90	jj	700	GCP	C4-C5-C6	-3.83	117.14	120.80
90	jj	700	GCP	C5-C6-N1	-3.80	118.23	123.43
90	jj	700	GCP	N3-C2-N1	-3.43	122.65	127.22

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
90	jj	700	GCP	PG-C3B-PB-O1B
90	jj	700	GCP	PG-C3B-PB-O2B
90	jj	700	GCP	PG-C3B-PB-O3A
90	jj	700	GCP	PB-O3A-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
48	5	43
51	9	8
47	3	2
46	2	1

The worst 5 of 54 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	40.91
1	5	1252:C	O3'	1271:G	P	35.78
1	5	1405:C	O3'	1406:G	P	23.41
1	5	1219:G	O3'	1233:G	P	22.71
1	5	1406:G	O3'	1406(A):G	P	20.12


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4135. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 216




Y Index: 210




Z Index: 202


### 6.3.2 Raw map



X Index: 215



Y Index: 211



Z Index: 187

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 470 nm<sup>3</sup>; this corresponds to an approximate mass of 425 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.272 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.272 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.67	-	-
Author-provided FSC curve	3.68	4.22	3.73
Unmasked-calculated*	4.56	8.57	4.78

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.56 differs from the reported value 3.67 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4135 and PDB model 5LZX. Per-residue inclusion information can be found in section 3 on page 24.


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 45% of all backbone atoms, 31% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.3131	 0.4050
1	 0.0000	 0.3250
2	 0.0538	 0.3660
3	 0.0075	 0.1760
5	 0.3958	 0.4120
7	 0.5248	 0.4510
8	 0.4060	 0.4200
9	 0.3181	 0.3880
A	 0.3646	 0.4720
AA	 0.2379	 0.4160
B	 0.3875	 0.4730
BB	 0.2019	 0.4280
C	 0.3811	 0.4740
CC	 0.2452	 0.4380
D	 0.3471	 0.4350
DD	 0.1525	 0.3810
E	 0.3210	 0.4500
EE	 0.2519	 0.4330
F	 0.3980	 0.4720
FF	 0.2060	 0.4190
G	 0.2630	 0.3960
GG	 0.1030	 0.3310
H	 0.3566	 0.4640
HH	 0.0869	 0.3570
I	 0.3585	 0.4720
II	 0.2090	 0.4060
J	 0.2559	 0.4210
JJ	 0.2437	 0.4220
KK	 0.0595	 0.3480
L	 0.3303	 0.4360
LL	 0.2789	 0.4420
M	 0.4076	 0.4580
MM	 0.0022	 0.1070
N	 0.3914	 0.4820
NN	 0.2333	 0.4380

























*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
O	0.4274	0.4750
OO	0.2158	0.4430
P	0.4354	0.4800
PP	0.0528	0.3320
Q	0.3497	0.4760
QQ	0.1658	0.4230
R	0.2991	0.4090
RR	0.1667	0.3970
S	0.4070	0.4850
SS	0.0847	0.3710
T	0.3389	0.4660
TT	0.1453	0.3910
U	0.2048	0.4060
UU	0.1344	0.3690
V	0.3100	0.4710
VV	0.2026	0.4320
W	0.1853	0.3140
WW	0.2871	0.4480
X	0.2947	0.4460
XX	0.2530	0.4640
Y	0.3840	0.4490
YY	0.1998	0.4080
Z	0.3141	0.4470
ZZ	0.0995	0.3660
a	0.4119	0.4850
aa	0.2583	0.4360
b	0.1988	0.3940
bb	0.1534	0.3990
c	0.3266	0.4310
cc	0.1638	0.3960
d	0.3734	0.4560
dd	0.1968	0.4330
e	0.3900	0.4840
ee	0.1221	0.3700
f	0.4442	0.4990
ff	0.0000	0.0990
g	0.3065	0.4530
gg	0.0422	0.3420
h	0.2993	0.4290
hh	0.0000	0.2580
i	0.2827	0.4220
ii	0.0249	0.3070

*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
j	 0.3205	 0.4790
jj	 0.0372	 0.3130
k	 0.1562	 0.3940
l	 0.3162	 0.4710
m	 0.3582	 0.4670
n	 0.0229	 0.4110
o	 0.3184	 0.4640
p	 0.3266	 0.4500
r	 0.4295	 0.4860
s	 0.0007	 0.0370
t	 0.0000	 0.0010