



wwPDB EM Validation Summary Report ⓘ

Nov 20, 2022 – 03:16 am GMT

PDB ID : 6GSI
EMDB ID : EMD-0056
Title : Feline Calicivirus Strain F9 bound to a soluble ectodomain fragment of feline junctional adhesion molecule A - leading to assembly of a portal structure at a unique three-fold axis.
Authors : Conley, M.J.; Bhella, D.
Deposited on : 2018-06-14
Resolution : 3.75 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	669	
1	B	669	
1	C	669	
1	D	669	
2	E	202	
2	F	202	
2	G	202	
2	H	202	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	106	
3	J	106	
3	K	106	
3	L	106	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 50126 atoms, of which 24749 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	A	534	8123	2612	4026	684	790	11	0	0
1	B	530	8061	2596	3990	680	784	11	0	0
1	C	534	8121	2612	4024	684	790	11	0	0
1	D	534	8123	2612	4026	684	790	11	0	0

There are 272 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ASN	ASP	conflict	UNP P27406
A	19	ARG	LYS	conflict	UNP P27406
A	23	ASP	ASN	conflict	UNP P27406
A	26	LYS	ASN	conflict	UNP P27406
A	34	ASP	SER	conflict	UNP P27406
A	56	GLN	ARG	conflict	UNP P27406
A	60	GLN	GLU	conflict	UNP P27406
A	76	TYR	PHE	conflict	UNP P27406
A	77	GLU	ASP	conflict	UNP P27406
A	79	ILE	VAL	conflict	UNP P27406
A	82	ALA	VAL	conflict	UNP P27406
A	89	ASP	GLY	conflict	UNP P27406
A	109	GLU	LYS	conflict	UNP P27406
A	112	LYS	ALA	conflict	UNP P27406
A	113	ALA	GLY	conflict	UNP P27406
A	117	ASN	ASP	conflict	UNP P27406
A	120	MET	LEU	conflict	UNP P27406
A	121	PHE	ILE	conflict	UNP P27406
A	127	GLY	-	insertion	UNP P27406
A	139	PRO	MET	conflict	UNP P27406
A	153	ALA	THR	conflict	UNP P27406
A	217	ASP	GLU	conflict	UNP P27406

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	268	SER	CYS	conflict	UNP P27406
A	269	ILE	LEU	conflict	UNP P27406
A	304	SER	ALA	conflict	UNP P27406
A	319	ALA	PRO	conflict	UNP P27406
A	338	VAL	ILE	conflict	UNP P27406
A	346	SER	THR	conflict	UNP P27406
A	355	HIS	TYR	conflict	UNP P27406
A	357	THR	SER	conflict	UNP P27406
A	389	TYR	PHE	conflict	UNP P27406
A	393	THR	SER	conflict	UNP P27406
A	394	ILE	VAL	conflict	UNP P27406
A	397	SER	THR	conflict	UNP P27406
A	399	LYS	GLN	conflict	UNP P27406
A	428	GLU	GLY	conflict	UNP P27406
A	429	LYS	GLU	conflict	UNP P27406
A	431	THR	ILE	conflict	UNP P27406
A	441	LYS	GLY	conflict	UNP P27406
A	442	SER	THR	conflict	UNP P27406
A	450	ALA	THR	conflict	UNP P27406
A	454	GLY	THR	conflict	UNP P27406
A	457	VAL	ILE	conflict	UNP P27406
A	459	VAL	LYS	conflict	UNP P27406
A	465	LYS	ARG	conflict	UNP P27406
A	493	LYS	-	insertion	UNP P27406
A	494	VAL	LEU	conflict	UNP P27406
A	?	-	GLY	deletion	UNP P27406
A	?	-	ASP	deletion	UNP P27406
A	?	-	ASN	deletion	UNP P27406
A	?	-	ASN	deletion	UNP P27406
A	497	ALA	LYS	conflict	UNP P27406
A	499	GLU	ASN	conflict	UNP P27406
A	501	SER	CYS	conflict	UNP P27406
A	503	VAL	THR	conflict	UNP P27406
A	506	MET	GLN	conflict	UNP P27406
A	507	THR	SER	conflict	UNP P27406
A	510	ALA	VAL	conflict	UNP P27406
A	512	TYR	PHE	conflict	UNP P27406
A	515	THR	ASN	conflict	UNP P27406
A	520	GLU	LYS	conflict	UNP P27406
A	521	VAL	ALA	conflict	UNP P27406
A	529	SER	ALA	conflict	UNP P27406
A	553	VAL	THR	conflict	UNP P27406

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	636	SER	GLY	conflict	UNP P27406
A	637	ILE	PHE	conflict	UNP P27406
A	645	THR	SER	conflict	UNP P27406
A	665	SER	PRO	conflict	UNP P27406
B	13	ASN	ASP	conflict	UNP P27406
B	19	ARG	LYS	conflict	UNP P27406
B	23	ASP	ASN	conflict	UNP P27406
B	26	LYS	ASN	conflict	UNP P27406
B	34	ASP	SER	conflict	UNP P27406
B	56	GLN	ARG	conflict	UNP P27406
B	60	GLN	GLU	conflict	UNP P27406
B	76	TYR	PHE	conflict	UNP P27406
B	77	GLU	ASP	conflict	UNP P27406
B	79	ILE	VAL	conflict	UNP P27406
B	82	ALA	VAL	conflict	UNP P27406
B	89	ASP	GLY	conflict	UNP P27406
B	109	GLU	LYS	conflict	UNP P27406
B	112	LYS	ALA	conflict	UNP P27406
B	113	ALA	GLY	conflict	UNP P27406
B	117	ASN	ASP	conflict	UNP P27406
B	120	MET	LEU	conflict	UNP P27406
B	121	PHE	ILE	conflict	UNP P27406
B	127	GLY	-	insertion	UNP P27406
B	139	PRO	MET	conflict	UNP P27406
B	153	ALA	THR	conflict	UNP P27406
B	217	ASP	GLU	conflict	UNP P27406
B	268	SER	CYS	conflict	UNP P27406
B	269	ILE	LEU	conflict	UNP P27406
B	304	SER	ALA	conflict	UNP P27406
B	319	ALA	PRO	conflict	UNP P27406
B	338	VAL	ILE	conflict	UNP P27406
B	346	SER	THR	conflict	UNP P27406
B	355	HIS	TYR	conflict	UNP P27406
B	357	THR	SER	conflict	UNP P27406
B	389	TYR	PHE	conflict	UNP P27406
B	393	THR	SER	conflict	UNP P27406
B	394	ILE	VAL	conflict	UNP P27406
B	397	SER	THR	conflict	UNP P27406
B	399	LYS	GLN	conflict	UNP P27406
B	428	GLU	GLY	conflict	UNP P27406
B	429	LYS	GLU	conflict	UNP P27406
B	431	THR	ILE	conflict	UNP P27406

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	441	LYS	GLY	conflict	UNP P27406
B	442	SER	THR	conflict	UNP P27406
B	450	ALA	THR	conflict	UNP P27406
B	454	GLY	THR	conflict	UNP P27406
B	457	VAL	ILE	conflict	UNP P27406
B	459	VAL	LYS	conflict	UNP P27406
B	465	LYS	ARG	conflict	UNP P27406
B	493	LYS	-	insertion	UNP P27406
B	494	VAL	LEU	conflict	UNP P27406
B	?	-	GLY	deletion	UNP P27406
B	?	-	ASP	deletion	UNP P27406
B	?	-	ASN	deletion	UNP P27406
B	?	-	ASN	deletion	UNP P27406
B	497	ALA	LYS	conflict	UNP P27406
B	499	GLU	ASN	conflict	UNP P27406
B	501	SER	CYS	conflict	UNP P27406
B	503	VAL	THR	conflict	UNP P27406
B	506	MET	GLN	conflict	UNP P27406
B	507	THR	SER	conflict	UNP P27406
B	510	ALA	VAL	conflict	UNP P27406
B	512	TYR	PHE	conflict	UNP P27406
B	515	THR	ASN	conflict	UNP P27406
B	520	GLU	LYS	conflict	UNP P27406
B	521	VAL	ALA	conflict	UNP P27406
B	529	SER	ALA	conflict	UNP P27406
B	553	VAL	THR	conflict	UNP P27406
B	636	SER	GLY	conflict	UNP P27406
B	637	ILE	PHE	conflict	UNP P27406
B	645	THR	SER	conflict	UNP P27406
B	665	SER	PRO	conflict	UNP P27406
C	13	ASN	ASP	conflict	UNP P27406
C	19	ARG	LYS	conflict	UNP P27406
C	23	ASP	ASN	conflict	UNP P27406
C	26	LYS	ASN	conflict	UNP P27406
C	34	ASP	SER	conflict	UNP P27406
C	56	GLN	ARG	conflict	UNP P27406
C	60	GLN	GLU	conflict	UNP P27406
C	76	TYR	PHE	conflict	UNP P27406
C	77	GLU	ASP	conflict	UNP P27406
C	79	ILE	VAL	conflict	UNP P27406
C	82	ALA	VAL	conflict	UNP P27406
C	89	ASP	GLY	conflict	UNP P27406

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	109	GLU	LYS	conflict	UNP P27406
C	112	LYS	ALA	conflict	UNP P27406
C	113	ALA	GLY	conflict	UNP P27406
C	117	ASN	ASP	conflict	UNP P27406
C	120	MET	LEU	conflict	UNP P27406
C	121	PHE	ILE	conflict	UNP P27406
C	127	GLY	-	insertion	UNP P27406
C	139	PRO	MET	conflict	UNP P27406
C	153	ALA	THR	conflict	UNP P27406
C	217	ASP	GLU	conflict	UNP P27406
C	268	SER	CYS	conflict	UNP P27406
C	269	ILE	LEU	conflict	UNP P27406
C	304	SER	ALA	conflict	UNP P27406
C	319	ALA	PRO	conflict	UNP P27406
C	338	VAL	ILE	conflict	UNP P27406
C	346	SER	THR	conflict	UNP P27406
C	355	HIS	TYR	conflict	UNP P27406
C	357	THR	SER	conflict	UNP P27406
C	389	TYR	PHE	conflict	UNP P27406
C	393	THR	SER	conflict	UNP P27406
C	394	ILE	VAL	conflict	UNP P27406
C	397	SER	THR	conflict	UNP P27406
C	399	LYS	GLN	conflict	UNP P27406
C	428	GLU	GLY	conflict	UNP P27406
C	429	LYS	GLU	conflict	UNP P27406
C	431	THR	ILE	conflict	UNP P27406
C	441	LYS	GLY	conflict	UNP P27406
C	442	SER	THR	conflict	UNP P27406
C	450	ALA	THR	conflict	UNP P27406
C	454	GLY	THR	conflict	UNP P27406
C	457	VAL	ILE	conflict	UNP P27406
C	459	VAL	LYS	conflict	UNP P27406
C	465	LYS	ARG	conflict	UNP P27406
C	493	LYS	-	insertion	UNP P27406
C	494	VAL	LEU	conflict	UNP P27406
C	?	-	GLY	deletion	UNP P27406
C	?	-	ASP	deletion	UNP P27406
C	?	-	ASN	deletion	UNP P27406
C	?	-	ASN	deletion	UNP P27406
C	497	ALA	LYS	conflict	UNP P27406
C	499	GLU	ASN	conflict	UNP P27406
C	501	SER	CYS	conflict	UNP P27406

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	503	VAL	THR	conflict	UNP P27406
C	506	MET	GLN	conflict	UNP P27406
C	507	THR	SER	conflict	UNP P27406
C	510	ALA	VAL	conflict	UNP P27406
C	512	TYR	PHE	conflict	UNP P27406
C	515	THR	ASN	conflict	UNP P27406
C	520	GLU	LYS	conflict	UNP P27406
C	521	VAL	ALA	conflict	UNP P27406
C	529	SER	ALA	conflict	UNP P27406
C	553	VAL	THR	conflict	UNP P27406
C	636	SER	GLY	conflict	UNP P27406
C	637	ILE	PHE	conflict	UNP P27406
C	645	THR	SER	conflict	UNP P27406
C	665	SER	PRO	conflict	UNP P27406
D	13	ASN	ASP	conflict	UNP P27406
D	19	ARG	LYS	conflict	UNP P27406
D	23	ASP	ASN	conflict	UNP P27406
D	26	LYS	ASN	conflict	UNP P27406
D	34	ASP	SER	conflict	UNP P27406
D	56	GLN	ARG	conflict	UNP P27406
D	60	GLN	GLU	conflict	UNP P27406
D	76	TYR	PHE	conflict	UNP P27406
D	77	GLU	ASP	conflict	UNP P27406
D	79	ILE	VAL	conflict	UNP P27406
D	82	ALA	VAL	conflict	UNP P27406
D	89	ASP	GLY	conflict	UNP P27406
D	109	GLU	LYS	conflict	UNP P27406
D	112	LYS	ALA	conflict	UNP P27406
D	113	ALA	GLY	conflict	UNP P27406
D	117	ASN	ASP	conflict	UNP P27406
D	120	MET	LEU	conflict	UNP P27406
D	121	PHE	ILE	conflict	UNP P27406
D	127	GLY	-	insertion	UNP P27406
D	139	PRO	MET	conflict	UNP P27406
D	153	ALA	THR	conflict	UNP P27406
D	217	ASP	GLU	conflict	UNP P27406
D	268	SER	CYS	conflict	UNP P27406
D	269	ILE	LEU	conflict	UNP P27406
D	304	SER	ALA	conflict	UNP P27406
D	319	ALA	PRO	conflict	UNP P27406
D	338	VAL	ILE	conflict	UNP P27406
D	346	SER	THR	conflict	UNP P27406

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	355	HIS	TYR	conflict	UNP P27406
D	357	THR	SER	conflict	UNP P27406
D	389	TYR	PHE	conflict	UNP P27406
D	393	THR	SER	conflict	UNP P27406
D	394	ILE	VAL	conflict	UNP P27406
D	397	SER	THR	conflict	UNP P27406
D	399	LYS	GLN	conflict	UNP P27406
D	428	GLU	GLY	conflict	UNP P27406
D	429	LYS	GLU	conflict	UNP P27406
D	431	THR	ILE	conflict	UNP P27406
D	441	LYS	GLY	conflict	UNP P27406
D	442	SER	THR	conflict	UNP P27406
D	450	ALA	THR	conflict	UNP P27406
D	454	GLY	THR	conflict	UNP P27406
D	457	VAL	ILE	conflict	UNP P27406
D	459	VAL	LYS	conflict	UNP P27406
D	465	LYS	ARG	conflict	UNP P27406
D	493	LYS	-	insertion	UNP P27406
D	494	VAL	LEU	conflict	UNP P27406
D	?	-	GLY	deletion	UNP P27406
D	?	-	ASP	deletion	UNP P27406
D	?	-	ASN	deletion	UNP P27406
D	?	-	ASN	deletion	UNP P27406
D	497	ALA	LYS	conflict	UNP P27406
D	499	GLU	ASN	conflict	UNP P27406
D	501	SER	CYS	conflict	UNP P27406
D	503	VAL	THR	conflict	UNP P27406
D	506	MET	GLN	conflict	UNP P27406
D	507	THR	SER	conflict	UNP P27406
D	510	ALA	VAL	conflict	UNP P27406
D	512	TYR	PHE	conflict	UNP P27406
D	515	THR	ASN	conflict	UNP P27406
D	520	GLU	LYS	conflict	UNP P27406
D	521	VAL	ALA	conflict	UNP P27406
D	529	SER	ALA	conflict	UNP P27406
D	553	VAL	THR	conflict	UNP P27406
D	636	SER	GLY	conflict	UNP P27406
D	637	ILE	PHE	conflict	UNP P27406
D	645	THR	SER	conflict	UNP P27406
D	665	SER	PRO	conflict	UNP P27406

- Molecule 2 is a protein called Junctional adhesion molecule A.

Mol	Chain	Residues	Atoms					AltConf	Trace	
2	E	201	Total	C	H	N	O	S	0	0
			3023	970	1473	259	311	10		
2	F	202	Total	C	H	N	O	S	0	0
			3033	973	1478	260	312	10		
2	G	200	Total	C	H	N	O	S	0	0
			3013	967	1468	258	310	10		
2	H	200	Total	C	H	N	O	S	0	0
			3008	965	1467	258	308	10		

- Molecule 3 is a protein called VP2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
3	I	82	Total	C	H	N	O	S	0	0
			1341	421	666	126	127	1		
3	J	89	Total	C	H	N	O	S	0	0
			1467	459	732	139	136	1		
3	K	82	Total	C	H	N	O	S	0	0
			1341	421	666	126	127	1		
3	L	89	Total	C	H	N	O	S	0	0
			1468	459	733	139	136	1		

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	37	LYS	GLN	conflict	UNP P28711
I	39	MET	ILE	conflict	UNP P28711
I	40	LYS	GLY	conflict	UNP P28711
I	43	HIS	ARG	conflict	UNP P28711
I	85	ASP	ASN	conflict	UNP P28711
I	101	ARG	LYS	conflict	UNP P28711
I	106	ASN	ILE	conflict	UNP P28711
J	37	LYS	GLN	conflict	UNP P28711
J	39	MET	ILE	conflict	UNP P28711
J	40	LYS	GLY	conflict	UNP P28711
J	43	HIS	ARG	conflict	UNP P28711
J	85	ASP	ASN	conflict	UNP P28711
J	101	ARG	LYS	conflict	UNP P28711
J	106	ASN	ILE	conflict	UNP P28711
K	37	LYS	GLN	conflict	UNP P28711
K	39	MET	ILE	conflict	UNP P28711
K	40	LYS	GLY	conflict	UNP P28711
K	43	HIS	ARG	conflict	UNP P28711
K	85	ASP	ASN	conflict	UNP P28711

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	101	ARG	LYS	conflict	UNP P28711
K	106	ASN	ILE	conflict	UNP P28711
L	37	LYS	GLN	conflict	UNP P28711
L	39	MET	ILE	conflict	UNP P28711
L	40	LYS	GLY	conflict	UNP P28711
L	43	HIS	ARG	conflict	UNP P28711
L	85	ASP	ASN	conflict	UNP P28711
L	101	ARG	LYS	conflict	UNP P28711
L	106	ASN	ILE	conflict	UNP P28711

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	AltConf
4	A	1	Total K 1 1	0
4	B	1	Total K 1 1	0
4	C	1	Total K 1 1	0
4	D	1	Total K 1 1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Capsid protein


Chain A:



• Molecule 1: Capsid protein

Chain B:





• Molecule 1: Capsid protein



MET	CYS	THR	THR	CYS	ALA	ASN	VAL	LEU	LYS	TYR	TRP	ASP	PRO	HIS	PHE	ARG	LEU	VAL	ILE	ALA	ASP	PRO	PRO	ASN	LYS	PHE	LEU	TRP	ASP	SER	VAL	ALA	GLY	PHE	CYS	ASN	ASP	GLN	PRO	LEU	MET	CYS	VAL	TYR	PRO	GLU	LEU	L596	L595	Q594	R593	S592	Q587	F584	V583	I578	N563	R550	D544	A540	Q539	E538	T534	L528	L527	D526	D525	G518	V517	Q513	A497	M496	P643	F642	E641	L640	K639	G638
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

ILE	TYR	LEU	GLU	SER	LEU	ILE	LEU	GLY	ASP	ASP	LEU	LYS	ASP	TYR	TYR	ALA	ALA	ILE	ASP	PRO	VAL	ALA	VAL	VAL	ASP	ASP	TRP	HIS	ASP	TRP	ALA	ALA	GLY	LEU	LYS	ILE	PHE	ASN	GLN	PRO	PRO	HIS	PRO	GLY	VAL	VAL	LEU	LEU	MET	HIS	HIS	HIS	HIS	LEU	LEU	ILE	GLU	PHE	GLY	GLY	VAL	THR	GLY	R611	I612	I613	D614	S615	M616	W619	F620	D621	D625	S626
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------

PHE	ARG	GLU	GLU	ALA	ASP	GLY	ASP	GLY	S130	A133	P134	V143	I144	A149	D156	K161	D164	S165	E166	A211	W212	R219	D242	D258	A259	L279	D284	N302	D303	S304	E314	H324	L325	P328	S331	L342	I343	F344	K345	S346	S347
-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

W350	I351	G352	F369	N372	E380	T381	A382	G383	W384	S385	Y389	R390	K399	L404	T410	I417	D423	T424	A437	I438	T439	N440	K441	G443	N444	D445	I446	G451	Y452	D453	G454	A455	I458	T462	K465	G471	S472	Q474	W477
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

S483	T489	T490	A491	D495	E499	V503	I504	D505	K508	E520	D526	T527	T534	Q539	R545	D546	R547	V548	V549	R550	E556	R560	N563	N570	S571	I572	I578	R579	S580	N585	S586	Q587	S592	L595	Y610	S615	D625	S626
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

K639	L640	E641	F642	P643	L644	T645	K655	I656	R663	SER	MET	THR	LYS	LEU
------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----

• Molecule 1: Capsid protein




MET	CYS	THR	THR	CYS	ALA	ASN	VAL	LEU	LYS	TYR	TRP	ASP	PRO	HIS	PHE	ARG	LEU	VAL	ILE	ALA	ASP	PRO	PRO	ASN	LYS	PHE	LEU	TRP	ASP	SER	VAL	ALA	GLY	PHE	CYS	ASN	ASP	GLN	PRO	LEU	MET	CYS	TYR	PRO	GLU	LEU	LEU	LEU	PRO	GLU	PHE	GLY	THR	VAL	ALA	TRP	ASP	CYS	ASP	GLN	SER	PRO	PRO	LEU	LEU	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



ILE	TYR	LEU	GLU	SER	LEU	ILE	LEU	GLY	ASP	ASP	LEU	LYS	ASP	TYR	TYR	ALA	ALA	ILE	ASP	PRO	VAL	ALA	VAL	VAL	ASP	ASP	TRP	HIS	ASP	TRP	ALA	ALA	GLY	LEU	LYS	ILE	PHE	ASN	GLN	PRO	PRO	HIS	PRO	GLY	VAL	VAL	LEU	LEU	MET	HIS	HIS	HIS	LEU	LEU	ILE	GLU	GLY	GLY	VAL	ALA	ALA	TRP	ASP	ASP	PRO	GLN	SER	PRO	PRO	LEU	LEU	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PHE	ARG	GLU	GLU	ALA	ASP	GLY	ASP	GLY	S130	W179	T181	S182	E183	A211	S215	I216	T217	P218	R219	I222	S223	D242	Q251	D258	A259	R260	Q261	V262	E263	I266	P299	Y300	A301	N302	D303	S304	N305	S306	S307
-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------



E314	T315	K322	F323	H324	M332	L333	T334	H335	G336	D341	T357	D358	N372	F375	F380	T381	A382	S385	T386	P387	R388	I392	L404	D419	G420	D423	T424	T425	T426	P427	E428	T431	T439	N440	K441	S442	G443	N444	D445	A450	G451	A455
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------





• Molecule 2: Junctional adhesion molecule A





• Molecule 2: Junctional adhesion molecule A




• Molecule 2: Junctional adhesion molecule A




• Molecule 2: Junctional adhesion molecule A









• Molecule 3: VP2





• Molecule 3: VP2



• Molecule 3: VP2



• Molecule 3: VP2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	58510	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; CTF correction was implemented through Relion	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	63	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	75000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.213	Depositor
Minimum map value	-0.118	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.05	Depositor
Map size (\AA)	639.00006, 639.00006, 639.00006	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.065, 1.065, 1.065	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/4199	0.61	0/5725
1	B	0.55	0/4173	0.64	0/5688
1	C	0.54	0/4199	0.63	0/5725
1	D	0.54	0/4199	0.61	0/5725
2	E	0.40	0/1591	0.60	0/2164
2	F	0.40	0/1596	0.59	0/2171
2	G	0.42	0/1586	0.59	0/2157
2	H	0.41	0/1582	0.60	0/2152
3	I	0.37	0/684	0.61	0/920
3	J	0.43	0/745	0.62	0/1001
3	K	0.38	0/684	0.65	0/920
3	L	0.41	0/745	0.58	0/1001
All	All	0.50	0/25983	0.61	0/35349

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
3	I	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	444	ASN	Peptide
1	A	446	ILE	Peptide
3	I	96	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4097	4026	4029	86	0
1	B	4071	3990	4002	66	0
1	C	4097	4024	4030	57	0
1	D	4097	4026	4030	76	0
2	E	1550	1473	1472	18	0
2	F	1555	1478	1477	28	0
2	G	1545	1468	1467	23	0
2	H	1541	1467	1466	30	0
3	I	675	666	670	6	0
3	J	735	732	733	10	0
3	K	675	666	670	6	0
3	L	735	733	733	8	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	25377	24749	24779	379	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 379 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:642:PHE:O	1:A:644:LEU:CD2	1.72	1.37
1:D:481:LYS:O	1:D:516:HIS:CE1	1.82	1.33
1:D:481:LYS:O	1:D:516:HIS:HE1	1.04	1.26
1:A:642:PHE:C	1:A:644:LEU:HD23	1.53	1.26
1:A:642:PHE:O	1:A:644:LEU:HD23	1.03	1.18

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/669 (80%)	438 (82%)	92 (17%)	2 (0%)	34	69
1	B	528/669 (79%)	429 (81%)	99 (19%)	0	100	100
1	C	532/669 (80%)	433 (81%)	96 (18%)	3 (1%)	25	61
1	D	532/669 (80%)	445 (84%)	87 (16%)	0	100	100
2	E	199/202 (98%)	178 (89%)	21 (11%)	0	100	100
2	F	200/202 (99%)	185 (92%)	15 (8%)	0	100	100
2	G	198/202 (98%)	178 (90%)	20 (10%)	0	100	100
2	H	198/202 (98%)	180 (91%)	18 (9%)	0	100	100
3	I	80/106 (76%)	65 (81%)	15 (19%)	0	100	100
3	J	87/106 (82%)	80 (92%)	7 (8%)	0	100	100
3	K	80/106 (76%)	61 (76%)	18 (22%)	1 (1%)	12	48
3	L	87/106 (82%)	79 (91%)	8 (9%)	0	100	100
All	All	3253/3908 (83%)	2751 (85%)	496 (15%)	6 (0%)	50	78

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	K	60	ARG
1	A	447	THR
1	C	471	GLY
1	C	495	ASP
1	C	643	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	454/572 (79%)	447 (98%)	7 (2%)	65	81
1	B	451/572 (79%)	446 (99%)	5 (1%)	73	85
1	C	454/572 (79%)	450 (99%)	4 (1%)	78	88
1	D	454/572 (79%)	448 (99%)	6 (1%)	69	83
2	E	175/175 (100%)	174 (99%)	1 (1%)	86	93
2	F	175/175 (100%)	174 (99%)	1 (1%)	86	93
2	G	175/175 (100%)	173 (99%)	2 (1%)	73	85
2	H	174/175 (99%)	173 (99%)	1 (1%)	86	93
3	I	71/92 (77%)	71 (100%)	0	100	100
3	J	77/92 (84%)	75 (97%)	2 (3%)	46	70
3	K	71/92 (77%)	70 (99%)	1 (1%)	67	82
3	L	77/92 (84%)	77 (100%)	0	100	100
All	All	2808/3356 (84%)	2778 (99%)	30 (1%)	74	85

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	639	LYS
3	J	86	GLN
1	D	218	VAL
3	K	87	ASN
2	G	171	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
3	J	86	GLN
3	J	92	GLN
3	L	102	ASN
1	D	516	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	564	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0056. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 305



Y Index: 247




Z Index: 247


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2712 nm^3 ; this corresponds to an approximate mass of 2450 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.267 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.267 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.75	-	-
Author-provided FSC curve	3.73	4.21	3.78
Unmasked-calculated*	-	-	-


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0056 and PDB model 6GSI. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6603	 0.4390
A	 0.7128	 0.4630
B	 0.6877	 0.4620
C	 0.6986	 0.4650
D	 0.6905	 0.4660
E	 0.6634	 0.3870
F	 0.6579	 0.3940
G	 0.6920	 0.3930
H	 0.6879	 0.4110
I	 0.5023	 0.3880
J	 0.5566	 0.4050
K	 0.4947	 0.3780
L	 0.5510	 0.3880

