



wwPDB EM Validation Summary Report ⓘ

Nov 27, 2022 – 09:15 AM EST

PDB ID : 6OLF
EMDB ID : EMD-0599
Title : Human ribosome nascent chain complex (CDH1-RNC) stalled by a drug-like molecule with AA and PE tRNAs
Authors : Li, W.; Cate, J.H.D.
Deposited on : 2019-04-16
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	S2	1714	<div style="display: flex; align-items: center;"> <div style="width: 13%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 46%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 37%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>13% 59% 37% .</p>
2	SA	221	<div style="display: flex; align-items: center;"> <div style="width: 39%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 57%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 4%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>39% 96% .</p>
3	SB	214	<div style="display: flex; align-items: center;"> <div style="width: 47%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 50%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>47% 97% .</p>
4	SD	226	<div style="display: flex; align-items: center;"> <div style="width: 60%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 39%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>60% 99% .</p>
5	SE	259	<div style="display: flex; align-items: center;"> <div style="width: 47%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 51%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>47% 98% .</p>
6	SF	189	<div style="display: flex; align-items: center;"> <div style="width: 65%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 33%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>65% 98% .</p>
7	SH	189	<div style="display: flex; align-items: center;"> <div style="width: 54%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 43%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>54% 97% ..</p>
8	SI	204	<div style="display: flex; align-items: center;"> <div style="width: 43%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 55%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: black;"></div> </div> <p>43% 98% .</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	SK	98	67% 97% .
10	SL	153	39% 95% 5% .
11	SP	127	43% 98% .
12	SQ	146	54% 97% ..
13	SR	134	66% 99% .
14	SS	145	54% 99% .
15	ST	143	53% 97% ..
16	SU	104	61% 94% 6% .
17	SV	82	37% 96% ..
18	SX	141	30% 98% .
19	Sa	102	25% 97% .
20	Sc	64	67% 100% .
21	Sd	55	27% 89% 11% .
22	Sg	312	78% 98% .
23	SC	220	33% 98% .
24	SG	237	63% 97% .
25	SJ	185	50% 95% 5% .
26	SM	118	97% 97% .
27	SN	150	29% 99% .
28	SO	137	45% 100% .
29	SW	129	23% 98% .
30	SY	131	44% 98% .
31	SZ	73	77% 95% 5% .
32	Sb	82	54% 100% .
33	Se	57	54% 98% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Sf	67	93% 96%
35	A	252	8% 98%
36	B	397	14% 98%
37	C	363	11% 96%
38	D	157	11% 71% 26%
39	E	119	80% 20%
40	F	294	17% 97%
41	G	247	26% 92%
42	H	225	8% 97%
43	I	234	24% 100%
44	J	191	24% 97%
45	K	211	18% 96%
46	L	169	21% 99%
47	M	205	20% 97%
48	N	139	12% 99%
49	O	203	6% 98%
50	P	195	8% 96%
51	Q	153	5% 97%
52	R	187	11% 96%
53	S	181	22% 97%
54	T	175	12% 98%
55	U	157	12% 97%
56	V	99	23% 94% 6%
57	W	129	18% 100%
58	X	121	56% 98%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	Y	117	16% 97%
60	Z	134	14% 99%
61	b	147	7% 96%
62	c	121	21% 80% 17%
63	d	103	21% 99%
64	e	106	15% 94% 6%
65	f	129	9% 98%
66	g	109	7% 96%
67	h	114	13% 95% 5%
68	i	122	14% 95% 5%
69	j	97	21% 98%
70	k	84	98%
71	l	69	41% 99%
72	m	50	16% 96%
73	n	50	20% 100%
74	o	25	28% 96%
75	p	105	23% 95% 5%
76	q	91	11% 99%
77	r	122	7% 97%
78	t	3607	9% 68% 29%
79	v	76	50% 49% 45% 7%
80	w	10	10% 60% 40%
81	y	39	95% 95% 5%
82	u	76	62% 37% 50% 13%
83	a	134	16% 98%

2 Entry composition [i](#)

There are 87 unique types of molecules in this entry. The entry contains 215429 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	S2	1714	36501	16306	6533	11949	1713	0	0

- Molecule 2 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	SA	221	1741	1106	305	322	8	0	0

- Molecule 3 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	SB	214	1738	1103	310	311	14	0	0

- Molecule 4 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	SD	226	1757	1120	316	314	7	0	0

- Molecule 5 is a protein called 40S ribosomal protein S4, X isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	SE	259	2059	1316	383	352	8	0	0

- Molecule 6 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	SF	189	1495	934	284	270	7	0	0

- Molecule 7 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	SH	186	1497	956	274	266	1	0	0

- Molecule 8 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	SI	204	1673	1050	329	289	5	0	0

- Molecule 9 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	SK	98	827	539	148	134	6	0	0

- Molecule 10 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	SL	153	1247	793	234	214	6	0	0

- Molecule 11 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	SP	127	1045	663	198	177	7	0	0

- Molecule 12 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	SQ	146	1158	736	218	200	4	0	0

- Molecule 13 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	SR	134	1082	680	201	197	4	0	0

- Molecule 14 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	SS	145	Total	C	N	O	S	0	0
			1198	751	242	203	2		

- Molecule 15 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	ST	143	Total	C	N	O	S	0	0
			1112	697	214	198	3		

- Molecule 16 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	SU	104	Total	C	N	O	S	0	0
			821	514	155	148	4		

- Molecule 17 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	SV	82	Total	C	N	O	S	0	0
			625	384	116	120	5		

- Molecule 18 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	SX	141	Total	C	N	O	S	0	0
			1098	693	219	183	3		

- Molecule 19 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Sa	102	Total	C	N	O	S	0	0
			821	512	171	133	5		

- Molecule 20 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Sc	64	Total	C	N	O	S	0	0
			506	308	102	94	2		

- Molecule 21 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Sd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 22 is a protein called Receptor of activated protein C kinase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Sg	312	Total	C	N	O	S	0	0
			2429	1531	423	463	12		

- Molecule 23 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	SC	220	Total	C	N	O	S	1	0
			1715	1109	296	300	10		

- Molecule 24 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	SG	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 25 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	SJ	185	Total	C	N	O	S	1	0
			1533	974	309	248	2		

- Molecule 26 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	SM	118	Total	C	N	O	S	0	0
			912	571	161	173	7		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
SM	52	GLN	LEU	conflict	UNP P25398
SM	69	LEU	CYS	conflict	UNP P25398
SM	99	ASN	LYS	conflict	UNP P25398

- Molecule 27 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	SN	150	1208	773	229	205	1	0	0

- Molecule 28 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	SO	137	1024	627	200	191	6	0	0

- Molecule 29 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	SW	129	1034	659	193	176	6	0	0

- Molecule 30 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	SY	131	1073	678	212	178	5	1	0

- Molecule 31 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	SZ	73	579	372	106	100	1	0	0

- Molecule 32 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	Sb	82	640	402	118	113	7	0	0

- Molecule 33 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	Se	57	452	281	99	71	1	0	0

- Molecule 34 is a protein called 40S ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Sf	67	Total	C	N	O	S	0	0
			548	346	102	93	7		

- Molecule 35 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	A	252	Total	C	N	O	S	0	0
			1930	1209	395	320	6		

- Molecule 36 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	B	397	Total	C	N	O	S	0	0
			3202	2039	602	547	14		

- Molecule 37 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	C	363	Total	C	N	O	S	0	0
			2888	1817	577	480	14		

- Molecule 38 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	D	157	Total	C	N	O	P	0	0
			3337	1489	587	1104	157		

- Molecule 39 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	E	119	Total	C	N	O	P	0	0
			2541	1132	454	836	119		

- Molecule 40 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	F	294	Total	C	N	O	S	0	0
			2392	1510	436	432	14		

- Molecule 41 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	G	236	Total	C	N	O	S	0	0
			1904	1222	361	317	4		

- Molecule 42 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	H	225	Total	C	N	O	S	0	0
			1870	1202	358	301	9		

- Molecule 43 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	I	234	Total	C	N	O	S	0	0
			1880	1197	362	317	4		

- Molecule 44 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	J	191	Total	C	N	O	S	0	0
			1526	960	285	275	6		

- Molecule 45 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	K	208	Total	C	N	O	S	0	0
			1692	1074	327	278	13		

- Molecule 46 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	L	169	Total	C	N	O	S	0	0
			1353	855	252	240	6		

- Molecule 47 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	M	205	Total	C	N	O	S	0	0
			1657	1036	344	273	4		

- Molecule 48 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	N	139	1138	730	218	183	7	0	0

- Molecule 49 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	O	203	1701	1072	359	266	4	0	0

- Molecule 50 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	P	195	1606	1034	315	252	5	0	0

- Molecule 51 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	Q	153	1242	776	241	216	9	0	0

- Molecule 52 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	R	187	1513	944	314	250	5	0	0

- Molecule 53 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	S	181	1517	938	329	241	9	0	0

- Molecule 54 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	T	175	1449	921	283	234	11	0	0

- Molecule 55 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	U	157	1284	815	250	214	5	0	0

- Molecule 56 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	V	99	808	518	141	147	2	0	0

- Molecule 57 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	W	129	969	613	182	169	5	0	0

- Molecule 58 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	X	121	989	617	202	167	3	0	0

- Molecule 59 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	Y	117	958	612	180	165	1	0	0

- Molecule 60 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	Z	134	1115	700	226	186	3	0	0

- Molecule 61 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	b	147	1162	736	237	186	3	0	0

- Molecule 62 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	c	100	814	506	179	125	4	0	0

- Molecule 63 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	d	103	801	508	141	145	7	0	0

- Molecule 64 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	e	106	879	555	170	152	2	0	0

- Molecule 65 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	f	129	1064	673	220	166	5	0	0

- Molecule 66 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	g	109	876	555	174	144	3	0	0

- Molecule 67 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	h	114	906	566	187	147	6	0	0

- Molecule 68 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	i	122	1015	641	205	168	1	0	0

- Molecule 69 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	j	97	Total	C	N	O	S	0	0
			794	497	168	124	5		

- Molecule 70 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	k	84	Total	C	N	O	S	0	0
			689	423	152	109	5		

- Molecule 71 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	l	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 72 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	m	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 73 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	n	50	Total	C	N	O	S	0	0
			411	254	87	64	6		

- Molecule 74 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	o	25	Total	C	N	O	S	0	0
			240	145	64	28	3		

- Molecule 75 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	p	105	Total	C	N	O	S	0	0
			863	542	175	140	6		

- Molecule 76 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	q	91	708	445	136	120	7	0	0

- Molecule 77 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	r	122	980	607	204	165	4	0	0

- Molecule 78 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
78	t	3607	77332	34436	14150	25139	3607	0	0

- Molecule 79 is a RNA chain called AA tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
79	v	76	1618	721	287	534	76	0	0

- Molecule 80 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
80	w	10	213	95	37	72	9	0	0

- Molecule 81 is a protein called Cadherin-1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
81	y	39	262	180	40	42	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
y	6	ALA	-	insertion	UNP P12830

- Molecule 82 is a RNA chain called PE tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
82	u	76	1613	720	283	535	75	0	0

- Molecule 83 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
83	a	134	1103	712	207	181	3	0	0


- Molecule 84 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
84	S2	1	Total	Zn	0
			1	1	
84	Sa	1	Total	Zn	0
			1	1	
84	Sf	1	Total	Zn	0
			1	1	
84	k	1	Total	Zn	0
			1	1	
84	p	1	Total	Zn	0
			1	1	
84	q	1	Total	Zn	0
			1	1	

- Molecule 85 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
85	S2	3	Total	Mg	0
			3	3	
85	D	6	Total	Mg	0
			6	6	
85	E	9	Total	Mg	0
			9	9	
85	b	2	Total	Mg	0
			2	2	
85	t	11	Total	Mg	0
			11	11	

- Molecule 86 is N-(3-chloropyridin-2-yl)-N-[(3R)-piperidin-3-yl]-4-(3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl)benzamide (three-letter code: MVM) (formula: C₂₂H₂₀ClN₇O).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	Cl	N		O
86	t	1	31	22	1	7	1	0


- Molecule 87 is water.


Mol	Chain	Residues	Atoms		AltConf
87	S2	5	Total	O	0
			5	5	
87	SP	1	Total	O	0
			1	1	
87	SQ	1	Total	O	0
			1	1	
87	SR	1	Total	O	0
			1	1	
87	SS	2	Total	O	0
			2	2	
87	SV	1	Total	O	0
			1	1	
87	SN	1	Total	O	0
			1	1	
87	Sf	1	Total	O	0
			1	1	
87	u	1	Total	O	0
			1	1	

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 18S ribosomal RNA







• Molecule 2: 40S ribosomal protein SA



• Molecule 3: 40S ribosomal protein S3a



• Molecule 4: 40S ribosomal protein S3




• Molecule 5: 40S ribosomal protein S4, X isoform




• Molecule 6: 40S ribosomal protein S5








• Molecule 7: 40S ribosomal protein S7




• Molecule 8: 40S ribosomal protein S8





• Molecule 9: 40S ribosomal protein S10







- Molecule 10: 40S ribosomal protein S11

Chain SL: 39% 95% 5%





- Molecule 11: 40S ribosomal protein S15

Chain SP: 43% 98%





- Molecule 12: 40S ribosomal protein S16

Chain SQ: 54% 97%




- Molecule 13: 40S ribosomal protein S17


Chain SR: 66% 99%




- Molecule 14: 40S ribosomal protein S18




• Molecule 15: 40S ribosomal protein S19




• Molecule 16: 40S ribosomal protein S20




• Molecule 17: 40S ribosomal protein S21




• Molecule 18: 40S ribosomal protein S23




- Molecule 19: 40S ribosomal protein S26




- Molecule 20: 40S ribosomal protein S28



- Molecule 21: 40S ribosomal protein S29




- Molecule 22: Receptor of activated protein C kinase 1




- Molecule 23: 40S ribosomal protein S2







• Molecule 24: 40S ribosomal protein S6




• Molecule 25: 40S ribosomal protein S9





• Molecule 26: 40S ribosomal protein S12








• Molecule 27: 40S ribosomal protein S13





• Molecule 28: 40S ribosomal protein S14




• Molecule 29: 40S ribosomal protein S15a




• Molecule 30: 40S ribosomal protein S24




• Molecule 31: 40S ribosomal protein S25







- Molecule 32: 40S ribosomal protein S27



- Molecule 33: 40S ribosomal protein S30




- Molecule 34: 40S ribosomal protein S27a




- Molecule 35: 60S ribosomal protein L8





- Molecule 36: 60S ribosomal protein L3








- Molecule 37: 60S ribosomal protein L4





- Molecule 38: 5.8S ribosomal RNA



- Molecule 39: 5S ribosomal RNA




- Molecule 40: 60S ribosomal protein L5




- Molecule 41: 60S ribosomal protein L6







- Molecule 42: 60S ribosomal protein L7




- Molecule 43: 60S ribosomal protein L7a




- Molecule 44: 60S ribosomal protein L9




- Molecule 45: 60S ribosomal protein L10




- Molecule 46: 60S ribosomal protein L11




- Molecule 47: 60S ribosomal protein L13




- Molecule 48: 60S ribosomal protein L14




- Molecule 49: 60S ribosomal protein L15




- Molecule 50: 60S ribosomal protein L13a




- Molecule 51: 60S ribosomal protein L17




- Molecule 52: 60S ribosomal protein L18




- Molecule 53: 60S ribosomal protein L19




- Molecule 54: 60S ribosomal protein L18a




- Molecule 55: 60S ribosomal protein L21




- Molecule 56: 60S ribosomal protein L22




- Molecule 57: 60S ribosomal protein L23




- Molecule 58: 60S ribosomal protein L24




• Molecule 59: 60S ribosomal protein L23a




• Molecule 60: 60S ribosomal protein L26




• Molecule 61: 60S ribosomal protein L27a




• Molecule 62: 60S ribosomal protein L29




• Molecule 63: 60S ribosomal protein L30




- Molecule 64: 60S ribosomal protein L31




- Molecule 65: 60S ribosomal protein L32




- Molecule 66: 60S ribosomal protein L35a




- Molecule 67: 60S ribosomal protein L34



- Molecule 68: 60S ribosomal protein L35




- Molecule 69: 60S ribosomal protein L36





- Molecule 70: 60S ribosomal protein L37







- Molecule 71: 60S ribosomal protein L38




- Molecule 72: 60S ribosomal protein L39





- Molecule 73: 60S ribosomal protein L40




- Molecule 74: 60S ribosomal protein L41




- Molecule 75: 60S ribosomal protein L36a




- Molecule 76: 60S ribosomal protein L37a





- Molecule 77: 60S ribosomal protein L28




• Molecule 78: 28S ribosomal RNA








• Molecule 79: AA tRNA




• Molecule 80: mRNA




• Molecule 81: Cadherin-1

Chain y: 95%
95% 5%




- Molecule 82: PE tRNA

Chain u: 62%
37% 50% 13%



- Molecule 83: 60S ribosomal protein L27

Chain a: 16%
98%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	10350	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.096	Depositor
Minimum map value	-0.047	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.02	Depositor
Map size (\AA)	460.0, 460.0, 460.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.15, 1.15, 1.15	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: B8Q, M7A, MG, MA6, 5MC, ZN, OMG, E3C, 4AC, PSU, B8N, OMU, OMC, MVM, 5MU, A2M, 6MZ, UR3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	S2	2.35	14/39959 (0.0%)	1.15	217/62253 (0.3%)
2	SA	0.42	0/1778	0.67	1/2416 (0.0%)
3	SB	0.39	0/1765	0.63	2/2362 (0.1%)
4	SD	0.38	0/1785	0.68	0/2404
5	SE	0.37	0/2101	0.65	0/2828
6	SF	0.36	0/1516	0.64	1/2037 (0.0%)
7	SH	0.40	0/1519	0.69	1/2033 (0.0%)
8	SI	0.38	0/1702	0.69	2/2271 (0.1%)
9	SK	0.42	0/851	0.67	0/1147
10	SL	1.36	1/1268 (0.1%)	0.82	5/1696 (0.3%)
11	SP	0.37	0/1065	0.65	0/1423
12	SQ	0.40	0/1177	0.66	0/1575
13	SR	0.35	0/1097	0.68	0/1474
14	SS	0.36	0/1216	0.66	0/1628
15	ST	0.34	0/1131	0.63	1/1515 (0.1%)
16	SU	0.33	0/831	0.68	1/1115 (0.1%)
17	SV	0.42	0/631	0.73	1/844 (0.1%)
18	SX	0.43	0/1116	0.69	0/1490
19	Sa	0.45	0/836	0.67	0/1121
20	Sc	0.38	0/508	0.68	0/680
21	Sd	0.50	1/470 (0.2%)	0.80	2/623 (0.3%)
22	Sg	0.35	0/2486	0.73	4/3384 (0.1%)
23	SC	0.47	0/1755	0.74	1/2371 (0.0%)
24	SG	0.34	0/1946	0.66	2/2590 (0.1%)
25	SJ	0.38	0/1561	0.73	2/2083 (0.1%)
26	SM	0.32	0/922	0.69	1/1238 (0.1%)
27	SN	0.37	0/1232	0.64	1/1656 (0.1%)
28	SO	0.38	0/1037	0.66	0/1391
29	SW	0.43	0/1051	0.63	0/1406
30	SY	0.35	0/1094	0.60	0/1452
31	SZ	0.36	0/585	0.85	1/785 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	Sb	0.37	0/653	0.63	0/876
33	Se	0.34	0/458	0.65	0/604
34	Sf	0.35	0/560	0.72	1/745 (0.1%)
35	A	0.52	0/1968	0.67	0/2639
36	B	0.48	0/3270	0.70	2/4377 (0.0%)
37	C	0.49	0/2942	0.68	1/3951 (0.0%)
38	D	0.91	1/3726 (0.0%)	1.13	20/5804 (0.3%)
39	E	0.86	0/2839	1.07	7/4425 (0.2%)
40	F	0.44	0/2437	0.65	0/3262
41	G	0.43	0/1942	0.74	3/2606 (0.1%)
42	H	0.53	0/1905	0.71	3/2539 (0.1%)
43	I	0.45	0/1913	0.68	0/2576
44	J	0.43	0/1545	0.69	2/2077 (0.1%)
45	K	0.45	0/1730	0.66	1/2311 (0.0%)
46	L	0.42	0/1376	0.68	0/1841
47	M	0.47	0/1688	0.71	1/2260 (0.0%)
48	N	0.45	0/1161	0.62	0/1554
49	O	0.57	0/1746	0.71	0/2338
50	P	0.47	0/1638	0.65	1/2191 (0.0%)
51	Q	0.49	0/1268	0.65	2/1701 (0.1%)
52	R	0.50	0/1537	0.69	2/2052 (0.1%)
53	S	0.46	0/1533	0.71	1/2025 (0.0%)
54	T	0.51	0/1488	0.66	1/1997 (0.1%)
55	U	0.48	0/1312	0.67	0/1753
56	V	0.44	0/822	0.68	0/1103
57	W	0.45	0/983	0.62	0/1319
58	X	4.12	1/1004 (0.1%)	0.74	1/1332 (0.1%)
59	Y	0.45	0/975	0.65	0/1312
60	Z	0.48	0/1132	0.64	0/1504
61	b	0.52	0/1191	0.69	0/1591
62	c	0.39	0/826	0.70	1/1088 (0.1%)
63	d	0.49	0/812	0.72	0/1089
64	e	0.45	0/894	0.67	0/1204
65	f	0.48	0/1082	0.64	1/1443 (0.1%)
66	g	0.53	0/895	0.72	1/1198 (0.1%)
67	h	0.53	1/916 (0.1%)	0.73	0/1220
68	i	0.42	0/1023	0.70	0/1351
69	j	0.38	0/805	0.66	0/1065
70	k	0.51	0/703	0.71	1/929 (0.1%)
71	l	0.37	0/575	0.67	0/761
72	m	0.42	0/454	0.71	1/599 (0.2%)
73	n	0.40	0/417	0.69	0/553
74	o	0.42	0/241	0.72	0/305

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
75	p	0.46	0/877	0.71	1/1156 (0.1%)
76	q	0.54	0/718	0.74	0/953
77	r	0.53	0/995	0.74	1/1334 (0.1%)
78	t	0.91	4/86502 (0.0%)	1.17	508/134927 (0.4%)
79	v	0.58	0/1802	1.23	14/2797 (0.5%)
80	w	0.70	0/235	1.25	2/365 (0.5%)
81	y	0.35	0/263	1.02	1/359 (0.3%)
82	u	0.56	0/1800	1.39	34/2804 (1.2%)
83	a	0.47	0/1126	0.69	0/1502
All	All	1.21	23/230694 (0.0%)	1.01	861/338958 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	SP	0	1
15	ST	0	1
16	SU	0	1
56	V	0	1
62	c	0	1
All	All	0	5

The worst 5 of 23 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	S2	291	G	N7-C5	229.25	2.76	1.39
1	S2	291	G	C8-N7	214.07	2.59	1.30
1	S2	291	G	N9-C8	184.78	2.67	1.37
1	S2	291	G	N9-C4	174.09	2.77	1.38
1	S2	291	G	C5-C4	160.98	2.51	1.38

The worst 5 of 861 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	S2	291	G	C6-N1-C2	25.90	140.64	125.10
1	S2	291	G	N3-C4-C5	-25.47	115.87	128.60
1	S2	291	G	C6-C5-N7	23.18	144.31	130.40
1	S2	115	U	C2-N3-C4	21.35	139.81	127.00
1	S2	291	G	N1-C2-N3	19.64	135.68	123.90

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	SP	14	LYS	Peptide
15	ST	98	SER	Peptide
16	SU	95	SER	Peptide
56	V	74	SER	Mainchain
62	c	54	LEU	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	SA	219/221 (99%)	185 (84%)	33 (15%)	1 (0%)	29	67
3	SB	212/214 (99%)	183 (86%)	28 (13%)	1 (0%)	29	67
4	SD	224/226 (99%)	191 (85%)	33 (15%)	0	100	100
5	SE	257/259 (99%)	223 (87%)	34 (13%)	0	100	100
6	SF	187/189 (99%)	161 (86%)	26 (14%)	0	100	100
7	SH	182/189 (96%)	159 (87%)	23 (13%)	0	100	100
8	SI	202/204 (99%)	171 (85%)	31 (15%)	0	100	100
9	SK	96/98 (98%)	83 (86%)	13 (14%)	0	100	100
10	SL	151/153 (99%)	134 (89%)	17 (11%)	0	100	100
11	SP	125/127 (98%)	109 (87%)	16 (13%)	0	100	100
12	SQ	144/146 (99%)	123 (85%)	19 (13%)	2 (1%)	11	46
13	SR	132/134 (98%)	107 (81%)	25 (19%)	0	100	100
14	SS	143/145 (99%)	126 (88%)	17 (12%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	ST	141/143 (99%)	127 (90%)	13 (9%)	1 (1%)	22	60
16	SU	102/104 (98%)	91 (89%)	11 (11%)	0	100	100
17	SV	80/82 (98%)	68 (85%)	11 (14%)	1 (1%)	12	48
18	SX	139/141 (99%)	120 (86%)	19 (14%)	0	100	100
19	Sa	100/102 (98%)	84 (84%)	15 (15%)	1 (1%)	15	52
20	Sc	62/64 (97%)	48 (77%)	14 (23%)	0	100	100
21	Sd	53/55 (96%)	39 (74%)	13 (24%)	1 (2%)	8	41
22	Sg	310/312 (99%)	245 (79%)	65 (21%)	0	100	100
23	SC	219/220 (100%)	191 (87%)	27 (12%)	1 (0%)	29	67
24	SG	235/237 (99%)	207 (88%)	28 (12%)	0	100	100
25	SJ	184/185 (100%)	163 (89%)	20 (11%)	1 (0%)	29	67
26	SM	116/118 (98%)	97 (84%)	19 (16%)	0	100	100
27	SN	148/150 (99%)	142 (96%)	6 (4%)	0	100	100
28	SO	135/137 (98%)	116 (86%)	19 (14%)	0	100	100
29	SW	127/129 (98%)	115 (91%)	11 (9%)	1 (1%)	19	57
30	SY	130/131 (99%)	118 (91%)	12 (9%)	0	100	100
31	SZ	71/73 (97%)	58 (82%)	12 (17%)	1 (1%)	11	46
32	Sb	80/82 (98%)	68 (85%)	12 (15%)	0	100	100
33	Se	55/57 (96%)	45 (82%)	10 (18%)	0	100	100
34	Sf	65/67 (97%)	51 (78%)	14 (22%)	0	100	100
35	A	250/252 (99%)	219 (88%)	30 (12%)	1 (0%)	34	71
36	B	395/397 (100%)	342 (87%)	52 (13%)	1 (0%)	41	75
37	C	361/363 (99%)	326 (90%)	32 (9%)	3 (1%)	19	57
40	F	292/294 (99%)	253 (87%)	38 (13%)	1 (0%)	41	75
41	G	232/247 (94%)	188 (81%)	43 (18%)	1 (0%)	34	71
42	H	223/225 (99%)	202 (91%)	21 (9%)	0	100	100
43	I	232/234 (99%)	213 (92%)	18 (8%)	1 (0%)	34	71
44	J	189/191 (99%)	162 (86%)	27 (14%)	0	100	100
45	K	204/211 (97%)	183 (90%)	19 (9%)	2 (1%)	15	52
46	L	167/169 (99%)	143 (86%)	24 (14%)	0	100	100
47	M	203/205 (99%)	166 (82%)	36 (18%)	1 (0%)	29	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	N	137/139 (99%)	122 (89%)	15 (11%)	0	100	100
49	O	201/203 (99%)	174 (87%)	26 (13%)	1 (0%)	29	67
50	P	193/195 (99%)	183 (95%)	10 (5%)	0	100	100
51	Q	151/153 (99%)	142 (94%)	9 (6%)	0	100	100
52	R	185/187 (99%)	163 (88%)	21 (11%)	1 (0%)	29	67
53	S	179/181 (99%)	164 (92%)	15 (8%)	0	100	100
54	T	173/175 (99%)	153 (88%)	19 (11%)	1 (1%)	25	63
55	U	155/157 (99%)	130 (84%)	23 (15%)	2 (1%)	12	48
56	V	97/99 (98%)	89 (92%)	8 (8%)	0	100	100
57	W	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
58	X	119/121 (98%)	101 (85%)	17 (14%)	1 (1%)	19	57
59	Y	115/117 (98%)	106 (92%)	9 (8%)	0	100	100
60	Z	132/134 (98%)	118 (89%)	14 (11%)	0	100	100
61	b	145/147 (99%)	124 (86%)	20 (14%)	1 (1%)	22	60
62	c	94/121 (78%)	82 (87%)	12 (13%)	0	100	100
63	d	101/103 (98%)	87 (86%)	14 (14%)	0	100	100
64	e	104/106 (98%)	94 (90%)	8 (8%)	2 (2%)	8	41
65	f	127/129 (98%)	111 (87%)	16 (13%)	0	100	100
66	g	107/109 (98%)	93 (87%)	12 (11%)	2 (2%)	8	41
67	h	112/114 (98%)	98 (88%)	12 (11%)	2 (2%)	8	42
68	i	120/122 (98%)	110 (92%)	8 (7%)	2 (2%)	9	43
69	j	95/97 (98%)	88 (93%)	6 (6%)	1 (1%)	14	51
70	k	82/84 (98%)	72 (88%)	10 (12%)	0	100	100
71	l	67/69 (97%)	62 (92%)	5 (8%)	0	100	100
72	m	48/50 (96%)	44 (92%)	4 (8%)	0	100	100
73	n	48/50 (96%)	39 (81%)	9 (19%)	0	100	100
74	o	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
75	p	103/105 (98%)	89 (86%)	14 (14%)	0	100	100
76	q	89/91 (98%)	85 (96%)	4 (4%)	0	100	100
77	r	120/122 (98%)	104 (87%)	15 (12%)	1 (1%)	19	57
81	y	37/39 (95%)	18 (49%)	19 (51%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
83	a	132/134 (98%)	113 (86%)	19 (14%)	0	100	100
All	All	11292/11489 (98%)	9844 (87%)	1408 (12%)	40 (0%)	38	71

5 of 40 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	SB	86	LEU
12	SQ	117	ARG
17	SV	79	VAL
23	SC	78	LEU
37	C	59	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	SA	183/183 (100%)	176 (96%)	7 (4%)	33	59
3	SB	195/195 (100%)	191 (98%)	4 (2%)	53	73
4	SD	189/189 (100%)	187 (99%)	2 (1%)	73	84
5	SE	222/222 (100%)	216 (97%)	6 (3%)	44	67
6	SF	159/159 (100%)	157 (99%)	2 (1%)	69	82
7	SH	166/169 (98%)	165 (99%)	1 (1%)	86	91
8	SI	177/177 (100%)	174 (98%)	3 (2%)	60	78
9	SK	89/89 (100%)	86 (97%)	3 (3%)	37	62
10	SL	137/137 (100%)	132 (96%)	5 (4%)	35	61
11	SP	113/113 (100%)	112 (99%)	1 (1%)	78	87
12	SQ	121/121 (100%)	118 (98%)	3 (2%)	47	69
13	SR	121/121 (100%)	119 (98%)	2 (2%)	60	78
14	SS	126/126 (100%)	125 (99%)	1 (1%)	81	89
15	ST	113/113 (100%)	110 (97%)	3 (3%)	44	67
16	SU	94/94 (100%)	90 (96%)	4 (4%)	29	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	SV	66/66 (100%)	63 (96%)	3 (4%)	27	56
18	SX	113/113 (100%)	110 (97%)	3 (3%)	44	67
19	Sa	89/89 (100%)	87 (98%)	2 (2%)	52	71
20	Sc	57/57 (100%)	57 (100%)	0	100	100
21	Sd	48/48 (100%)	46 (96%)	2 (4%)	30	57
22	Sg	271/271 (100%)	268 (99%)	3 (1%)	73	84
23	SC	187/186 (100%)	184 (98%)	3 (2%)	62	79
24	SG	207/207 (100%)	202 (98%)	5 (2%)	49	69
25	SJ	162/161 (101%)	155 (96%)	7 (4%)	29	57
26	SM	98/100 (98%)	95 (97%)	3 (3%)	40	64
27	SN	130/130 (100%)	129 (99%)	1 (1%)	81	89
28	SO	107/107 (100%)	107 (100%)	0	100	100
29	SW	112/112 (100%)	110 (98%)	2 (2%)	59	77
30	SY	114/113 (101%)	110 (96%)	4 (4%)	36	62
31	SZ	64/64 (100%)	62 (97%)	2 (3%)	40	64
32	Sb	74/74 (100%)	74 (100%)	0	100	100
33	Se	46/46 (100%)	45 (98%)	1 (2%)	52	71
34	Sf	60/60 (100%)	58 (97%)	2 (3%)	38	63
35	A	194/194 (100%)	190 (98%)	4 (2%)	53	73
36	B	345/345 (100%)	338 (98%)	7 (2%)	55	74
37	C	302/302 (100%)	292 (97%)	10 (3%)	38	63
40	F	248/248 (100%)	241 (97%)	7 (3%)	43	66
41	G	209/220 (95%)	204 (98%)	5 (2%)	49	69
42	H	194/194 (100%)	190 (98%)	4 (2%)	53	73
43	I	199/199 (100%)	199 (100%)	0	100	100
44	J	170/170 (100%)	166 (98%)	4 (2%)	49	69
45	K	178/179 (99%)	175 (98%)	3 (2%)	60	78
46	L	142/142 (100%)	140 (99%)	2 (1%)	67	81
47	M	171/171 (100%)	166 (97%)	5 (3%)	42	65
48	N	118/118 (100%)	116 (98%)	2 (2%)	60	78
49	O	171/171 (100%)	167 (98%)	4 (2%)	50	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
50	P	168/168 (100%)	161 (96%)	7 (4%)	30	57
51	Q	134/134 (100%)	132 (98%)	2 (2%)	65	80
52	R	164/164 (100%)	159 (97%)	5 (3%)	41	64
53	S	160/160 (100%)	155 (97%)	5 (3%)	40	64
54	T	156/156 (100%)	154 (99%)	2 (1%)	69	82
55	U	138/138 (100%)	135 (98%)	3 (2%)	52	71
56	V	89/89 (100%)	84 (94%)	5 (6%)	21	51
57	W	100/100 (100%)	100 (100%)	0	100	100
58	X	100/100 (100%)	100 (100%)	0	100	100
59	Y	105/105 (100%)	101 (96%)	4 (4%)	33	59
60	Z	124/124 (100%)	123 (99%)	1 (1%)	81	89
61	b	120/120 (100%)	114 (95%)	6 (5%)	24	53
62	c	82/101 (81%)	79 (96%)	3 (4%)	34	60
63	d	88/88 (100%)	87 (99%)	1 (1%)	73	84
64	e	97/97 (100%)	93 (96%)	4 (4%)	30	58
65	f	115/115 (100%)	114 (99%)	1 (1%)	78	87
66	g	88/88 (100%)	87 (99%)	1 (1%)	73	84
67	h	98/98 (100%)	95 (97%)	3 (3%)	40	64
68	i	109/109 (100%)	105 (96%)	4 (4%)	34	60
69	j	83/83 (100%)	82 (99%)	1 (1%)	71	83
70	k	71/71 (100%)	70 (99%)	1 (1%)	67	81
71	l	64/64 (100%)	63 (98%)	1 (2%)	62	79
72	m	47/47 (100%)	46 (98%)	1 (2%)	53	73
73	n	46/46 (100%)	46 (100%)	0	100	100
74	o	24/24 (100%)	23 (96%)	1 (4%)	30	57
75	p	93/93 (100%)	89 (96%)	4 (4%)	29	57
76	q	74/74 (100%)	73 (99%)	1 (1%)	67	81
77	r	106/106 (100%)	104 (98%)	2 (2%)	57	75
81	y	23/29 (79%)	22 (96%)	1 (4%)	29	57
83	a	117/117 (100%)	114 (97%)	3 (3%)	46	68
All	All	9834/9873 (100%)	9614 (98%)	220 (2%)	54	71

5 of 220 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
40	F	196	ARG
49	O	22	LEU
83	a	98	LYS
67	h	82	MET
41	G	56	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 134 such sidechains are listed below:

Mol	Chain	Res	Type
63	d	77	ASN
66	g	55	ASN
77	r	12	ASN
25	SJ	140	GLN
25	SJ	111	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	S2	1690/1714 (98%)	617 (36%)	26 (1%)
38	D	156/157 (99%)	40 (25%)	0
39	E	118/119 (99%)	20 (16%)	0
78	t	3590/3607 (99%)	1000 (27%)	0
79	v	71/76 (93%)	37 (52%)	0
80	w	9/10 (90%)	3 (33%)	0
82	u	75/76 (98%)	43 (57%)	0
All	All	5709/5759 (99%)	1760 (30%)	26 (0%)

5 of 1760 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	S2	2	A
1	S2	4	C
1	S2	5	U
1	S2	9	U
1	S2	10	G

5 of 26 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	S2	1375	G
1	S2	1572	C
1	S2	1815	A
1	S2	1567	G
1	S2	1600	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

34 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMC	S2	1710	1	19,22,23	3.57	8 (42%)	26,31,34	0.71	0
1	PSU	S2	822	1	18,21,22	4.30	8 (44%)	22,30,33	1.83	4 (18%)
1	4AC	S2	1337	1	21,24,25	3.37	9 (42%)	29,34,37	1.23	4 (13%)
1	PSU	S2	1243	1	18,21,22	4.26	8 (44%)	22,30,33	1.63	4 (18%)
1	B8N	S2	1248	1	24,29,30	2.81	5 (20%)	29,42,45	1.91	6 (20%)
1	5MU	S2	814	1	19,22,23	7.54	8 (42%)	28,32,35	3.50	11 (39%)
1	MA6	S2	1851	1	19,26,27	1.08	1 (5%)	18,38,41	3.81	3 (16%)
1	A2M	S2	159	1	18,25,26	4.15	6 (33%)	18,36,39	3.56	7 (38%)
1	6MZ	S2	1832	1	18,25,26	2.01	4 (22%)	16,36,39	1.67	2 (12%)
1	A2M	S2	27	1	18,25,26	4.13	6 (33%)	18,36,39	3.49	4 (22%)
1	5MC	S2	1374	1	18,22,23	3.42	7 (38%)	26,32,35	1.13	2 (7%)
1	PSU	S2	612	1	18,21,22	4.28	8 (44%)	22,30,33	1.97	6 (27%)
1	UR3	S2	1830	1	19,22,23	2.56	5 (26%)	26,32,35	2.57	7 (26%)
1	OMC	S2	1703	1	19,22,23	3.49	8 (42%)	26,31,34	0.78	0
1	OMC	S2	517	1	19,22,23	3.54	8 (42%)	26,31,34	0.84	0
1	PSU	S2	823	1	18,21,22	4.29	8 (44%)	22,30,33	1.98	5 (22%)
1	MA6	S2	1850	1	19,26,27	1.07	1 (5%)	18,38,41	3.97	3 (16%)
1	A2M	S2	668	1	18,25,26	4.00	6 (33%)	18,36,39	4.01	7 (38%)
1	OMG	S2	509	1	18,26,27	2.52	8 (44%)	19,38,41	1.47	4 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	E3C	S2	568	1	18,23,24	3.50	6 (33%)	21,33,36	2.55	5 (23%)
1	A2M	S2	1031	1	18,25,26	4.03	6 (33%)	18,36,39	3.53	5 (27%)
1	M7A	S2	1806	1	20,25,26	2.03	3 (15%)	28,37,40	3.52	8 (28%)
1	OMU	S2	121	1	19,22,23	3.05	7 (36%)	26,31,34	1.88	5 (19%)
1	OMU	S2	116	1	19,22,23	3.10	6 (31%)	26,31,34	1.77	5 (19%)
1	A2M	S2	166	1	18,25,26	4.19	7 (38%)	18,36,39	3.37	5 (27%)
1	PSU	S2	1081	1	18,21,22	4.23	8 (44%)	22,30,33	1.85	5 (22%)
1	4AC	S2	1842	1,85	21,24,25	3.33	9 (42%)	29,34,37	1.21	5 (17%)
1	PSU	S2	119	1	18,21,22	4.39	7 (38%)	22,30,33	1.79	4 (18%)
1	OMC	S2	174	1	19,22,23	3.59	8 (42%)	26,31,34	0.79	0
1	A2M	S2	1678	1	18,25,26	4.18	7 (38%)	18,36,39	3.19	5 (27%)
1	OMG	S2	683	1	18,26,27	2.47	8 (44%)	19,38,41	1.45	4 (21%)
1	A2M	S2	484	1	18,25,26	4.13	7 (38%)	18,36,39	3.48	4 (22%)
1	OMG	S2	644	1	18,26,27	2.56	8 (44%)	19,38,41	1.48	4 (21%)
1	B8Q	S2	1219	1	17,22,23	4.67	6 (35%)	22,32,35	1.93	5 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	S2	1710	1	-	0/9/27/28	0/2/2/2
1	PSU	S2	822	1	-	2/7/25/26	0/2/2/2
1	4AC	S2	1337	1	-	0/11/29/30	0/2/2/2
1	PSU	S2	1243	1	-	2/7/25/26	0/2/2/2
1	B8N	S2	1248	1	-	0/16/34/35	0/2/2/2
1	5MU	S2	814	1	-	0/7/25/26	0/2/2/2
1	MA6	S2	1851	1	-	5/7/29/30	0/3/3/3
1	A2M	S2	159	1	-	4/5/27/28	0/3/3/3
1	6MZ	S2	1832	1	-	2/5/27/28	0/3/3/3
1	A2M	S2	27	1	-	1/5/27/28	0/3/3/3
1	5MC	S2	1374	1	-	0/7/25/26	0/2/2/2
1	PSU	S2	612	1	-	1/7/25/26	0/2/2/2
1	UR3	S2	1830	1	-	7/7/25/26	0/2/2/2
1	OMC	S2	1703	1	-	2/9/27/28	0/2/2/2
1	OMC	S2	517	1	-	2/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	S2	823	1	-	4/7/25/26	0/2/2/2
1	MA6	S2	1850	1	-	5/7/29/30	0/3/3/3
1	A2M	S2	668	1	-	2/5/27/28	0/3/3/3
1	OMG	S2	509	1	-	1/5/27/28	0/3/3/3
1	E3C	S2	568	1	-	4/9/44/45	0/2/2/2
1	A2M	S2	1031	1	-	3/5/27/28	0/3/3/3
1	M7A	S2	1806	1	-	3/7/37/38	0/3/3/3
1	OMU	S2	121	1	-	3/9/27/28	0/2/2/2
1	OMU	S2	116	1	-	2/9/27/28	0/2/2/2
1	A2M	S2	166	1	-	0/5/27/28	0/3/3/3
1	PSU	S2	1081	1	-	2/7/25/26	0/2/2/2
1	4AC	S2	1842	1,85	-	0/11/29/30	0/2/2/2
1	PSU	S2	119	1	-	1/7/25/26	0/2/2/2
1	OMC	S2	174	1	-	0/9/27/28	0/2/2/2
1	A2M	S2	1678	1	-	0/5/27/28	0/3/3/3
1	OMG	S2	683	1	-	2/5/27/28	0/3/3/3
1	A2M	S2	484	1	-	1/5/27/28	0/3/3/3
1	OMG	S2	644	1	-	2/5/27/28	0/3/3/3
1	B8Q	S2	1219	1	-	0/7/42/43	0/2/2/2

The worst 5 of 225 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	S2	814	5MU	C4-C5	22.08	1.81	1.44
1	S2	814	5MU	C6-N1	16.66	1.66	1.38
1	S2	814	5MU	C6-C5	-11.74	1.15	1.34
1	S2	1219	B8Q	C4-N3	11.60	1.66	1.48
1	S2	119	PSU	C6-C5	11.31	1.48	1.35

The worst 5 of 148 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	S2	1850	MA6	N1-C6-N6	-14.99	101.28	117.06
1	S2	1851	MA6	N1-C6-N6	-14.44	101.85	117.06
1	S2	1806	M7A	C5-C6-N6	10.86	142.30	123.74
1	S2	668	A2M	C1'-N9-C4	-10.43	108.31	126.64
1	S2	1806	M7A	N6-C6-N1	-9.47	97.62	118.35

There are no chirality outliers.

5 of 63 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	S2	27	A2M	C1'-C2'-O2'-CM'
1	S2	116	OMU	C3'-C4'-C5'-O5'
1	S2	116	OMU	O4'-C4'-C5'-O5'
1	S2	159	A2M	O4'-C4'-C5'-O5'
1	S2	159	A2M	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 37 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
86	MVM	t	5112	-	33,35,35	1.77	4 (12%)	36,49,49	2.24	13 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
86	MVM	t	5112	-	-	0/20/28/28	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
86	t	5112	MVM	C5-N1	6.44	1.46	1.37
86	t	5112	MVM	N5-N4	-4.43	1.30	1.37
86	t	5112	MVM	C6-N1	2.54	1.45	1.39
86	t	5112	MVM	C12-C5	2.47	1.54	1.50

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
86	t	5112	MVM	C15-N4-C22	-5.46	124.10	129.98
86	t	5112	MVM	C21-N7-C22	4.70	122.60	116.77
86	t	5112	MVM	C7-C3-C9	4.33	119.43	110.82
86	t	5112	MVM	N3-C6-N1	3.86	120.41	116.33
86	t	5112	MVM	C1-C9-N1	-3.67	106.93	116.16


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
78	t	16
1	S2	5
79	v	4
62	c	1

The worst 5 of 26 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	S2	753:C	O3'	785:C	P	26.21
1	t	750:G	O3'	890:C	P	19.49
1	t	3919:C	O3'	4035:G	P	17.88
1	t	1680:C	O3'	1699:C	P	17.58
1	t	517:C	O3'	629:G	P	17.45


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0599. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 218




Y Index: 193




Z Index: 229


6.3.2 Raw map



X Index: 219



Y Index: 204




Z Index: 229

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1153 nm^3 ; this corresponds to an approximate mass of 1042 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	3.83	5.31	3.92
Unmasked-calculated*	5.56	9.17	5.96

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.56 differs from the reported value 3.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0599 and PDB model 6OLF. Per-residue inclusion information can be found in section 3 on page 20.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 58% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6276	 0.4070
A	 0.6385	 0.4810
B	 0.6075	 0.4550
C	 0.6370	 0.4590
D	 0.7643	 0.4230
E	 0.8514	 0.4420
F	 0.5973	 0.4180
G	 0.5384	 0.4070
H	 0.6464	 0.4600
I	 0.5586	 0.4220
J	 0.5329	 0.4310
K	 0.6049	 0.4520
L	 0.5518	 0.4140
M	 0.5969	 0.4250
N	 0.6116	 0.4410
O	 0.6907	 0.4830
P	 0.6418	 0.4600
Q	 0.6501	 0.4620
R	 0.6257	 0.4660
S	 0.5683	 0.4300
S2	 0.6707	 0.3900
SA	 0.4588	 0.4080
SB	 0.4139	 0.3990
SC	 0.5063	 0.4180
SD	 0.3396	 0.3550
SE	 0.4153	 0.3680
SF	 0.3308	 0.3550
SG	 0.3353	 0.3370
SH	 0.3599	 0.3410
SI	 0.4257	 0.3780
SJ	 0.4294	 0.3710
SK	 0.3130	 0.3370
SL	 0.4604	 0.3950
SM	 0.1022	 0.2340
SN	 0.5068	 0.4250

















Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
SO	0.4352	0.4040
SP	0.4303	0.3590
SQ	0.3806	0.3640
SR	0.3356	0.3670
SS	0.3859	0.3620
ST	0.3956	0.3630
SU	0.3387	0.3470
SV	0.4779	0.3850
SW	0.5475	0.4430
SX	0.5070	0.4150
SY	0.4087	0.3570
SZ	0.2827	0.3230
Sa	0.5311	0.4160
Sb	0.3838	0.3790
Sc	0.2716	0.3370
Sd	0.5351	0.4090
Se	0.3753	0.3740
Sf	0.1442	0.2410
Sg	0.2307	0.3030
T	0.6178	0.4550
U	0.6069	0.4540
V	0.5380	0.3890
W	0.5787	0.4650
X	0.3396	0.3120
Y	0.6047	0.4440
Z	0.6169	0.4420
a	0.5959	0.4350
b	0.6670	0.4700
c	0.5580	0.4300
d	0.5625	0.4200
e	0.5943	0.4400
f	0.6511	0.4670
g	0.6888	0.4790
h	0.6099	0.4630
i	0.5892	0.4170
j	0.5840	0.4220
k	0.7275	0.4870
l	0.4883	0.3950
m	0.6147	0.4560
n	0.6020	0.4420
o	0.5571	0.4410
p	0.5442	0.4490

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
q	 0.6270	 0.4670
r	 0.6621	 0.4560
t	 0.7557	 0.4140
u	 0.3391	 0.2500
v	 0.4061	 0.3060
w	 0.5915	 0.4150
y	 0.1145	 0.2570