



wwPDB EM Validation Summary Report ⓘ

Dec 10, 2022 – 10:13 pm GMT

PDB ID : 6QX9
EMDB ID : EMD-4665
Title : Structure of a human fully-assembled precatalytic spliceosome (pre-B complex).
Authors : Charenton, C.; Wilkinson, M.E.; Nagai, K.
Deposited on : 2019-03-07
Resolution : 3.28 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	164	
2	6	106	
3	5O	357	
4	B4	424	
5	13	126	
5	23	126	
5	43	126	
5	53	126	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	4B	522	17% 67% 31%
7	1e	92	84% 67% 15% 16%
7	2e	92	88% 88% 12%
7	4e	92	67% 78% 17%
7	5e	92	30% 84% 16%
8	I	62	40% 31% 6% 60%
9	1K	437	46% 40% 6% 54%
10	4C	499	6% 59% 40%
11	11	119	68% 61% 5% 32%
11	21	119	67% 67% 33%
11	41	119	23% 50% 17% 32%
11	51	119	28% 50% 17% 32%
12	R	480	21% 78%
13	1f	86	86% 76% 9% 14%
13	2f	86	84% 84% 16%
13	4f	86	56% 81% 16%
13	5f	86	55% 83% 15%
14	66	80	90% 84% 5% 10%
15	X	155	12% 32% 68%
16	12	118	81% 71% 8% 19%
16	22	118	81% 81% 19%
16	42	118	26% 78% 22%
16	52	118	43% 79% 17%
17	5	117	11% 46% 32% 10% 11%
18	67	103	75% 69% 6% 25%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
19	62	95	100% 93% 5%
20	2B	225	41% 41% 59%
21	A2	209	69% 63% 5% 31%
22	B2	895	23% 22% 77%
23	5C	854	99%
24	5X	820	48% 69% 29%
25	1b	240	36% 32% 64%
25	2b	240	34% 34% 66%
25	4b	240	25% 34% 66%
25	5b	240	6% 30% 70%
26	B5	86	80% 80% 20%
27	1A	282	35% 33% 65%
28	S	800	15% 85%
29	5J	850	14% 93% 6%
30	4D	128	95%
31	63	102	83% 75% 7% 17%
32	2	188	50% 34% 13% 50%
33	B3	1217	97% 97%
34	1g	76	96% 86% 11%
34	2g	76	96% 95%
34	4g	76	86% 72% 25%
34	5g	76	18% 72% 25%
35	68	96	99% 84% 10%
36	5A	2311	95%
37	A3	501	76% 71% 5% 24%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
38	U	555	80% 18%
39	5D	142	99%
40	64	139	53% 50% 47%
41	BP	104	96% 95%
42	1C	159	31% 27% 69%
43	K	1007	32% 29% 68%
44	4A	683	11% 34% 65%
45	4	146	23% 64% 22% 14%
46	2A	255	64% 63% 36%
47	A1	647	23% 24% 74%
48	65	91	84% 77% 7% 16%
49	5B	2136	6% 93% 6%
50	B1	1304	65% 64% 35%

2 Entry composition [i](#)

There are 54 unique types of molecules in this entry. The entry contains 137494 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called U1 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	1	164	3485	1555	607	1159	164	0	0

- Molecule 2 is a RNA chain called U6 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	6	53	1133	506	203	371	53	0	0

- Molecule 3 is a protein called U5 small nuclear ribonucleoprotein 40 kDa protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	5O	306	2394	1501	422	457	14	0	0

- Molecule 4 is a protein called Splicing factor 3B subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	B4	78	618	399	101	115	3	0	0

- Molecule 5 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	13	81	637	400	112	119	6	0	0
5	53	84	657	412	116	123	6	0	0
5	23	83	652	409	115	122	6	0	0
5	43	83	652	409	115	122	6	0	0

- Molecule 6 is a protein called U4/U6 small nuclear ribonucleoprotein Prp4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	4B	359	2842	1793	509	521	19	0	0

- Molecule 7 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	5e	77	638	405	113	115	5	0	0
7	4e	76	631	400	112	114	5	0	0
7	1e	77	638	405	113	115	5	0	0
7	2e	81	669	424	119	121	5	0	0

- Molecule 8 is a RNA chain called AdML pre-mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	I	25	530	237	92	177	24	0	0

- Molecule 9 is a protein called U1 small nuclear ribonucleoprotein 70 kDa.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	1K	201	1649	1036	317	291	5	0	0

- Molecule 10 is a protein called U4/U6 small nuclear ribonucleoprotein Prp31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	4C	301	2375	1486	418	456	15	0	0

- Molecule 11 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	4I	81	641	408	112	118	3	0	0
11	11	81	641	408	112	118	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
11	51	81	Total	C	N	O	S	0	0
			641	408	112	118	3		
11	21	80	Total	C	N	O	S	0	0
			634	404	111	115	4		

- Molecule 12 is a protein called RNA-binding protein 42.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	R	106	Total	C	N	O	S	0	0
			874	553	160	157	4		

- Molecule 13 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	1f	74	Total	C	N	O	S	0	0
			576	373	95	103	5		
13	2f	72	Total	C	N	O	S	0	0
			562	364	93	100	5		
13	5f	73	Total	C	N	O	S	0	0
			567	367	94	101	5		
13	4f	72	Total	C	N	O	S	0	0
			562	364	93	100	5		

- Molecule 14 is a protein called U6 snRNA-associated Sm-like protein LSm6.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	66	72	Total	C	N	O	S	0	0
			567	360	97	108	2		

- Molecule 15 is a protein called U4/U6.U5 small nuclear ribonucleoprotein 27 kDa protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	X	49	Total	C	N	O	S	0	0
			394	247	74	69	4		

- Molecule 16 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	22	95	Total	C	N	O	S	0	0
			774	486	141	142	5		
16	42	92	Total	C	N	O	S	0	0
			737	463	138	131	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
16	52	98	Total	C	N	O	S	0	0
			796	498	144	148	6		
16	12	95	Total	C	N	O	S	0	0
			777	486	141	144	6		

- Molecule 17 is a RNA chain called U5 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	5	104	Total	C	N	O	P	0	0
			2192	983	372	734	103		

- Molecule 18 is a protein called U6 snRNA-associated Sm-like protein LSm7.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	67	77	Total	C	N	O	S	0	0
			604	383	102	116	3		

- Molecule 19 is a protein called U6 snRNA-associated Sm-like protein LSm2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	62	95	Total	C	N	O	S	0	0
			761	486	126	145	4		

- Molecule 20 is a protein called U2 small nuclear ribonucleoprotein B⁷.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	2B	92	Total	C	N	O	S	0	0
			745	480	130	130	5		

- Molecule 21 is a protein called Splicing factor 3A subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	A2	144	Total	C	N	O	S	0	0
			1221	782	219	214	6		

- Molecule 22 is a protein called Splicing factor 3B subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	B2	208	Total	C	N	O	S	0	0
			1699	1093	302	295	9		

- Molecule 23 is a protein called 116 kDa U5 small nuclear ribonucleoprotein component.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	5C	852	6727	4300	1127	1266	34	0	0

- Molecule 24 is a protein called Probable ATP-dependent RNA helicase DDX23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	5X	583	4780	3014	855	893	18	7	0

- Molecule 25 is a protein called Small nuclear ribonucleoprotein-associated proteins B and B'.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	1b	86	692	435	126	124	7	0	0
25	2b	82	664	419	121	117	7	0	0
25	5b	73	594	376	108	103	7	0	0
25	4b	82	669	423	122	117	7	0	0

- Molecule 26 is a protein called Splicing factor 3B subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	B5	69	567	360	99	103	5	0	0

- Molecule 27 is a protein called U1 small nuclear ribonucleoprotein A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	1A	98	787	506	134	143	4	0	0

- Molecule 28 is a protein called U4/U6.U5 tri-snRNP-associated protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	S	120	917	576	168	168	5	0	0

- Molecule 29 is a protein called Pre-mRNA-processing factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	5J	803	6316	3963	1155	1170	28	0	0

- Molecule 30 is a protein called NHP2-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	4D	123	955	604	170	176	5	0	0

- Molecule 31 is a protein called U6 snRNA-associated Sm-like protein LSm3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	63	85	699	440	120	136	3	0	0

- Molecule 32 is a RNA chain called U2 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
32	2	94	1984	887	331	672	94	0	0

- Molecule 33 is a protein called Splicing factor 3B subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	B3	1186	9296	5898	1580	1773	45	0	0

- Molecule 34 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	1g	73	568	358	102	102	6	0	0
34	2g	73	568	358	102	102	6	0	0
34	5g	74	577	364	104	103	6	0	0
34	4g	74	577	364	104	103	6	0	0

- Molecule 35 is a protein called U6 snRNA-associated Sm-like protein LSm8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	68	95	722	446	124	151	1	0	0

- Molecule 36 is a protein called Pre-mRNA-processing-splicing factor 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	5A	2212	18366	11840	3193	3253	80	0	0

- Molecule 37 is a protein called Splicing factor 3A subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	A3	383	3227	2029	566	618	14	0	0

- Molecule 38 is a protein called U4/U6.U5 tri-snRNP-associated protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	U	456	3750	2427	635	674	14	0	0

- Molecule 39 is a protein called Thioredoxin-like protein 4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	5D	141	1169	751	194	214	10	0	0

- Molecule 40 is a protein called U6 snRNA-associated Sm-like protein LSm4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	64	73	596	376	105	109	6	0	0

- Molecule 41 is a protein called PHD finger-like domain-containing protein 5A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	BP	100	766	473	135	145	13	0	0

- Molecule 42 is a protein called U1 small nuclear ribonucleoprotein C.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	1C	50	Total	C	N	O	S	0	0
			425	266	73	82	4		

- Molecule 43 is a protein called Serine/threonine-protein kinase PRP4 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	K	322	Total	C	N	O	S	0	0
			2626	1682	462	467	15		

- Molecule 44 is a protein called U4/U6 small nuclear ribonucleoprotein Prp3.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	4A	239	Total	C	N	O	S	0	0
			1946	1237	360	342	7		

- Molecule 45 is a RNA chain called U4 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	4	126	Total	C	N	O	P	0	0
			2690	1202	474	888	126		

- Molecule 46 is a protein called U2 small nuclear ribonucleoprotein A'.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	2A	162	Total	C	N	O	S	0	0
			1282	820	219	240	3		

- Molecule 47 is a protein called Splicing factor 3A subunit 1,Splicing factor 3A subunit 1,Splicing factor 3A subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	A1	168	Total	C	N	O	S	0	0
			1339	855	237	245	2		

- Molecule 48 is a protein called U6 snRNA-associated Sm-like protein LSm5.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	65	76	Total	C	N	O	S	0	0
			587	373	96	114	4		

- Molecule 49 is a protein called U5 small nuclear ribonucleoprotein 200 kDa helicase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	5B	2001	16077	10235	2767	2991	84	0	0

- Molecule 50 is a protein called Splicing factor 3B subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	B1	848	6749	4330	1160	1220	39	0	0


- Molecule 51 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
51	A2	1	Total	Zn	0
			1	1	
51	U	1	Total	Zn	0
			1	1	
51	BP	3	Total	Zn	0
			3	3	
51	1C	1	Total	Zn	0
			1	1	

- Molecule 52 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
52	5C	1	Total	Mg	0
			1	1	

- Molecule 53 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
53	5C	1	32	10	5	14	3	0

- Molecule 54 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula: $C_6H_{18}O_{24}P_6$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
54	5A	1	36	6	24	6	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: U1 snRNA




- Molecule 2: U6 snRNA




- Molecule 3: U5 small nuclear ribonucleoprotein 40 kDa protein






• Molecule 4: Splicing factor 3B subunit 4




• Molecule 5: Small nuclear ribonucleoprotein Sm D3




ILE
PHE
GLN
LYS
ARG
ARG

• Molecule 5: Small nuclear ribonucleoprotein Sm D3




• Molecule 5: Small nuclear ribonucleoprotein Sm D3




ILE
PHE
GLN
LYS
ARG
ARG


• Molecule 5: Small nuclear ribonucleoprotein Sm D3





LYS
ARG
ARG

• Molecule 6: U4/U6 small nuclear ribonucleoprotein Prp4









• Molecule 7: Small nuclear ribonucleoprotein E





• Molecule 7: Small nuclear ribonucleoprotein E




• Molecule 7: Small nuclear ribonucleoprotein E




• Molecule 7: Small nuclear ribonucleoprotein E











• Molecule 8: AdML pre-mRNA




• Molecule 9: U1 small nuclear ribonucleoprotein 70 kDa




• Molecule 10: U4/U6 small nuclear ribonucleoprotein Prp31







• Molecule 11: Small nuclear ribonucleoprotein Sm D1



• Molecule 11: Small nuclear ribonucleoprotein Sm D1




• Molecule 11: Small nuclear ribonucleoprotein Sm D1




• Molecule 11: Small nuclear ribonucleoprotein Sm D1









• Molecule 12: RNA-binding protein 42



• Molecule 13: Small nuclear ribonucleoprotein F





• Molecule 13: Small nuclear ribonucleoprotein F









• Molecule 16: Small nuclear ribonucleoprotein Sm D2



• Molecule 16: Small nuclear ribonucleoprotein Sm D2




• Molecule 16: Small nuclear ribonucleoprotein Sm D2





• Molecule 17: U5 snRNA







• Molecule 18: U6 snRNA-associated Sm-like protein LSm7





• Molecule 19: U6 snRNA-associated Sm-like protein LSm2



• Molecule 20: U2 small nuclear ribonucleoprotein B''




• Molecule 21: Splicing factor 3A subunit 2







• Molecule 25: Small nuclear ribonucleoprotein-associated proteins B and B'




• Molecule 25: Small nuclear ribonucleoprotein-associated proteins B and B'




• Molecule 25: Small nuclear ribonucleoprotein-associated proteins B and B'







● Molecule 25: Small nuclear ribonucleoprotein-associated proteins B and B'




● Molecule 26: Splicing factor 3B subunit 5




● Molecule 27: U1 small nuclear ribonucleoprotein A









• Molecule 30: NHP2-like protein 1




• Molecule 31: U6 snRNA-associated Sm-like protein LSm3



• Molecule 32: U2 snRNA




• Molecule 33: Splicing factor 3B subunit 3



L781	L782	L783	L784	L785	L786	L787	L788	L789	L790	L791	L792	L793	L794	L795	L796	L797	L798	L799	I800	I801	I802	I803	I804	I805	I806	I807	I808	I809	I810	I811	I812	I813	I814	I815	I816	I817	I818	I819	I820	I821	I822	I823	I824	I825	I826	I827	I828	I829	I830	I831	I832	I833	I834	I835	I836	I837	I838	I839	I840			
GLY	F662	L663	Y664	L665	M666	I667	G668	L669	Q670	M671	G672	V673	L674	L675	R676	T677	V678	L679	D680	P681	V682	T683	G684	D685	L686	S687	D688	T689	R690	I691	ARG	TYR	LEU	G695	L696	R697	P698	V699	K700	L701	F702	R703	V704	L705	M706	Q707	GLY	THR	GLU	LYS	GLN	ASP	GLU	LEU	GLY	GLU	ARG	GLY	SER	ILE	L719	L720
L721	S722	Y723	S724	Y725	Q726	L727	R728	F729	H730	L731	T732	P733	L734	S735	Y736	T737	L738	L739	E740	F741	A742	S743	G744	F745	A746	S747	E748	Q749	C750	P751	E752	G753	L754	V755	L756	A757	I757	S758	T759	N760	L761	L762	R763	I764	L765	A766	L767	E768	L769	E770	A771	L772	L773	F774	N775	Q776	L777	A778	F779	P780		
L781	Q782	L783	L784	L785	L786	L787	L788	L789	L790	L791	L792	L793	L794	L795	L796	L797	L798	L799	I800	I801	I802	I803	I804	I805	I806	I807	I808	I809	I810	I811	I812	I813	I814	I815	I816	I817	I818	I819	I820	I821	I822	I823	I824	I825	I826	I827	I828	I829	I830	ARG	GLU	L834	A835	L836	S837	M838	A839					
M1	F2	L3	Y4	N5	L6	T7	L8	Q9	R10	A11	T12	G13	I14	S15	F16	A17	I18	H19	G20	N21	F22	S23	G24	T25	K26	Q27	Q28	E29	L30	V31	V32	S33	R34	G35	K36	L37	L38	E39	L40	L41	R42	P43	D44	P45	N46	T47	O48	K49	V50	H51	T52	L53	L54	T55	V56	E57	L58	F59	G60			
V61	L62	R63	S64	L65	M66	A67	F68	R69	L70	T71	G72	G73	T74	K75	D76	Y77	I78	V79	W80	G81	S82	D83	S84	G85	R86	L87	W88	R89	L90	E91	Y92	A93	R94	S95	K96	N97	N98	F99	E100	K101	I102	H103	O104	P105	L106	F107	G108	K109	V170	G111	C112	R113	L114	I115	V116	L117	Q119	F120				
L121	A122	D123	D124	P125	K126	L127	R128	A129	V130	M131	I132	S133	A134	I135	E136	K137	Q138	V139	W140	V141	Y142	D143	L144	M145	R146	D147	A148	A149	L150	R151	L152	T153	I154	S155	S156	L157	L158	E159	A160	H161	K162	A163	M164	T165	L166	V167	H169	E170	V171	G172	R173	L174	I175	G176	F177	M179	P180					
M181	F182	C183	C184	L185	E186	M187	D188	E189	E190	E191	A192	D193	M194	D195	P196	T197	G198	E199	A200	A201	A202	N203	T204	Q205	Q206	T207	L208	T209	F210	Y211	E212	L213	D214	L215	G216	L217	N218	H219	V220	V221	K222	K223	Y224	S225	E226	P227	L228	E229	E230	H231	G232	M233	F234	L235	T236	T237	V238	P239	G240			
G241	S242	D243	G244	P245	S246	G247	V248	L249	I250	C251	S252	E253	M254	Y255	L256	T257	Y258	K259	N260	F261	G262	D263	Q264	P265	D266	L267	R268	C269	P270	L271	P272	R273	A274	L275	M276	D277	L278	D279	D280	P281	E282	R283	G284	M285	F287	V288	C289	E290	A291	T292	H293	K294	T295	K296	S297	M298	F299	F300				
F301	L302	A303	Q304	T305	E306	Q307	G308	D309	I310	F311	K312	I313	T314	L315	E316	T317	D318	E319	D320	N321	V322	T323	E324	I325	R326	L327	K328	Y329	F330	D331	T332	V333	R334	V335	L336	A337	A338	N339	C340	V341	L342	K343	T344	G345	F346	L347	F348	V349	A350	S351	E352	F353	G354	N355	H356	Y357	L358	Y359	Q360			
I361	A362	H363	L364	G365	D366	D367	D368	E369	E370	P371	E372	F373	S374	S375	A376	M377	P378	L379	E380	E381	G382	D383	E384	F385	F386	F387	Q388	P389	R390	F391	L392	K393	N394	L395	V396	L397	V398	D399	E400	L401	D402	S403	L404	S405	P406	I407	L408	F409	C410	Q411	I412	A413	D414	L415	A416	M417	E418	D419	T420			
P421	Q422	L423	Y424	V425	A426	C427	Q428	R429	A430	P431	R432	S433	A434	L435	R436	V437	L438	R439	H440	G441	L442	E443	V444	S445	E446	M447	A448	V449	S450	E451	L452	P453	G454	M455	P456	M457	A458	V459	W460	T461	V462	R463	L464	H465	L466	E467	D468	E469	F470	D471	A472	Y473	I474	L475	V476	S477	F478	V479	N480			
A481	T482	L483	V484	L485	S486	I487	G488	E489	T490	V491	E492	E493	V494	T495	D496	S497	G498	F499	L500	G501	T502	S503	P504	L505	L506	S507	C508	S509	L510	L511	G512	D513	D514	A515	L516	V517	Q518	V519	Y520	P521	D522	G523	I524	R525	H526	I527	R528	A529	D530	K531	R532	V533	N534	E535	W536	K537	T538	P539	G540			
K541	K542	T543	I544	L545	K546	C547	A548	V549	N550	Q551	R552	Q553	V554	V555	I556	A557	L558	T559	G560	G561	E562	L563	V564	Y565	F566	E567	M568	D569	P570	S571	G572	Q573	L574	M575	E576	Y577	T578	E579	R580	K581	E582	M583	S584	A585	D586	V587	V588	C589	M590	S591	L592	A593	N594	V595	P596	P597	G598	E599	Q600			
R601	S602	R603	F604	L605	A606	V607	G608	L609	V610	D611	N612	T613	V614	R615	I616	I617	S618	L619	D620	P621	S622	D623	G624	L625	Q626	P627	L628	S629	M630	Q631	A632	L633	P634	A635	Q636	P637	E638	S639	L640	C641	I642	V643	E644	M645	GLY	THR	GLU	LYS	GLN	ASP	GLU	LEU	GLY	GLU	ARG	GLY	SER	ILE				
F662	L663	Y664	L665	M666	I667	G668	L669	Q670	M671	G672	V673	L674	L675	R676	T677	V678	L679	D680	P681	V682	T683	G684	D685	L686	S687	D688	T689	R690	I691	ARG	TYR	LEU	G695	L696	R697	P698	V699	K700	L701	F702	R703	V704	L705	M706	Q707	GLY	THR	GLU	LYS	GLN	ASP	GLU	LEU	GLY	GLU	ARG	GLY	SER	ILE			
L721	S722	Y723	S724	Y725	Q726	L727	R728	F729	H730	L731	T732	P733	L734	S735	Y736	T737	L738	L739	E740	F741	A742	S743	G744	F745	A746	S747	E748	Q749	C750	P751	E752	G753	L754	V755	L756	A757	I757	S758	T759	N760	L761	L762	R763	I764	L765	A766	L767	E768	L769	E770	A771	L772	L773	F774	N775	Q776	L777	A778	F779	P780		
L781	Q782	L783	L784	L785	L786	L787	L788	L789	L790	L791	L792	L793	L794	L795	L796	L797	L798	L799	I800	I801	I802	I803	I804	I805	I806	I807	I808	I809	I810	I811	I812	I813	I814	I815	I816	I817	I818	I819	I820	I821	I822	I823	I824	I825	I826	I827	I828	I829	I830	ARG	GLU	L834	A835	L836	S837	M838	A839					


A841	F842	L843	N844	E845	N846	L847	P848	E849	S850	I851	F852	G853	A854	P855	K856	A857	G858	N859	G860	Q861	A862	A863	S864	V865	I866	R867	V868	M869	N870	P871	I872	Q873	G874	N875	T876	L877	D878	L879	V880	Q881	L882	E883	Q884	N885	E886	A887	A888	F889	S890	V891	A892	V893	C894	R895	F896	S897	N898	T899	G900
E901	D902	W903	Y904	V905	L906	V907	G908	V909	A910	K911	D912	L913	I914	L915	N916	P917	R918	S919	V920	A921	G922	G923	F924	V925	V926	T927	Y928	K929	L930	V931	N932	N933	G934	E935	K936	L937	E938	F939	L940	H941	Q942	T943	P944	V945	E946	E947	V948	P949	I950	M1011	V1012	A1013	P954	F955	Q956	G957	N958	V959	L960
I961	G962	V963	G964	K965	L966	L967	R968	V969	V970	D971	L972	G973	K974	K975	K976	L977	L978	R979	K980	C981	E982	N983	K984	H985	I986	A987	N988	K929	I990	S991	G992	I993	Q994	T995	I996	G997	H998	R999	V1000	I1001	V1002	S1003	D1004	V1005	Q1006	E1007	S1008	F1009	I1010	M1011	V1012	R1013	Y1014	K1015	M1016	M1017	E1018	M1019	Q1020
L1021	I1022	F1024	A1025	D1026	D1027	T1028	Y1029	P1030	R1031	V1032	V1033	T1034	T1035	A1036	S1037	L1038	L1039	D1040	Y1041	D1042	T1043	V1044	A1045	G1046	A1047	D1048	L1049	F1050	G1051	N1052	I1053	C1054	V1055	V1056	R1057	L1058	P1059	P1060	N1061	T1062	N1063	D1064	E1065	V1066	D1067	E1068	ASP	PRO	THR	GLY	ASN	LYS	ALA	LEU	TRP	D1078	R1079	G1080	
L1081	L1082	N1083	G1084	A1085	S1086	Q1087	K1088	A1089	E1090	V1091	I1092	M1093	N1094	Y1095	H1096	V1097	G1098	E1099	T1100	V1101	L1102	S1103	L1104	K1105	T1107	T1108	L1109	I1110	P1111	G1112	G1113	S1114	E1115	S1116	L1117	V1118	Y1119	T1120	T1121	S1123	G1124	G1125	I1126	G1127	I1128	K1129	V1130	P1131	F1132	T1133	S1134	H1135	E1136	D1137	H1138	D1139	F1140		
F1141	Q1142	H1143	V1144	E1145	M1146	H1147	L1148	R1149	S1150	E1151	H1152	P1153	P1154	L1155	C1156	G1157	R1158	D1159	H1160	L1161	S1162	F1163	R1164	S1165	V1166	Y1167	F1168	P1169	V1170	K1171	N1172	I1173	V1174	D1175	G1176	L1177	D1178	C1179	E1180	Q1181	M1182	M1183	S1184	M1185	E1186	P1187	N1188	K1189	Q1190	K1191	N1192	V1193	S1194	E1195	E1196	L1197	D1198	R1199	T1200
P1201	E1203	V1204	S1205	K1206	K1207	L1208	E1209	D1210	I1211	R1212	T1213	R1214	Y1215	A1216	F1217																																												

• Molecule 34: Small nuclear ribonucleoprotein G




MET	SER	LYS	A4	H5	P6	F7	E8	L9	K10	K11	F12	M13	D14	K15	K16	L17	S18	L19	K20	L21	N22	G23	G24	R25	H26	V27	Q28	G29	I30	L31	R32	G33	F34	D35	P36	F37	M38	N39	L40	V41	I42	D43	E44	C45	V46	E47	M48	A49	T50	S51	G52	Q53	O54	N55	M56	I57	G58	M59	V60
V61	I62	R63	G64	N65	S66	I67	I68	M69	L70	E71	A72	L73	E74	R75	V76																																												

• Molecule 34: Small nuclear ribonucleoprotein G




MET	SER	LYS	A4	H5	P6	S66	I67	I68	M69	L70	E71	A72	L73	E74	R75	V76
V61	I62	R63	G64	N65	S66	I67	I68	M69	L70	E71	A72	L73	E74	R75	V76	


• Molecule 34: Small nuclear ribonucleoprotein G




• Molecule 34: Small nuclear ribonucleoprotein G




• Molecule 35: U6 snRNA-associated Sm-like protein LSM8




• Molecule 36: Pre-mRNA-processing-splicing factor 8




- Molecule 37: Splicing factor 3A subunit 3




- Molecule 38: U4/U6.U5 tri-snRNP-associated protein 2




- Molecule 39: Thioredoxin-like protein 4A




- Molecule 40: U6 snRNA-associated Sm-like protein LSM4




- Molecule 41: PHD finger-like domain-containing protein 5A




- Molecule 42: U1 small nuclear ribonucleoprotein C




- Molecule 43: Serine/threonine-protein kinase PRP4 homolog







• Molecule 45: U4 snRNA





• Molecule 46: U2 small nuclear ribonucleoprotein A'






• Molecule 49: U5 small nuclear ribonucleoprotein 200 kDa helicase



• Molecule 50: Splicing factor 3B subunit 1



T1021	V961	Q901	A841	D781	I721	R661	A601	S541	D481	GLY
P1022	M962	E902	N842	E782	E722	H662	K602	P542	V482	SER
I1023	K963	Q903	K843	E783	E723	T663	A603	T543	V483	THR
L1024	T964	T904	V844	M784	F724	G664	A604	L544	E484	ALA
K1025	C965	T905	G845	K785	D725	I665	G605	E545	E485	PRO
N1026	Q966	E906	A846	K786	S726	K666	L606	D546	T486	ASN
R1027	E967	D907	A847	I787	V727	I667	A607	Q547	L487	MET
H1028	E968	S908	E848	V788	L728	V668	T608	E548	S488	ALA
E1029	K969	V909	I849	L789	K729	Q669	M609	R549	P489	THR
K1030	L970	M910	I850	K790	P730	Q670	L610	E490	E490	LYS
V1031	M971	L911	S851	V791	L731	I671	S611	H550	E491	THR
Q1032	G972	N912	R852	V792	K732	A672	T612	L552	Q492	ALA
E1033	H973	G913	I853	K793	K733	I673	M613	V553	K493	THR
N1034	L974	F914	V854	Q794	G734	L674	R614	K554	E494	PRO
C1035	G975	G915	D855	C795	I735	M675	P615	V555	R495	THR
I1036	V976	T916	D856	C796	R736	G676	D616	I556	K496	PRO
D1037	V977	V917	L857	G797	Q737	C677	D617	D557	I497	GLY
L1038	L978	V918	K858	T798	H738	A678	D618	R558	M498	THR
V1039	Y979	N919	D859	D799	R739	I679	M619	I559	K499	ALA
G1040	E980	A920	E860	G800	G740	L680	M620	L560	L500	GLY
R1041	Y981	L921	A861	W801	K741	P681	D621	I561	L501	THR
I1042	L982	Q922	E862	E802	G742	H682	E622	K562	L502	PRO
A1043	G983	K923	Q863	A803	L743	L683	Y623	L563	K503	GLY
D1044	E984	R924	V864	N804	A744	R684	V624	D564	I504	ARG
R1045	E985	V925	R865	Y805	A745	S685	R625	D565	I505	ALA
G1046	Y986	K926	K866	I806	F746	L686	N626	L566	K505	ALA
A1047	P987	P927	M867	R807	L747	V687	T627	V567	G507	THR
E1048	E988	Y928	V868	T808	K748	E688	T628	R568	T508	PRO
Y1049	V989	L929	M869	E809	A749	I689	A629	P569	P509	ALA
Y1050	L990	P930	E870	E810	I750	L690	R630	V570	P509	THR
S1051	G991	Q931	T871	L811	G751	E691	A631	V571	M511	LEU
A1052	S992	I932	I872	P812	V752	H692	F632	H572	P460	GLY
R1053	L993	C933	E873	F813	L753	G693	A633	K573	S461	THR
E1054	L994	Q934	K874	F814	I754	L694	V634	I574	G462	GLY
W1055	G995	T935	I875	F815	P755	V695	V635	L575	M463	ALA
M1056	A996	V936	M876	K816	L756	D696	A636	V576	L464	THR
R1057	L997	L937	G877	H817	M757	E697	S637	V577	P465	ALA
I1058	K998	W938	N878	F818	D758	Q698	A638	I578	F466	ALA
C1059	A999	R939	L879	W819	A759	Q699	L639	E579	L467	THR
F1060	V1000	L940	C880	Q820	E760	K700	G640	P580	K468	ASN
E1061	V1001	N941	A881	H821	Y761	W701	I641	L581	P469	THR
L1062	N1002	N942	A882	R822	A762	R702	P642	L582	D470	LYS
L1063	V1003	K943	D883	M823	M763	T703	S643	I583	D471	THR
E1064	I1004	S944	I884	A824	Y764	I704	L644	D584	I472	ALA
L1065	G1005	A945	D885	L825	V765	S705	L645	E585	Q473	THR
L1066	M1006	K946	H886	D826	T766	A706	P646	D586	Y474	PRO
K1067	H1007	V947	K887	R827	R767	L707	F647	V587	F475	THR
A1068	M1008	R948	L888	R828	E768	A708	L648	V588	D476	ALA
H1069	M1009	Q949	E889	M829	V769	I709	K649	A589	K477	THR
K1070	T1010	Q950	E890	Y830	M770	A710	A650	R590	L478	LEU
K1071	P1011	A951	Q891	H831	L771	A711	V651	V591	L479	PRO
A1072	P1012	A952	L892	O832	I772	L712	C652	E592	F532	THR
I1073	I1013	D953	I893	L833	L773	A713	K653	G593	N533	ALA
R1074	K1014	L954	D894	V834	I774	E714	S654	R594	Q534	THR
R1075	D1015	I955	G895	D835	R775	A715	K655	E595	I535	LYS
A1076	L1016	S956	I896	T836	E776	A716	K656	I596	L536	PRO
T1077	L1017	R957	L897	T837	F777	V717	S657	I597	P537	PRO
N1078	P1018	T958	V898	V838	O778	P718	W658	S598	L538	ALA
N1079	K1019	A959	A899	E839	S779	V719	Q659	N599	L539	GLY
T1080	L1020	V960	F900	L840	P780	G720	A660	L600	M540	THR

F1081	L1141	G1201	V1261
G1082	N1142	F1202	R1262
Y1083	V1143	G1203	D1263
I1084	Q1144	C1204	V1264
A1085	N1145	E1205	Y1265
K1086	G1146	D1206	W1266
A1087	V1147	S1207	K1267
I1088	L1148	L1208	I1268
G1089	K1149	M1209	Y1269
P1090	S1150	H1210	M1270
H1091	L1151	L1211	S1271
D1092	S1152	L1212	I1272
V1093	F1153	M1213	Y1273
L1094	L1154	Y1214	I1274
A1095	F1155	V1215	G1275
T1096	E1156	W1216	S1276
L1097	Y1157	P1217	Q1277
L1098	I1158	M1218	D1278
M1099	G1159	V1219	A1279
N1100	E1160	F1220	L1280
L1101	M1161	E1221	I1281
K1102	G1162	T1222	A1282
V1103	K1163	S1223	H1283
Q1104	D1164	P1224	Y1284
E1105	Y1165	H1225	P1285
R1106	I1166	V1226	R1286
Q1107	Y1167	I1227	I1287
N1108	A1168	Q1228	Y1288
R1109	V1169	A1229	M1289
V1110	T1170	V1230	D1290
C1111	P1171	M1231	D1291
T1112	L1172	G1232	K1292
T1113	L1173	A1233	M1293
V1114	E1174	L1234	T1294
A1115	D1175	E1235	Y1295
I1116	A1176	G1236	I1296
A1117	L1177	L1237	R1297
I1118	M1178	R1238	Y1298
V1119	D1179	V1239	E1299
A1120	R1180	A1240	L1300
E1121	D1181	I1241	D1301
T1122	L1182	G1242	Y1302
C1123	V1183	P1243	I1303
S1124	H1184	C1244	L1304
P1125	R1185	M1245	
F1126	Q1186	M1246	
T1127	T1187	L1247	
V1128	A1188	Q1248	
L1129	S1189	Y1249	
P1130	A1190	C1250	
A1131	V1191	L1251	
L1132	V1192	Q1252	
M1133	Q1193	G1253	
N1134	H1194	L1254	
E1135	M1195	F1255	
Y1136	S1196	H1256	
R1137	L1197	P1257	
V1138	G1198	A1258	
P1139	V1199	R1259	
E1140	Y1200	K1260	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	86146	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.097	Depositor
Minimum map value	-0.048	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	429.24, 429.24, 429.24	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.022, 1.022, 1.022	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IHP, GTP, M7M, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.75	8/3891 (0.2%)	0.87	9/6061 (0.1%)
2	6	0.72	5/1264 (0.4%)	1.19	8/1961 (0.4%)
3	5O	0.31	0/2448	0.58	0/3316
4	B4	0.72	0/632	1.02	2/855 (0.2%)
5	13	0.53	0/645	1.19	6/870 (0.7%)
5	23	0.48	0/660	0.61	0/889
5	43	0.34	0/660	0.67	1/889 (0.1%)
5	53	0.44	0/665	0.56	0/896
6	4B	0.48	0/2921	0.65	0/3966
7	1e	0.62	0/646	1.27	5/867 (0.6%)
7	2e	0.48	0/677	0.60	0/908
7	4e	0.37	0/639	0.78	1/857 (0.1%)
7	5e	0.37	0/646	0.70	0/867
8	I	0.86	0/590	1.30	8/916 (0.9%)
9	1K	1.13	2/1695 (0.1%)	1.19	15/2288 (0.7%)
10	4C	0.34	0/2406	0.56	0/3232
11	11	0.68	0/649	1.24	7/878 (0.8%)
11	21	0.40	0/642	0.56	0/867
11	41	0.40	0/649	0.73	1/878 (0.1%)
11	51	0.40	0/649	0.73	1/878 (0.1%)
12	R	0.39	0/891	0.77	0/1188
13	1f	0.66	1/588 (0.2%)	1.18	4/795 (0.5%)
13	2f	0.49	0/574	0.59	0/775
13	4f	0.42	0/574	0.74	1/775 (0.1%)
13	5f	0.41	0/579	0.78	0/783
14	66	0.83	1/575 (0.2%)	1.25	3/776 (0.4%)
15	X	0.42	0/398	0.59	0/524
16	12	0.69	0/786	1.15	3/1055 (0.3%)
16	22	0.43	0/784	0.56	0/1053
16	42	0.43	0/747	0.66	0/1000
16	52	0.40	0/805	0.74	1/1081 (0.1%)
17	5	0.63	0/2444	1.47	59/3798 (1.6%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
18	67	0.81	1/611 (0.2%)	1.29	3/824 (0.4%)
19	62	0.79	0/773	1.21	4/1043 (0.4%)
20	2B	0.38	0/759	0.50	0/1016
21	A2	0.65	0/1254	0.93	4/1682 (0.2%)
22	B2	0.67	3/1747 (0.2%)	0.88	7/2356 (0.3%)
23	5C	0.54	0/6879	0.61	3/9344 (0.0%)
24	5X	0.52	1/4859 (0.0%)	0.61	0/6522
25	1b	0.64	0/702	1.16	3/936 (0.3%)
25	2b	0.45	0/674	0.55	0/899
25	4b	0.33	0/679	0.62	0/905
25	5b	0.38	0/602	0.57	0/801
26	B5	0.60	0/584	0.59	0/789
27	1A	1.04	0/801	1.02	2/1074 (0.2%)
28	S	0.39	0/925	0.66	0/1229
29	5J	0.35	0/6430	0.62	6/8681 (0.1%)
30	4D	0.51	1/967 (0.1%)	0.56	0/1305
31	63	0.80	0/709	1.22	3/959 (0.3%)
32	2	0.72	3/2209 (0.1%)	1.15	14/3429 (0.4%)
33	B3	0.48	0/9485	0.61	0/12870
34	1g	0.58	0/575	1.17	4/768 (0.5%)
34	2g	0.48	0/575	0.62	0/768
34	4g	0.41	0/584	0.71	1/779 (0.1%)
34	5g	0.41	0/584	0.72	1/779 (0.1%)
35	68	0.80	0/728	1.30	7/987 (0.7%)
36	5A	0.48	1/18874 (0.0%)	0.59	10/25606 (0.0%)
37	A3	0.70	0/3294	1.07	12/4423 (0.3%)
38	U	0.54	0/3846	0.63	2/5208 (0.0%)
39	5D	0.39	0/1198	0.58	1/1620 (0.1%)
40	64	0.82	0/609	1.25	2/824 (0.2%)
41	BP	0.65	0/779	0.56	0/1047
42	1C	0.56	0/437	1.16	4/587 (0.7%)
43	K	0.37	0/2673	0.54	0/3593
44	4A	0.42	0/1983	0.59	2/2657 (0.1%)
45	4	0.59	2/2967 (0.1%)	1.00	7/4610 (0.2%)
46	2A	0.32	0/1299	0.62	0/1761
47	A1	0.71	0/1234	1.03	4/1657 (0.2%)
48	65	0.83	0/593	1.25	3/800 (0.4%)
49	5B	0.44	0/16393	0.59	3/22174 (0.0%)
50	B1	0.53	0/6878	0.65	3/9315 (0.0%)
All	All	0.54	29/141171 (0.0%)	0.77	250/193369 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected

by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	4B	0	3
7	4e	0	1
9	1K	0	1
10	4C	0	2
13	4f	0	1
13	5f	0	1
14	66	0	1
16	12	0	1
16	52	0	3
18	67	0	1
19	62	0	1
21	A2	0	4
23	5C	0	2
25	4b	0	1
29	5J	0	2
31	63	0	2
33	B3	0	1
35	68	0	3
36	5A	0	2
37	A3	0	6
38	U	0	3
40	64	0	1
44	4A	0	2
45	4	0	1
47	A1	0	4
49	5B	0	2
50	B1	0	4
All	All	0	56

The worst 5 of 29 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	78	U	O3'-P	-19.56	1.37	1.61
1	1	2	U	O3'-P	-18.25	1.39	1.61
45	4	87	C	O3'-P	11.52	1.75	1.61
1	1	35	A	O3'-P	-7.25	1.52	1.61
22	B2	629	PRO	N-CD	-7.23	1.37	1.47

The worst 5 of 250 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	5J	92	GLY	C-N-CD	-13.53	90.84	120.60
17	5	57	G	O4'-C1'-N9	12.51	118.20	108.20
1	1	78	U	P-O3'-C3'	12.36	134.54	119.70
42	1C	28	ARG	NE-CZ-NH1	12.33	126.47	120.30
17	5	58	U	O5'-P-OP2	-10.23	96.50	105.70

There are no chirality outliers.

5 of 56 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	1K	56	PRO	Peptide
6	4B	420	TYR	Peptide
6	4B	459	PRO	Peptide
6	4B	470	TYR	Peptide
10	4C	350	GLN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	5O	304/357 (85%)	283 (93%)	19 (6%)	2 (1%)	22	56
4	B4	76/424 (18%)	76 (100%)	0	0	100	100
5	13	79/126 (63%)	75 (95%)	4 (5%)	0	100	100
5	23	81/126 (64%)	76 (94%)	5 (6%)	0	100	100
5	43	81/126 (64%)	76 (94%)	5 (6%)	0	100	100
5	53	82/126 (65%)	77 (94%)	5 (6%)	0	100	100
6	4B	357/522 (68%)	330 (92%)	25 (7%)	2 (1%)	25	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	1e	75/92 (82%)	70 (93%)	5 (7%)	0	100	100
7	2e	79/92 (86%)	77 (98%)	2 (2%)	0	100	100
7	4e	74/92 (80%)	71 (96%)	3 (4%)	0	100	100
7	5e	75/92 (82%)	72 (96%)	3 (4%)	0	100	100
9	1K	199/437 (46%)	184 (92%)	12 (6%)	3 (2%)	10	39
10	4C	293/499 (59%)	275 (94%)	18 (6%)	0	100	100
11	11	79/119 (66%)	77 (98%)	2 (2%)	0	100	100
11	21	78/119 (66%)	75 (96%)	3 (4%)	0	100	100
11	41	79/119 (66%)	75 (95%)	4 (5%)	0	100	100
11	51	79/119 (66%)	75 (95%)	4 (5%)	0	100	100
12	R	104/480 (22%)	91 (88%)	13 (12%)	0	100	100
13	1f	72/86 (84%)	69 (96%)	3 (4%)	0	100	100
13	2f	70/86 (81%)	69 (99%)	1 (1%)	0	100	100
13	4f	70/86 (81%)	69 (99%)	1 (1%)	0	100	100
13	5f	71/86 (83%)	64 (90%)	7 (10%)	0	100	100
14	66	70/80 (88%)	69 (99%)	0	1 (1%)	11	40
15	X	45/155 (29%)	39 (87%)	6 (13%)	0	100	100
16	12	91/118 (77%)	85 (93%)	6 (7%)	0	100	100
16	22	91/118 (77%)	86 (94%)	5 (6%)	0	100	100
16	42	90/118 (76%)	84 (93%)	6 (7%)	0	100	100
16	52	94/118 (80%)	87 (93%)	7 (7%)	0	100	100
18	67	75/103 (73%)	72 (96%)	2 (3%)	1 (1%)	12	42
19	62	93/95 (98%)	84 (90%)	6 (6%)	3 (3%)	4	23
20	2B	90/225 (40%)	88 (98%)	2 (2%)	0	100	100
21	A2	138/209 (66%)	123 (89%)	11 (8%)	4 (3%)	4	25
22	B2	204/895 (23%)	181 (89%)	22 (11%)	1 (0%)	29	62
23	5C	850/854 (100%)	817 (96%)	31 (4%)	2 (0%)	47	77
24	5X	574/820 (70%)	561 (98%)	13 (2%)	0	100	100
25	1b	84/240 (35%)	82 (98%)	2 (2%)	0	100	100
25	2b	80/240 (33%)	74 (92%)	6 (8%)	0	100	100
25	4b	80/240 (33%)	71 (89%)	9 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
25	5b	69/240 (29%)	67 (97%)	2 (3%)	0	100	100
26	B5	67/86 (78%)	61 (91%)	6 (9%)	0	100	100
27	1A	96/282 (34%)	94 (98%)	2 (2%)	0	100	100
28	S	110/800 (14%)	101 (92%)	8 (7%)	1 (1%)	17	50
29	5J	793/850 (93%)	748 (94%)	44 (6%)	1 (0%)	51	82
30	4D	121/128 (94%)	119 (98%)	2 (2%)	0	100	100
31	63	83/102 (81%)	79 (95%)	3 (4%)	1 (1%)	13	44
33	B3	1176/1217 (97%)	1082 (92%)	92 (8%)	2 (0%)	47	77
34	1g	71/76 (93%)	69 (97%)	2 (3%)	0	100	100
34	2g	71/76 (93%)	69 (97%)	2 (3%)	0	100	100
34	4g	72/76 (95%)	66 (92%)	6 (8%)	0	100	100
34	5g	72/76 (95%)	66 (92%)	6 (8%)	0	100	100
35	68	93/96 (97%)	81 (87%)	6 (6%)	6 (6%)	1	9
36	5A	2198/2311 (95%)	2094 (95%)	102 (5%)	2 (0%)	51	82
37	A3	377/501 (75%)	346 (92%)	26 (7%)	5 (1%)	12	42
38	U	454/555 (82%)	424 (93%)	27 (6%)	3 (1%)	22	56
39	5D	139/142 (98%)	131 (94%)	8 (6%)	0	100	100
40	64	71/139 (51%)	66 (93%)	3 (4%)	2 (3%)	5	26
41	BP	98/104 (94%)	92 (94%)	6 (6%)	0	100	100
42	1C	48/159 (30%)	47 (98%)	1 (2%)	0	100	100
43	K	316/1007 (31%)	294 (93%)	18 (6%)	4 (1%)	12	42
44	4A	229/683 (34%)	210 (92%)	18 (8%)	1 (0%)	34	67
46	2A	160/255 (63%)	147 (92%)	13 (8%)	0	100	100
47	A1	138/647 (21%)	129 (94%)	7 (5%)	2 (1%)	11	40
48	65	74/91 (81%)	70 (95%)	2 (3%)	2 (3%)	5	26
49	5B	1989/2136 (93%)	1885 (95%)	103 (5%)	1 (0%)	51	82
50	B1	846/1304 (65%)	792 (94%)	53 (6%)	1 (0%)	51	82
All	All	15337/23178 (66%)	14438 (94%)	846 (6%)	53 (0%)	44	72

5 of 53 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	5O	59	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	1K	59	ARG
9	1K	63	ARG
19	62	47	ASP
19	62	53	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	5O	263/300 (88%)	263 (100%)	0	100	100
4	B4	66/336 (20%)	66 (100%)	0	100	100
5	13	71/101 (70%)	61 (86%)	10 (14%)	3	16
5	23	73/101 (72%)	73 (100%)	0	100	100
5	43	73/101 (72%)	73 (100%)	0	100	100
5	53	73/101 (72%)	73 (100%)	0	100	100
6	4B	306/442 (69%)	303 (99%)	3 (1%)	76	85
7	1e	72/84 (86%)	61 (85%)	11 (15%)	2	12
7	2e	76/84 (90%)	76 (100%)	0	100	100
7	4e	71/84 (84%)	69 (97%)	2 (3%)	43	69
7	5e	72/84 (86%)	72 (100%)	0	100	100
9	1K	170/373 (46%)	161 (95%)	9 (5%)	22	53
10	4C	255/424 (60%)	251 (98%)	4 (2%)	62	79
11	11	76/101 (75%)	72 (95%)	4 (5%)	22	53
11	21	75/101 (74%)	75 (100%)	0	100	100
11	41	76/101 (75%)	55 (72%)	21 (28%)	0	1
11	51	76/101 (75%)	55 (72%)	21 (28%)	0	1
12	R	94/369 (26%)	91 (97%)	3 (3%)	39	67
13	1f	63/74 (85%)	56 (89%)	7 (11%)	6	24
13	2f	61/74 (82%)	61 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	4f	61/74 (82%)	61 (100%)	0	100	100
13	5f	61/74 (82%)	60 (98%)	1 (2%)	62	79
14	66	62/70 (89%)	62 (100%)	0	100	100
15	X	42/144 (29%)	42 (100%)	0	100	100
16	12	91/110 (83%)	83 (91%)	8 (9%)	10	33
16	22	91/110 (83%)	91 (100%)	0	100	100
16	42	86/110 (78%)	86 (100%)	0	100	100
16	52	93/110 (84%)	92 (99%)	1 (1%)	73	85
18	67	69/91 (76%)	68 (99%)	1 (1%)	67	82
19	62	88/88 (100%)	86 (98%)	2 (2%)	50	73
20	2B	81/195 (42%)	81 (100%)	0	100	100
21	A2	129/180 (72%)	128 (99%)	1 (1%)	81	89
22	B2	187/776 (24%)	185 (99%)	2 (1%)	73	85
23	5C	754/756 (100%)	751 (100%)	3 (0%)	91	95
24	5X	517/721 (72%)	501 (97%)	16 (3%)	40	67
25	1b	78/177 (44%)	70 (90%)	8 (10%)	7	26
25	2b	75/177 (42%)	75 (100%)	0	100	100
25	4b	75/177 (42%)	75 (100%)	0	100	100
25	5b	67/177 (38%)	66 (98%)	1 (2%)	65	81
26	B5	60/77 (78%)	60 (100%)	0	100	100
27	1A	85/240 (35%)	82 (96%)	3 (4%)	36	64
28	S	91/681 (13%)	91 (100%)	0	100	100
29	5J	636/715 (89%)	631 (99%)	5 (1%)	81	89
30	4D	107/111 (96%)	107 (100%)	0	100	100
31	63	79/94 (84%)	76 (96%)	3 (4%)	33	62
33	B3	1027/1051 (98%)	1021 (99%)	6 (1%)	86	91
34	1g	63/66 (96%)	57 (90%)	6 (10%)	8	29
34	2g	63/66 (96%)	62 (98%)	1 (2%)	62	79
34	4g	64/66 (97%)	46 (72%)	18 (28%)	0	1
34	5g	64/66 (97%)	46 (72%)	18 (28%)	0	1
35	68	81/82 (99%)	77 (95%)	4 (5%)	25	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	5A	2002/2090 (96%)	1990 (99%)	12 (1%)	86	91
37	A3	345/446 (77%)	339 (98%)	6 (2%)	60	78
38	U	418/503 (83%)	414 (99%)	4 (1%)	76	85
39	5D	129/130 (99%)	129 (100%)	0	100	100
40	64	68/111 (61%)	68 (100%)	0	100	100
41	BP	86/90 (96%)	85 (99%)	1 (1%)	71	83
42	1C	48/135 (36%)	42 (88%)	6 (12%)	4	19
43	K	291/919 (32%)	259 (89%)	32 (11%)	6	24
44	4A	210/599 (35%)	208 (99%)	2 (1%)	76	85
46	2A	139/218 (64%)	138 (99%)	1 (1%)	84	90
47	A1	130/550 (24%)	127 (98%)	3 (2%)	50	73
48	65	68/80 (85%)	67 (98%)	1 (2%)	65	81
49	5B	1779/1908 (93%)	1766 (99%)	13 (1%)	84	90
50	B1	733/1104 (66%)	729 (100%)	4 (0%)	88	93
All	All	13735/20051 (68%)	13447 (98%)	288 (2%)	56	75

5 of 288 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
43	K	830	LEU
50	B1	695	VAL
43	K	892	LYS
34	4g	59	MET
27	1A	61	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 168 such sidechains are listed below:

Mol	Chain	Res	Type
34	5g	26	HIS
49	5B	785	HIS
43	K	722	ASN
44	4A	524	GLN
49	5B	1209	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	163/164 (99%)	49 (30%)	6 (3%)
17	5	101/117 (86%)	42 (41%)	4 (3%)
2	6	50/106 (47%)	5 (10%)	2 (4%)
32	2	90/188 (47%)	23 (25%)	4 (4%)
45	4	120/146 (82%)	25 (20%)	3 (2%)
8	I	23/62 (37%)	5 (21%)	0
All	All	547/783 (69%)	149 (27%)	19 (3%)

5 of 149 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	U
1	1	12	G
1	1	15	G
1	1	16	G
1	1	17	G

5 of 19 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
32	2	103	U
45	4	68	A
45	4	114	U
45	4	1	A
17	5	57	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 7 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
54	IHP	5A	2401	-	36,36,36	0.71	0	54,60,60	0.58	0
53	GTP	5C	1002	52	26,34,34	1.36	3 (11%)	32,54,54	1.61	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	IHP	5A	2401	-	-	8/30/54/54	0/1/1/1
53	GTP	5C	1002	52	-	4/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	5C	1002	GTP	C5-C6	-4.45	1.38	1.47
53	5C	1002	GTP	C5-C4	-2.15	1.37	1.43
53	5C	1002	GTP	O4'-C4'	-2.11	1.40	1.45

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	5C	1002	GTP	PB-O3B-PG	-3.54	120.68	132.83
53	5C	1002	GTP	C5-C6-N1	3.51	120.14	113.95
53	5C	1002	GTP	C8-N7-C5	3.05	108.80	102.99
53	5C	1002	GTP	C2-N1-C6	-3.00	119.58	125.10
53	5C	1002	GTP	PA-O3A-PB	-2.50	124.26	132.83

There are no chirality outliers.


5 of 12 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
54	5A	2401	IHP	C1-O11-P1-O41
54	5A	2401	IHP	C3-O13-P3-O23
53	5C	1002	GTP	O4'-C4'-C5'-O5'
53	5C	1002	GTP	PB-O3A-PA-O2A
53	5C	1002	GTP	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
47	A1	2
1	1	2
29	5J	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A1	282:VAL	C	422:UNK	N	108.26
1	5J	165:ASP	C	236:GLY	N	34.19
1	A1	447:UNK	C	455:VAL	N	4.52
1	1	2:U	O3'	3:A	P	1.39

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	78:U	O3'	79:G	P	1.37


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4665. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 177



Y Index: 193




Z Index: 218


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 726 nm³; this corresponds to an approximate mass of 656 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.305 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.305 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.28	-	-
Author-provided FSC curve	3.24	3.88	3.29
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4665 and PDB model 6QX9. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 47% of all backbone atoms, 42% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4194	 0.2070
1	 0.0023	 0.0020
11	 0.0000	 0.0070
12	 0.0000	 0.0170
13	 0.0000	 -0.0180
1A	 0.0000	 0.0280
1C	 0.0000	 0.0100
1K	 0.0006	 -0.0000
1b	 0.0030	 0.0140
1e	 0.0000	 0.0140
1f	 0.0018	 0.0020
1g	 0.0000	 0.0360
2	 0.0010	 0.0100
21	 0.0000	 0.0000
22	 0.0000	 0.0000
23	 0.0000	 0.0000
2A	 0.0000	 0.0000
2B	 0.0000	 0.0000
2b	 0.0000	 0.0000
2e	 0.0000	 0.0000
2f	 0.0000	 0.0000
2g	 0.0000	 0.0000
4	 0.6367	 0.2560
41	 0.4715	 0.1690
42	 0.4716	 0.2320
43	 0.2394	 0.0950
4A	 0.4885	 0.1430
4B	 0.5560	 0.1550
4C	 0.6882	 0.3260
4D	 0.6862	 0.3020
4b	 0.2844	 0.0870
4e	 0.2407	 0.0760
4f	 0.3333	 0.1270
4g	 0.2039	 0.0230
5	 0.7532	 0.2890



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
51	0.4684	0.1360
52	0.4128	0.1040
53	0.7283	0.3880
5A	0.8233	0.4690
5B	0.7650	0.3870
5C	0.8727	0.5100
5D	0.8171	0.4650
5J	0.6497	0.2450
5O	0.1712	0.0160
5X	0.3058	0.1470
5b	0.5769	0.2660
5e	0.4727	0.1160
5f	0.3573	0.0930
5g	0.5677	0.2690
6	0.5613	0.1810
62	0.0053	0.0140
63	0.0103	-0.0020
64	0.0000	-0.0400
65	0.0017	0.0290
66	0.0000	-0.0130
67	0.0017	-0.0100
68	0.0014	0.0270
A1	0.1031	0.0580
A2	0.0000	-0.0020
A3	0.0003	0.0040
B1	0.0008	0.0020
B2	0.0024	0.0090
B3	0.0014	-0.0030
B4	0.0000	-0.0010
B5	0.0036	-0.0090
BP	0.0013	-0.0110
I	0.0038	-0.0000
K	0.0124	0.0130
R	0.5998	0.2310
S	0.6347	0.3130
U	0.8799	0.5060
X	0.5431	0.2760