



# wwPDB NMR Structure Validation Summary Report i

Jun 6, 2023 – 04:47 pm BST

PDB ID : 6T3I  
BMRB ID : 34442  
Title : Solution structure of the HRP2 IBD  
Authors : Veverka, V.  
Deposited on : 2019-10-11

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
BMRB Restraints Analysis : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.33

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*SOLUTION NMR*


The overall completeness of chemical shifts assignment is 91%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



## 2 Ensemble composition and analysis

This entry contains 30 models. Model 5 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:470-A:548 (79)	0.16	5

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 6 single-model clusters were found.

Cluster number	Models
1	1, 2, 4, 6, 9, 14, 15, 18, 22, 23, 27
2	3, 5, 8, 10, 12, 13, 16, 21, 25
3	29, 30
4	7, 24
Single-model clusters	11; 17; 19; 20; 26; 28

### 3 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 1401 atoms, of which 724 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Hepatoma-derived growth factor-related protein 2.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	86	1401	423	724	122	130	2	0

There are 5 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	466	ALA	-	expression tag	UNP Q7Z4V5
A	467	ALA	-	expression tag	UNP Q7Z4V5
A	468	SER	-	expression tag	UNP Q7Z4V5
A	550	GLY	-	expression tag	UNP Q7Z4V5
A	551	SER	-	expression tag	UNP Q7Z4V5

## 4 Residue-property plots [\(i\)](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Hepatoma-derived growth factor-related protein 2



### 4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 5. Colouring as in section 4.1 above.

- Molecule 1: Hepatoma-derived growth factor-related protein 2



## 5 Refinement protocol and experimental data overview i

The models were refined using the following method: *torsion angle dynamics, simulated annealing*.

Of the 100 calculated structures, 30 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	
YASARA	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [7](#) of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1098
Number of shifts mapped to atoms	1098
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	91%

## 6 Model quality [\(i\)](#)

### 6.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.62±0.01	0±0/637 ( 0.0± 0.0%)	0.77±0.01	0±0/854 ( 0.0± 0.1%)
All	All	0.62	0/19110 ( 0.0%)	0.77	10/25620 ( 0.0%)

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	495	ARG	NE-CZ-NH1	5.79	123.20	120.30	4	9
1	A	545	ARG	NE-CZ-NH1	5.04	122.82	120.30	5	1

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	632	679	679	2±1
All	All	18960	20370	20370	50

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

5 of 6 unique clashes are listed below, sorted by their clash magnitude.

Atom-1		Atom-2	Clash(Å)	Distance(Å)	Models	
					Worst	Total
1:A:508:VAL:HG21		1:A:546:LEU:HD22	0.76	1.58	15	28
1:A:475:LEU:HD21		1:A:519:VAL:HG21	0.53	1.80	20	3
1:A:508:VAL:CG2		1:A:546:LEU:HD22	0.50	2.37	23	2
1:A:523:LEU:HD23		1:A:526:ILE:HD11	0.49	1.84	26	13
1:A:508:VAL:O		1:A:508:VAL:HG23	0.43	2.13	20	2

## 6.3 Torsion angles [\(i\)](#)

### 6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	79/86 (92%)	78±1 (98±1%)	1±1 (2±1%)	0±0 (0±0%)	50 82
All	All	2370/2580 (92%)	2329 (98%)	37 (2%)	4 (0%)	50 82

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	508	VAL	4

### 6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	72/76 (95%)	61±1 (85±2%)	11±1 (15±2%)	5 43
All	All	2160/2280 (95%)	1826 (85%)	334 (15%)	5 43

5 of 27 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	478	LEU	30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	496	CYS	30
1	A	500	LEU	30
1	A	541	GLU	30
1	A	503	LEU	28

### 6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 6.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 91% for the well-defined parts and 91% for the entire structure.

### 7.1 Chemical shift list 1

File name: working\_cs.cif

Chemical shift list name: *starch\_output*

#### 7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1098
Number of shifts mapped to atoms	1098
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

#### 7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	86	-0.49 $\pm$ 0.12	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	83	0.23 $\pm$ 0.08	None needed (< 0.5 ppm)
$^{13}\text{C}'$	86	-0.34 $\pm$ 0.08	None needed (< 0.5 ppm)
$^{15}\text{N}$	84	0.34 $\pm$ 0.25	None needed (< 0.5 ppm)

#### 7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 91%, i.e. 1035 atoms were assigned a chemical shift out of a possible 1135. 0 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	394/394 (100%)	158/158 (100%)	158/158 (100%)	78/78 (100%)
Sidechain	619/706 (88%)	424/456 (93%)	194/219 (89%)	1/31 (3%)

*Continued on next page...*

*Continued from previous page...*

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	22/35 (63%)	14/17 (82%)	8/17 (47%)	0/1 (0%)
Overall	1035/1135 (91%)	596/631 (94%)	360/394 (91%)	79/110 (72%)

#### 7.1.4 Statistically unusual chemical shifts [\(i\)](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	483	LYS	HE3	1.89	1.92 – 3.89	-5.2

#### 7.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



## 8 NMR restraints analysis (i)

### 8.1 Conformationally restricting restraints (i)

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	2542
Intra-residue ( $ i-j =0$ )	515
Sequential ( $ i-j =1$ )	610
Medium range ( $ i-j >1$ and $ i-j <5$ )	814
Long range ( $ i-j \geq 5$ )	603
Inter-chain	0
Hydrogen bond restraints	0
Disulfide bond restraints	0
Total dihedral-angle restraints	144
Number of unmapped restraints	0
Number of restraints per residue	31.2
Number of long range restraints per residue <sup>1</sup>	7.0

<sup>1</sup>Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

### 8.2 Residual restraint violations (i)

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

#### 8.2.1 Average number of distance violations per model (i)

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	9.9	0.2
0.2-0.5 (Medium)	0.6	0.35
>0.5 (Large)	None	None

### 8.2.2 Average number of dihedral-angle violations per model [\(i\)](#)

Dihedral-angle violations less than 1° are not included in the calculation.

Bins (°)	Average number of violations per model	Max (°)
1.0-10.0 (Small)	4.2	5.1
10.0-20.0 (Medium)	None	None
>20.0 (Large)	None	None

## 9 Distance violation analysis i


### 9.1 Summary of distance violations i

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restraints type	Count	% <sup>1</sup>	Violated <sup>3</sup>			Consistently Violated <sup>4</sup>		
			Count	% <sup>2</sup>	% <sup>1</sup>	Count	% <sup>2</sup>	% <sup>1</sup>
Intra-residue ( $ i-j =0$ )	515	20.3	4	0.8	0.2	0	0.0	0.0
Backbone-Backbone	1	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	401	15.8	4	1.0	0.2	0	0.0	0.0
Sidechain-Sidechain	113	4.4	0	0.0	0.0	0	0.0	0.0
Sequential ( $ i-j =1$ )	610	24.0	16	2.6	0.6	0	0.0	0.0
Backbone-Backbone	106	4.2	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	400	15.7	8	2.0	0.3	0	0.0	0.0
Sidechain-Sidechain	104	4.1	8	7.7	0.3	0	0.0	0.0
Medium range ( $ i-j >1 \text{ & }  i-j <5$ )	814	32.0	9	1.1	0.4	0	0.0	0.0
Backbone-Backbone	209	8.2	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	396	15.6	3	0.8	0.1	0	0.0	0.0
Sidechain-Sidechain	209	8.2	6	2.9	0.2	0	0.0	0.0
Long range ( $ i-j \geq 5$ )	603	23.7	21	3.5	0.8	1	0.2	0.0
Backbone-Backbone	15	0.6	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	296	11.6	13	4.4	0.5	1	0.3	0.0
Sidechain-Sidechain	292	11.5	8	2.7	0.3	0	0.0	0.0
Inter-chain	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	2542	100.0	50	2.0	2.0	1	0.0	0.0
Backbone-Backbone	331	13.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	1493	58.7	28	1.9	1.1	1	0.1	0.0
Sidechain-Sidechain	718	28.2	22	3.1	0.9	0	0.0	0.0

<sup>1</sup> percentage calculated with respect to the total number of distance restraints, <sup>2</sup> percentage calculated with respect to the number of restraints in a particular restraint category, <sup>3</sup> violated in at least one model, <sup>4</sup> violated in all the models

### 9.1.1 Bar chart : Distribution of distance restraints and violations [\(i\)](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

### 9.2 Distance violation statistics for each model [\(i\)](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD <sup>6</sup> (Å)	Median (Å)
	IR <sup>1</sup>	SQ <sup>2</sup>	MR <sup>3</sup>	LR <sup>4</sup>	IC <sup>5</sup>	Total				
1	1	4	0	5	0	10	0.13	0.16	0.02	0.13
2	0	2	0	7	0	9	0.13	0.15	0.01	0.13
3	1	4	0	3	0	8	0.12	0.17	0.02	0.11
4	1	5	0	6	0	12	0.14	0.25	0.04	0.12
5	2	3	1	5	0	11	0.14	0.2	0.03	0.14
6	0	1	0	2	0	3	0.14	0.15	0.01	0.15
7	1	4	1	4	0	10	0.15	0.22	0.03	0.14
8	1	1	0	4	0	6	0.13	0.15	0.01	0.12
9	1	5	0	5	0	11	0.13	0.19	0.03	0.11
10	0	2	1	2	0	5	0.13	0.15	0.02	0.12
11	1	6	0	8	0	15	0.13	0.19	0.02	0.12


Continued on next page...

*Continued from previous page...*

Model ID	Number of violations						Mean (Å)	Max (Å)	SD <sup>6</sup> (Å)	Median (Å)
	IR <sup>1</sup>	SQ <sup>2</sup>	MR <sup>3</sup>	LR <sup>4</sup>	IC <sup>5</sup>	Total				
12	2	3	1	3	0	9	0.14	0.18	0.03	0.12
13	1	4	0	3	0	8	0.13	0.16	0.02	0.12
14	2	5	2	8	0	17	0.14	0.27	0.04	0.14
15	0	4	0	6	0	10	0.14	0.19	0.02	0.13
16	1	3	1	4	0	9	0.13	0.17	0.02	0.13
17	1	4	1	7	0	13	0.13	0.16	0.02	0.13
18	0	3	0	5	0	8	0.13	0.18	0.02	0.12
19	1	4	0	2	0	7	0.15	0.2	0.02	0.14
20	1	5	1	5	0	12	0.18	0.35	0.07	0.15
21	1	4	2	3	0	10	0.14	0.2	0.03	0.12
22	0	4	1	4	0	9	0.12	0.16	0.02	0.11
23	2	7	1	7	0	17	0.16	0.23	0.04	0.15
24	1	4	2	3	0	10	0.15	0.19	0.03	0.16
25	1	3	1	3	0	8	0.15	0.22	0.03	0.14
26	0	5	1	7	0	13	0.14	0.22	0.03	0.13
27	1	9	3	10	0	23	0.14	0.25	0.04	0.13
28	1	5	0	8	0	14	0.15	0.29	0.05	0.14
29	0	5	1	5	0	11	0.14	0.21	0.04	0.13
30	0	2	2	4	0	8	0.13	0.18	0.02	0.11

<sup>1</sup>Intra-residue restraints, <sup>2</sup>Sequential restraints, <sup>3</sup>Medium range restraints, <sup>4</sup>Long range restraints,  
<sup>5</sup>Inter-chain restraints, <sup>6</sup>Standard deviation

### 9.2.1 Bar graph : Distance Violation statistics for each model [\(i\)](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

### 9.3 Distance violation statistics for the ensemble [\(i\)](#)

Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 2492(IR:511, SQ:594, MR:805, LR:582, IC:0) restraints are not violated in the ensemble.

Number of violated restraints						Fraction of the ensemble	
IR <sup>1</sup>	SQ <sup>2</sup>	MR <sup>3</sup>	LR <sup>4</sup>	IC <sup>5</sup>	Total	Count <sup>6</sup>	%
2	4	3	8	0	17	1	3.3
0	4	2	3	0	9	2	6.7
0	0	1	1	0	2	3	10.0
0	1	2	1	0	4	4	13.3
0	1	1	2	0	4	5	16.7
0	1	0	1	0	2	6	20.0


*Continued on next page...*

*Continued from previous page...*

Number of violated restraints						Fraction of the ensemble	
IR <sup>1</sup>	SQ <sup>2</sup>	MR <sup>3</sup>	LR <sup>4</sup>	IC <sup>5</sup>	Total	Count <sup>6</sup>	%
0	1	0	0	0	1	7	23.3
0	0	0	0	0	0	8	26.7
1	0	0	1	0	2	9	30.0
0	0	0	0	0	0	10	33.3
0	0	0	0	0	0	11	36.7
0	0	0	0	0	0	12	40.0
0	0	0	0	0	0	13	43.3
1	1	0	0	0	2	14	46.7
0	0	0	0	0	0	15	50.0
0	0	0	0	0	0	16	53.3
0	0	0	0	0	0	17	56.7
0	0	0	0	0	0	18	60.0
0	0	0	1	0	1	19	63.3
0	0	0	0	0	0	20	66.7
0	1	0	0	0	1	21	70.0
0	0	0	0	0	0	22	73.3
0	0	0	0	0	0	23	76.7
0	0	0	0	0	0	24	80.0
0	1	0	0	0	1	25	83.3
0	1	0	1	0	2	26	86.7
0	0	0	1	0	1	27	90.0
0	0	0	0	0	0	28	93.3
0	0	0	0	0	0	29	96.7
0	0	0	1	0	1	30	100.0

<sup>1</sup>Intra-residue restraints, <sup>2</sup>Sequential restraints, <sup>3</sup>Medium range restraints, <sup>4</sup>Long range restraints,  
<sup>5</sup>Inter-chain restraints, <sup>6</sup> Number of models with violations


### 9.3.1 Bar graph : Distance violation statistics for the ensemble [\(i\)](#)



## 9.4 Most violated distance restraints in the ensemble [\(i\)](#)

### 9.4.1 Histogram : Distribution of mean distance violations [\(i\)](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



#### 9.4.2 Table: Most violated distance restraints [\(i\)](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Models <sup>1</sup>	Mean (Å)	SD <sup>1</sup> (Å)	Median (Å)
(1,1855)	1:A:500:LEU:HD11	1:A:540:ALA:H	30	0.17	0.04	0.16
(1,1855)	1:A:500:LEU:HD12	1:A:540:ALA:H	30	0.17	0.04	0.16
(1,1855)	1:A:500:LEU:HD13	1:A:540:ALA:H	30	0.17	0.04	0.16
(1,609)	1:A:471:VAL:HG21	1:A:508:VAL:HB	27	0.13	0.02	0.12
(1,609)	1:A:471:VAL:HG22	1:A:508:VAL:HB	27	0.13	0.02	0.12
(1,609)	1:A:471:VAL:HG23	1:A:508:VAL:HB	27	0.13	0.02	0.12
(1,2214)	1:A:493:VAL:HG11	1:A:538:LYS:H	26	0.16	0.03	0.16
(1,2214)	1:A:493:VAL:HG12	1:A:538:LYS:H	26	0.16	0.03	0.16
(1,2214)	1:A:493:VAL:HG13	1:A:538:LYS:H	26	0.16	0.03	0.16
(1,2214)	1:A:493:VAL:HG21	1:A:538:LYS:H	26	0.16	0.03	0.16
(1,2214)	1:A:493:VAL:HG22	1:A:538:LYS:H	26	0.16	0.03	0.16
(1,2214)	1:A:493:VAL:HG23	1:A:538:LYS:H	26	0.16	0.03	0.16
(1,662)	1:A:512:ILE:HD11	1:A:513:LEU:HA	26	0.12	0.01	0.12
(1,662)	1:A:512:ILE:HD12	1:A:513:LEU:HA	26	0.12	0.01	0.12
(1,662)	1:A:512:ILE:HD13	1:A:513:LEU:HA	26	0.12	0.01	0.12
(1,2181)	1:A:488:VAL:HG11	1:A:489:ASP:HB2	25	0.15	0.02	0.15

Continued on next page...

*Continued from previous page...*


Key	Atom-1	Atom-2	Models <sup>1</sup>	Mean (Å)	SD <sup>1</sup> (Å)	Median (Å)
(1,2181)	1:A:488:VAL:HG11	1:A:489:ASP:HB3	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG12	1:A:489:ASP:HB2	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG12	1:A:489:ASP:HB3	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG13	1:A:489:ASP:HB2	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG13	1:A:489:ASP:HB3	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG21	1:A:489:ASP:HB2	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG21	1:A:489:ASP:HB3	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG22	1:A:489:ASP:HB2	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG22	1:A:489:ASP:HB3	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG23	1:A:489:ASP:HB2	25	0.15	0.02	0.15
(1,2181)	1:A:488:VAL:HG23	1:A:489:ASP:HB3	25	0.15	0.02	0.15
(1,2532)	1:A:546:LEU:H	1:A:547:LYS:HD2	21	0.12	0.01	0.12
(1,2532)	1:A:546:LEU:H	1:A:547:LYS:HD3	21	0.12	0.01	0.12
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD11	19	0.14	0.04	0.14
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD12	19	0.14	0.04	0.14
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD13	19	0.14	0.04	0.14
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD21	19	0.14	0.04	0.14
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD22	19	0.14	0.04	0.14
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD23	19	0.14	0.04	0.14
(1,626)	1:A:508:VAL:HG21	1:A:509:THR:H	14	0.15	0.07	0.12
(1,626)	1:A:508:VAL:HG22	1:A:509:THR:H	14	0.15	0.07	0.12
(1,626)	1:A:508:VAL:HG23	1:A:509:THR:H	14	0.15	0.07	0.12
(1,2042)	1:A:475:LEU:HA	1:A:475:LEU:HD11	14	0.14	0.02	0.14
(1,2042)	1:A:475:LEU:HA	1:A:475:LEU:HD12	14	0.14	0.02	0.14
(1,2042)	1:A:475:LEU:HA	1:A:475:LEU:HD13	14	0.14	0.02	0.14
(1,2042)	1:A:475:LEU:HA	1:A:475:LEU:HD21	14	0.14	0.02	0.14
(1,2042)	1:A:475:LEU:HA	1:A:475:LEU:HD22	14	0.14	0.02	0.14
(1,2042)	1:A:475:LEU:HA	1:A:475:LEU:HD23	14	0.14	0.02	0.14
(1,2461)	1:A:527:ARG:HD2	1:A:544:THR:HG21	9	0.13	0.03	0.12

<sup>1</sup>Number of violated models, <sup>2</sup>Standard deviation

## 9.5 All violated distance restraints

### 9.5.1 Histogram : Distribution of distance violations

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



### 9.5.2 Table : All distance violations [\(i\)](#)

The following table provides the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,626)	1:A:508:VAL:HG21	1:A:509:THR:H	20	0.35
(1,626)	1:A:508:VAL:HG22	1:A:509:THR:H	20	0.35
(1,626)	1:A:508:VAL:HG23	1:A:509:THR:H	20	0.35
(1,626)	1:A:508:VAL:HG21	1:A:509:THR:H	28	0.29
(1,626)	1:A:508:VAL:HG22	1:A:509:THR:H	28	0.29
(1,626)	1:A:508:VAL:HG23	1:A:509:THR:H	28	0.29
(1,1855)	1:A:500:LEU:HD11	1:A:540:ALA:H	14	0.27
(1,1855)	1:A:500:LEU:HD12	1:A:540:ALA:H	14	0.27
(1,1855)	1:A:500:LEU:HD13	1:A:540:ALA:H	14	0.27
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD11	20	0.25
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD12	20	0.25
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD13	20	0.25
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD21	20	0.25
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD22	20	0.25
(1,2331)	1:A:508:VAL:HA	1:A:513:LEU:HD23	20	0.25
(1,2069)	1:A:476:GLN:HG2	1:A:519:VAL:HG11	4	0.25
(1,2069)	1:A:476:GLN:HG2	1:A:519:VAL:HG12	4	0.25

*Continued on next page...*

*Continued from previous page...*

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,2069)	1:A:476:GLN:HG2	1:A:519:VAL:HG13	4	0.25
(1,2069)	1:A:476:GLN:HG2	1:A:519:VAL:HG21	4	0.25
(1,2069)	1:A:476:GLN:HG2	1:A:519:VAL:HG22	4	0.25
(1,2069)	1:A:476:GLN:HG2	1:A:519:VAL:HG23	4	0.25
(1,2069)	1:A:476:GLN:HG3	1:A:519:VAL:HG11	4	0.25
(1,2069)	1:A:476:GLN:HG3	1:A:519:VAL:HG12	4	0.25
(1,2069)	1:A:476:GLN:HG3	1:A:519:VAL:HG13	4	0.25
(1,2069)	1:A:476:GLN:HG3	1:A:519:VAL:HG21	4	0.25
(1,2069)	1:A:476:GLN:HG3	1:A:519:VAL:HG22	4	0.25
(1,2069)	1:A:476:GLN:HG3	1:A:519:VAL:HG23	4	0.25
(1,1855)	1:A:500:LEU:HD11	1:A:540:ALA:H	27	0.25
(1,1855)	1:A:500:LEU:HD12	1:A:540:ALA:H	27	0.25
(1,1855)	1:A:500:LEU:HD13	1:A:540:ALA:H	27	0.25
(1,2350)	1:A:513:LEU:HG	1:A:520:VAL:HG11	20	0.23
(1,2350)	1:A:513:LEU:HG	1:A:520:VAL:HG12	20	0.23
(1,2350)	1:A:513:LEU:HG	1:A:520:VAL:HG13	20	0.23
(1,2350)	1:A:513:LEU:HG	1:A:520:VAL:HG21	20	0.23
(1,2350)	1:A:513:LEU:HG	1:A:520:VAL:HG22	20	0.23
(1,2350)	1:A:513:LEU:HG	1:A:520:VAL:HG23	20	0.23
(1,2181)	1:A:488:VAL:HG11	1:A:489:ASP:HB2	23	0.23
(1,2181)	1:A:488:VAL:HG11	1:A:489:ASP:HB3	23	0.23
(1,2181)	1:A:488:VAL:HG12	1:A:489:ASP:HB2	23	0.23
(1,2181)	1:A:488:VAL:HG12	1:A:489:ASP:HB3	23	0.23
(1,2181)	1:A:488:VAL:HG13	1:A:489:ASP:HB2	23	0.23
(1,2181)	1:A:488:VAL:HG13	1:A:489:ASP:HB3	23	0.23
(1,2181)	1:A:488:VAL:HG21	1:A:489:ASP:HB2	23	0.23
(1,2181)	1:A:488:VAL:HG21	1:A:489:ASP:HB3	23	0.23
(1,2181)	1:A:488:VAL:HG22	1:A:489:ASP:HB2	23	0.23
(1,2181)	1:A:488:VAL:HG22	1:A:489:ASP:HB3	23	0.23
(1,2181)	1:A:488:VAL:HG23	1:A:489:ASP:HB2	23	0.23
(1,2181)	1:A:488:VAL:HG23	1:A:489:ASP:HB3	23	0.23
(1,140)	1:A:502:GLU:HG2	1:A:506:LEU:HD21	23	0.23
(1,140)	1:A:502:GLU:HG2	1:A:506:LEU:HD22	23	0.23
(1,140)	1:A:502:GLU:HG2	1:A:506:LEU:HD23	23	0.23
(1,140)	1:A:502:GLU:HG3	1:A:506:LEU:HD21	23	0.23
(1,140)	1:A:502:GLU:HG3	1:A:506:LEU:HD22	23	0.23
(1,140)	1:A:502:GLU:HG3	1:A:506:LEU:HD23	23	0.23
(1,2299)	1:A:502:GLU:HB3	1:A:506:LEU:HD11	25	0.22

## 10 Dihedral-angle violation analysis [\(i\)](#)


### 10.1 Summary of dihedral-angle violations [\(i\)](#)

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

Angle type	Count	% <sup>1</sup>	Violated <sup>3</sup>			Consistently Violated <sup>4</sup>		
			Count	% <sup>2</sup>	% <sup>1</sup>	Count	% <sup>2</sup>	% <sup>1</sup>
PSI	72	50.0	7	9.7	4.9	0	0.0	0.0
PHI	72	50.0	5	6.9	3.5	0	0.0	0.0
Total	144	100.0	12	8.3	8.3	0	0.0	0.0

<sup>1</sup> percentage calculated with respect to total number of dihedral-angle restraints, <sup>2</sup> percentage calculated with respect to number of restraints in a particular dihedral-angle type, <sup>3</sup> violated in at least one model, <sup>4</sup> violated in all the models

#### 10.1.1 Bar chart : Distribution of dihedral-angles and violations [\(i\)](#)




Violated and consistently violated restraints are shown using different hatch patterns in their respective categories

## 10.2 Dihedral-angle violation statistics for each model [\(i\)](#)

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID	Number of violations			Mean (°)	Max (°)	SD (°)	Median (°)
	PSI	PHI	Total				
1	2	2	4	2.85	4.6	1.13	2.6
2	4	1	5	2.46	4.8	1.18	2.0
3	2	2	4	3.28	4.9	1.27	3.35
4	2	3	5	3.24	4.8	1.28	2.8
5	1	3	4	2.88	4.9	1.32	2.7
6	2	2	4	3.55	5.0	1.36	3.6
7	1	3	4	3.7	5.0	1.08	3.8
8	0	2	2	3.65	5.0	1.35	3.65
9	3	3	6	2.73	5.1	1.34	2.75
10	0	1	1	4.9	4.9	0.0	4.9
11	3	2	5	2.72	5.0	1.36	2.2
12	1	2	3	3.6	4.8	1.12	3.9
13	1	2	3	3.4	4.9	1.08	2.9
14	4	3	7	3.3	4.8	1.15	3.3
15	3	2	5	3.2	4.8	1.15	3.1
16	1	2	3	3.1	4.9	1.4	2.9
17	1	3	4	3.1	4.9	1.2	2.95
18	2	2	4	3.62	5.1	1.32	3.75
19	2	1	3	2.6	4.9	1.63	1.5
20	2	2	4	3.22	5.0	1.73	3.3
21	2	2	4	2.65	4.9	1.39	2.3
22	2	2	4	3.0	4.8	1.21	2.65
23	4	4	8	2.8	4.9	1.26	2.2
24	0	3	3	3.17	4.8	1.44	3.4
25	1	2	3	3.9	5.0	1.42	4.8
26	2	2	4	3.88	5.0	0.95	3.9
27	3	2	5	3.22	4.5	1.14	3.8
28	3	3	6	3.17	4.9	1.36	3.5
29	2	4	6	3.57	4.8	1.14	3.95
30	2	2	4	3.32	5.0	1.21	3.35

### 10.2.1 Bar graph : Dihedral violation statistics for each model (i)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

### 10.3 Dihedral-angle violation statistics for the ensemble (i)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

Number of violated restraints			Fraction of the ensemble	
PSI	PHI	Total	Count <sup>1</sup>	%
2	1	3	1	3.3
1	0	1	2	6.7
1	0	1	3	10.0
0	1	1	4	13.3
0	0	0	5	16.7
0	0	0	6	20.0
0	1	1	7	23.3
0	0	0	8	26.7
0	0	0	9	30.0
0	0	0	10	33.3
1	0	1	11	36.7


*Continued on next page...*

*Continued from previous page...*

Number of violated restraints			Fraction of the ensemble	
PSI	PHI	Total	Count <sup>1</sup>	%
0	0	0	12	40.0
0	0	0	13	43.3
0	0	0	14	46.7
0	0	0	15	50.0
0	0	0	16	53.3
1	0	1	17	56.7
0	0	0	18	60.0
0	0	0	19	63.3
0	0	0	20	66.7
0	0	0	21	70.0
0	0	0	22	73.3
1	0	1	23	76.7
0	0	0	24	80.0
0	0	0	25	83.3
0	0	0	26	86.7
0	0	0	27	90.0
0	1	1	28	93.3
0	1	1	29	96.7
0	0	0	30	100.0

<sup>1</sup> Number of models with violations


### 10.3.1 Bar graph : Dihedral-angle Violation statistics for the ensemble [\(i\)](#)



## 10.4 Most violated dihedral-angle restraints in the ensemble [\(i\)](#)

### 10.4.1 Histogram : Distribution of mean dihedral-angle violations [\(i\)](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



#### 10.4.2 Table: Most violated dihedral-angle restraints [\(i\)](#)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.


Key	Atom-1	Atom-2	Atom-3	Atom-4	Models <sup>1</sup>	Mean	SD <sup>2</sup>	Median
(1,139)	1:A:545:ARG:C	1:A:546:LEU:N	1:A:546:LEU:CA	1:A:546:LEU:C	29	4.39	0.8	4.8
(1,77)	1:A:511:GLN:C	1:A:512:ILE:N	1:A:512:ILE:CA	1:A:512:ILE:C	28	3.88	1.08	4.2
(1,138)	1:A:545:ARG:N	1:A:545:ARG:CA	1:A:545:ARG:C	1:A:546:LEU:N	23	2.56	0.96	2.4
(1,16)	1:A:477:LYS:N	1:A:477:LYS:CA	1:A:477:LYS:C	1:A:478:LEU:N	17	2.72	1.21	2.2
(1,46)	1:A:494:LYS:N	1:A:494:LYS:CA	1:A:494:LYS:C	1:A:495:ARG:N	11	1.7	0.39	1.6
(1,75)	1:A:510:SER:C	1:A:511:GLN:N	1:A:511:GLN:CA	1:A:511:GLN:C	7	1.59	0.35	1.6
(1,107)	1:A:527:ARG:C	1:A:528:ARG:N	1:A:528:ARG:CA	1:A:528:ARG:C	4	2.68	0.45	2.55
(1,72)	1:A:507:GLN:N	1:A:507:GLN:CA	1:A:507:GLN:C	1:A:508:VAL:N	3	4.27	0.41	4.2
(1,6)	1:A:472:GLU:N	1:A:472:GLU:CA	1:A:472:GLU:C	1:A:473:GLU:N	2	2.25	0.35	2.25

<sup>1</sup> Number of violated models, <sup>2</sup>Standard deviation, All angle values are in degree (°)

#### 10.5 All violated dihedral-angle restraints [\(i\)](#)

##### 10.5.1 Histogram : Distribution of violations [\(i\)](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



### 10.5.2 Table: All violated dihedral-angle restraints [\(i\)](#)

The following table provides the list of violations for the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,77)	1:A:511:GLN:C	1:A:512:ILE:N	1:A:512:ILE:CA	1:A:512:ILE:C	18	5.1
(1,139)	1:A:545:ARG:C	1:A:546:LEU:N	1:A:546:LEU:CA	1:A:546:LEU:C	9	5.1
(1,77)	1:A:511:GLN:C	1:A:512:ILE:N	1:A:512:ILE:CA	1:A:512:ILE:C	11	5.0
(1,77)	1:A:511:GLN:C	1:A:512:ILE:N	1:A:512:ILE:CA	1:A:512:ILE:C	20	5.0
(1,77)	1:A:511:GLN:C	1:A:512:ILE:N	1:A:512:ILE:CA	1:A:512:ILE:C	25	5.0
(1,77)	1:A:511:GLN:C	1:A:512:ILE:N	1:A:512:ILE:CA	1:A:512:ILE:C	26	5.0
(1,16)	1:A:477:LYS:N	1:A:477:LYS:CA	1:A:477:LYS:C	1:A:478:LEU:N	6	5.0
(1,139)	1:A:545:ARG:C	1:A:546:LEU:N	1:A:546:LEU:CA	1:A:546:LEU:C	7	5.0
(1,139)	1:A:545:ARG:C	1:A:546:LEU:N	1:A:546:LEU:CA	1:A:546:LEU:C	8	5.0
(1,139)	1:A:545:ARG:C	1:A:546:LEU:N	1:A:546:LEU:CA	1:A:546:LEU:C	30	5.0