



## wwPDB EM Validation Summary Report ⓘ

Nov 13, 2022 – 03:00 AM EST

PDB ID : 6U2L  
EMDB ID : EMD-20623  
Title : EM structure of MPEG-1 (L425K, beta conformation) soluble pre-pore complex  
Authors : Pang, S.S.; Bayly-Jones, C.  
Deposited on : 2019-08-20  
Resolution : 2.83 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	642	
1	AA	642	
1	B	642	
1	BB	642	
1	C	642	
1	CC	642	
1	D	642	
1	DD	642	
1	E	642	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	EE	642	 86% 9% • 5%
1	F	642	 86% 9% • 5%
1	FF	642	 86% 9% • 5%
1	G	642	 86% 9% • 5%
1	GG	642	 86% 9% • 5%
1	H	642	 86% 9% • 5%
1	HH	642	 86% 9% • 5%
1	I	642	 86% 9% • 5%
1	II	642	 86% 9% • 5%
1	J	642	 86% 9% • 5%
1	JJ	642	 86% 9% • 5%
1	K	642	 86% 9% • 5%
1	KK	642	 86% 9% • 5%
1	L	642	 86% 9% • 5%
1	LL	642	 86% 9% • 5%
1	M	642	 86% 9% • 5%
1	MM	642	 85% 10% • 5%
1	N	642	 86% 9% • 5%
1	NN	642	 85% 10% • 5%
1	O	642	 86% 9% • 5%
1	OO	642	 86% 9% • 5%
1	P	642	 86% 9% • 5%
1	PP	642	 86% 9% • 5%
2	Q	2	 50% 50%
2	R	2	 50% 50%


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain	
2	S	2	50%	50%
2	T	2	50%	50%
2	U	2	50%	50%
2	V	2	50%	50%
2	W	2	50%	50%
2	X	2	50%	50%
2	Y	2	50%	50%
2	Z	2	50%	50%
2	a	2	50%	50%
2	b	2	50%	50%
2	c	2	50%	50%
2	d	2	50%	50%
2	e	2	50%	50%
2	f	2	50%	50%
2	g	2	50%	50%
2	h	2	50%	50%
2	i	2	50%	50%
2	j	2	50%	50%
2	k	2	50%	50%
2	l	2	50%	50%
2	m	2	50%	50%
2	n	2	50%	50%
2	o	2	50%	50%
2	p	2	50%	50%
2	q	2	50%	50%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	r	2	 50% 50%
2	s	2	 50% 50%
2	t	2	 50% 50%
2	u	2	 50% 50%
2	v	2	 50% 50%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 153756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Macrophage-expressed gene 1 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	613	4763	3008	819	908	28	0	0
1	B	613	4763	3008	819	908	28	0	0
1	C	613	4763	3008	819	908	28	0	0
1	D	613	4762	3008	819	907	28	0	0
1	E	613	4763	3008	819	908	28	0	0
1	F	613	4763	3008	819	908	28	0	0
1	G	613	4763	3008	819	908	28	0	0
1	H	613	4763	3008	819	908	28	0	0
1	I	613	4763	3008	819	908	28	0	0
1	J	613	4763	3008	819	908	28	0	0
1	K	613	4763	3008	819	908	28	0	0
1	L	613	4762	3008	819	907	28	0	0
1	M	613	4763	3008	819	908	28	0	0
1	N	613	4763	3008	819	908	28	0	0
1	O	613	4763	3008	819	908	28	0	0
1	P	613	4763	3008	819	908	28	0	0
1	AA	613	4763	3008	819	908	28	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
1	BB	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	CC	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	DD	613	Total 4762	C 3008	N 819	O 907	S 28	0	0
1	EE	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	FF	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	GG	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	HH	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	II	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	JJ	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	KK	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	LL	613	Total 4762	C 3008	N 819	O 907	S 28	0	0
1	MM	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	NN	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	OO	613	Total 4763	C 3008	N 819	O 908	S 28	0	0
1	PP	613	Total 4763	C 3008	N 819	O 908	S 28	0	0

There are 224 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	425	LYS	LEU	engineered mutation	UNP Q2M385
A	637	HIS	-	expression tag	UNP Q2M385
A	638	HIS	-	expression tag	UNP Q2M385
A	639	HIS	-	expression tag	UNP Q2M385
A	640	HIS	-	expression tag	UNP Q2M385
A	641	HIS	-	expression tag	UNP Q2M385
A	642	HIS	-	expression tag	UNP Q2M385
B	425	LYS	LEU	engineered mutation	UNP Q2M385
B	637	HIS	-	expression tag	UNP Q2M385

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	638	HIS	-	expression tag	UNP Q2M385
B	639	HIS	-	expression tag	UNP Q2M385
B	640	HIS	-	expression tag	UNP Q2M385
B	641	HIS	-	expression tag	UNP Q2M385
B	642	HIS	-	expression tag	UNP Q2M385
C	425	LYS	LEU	engineered mutation	UNP Q2M385
C	637	HIS	-	expression tag	UNP Q2M385
C	638	HIS	-	expression tag	UNP Q2M385
C	639	HIS	-	expression tag	UNP Q2M385
C	640	HIS	-	expression tag	UNP Q2M385
C	641	HIS	-	expression tag	UNP Q2M385
C	642	HIS	-	expression tag	UNP Q2M385
D	425	LYS	LEU	engineered mutation	UNP Q2M385
D	637	HIS	-	expression tag	UNP Q2M385
D	638	HIS	-	expression tag	UNP Q2M385
D	639	HIS	-	expression tag	UNP Q2M385
D	640	HIS	-	expression tag	UNP Q2M385
D	641	HIS	-	expression tag	UNP Q2M385
D	642	HIS	-	expression tag	UNP Q2M385
E	425	LYS	LEU	engineered mutation	UNP Q2M385
E	637	HIS	-	expression tag	UNP Q2M385
E	638	HIS	-	expression tag	UNP Q2M385
E	639	HIS	-	expression tag	UNP Q2M385
E	640	HIS	-	expression tag	UNP Q2M385
E	641	HIS	-	expression tag	UNP Q2M385
E	642	HIS	-	expression tag	UNP Q2M385
F	425	LYS	LEU	engineered mutation	UNP Q2M385
F	637	HIS	-	expression tag	UNP Q2M385
F	638	HIS	-	expression tag	UNP Q2M385
F	639	HIS	-	expression tag	UNP Q2M385
F	640	HIS	-	expression tag	UNP Q2M385
F	641	HIS	-	expression tag	UNP Q2M385
F	642	HIS	-	expression tag	UNP Q2M385
G	425	LYS	LEU	engineered mutation	UNP Q2M385
G	637	HIS	-	expression tag	UNP Q2M385
G	638	HIS	-	expression tag	UNP Q2M385
G	639	HIS	-	expression tag	UNP Q2M385
G	640	HIS	-	expression tag	UNP Q2M385
G	641	HIS	-	expression tag	UNP Q2M385
G	642	HIS	-	expression tag	UNP Q2M385
H	425	LYS	LEU	engineered mutation	UNP Q2M385
H	637	HIS	-	expression tag	UNP Q2M385

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	638	HIS	-	expression tag	UNP Q2M385
H	639	HIS	-	expression tag	UNP Q2M385
H	640	HIS	-	expression tag	UNP Q2M385
H	641	HIS	-	expression tag	UNP Q2M385
H	642	HIS	-	expression tag	UNP Q2M385
I	425	LYS	LEU	engineered mutation	UNP Q2M385
I	637	HIS	-	expression tag	UNP Q2M385
I	638	HIS	-	expression tag	UNP Q2M385
I	639	HIS	-	expression tag	UNP Q2M385
I	640	HIS	-	expression tag	UNP Q2M385
I	641	HIS	-	expression tag	UNP Q2M385
I	642	HIS	-	expression tag	UNP Q2M385
J	425	LYS	LEU	engineered mutation	UNP Q2M385
J	637	HIS	-	expression tag	UNP Q2M385
J	638	HIS	-	expression tag	UNP Q2M385
J	639	HIS	-	expression tag	UNP Q2M385
J	640	HIS	-	expression tag	UNP Q2M385
J	641	HIS	-	expression tag	UNP Q2M385
J	642	HIS	-	expression tag	UNP Q2M385
K	425	LYS	LEU	engineered mutation	UNP Q2M385
K	637	HIS	-	expression tag	UNP Q2M385
K	638	HIS	-	expression tag	UNP Q2M385
K	639	HIS	-	expression tag	UNP Q2M385
K	640	HIS	-	expression tag	UNP Q2M385
K	641	HIS	-	expression tag	UNP Q2M385
K	642	HIS	-	expression tag	UNP Q2M385
L	425	LYS	LEU	engineered mutation	UNP Q2M385
L	637	HIS	-	expression tag	UNP Q2M385
L	638	HIS	-	expression tag	UNP Q2M385
L	639	HIS	-	expression tag	UNP Q2M385
L	640	HIS	-	expression tag	UNP Q2M385
L	641	HIS	-	expression tag	UNP Q2M385
L	642	HIS	-	expression tag	UNP Q2M385
M	425	LYS	LEU	engineered mutation	UNP Q2M385
M	637	HIS	-	expression tag	UNP Q2M385
M	638	HIS	-	expression tag	UNP Q2M385
M	639	HIS	-	expression tag	UNP Q2M385
M	640	HIS	-	expression tag	UNP Q2M385
M	641	HIS	-	expression tag	UNP Q2M385
M	642	HIS	-	expression tag	UNP Q2M385
N	425	LYS	LEU	engineered mutation	UNP Q2M385
N	637	HIS	-	expression tag	UNP Q2M385

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
N	638	HIS	-	expression tag	UNP Q2M385
N	639	HIS	-	expression tag	UNP Q2M385
N	640	HIS	-	expression tag	UNP Q2M385
N	641	HIS	-	expression tag	UNP Q2M385
N	642	HIS	-	expression tag	UNP Q2M385
O	425	LYS	LEU	engineered mutation	UNP Q2M385
O	637	HIS	-	expression tag	UNP Q2M385
O	638	HIS	-	expression tag	UNP Q2M385
O	639	HIS	-	expression tag	UNP Q2M385
O	640	HIS	-	expression tag	UNP Q2M385
O	641	HIS	-	expression tag	UNP Q2M385
O	642	HIS	-	expression tag	UNP Q2M385
P	425	LYS	LEU	engineered mutation	UNP Q2M385
P	637	HIS	-	expression tag	UNP Q2M385
P	638	HIS	-	expression tag	UNP Q2M385
P	639	HIS	-	expression tag	UNP Q2M385
P	640	HIS	-	expression tag	UNP Q2M385
P	641	HIS	-	expression tag	UNP Q2M385
P	642	HIS	-	expression tag	UNP Q2M385
AA	425	LYS	LEU	engineered mutation	UNP Q2M385
AA	637	HIS	-	expression tag	UNP Q2M385
AA	638	HIS	-	expression tag	UNP Q2M385
AA	639	HIS	-	expression tag	UNP Q2M385
AA	640	HIS	-	expression tag	UNP Q2M385
AA	641	HIS	-	expression tag	UNP Q2M385
AA	642	HIS	-	expression tag	UNP Q2M385
BB	425	LYS	LEU	engineered mutation	UNP Q2M385
BB	637	HIS	-	expression tag	UNP Q2M385
BB	638	HIS	-	expression tag	UNP Q2M385
BB	639	HIS	-	expression tag	UNP Q2M385
BB	640	HIS	-	expression tag	UNP Q2M385
BB	641	HIS	-	expression tag	UNP Q2M385
BB	642	HIS	-	expression tag	UNP Q2M385
CC	425	LYS	LEU	engineered mutation	UNP Q2M385
CC	637	HIS	-	expression tag	UNP Q2M385
CC	638	HIS	-	expression tag	UNP Q2M385
CC	639	HIS	-	expression tag	UNP Q2M385
CC	640	HIS	-	expression tag	UNP Q2M385
CC	641	HIS	-	expression tag	UNP Q2M385
CC	642	HIS	-	expression tag	UNP Q2M385
DD	425	LYS	LEU	engineered mutation	UNP Q2M385
DD	637	HIS	-	expression tag	UNP Q2M385

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
DD	638	HIS	-	expression tag	UNP Q2M385
DD	639	HIS	-	expression tag	UNP Q2M385
DD	640	HIS	-	expression tag	UNP Q2M385
DD	641	HIS	-	expression tag	UNP Q2M385
DD	642	HIS	-	expression tag	UNP Q2M385
EE	425	LYS	LEU	engineered mutation	UNP Q2M385
EE	637	HIS	-	expression tag	UNP Q2M385
EE	638	HIS	-	expression tag	UNP Q2M385
EE	639	HIS	-	expression tag	UNP Q2M385
EE	640	HIS	-	expression tag	UNP Q2M385
EE	641	HIS	-	expression tag	UNP Q2M385
EE	642	HIS	-	expression tag	UNP Q2M385
FF	425	LYS	LEU	engineered mutation	UNP Q2M385
FF	637	HIS	-	expression tag	UNP Q2M385
FF	638	HIS	-	expression tag	UNP Q2M385
FF	639	HIS	-	expression tag	UNP Q2M385
FF	640	HIS	-	expression tag	UNP Q2M385
FF	641	HIS	-	expression tag	UNP Q2M385
FF	642	HIS	-	expression tag	UNP Q2M385
GG	425	LYS	LEU	engineered mutation	UNP Q2M385
GG	637	HIS	-	expression tag	UNP Q2M385
GG	638	HIS	-	expression tag	UNP Q2M385
GG	639	HIS	-	expression tag	UNP Q2M385
GG	640	HIS	-	expression tag	UNP Q2M385
GG	641	HIS	-	expression tag	UNP Q2M385
GG	642	HIS	-	expression tag	UNP Q2M385
HH	425	LYS	LEU	engineered mutation	UNP Q2M385
HH	637	HIS	-	expression tag	UNP Q2M385
HH	638	HIS	-	expression tag	UNP Q2M385
HH	639	HIS	-	expression tag	UNP Q2M385
HH	640	HIS	-	expression tag	UNP Q2M385
HH	641	HIS	-	expression tag	UNP Q2M385
HH	642	HIS	-	expression tag	UNP Q2M385
II	425	LYS	LEU	engineered mutation	UNP Q2M385
II	637	HIS	-	expression tag	UNP Q2M385
II	638	HIS	-	expression tag	UNP Q2M385
II	639	HIS	-	expression tag	UNP Q2M385
II	640	HIS	-	expression tag	UNP Q2M385
II	641	HIS	-	expression tag	UNP Q2M385
II	642	HIS	-	expression tag	UNP Q2M385
JJ	425	LYS	LEU	engineered mutation	UNP Q2M385
JJ	637	HIS	-	expression tag	UNP Q2M385

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
JJ	638	HIS	-	expression tag	UNP Q2M385
JJ	639	HIS	-	expression tag	UNP Q2M385
JJ	640	HIS	-	expression tag	UNP Q2M385
JJ	641	HIS	-	expression tag	UNP Q2M385
JJ	642	HIS	-	expression tag	UNP Q2M385
KK	425	LYS	LEU	engineered mutation	UNP Q2M385
KK	637	HIS	-	expression tag	UNP Q2M385
KK	638	HIS	-	expression tag	UNP Q2M385
KK	639	HIS	-	expression tag	UNP Q2M385
KK	640	HIS	-	expression tag	UNP Q2M385
KK	641	HIS	-	expression tag	UNP Q2M385
KK	642	HIS	-	expression tag	UNP Q2M385
LL	425	LYS	LEU	engineered mutation	UNP Q2M385
LL	637	HIS	-	expression tag	UNP Q2M385
LL	638	HIS	-	expression tag	UNP Q2M385
LL	639	HIS	-	expression tag	UNP Q2M385
LL	640	HIS	-	expression tag	UNP Q2M385
LL	641	HIS	-	expression tag	UNP Q2M385
LL	642	HIS	-	expression tag	UNP Q2M385
MM	425	LYS	LEU	engineered mutation	UNP Q2M385
MM	637	HIS	-	expression tag	UNP Q2M385
MM	638	HIS	-	expression tag	UNP Q2M385
MM	639	HIS	-	expression tag	UNP Q2M385
MM	640	HIS	-	expression tag	UNP Q2M385
MM	641	HIS	-	expression tag	UNP Q2M385
MM	642	HIS	-	expression tag	UNP Q2M385
NN	425	LYS	LEU	engineered mutation	UNP Q2M385
NN	637	HIS	-	expression tag	UNP Q2M385
NN	638	HIS	-	expression tag	UNP Q2M385
NN	639	HIS	-	expression tag	UNP Q2M385
NN	640	HIS	-	expression tag	UNP Q2M385
NN	641	HIS	-	expression tag	UNP Q2M385
NN	642	HIS	-	expression tag	UNP Q2M385
OO	425	LYS	LEU	engineered mutation	UNP Q2M385
OO	637	HIS	-	expression tag	UNP Q2M385
OO	638	HIS	-	expression tag	UNP Q2M385
OO	639	HIS	-	expression tag	UNP Q2M385
OO	640	HIS	-	expression tag	UNP Q2M385
OO	641	HIS	-	expression tag	UNP Q2M385
OO	642	HIS	-	expression tag	UNP Q2M385
PP	425	LYS	LEU	engineered mutation	UNP Q2M385
PP	637	HIS	-	expression tag	UNP Q2M385

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
PP	638	HIS	-	expression tag	UNP Q2M385
PP	639	HIS	-	expression tag	UNP Q2M385
PP	640	HIS	-	expression tag	UNP Q2M385
PP	641	HIS	-	expression tag	UNP Q2M385
PP	642	HIS	-	expression tag	UNP Q2M385

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	Q	2	28	16	2	10	0	0
2	R	2	28	16	2	10	0	0
2	S	2	28	16	2	10	0	0
2	T	2	28	16	2	10	0	0
2	U	2	28	16	2	10	0	0
2	V	2	28	16	2	10	0	0
2	W	2	28	16	2	10	0	0
2	X	2	28	16	2	10	0	0
2	Y	2	28	16	2	10	0	0
2	Z	2	28	16	2	10	0	0
2	a	2	28	16	2	10	0	0
2	b	2	28	16	2	10	0	0
2	c	2	28	16	2	10	0	0
2	d	2	28	16	2	10	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	e	2	28	16	2	10	0	0
2	f	2	28	16	2	10	0	0
2	g	2	28	16	2	10	0	0
2	h	2	28	16	2	10	0	0
2	i	2	28	16	2	10	0	0
2	j	2	28	16	2	10	0	0
2	k	2	28	16	2	10	0	0
2	l	2	28	16	2	10	0	0
2	m	2	28	16	2	10	0	0
2	n	2	28	16	2	10	0	0
2	o	2	28	16	2	10	0	0
2	p	2	28	16	2	10	0	0
2	q	2	28	16	2	10	0	0
2	r	2	28	16	2	10	0	0
2	s	2	28	16	2	10	0	0
2	t	2	28	16	2	10	0	0
2	u	2	28	16	2	10	0	0
2	v	2	28	16	2	10	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	Total 14	8	1	5	0
3	B	1	Total 14	8	1	5	0
3	C	1	Total 14	8	1	5	0
3	D	1	Total 14	8	1	5	0
3	E	1	Total 14	8	1	5	0
3	F	1	Total 14	8	1	5	0
3	G	1	Total 14	8	1	5	0
3	H	1	Total 14	8	1	5	0
3	I	1	Total 14	8	1	5	0
3	J	1	Total 14	8	1	5	0
3	K	1	Total 14	8	1	5	0
3	L	1	Total 14	8	1	5	0
3	M	1	Total 14	8	1	5	0
3	N	1	Total 14	8	1	5	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	O	1	Total 14	8	1	5	0
3	P	1	Total 14	8	1	5	0
3	AA	1	Total 14	8	1	5	0
3	BB	1	Total 14	8	1	5	0
3	CC	1	Total 14	8	1	5	0
3	DD	1	Total 14	8	1	5	0
3	EE	1	Total 14	8	1	5	0
3	FF	1	Total 14	8	1	5	0
3	GG	1	Total 14	8	1	5	0
3	HH	1	Total 14	8	1	5	0
3	II	1	Total 14	8	1	5	0
3	JJ	1	Total 14	8	1	5	0
3	KK	1	Total 14	8	1	5	0
3	LL	1	Total 14	8	1	5	0
3	MM	1	Total 14	8	1	5	0
3	NN	1	Total 14	8	1	5	0
3	OO	1	Total 14	8	1	5	0
3	PP	1	Total 14	8	1	5	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Macrophage-expressed gene 1 protein




- Molecule 1: Macrophage-expressed gene 1 protein






- Molecule 1: Macrophage-expressed gene 1 protein













• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein





• Molecule 1: Macrophage-expressed gene 1 protein









• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein





• Molecule 1: Macrophage-expressed gene 1 protein









• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein





• Molecule 1: Macrophage-expressed gene 1 protein

Chain CC:  86% 9% • 5%





• Molecule 1: Macrophage-expressed gene 1 protein

Chain DD:  86% 9% • 5%





• Molecule 1: Macrophage-expressed gene 1 protein

Chain EE:  86% 9% • 5%




• Molecule 1: Macrophage-expressed gene 1 protein

Chain FF:  86% 9% • 5%







• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein









• Molecule 1: Macrophage-expressed gene 1 protein



• Molecule 1: Macrophage-expressed gene 1 protein




• Molecule 1: Macrophage-expressed gene 1 protein





• Molecule 1: Macrophage-expressed gene 1 protein









• Molecule 1: Macrophage-expressed gene 1 protein



• Molecule 1: Macrophage-expressed gene 1 protein



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain t:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain u:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  50% 50%

MAG1  
MAG2

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	6265	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	44.8	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:  
NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/4870	0.61	1/6613 (0.0%)
1	AA	0.42	0/4870	0.61	1/6613 (0.0%)
1	B	0.42	0/4870	0.61	1/6613 (0.0%)
1	BB	0.42	0/4870	0.61	1/6613 (0.0%)
1	C	0.42	0/4870	0.61	1/6613 (0.0%)
1	CC	0.42	0/4870	0.61	1/6613 (0.0%)
1	D	0.42	0/4869	0.61	1/6611 (0.0%)
1	DD	0.42	0/4869	0.61	1/6611 (0.0%)
1	E	0.42	0/4870	0.61	1/6613 (0.0%)
1	EE	0.42	0/4870	0.61	1/6613 (0.0%)
1	F	0.42	0/4870	0.61	1/6613 (0.0%)
1	FF	0.42	0/4870	0.61	1/6613 (0.0%)
1	G	0.42	0/4870	0.61	1/6613 (0.0%)
1	GG	0.42	0/4870	0.61	1/6613 (0.0%)
1	H	0.42	0/4870	0.61	1/6613 (0.0%)
1	HH	0.42	0/4870	0.61	1/6613 (0.0%)
1	I	0.42	0/4870	0.61	1/6613 (0.0%)
1	II	0.42	0/4870	0.61	1/6613 (0.0%)
1	J	0.42	0/4870	0.61	1/6613 (0.0%)
1	JJ	0.42	0/4870	0.61	1/6613 (0.0%)
1	K	0.42	0/4870	0.61	1/6613 (0.0%)
1	KK	0.42	0/4870	0.61	1/6613 (0.0%)
1	L	0.42	0/4869	0.61	1/6611 (0.0%)
1	LL	0.42	0/4869	0.61	1/6611 (0.0%)
1	M	0.42	0/4870	0.61	1/6613 (0.0%)
1	MM	0.42	0/4870	0.61	1/6613 (0.0%)
1	N	0.42	0/4870	0.61	1/6613 (0.0%)
1	NN	0.42	0/4870	0.61	1/6613 (0.0%)
1	O	0.42	0/4870	0.61	1/6613 (0.0%)
1	OO	0.42	0/4870	0.61	1/6613 (0.0%)
1	P	0.42	0/4870	0.61	1/6613 (0.0%)
1	PP	0.42	0/4870	0.61	1/6613 (0.0%)



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	0.42	0/155836	0.61	32/211608 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	AA	0	2
1	B	0	2
1	BB	0	2
1	C	0	2
1	CC	0	2
1	D	0	2
1	DD	0	2
1	E	0	2
1	EE	0	2
1	F	0	2
1	FF	0	2
1	G	0	2
1	GG	0	2
1	H	0	2
1	HH	0	2
1	I	0	2
1	II	0	2
1	J	0	2
1	JJ	0	2
1	K	0	2
1	KK	0	2
1	L	0	2
1	LL	0	2
1	M	0	2
1	MM	0	2
1	N	0	2
1	NN	0	2
1	O	0	2
1	OO	0	2
1	P	0	2
1	PP	0	2
All	All	0	64

There are no bond length outliers.

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	P	383	LEU	CA-CB-CG	6.61	130.50	115.30
1	M	383	LEU	CA-CB-CG	6.61	130.50	115.30
1	JJ	383	LEU	CA-CB-CG	6.61	130.50	115.30
1	LL	383	LEU	CA-CB-CG	6.61	130.49	115.30
1	EE	383	LEU	CA-CB-CG	6.60	130.48	115.30

There are no chirality outliers.

5 of 64 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	233	PHE	Peptide
1	A	489	LEU	Peptide
1	B	233	PHE	Peptide
1	B	489	LEU	Peptide
1	C	233	PHE	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4763	0	4654	31	0
1	AA	4763	0	4654	31	0
1	B	4763	0	4654	31	0
1	BB	4763	0	4654	31	0
1	C	4763	0	4654	30	0
1	CC	4763	0	4654	30	0
1	D	4762	0	4654	31	0
1	DD	4762	0	4654	30	0
1	E	4763	0	4654	30	0
1	EE	4763	0	4654	31	0
1	F	4763	0	4654	33	0
1	FF	4763	0	4654	33	0
1	G	4763	0	4654	31	0
1	GG	4763	0	4654	33	0
1	H	4763	0	4654	29	0
1	HH	4763	0	4654	32	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	4763	0	4654	30	0
1	II	4763	0	4654	32	0
1	J	4763	0	4654	30	0
1	JJ	4763	0	4654	31	0
1	K	4763	0	4654	29	0
1	KK	4763	0	4654	31	0
1	L	4762	0	4654	30	0
1	LL	4762	0	4654	31	0
1	M	4763	0	4654	30	0
1	MM	4763	0	4654	37	0
1	N	4763	0	4654	32	0
1	NN	4763	0	4654	36	0
1	O	4763	0	4654	33	0
1	OO	4763	0	4654	32	0
1	P	4763	0	4654	33	0
1	PP	4763	0	4654	32	0
2	Q	28	0	25	0	0
2	R	28	0	25	0	0
2	S	28	0	25	0	0
2	T	28	0	25	0	0
2	U	28	0	25	0	0
2	V	28	0	25	0	0
2	W	28	0	25	0	0
2	X	28	0	25	0	0
2	Y	28	0	25	0	0
2	Z	28	0	25	0	0
2	a	28	0	25	0	0
2	b	28	0	25	0	0
2	c	28	0	25	0	0
2	d	28	0	25	0	0
2	e	28	0	25	0	0
2	f	28	0	25	0	0
2	g	28	0	25	0	0
2	h	28	0	25	0	0
2	i	28	0	25	0	0
2	j	28	0	25	0	0
2	k	28	0	25	0	0
2	l	28	0	25	0	0
2	m	28	0	25	0	0
2	n	28	0	25	0	0
2	o	28	0	25	0	0
2	p	28	0	25	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	q	28	0	25	0	0
2	r	28	0	25	0	0
2	s	28	0	25	0	0
2	t	28	0	25	0	0
2	u	28	0	25	0	0
2	v	28	0	25	0	0
3	A	14	0	13	0	0
3	AA	14	0	13	0	0
3	B	14	0	13	0	0
3	BB	14	0	13	0	0
3	C	14	0	13	0	0
3	CC	14	0	13	0	0
3	D	14	0	13	0	0
3	DD	14	0	13	0	0
3	E	14	0	13	0	0
3	EE	14	0	13	0	0
3	F	14	0	13	0	0
3	FF	14	0	13	0	0
3	G	14	0	13	0	0
3	GG	14	0	13	0	0
3	H	14	0	13	0	0
3	HH	14	0	13	0	0
3	I	14	0	13	0	0
3	II	14	0	13	0	0
3	J	14	0	13	0	0
3	JJ	14	0	13	0	0
3	K	14	0	13	0	0
3	KK	14	0	13	0	0
3	L	14	0	13	0	0
3	LL	14	0	13	0	0
3	M	14	0	13	0	0
3	MM	14	0	13	0	0
3	N	14	0	13	0	0
3	NN	14	0	13	0	0
3	O	14	0	13	0	0
3	OO	14	0	13	0	0
3	P	14	0	13	0	0
3	PP	14	0	13	0	0
All	All	153756	0	150144	968	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 968 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:MM:72:GLN:NE2	1:MM:141:THR:OG1	2.35	0.60
1:J:72:GLN:NE2	1:J:141:THR:OG1	2.35	0.60
1:PP:72:GLN:NE2	1:PP:141:THR:OG1	2.35	0.60
1:F:36:ASN:ND2	1:F:99:ASN:OD1	2.35	0.60
1:M:72:GLN:NE2	1:M:141:THR:OG1	2.35	0.60

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	609/642 (95%)	565 (93%)	44 (7%)	0	100	100
1	AA	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	B	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	BB	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	C	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	CC	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	D	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	DD	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	E	609/642 (95%)	565 (93%)	44 (7%)	0	100	100
1	EE	609/642 (95%)	565 (93%)	44 (7%)	0	100	100
1	F	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	FF	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	G	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	GG	609/642 (95%)	566 (93%)	43 (7%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	HH	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	I	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	II	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	J	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	JJ	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	K	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	KK	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	L	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	LL	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	M	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	MM	609/642 (95%)	565 (93%)	44 (7%)	0	100	100
1	N	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	NN	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	O	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	OO	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	P	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
1	PP	609/642 (95%)	566 (93%)	43 (7%)	0	100	100
All	All	19488/20544 (95%)	18108 (93%)	1380 (7%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	AA	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	B	534/562 (95%)	528 (99%)	6 (1%)	73	86

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	BB	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	C	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	CC	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	D	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	DD	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	E	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	EE	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	F	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	FF	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	G	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	GG	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	H	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	HH	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	I	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	II	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	J	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	JJ	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	K	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	KK	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	L	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	LL	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	M	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	MM	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	N	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	NN	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	O	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	OO	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	P	534/562 (95%)	528 (99%)	6 (1%)	73	86
1	PP	534/562 (95%)	528 (99%)	6 (1%)	73	86
All	All	17088/17984 (95%)	16896 (99%)	192 (1%)	74	86

5 of 192 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	DD	80	ASN
1	HH	581	ARG
1	DD	581	ARG
1	FF	414	ASN
1	JJ	36	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 361 such sidechains are listed below:

Mol	Chain	Res	Type
1	EE	187	HIS
1	JJ	187	HIS
1	FF	39	ASN
1	HH	39	ASN
1	KK	414	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

64 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	Q	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	Q	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	R	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	R	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	S	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	S	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	T	1	1,2	14,14,15	0.39	0	17,19,21	0.65	0
2	NAG	T	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	U	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	U	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	V	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	V	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	W	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	W	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	X	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	X	2	2	14,14,15	0.43	0	17,19,21	0.95	1 (5%)
2	NAG	Y	1	1,2	14,14,15	0.38	0	17,19,21	0.64	0
2	NAG	Y	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	Z	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	Z	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	a	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	a	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	b	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	b	2	2	14,14,15	0.41	0	17,19,21	0.93	1 (5%)
2	NAG	c	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	c	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	d	1	1,2	14,14,15	0.38	0	17,19,21	0.63	0
2	NAG	d	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	e	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	e	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	f	1	1,2	14,14,15	0.38	0	17,19,21	0.63	0
2	NAG	f	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	g	1	1,2	14,14,15	0.38	0	17,19,21	0.64	0
2	NAG	g	2	2	14,14,15	0.43	0	17,19,21	0.93	1 (5%)
2	NAG	h	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	h	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	i	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	i	2	2	14,14,15	0.43	0	17,19,21	0.95	1 (5%)
2	NAG	j	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	j	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	k	1	1,2	14,14,15	0.38	0	17,19,21	0.64	0
2	NAG	k	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	l	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	l	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	m	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	m	2	2	14,14,15	0.43	0	17,19,21	0.95	1 (5%)
2	NAG	n	1	1,2	14,14,15	0.39	0	17,19,21	0.63	0
2	NAG	n	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	o	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	o	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	p	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	p	2	2	14,14,15	0.43	0	17,19,21	0.95	1 (5%)
2	NAG	q	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	q	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)
2	NAG	r	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	r	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	s	1	1,2	14,14,15	0.38	0	17,19,21	0.64	0
2	NAG	s	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	t	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	t	2	2	14,14,15	0.42	0	17,19,21	0.94	1 (5%)
2	NAG	u	1	1,2	14,14,15	0.39	0	17,19,21	0.64	0
2	NAG	u	2	2	14,14,15	0.41	0	17,19,21	0.94	1 (5%)
2	NAG	v	1	1,2	14,14,15	0.40	0	17,19,21	0.64	0
2	NAG	v	2	2	14,14,15	0.43	0	17,19,21	0.94	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. <sup>1,2</sup> means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	Q	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	3/6/23/26	0/1/1/1
2	NAG	R	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	R	2	2	-	3/6/23/26	0/1/1/1
2	NAG	S	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	S	2	2	-	3/6/23/26	0/1/1/1
2	NAG	T	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	T	2	2	-	3/6/23/26	0/1/1/1
2	NAG	U	1	1,2	-	2/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	U	2	2	-	3/6/23/26	0/1/1/1
2	NAG	V	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	V	2	2	-	3/6/23/26	0/1/1/1
2	NAG	W	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	W	2	2	-	3/6/23/26	0/1/1/1
2	NAG	X	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	X	2	2	-	3/6/23/26	0/1/1/1
2	NAG	Y	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	3/6/23/26	0/1/1/1
2	NAG	Z	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	3/6/23/26	0/1/1/1
2	NAG	a	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	a	2	2	-	3/6/23/26	0/1/1/1
2	NAG	b	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	b	2	2	-	3/6/23/26	0/1/1/1
2	NAG	c	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	c	2	2	-	3/6/23/26	0/1/1/1
2	NAG	d	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	d	2	2	-	3/6/23/26	0/1/1/1
2	NAG	e	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	e	2	2	-	3/6/23/26	0/1/1/1
2	NAG	f	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	f	2	2	-	3/6/23/26	0/1/1/1
2	NAG	g	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	g	2	2	-	3/6/23/26	0/1/1/1
2	NAG	h	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	h	2	2	-	3/6/23/26	0/1/1/1
2	NAG	i	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	i	2	2	-	3/6/23/26	0/1/1/1
2	NAG	j	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	j	2	2	-	3/6/23/26	0/1/1/1
2	NAG	k	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	k	2	2	-	3/6/23/26	0/1/1/1
2	NAG	l	1	1,2	-	2/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	l	2	2	-	3/6/23/26	0/1/1/1
2	NAG	m	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	m	2	2	-	3/6/23/26	0/1/1/1
2	NAG	n	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	n	2	2	-	3/6/23/26	0/1/1/1
2	NAG	o	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	o	2	2	-	3/6/23/26	0/1/1/1
2	NAG	p	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	p	2	2	-	3/6/23/26	0/1/1/1
2	NAG	q	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	q	2	2	-	3/6/23/26	0/1/1/1
2	NAG	r	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	r	2	2	-	3/6/23/26	0/1/1/1
2	NAG	s	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	s	2	2	-	3/6/23/26	0/1/1/1
2	NAG	t	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	t	2	2	-	3/6/23/26	0/1/1/1
2	NAG	u	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	u	2	2	-	3/6/23/26	0/1/1/1
2	NAG	v	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	v	2	2	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	p	2	NAG	C2-N2-C7	3.07	127.27	122.90
2	i	2	NAG	C2-N2-C7	3.06	127.26	122.90
2	n	2	NAG	C2-N2-C7	3.05	127.25	122.90
2	W	2	NAG	C2-N2-C7	3.04	127.23	122.90
2	Q	2	NAG	C2-N2-C7	3.04	127.22	122.90

There are no chirality outliers.

5 of 160 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	Q	2	NAG	C4-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	R	2	NAG	C4-C5-C6-O6
2	S	2	NAG	C4-C5-C6-O6
2	T	2	NAG	C4-C5-C6-O6
2	U	2	NAG	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





































































































## 5.6 Ligand geometry [i](#)

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	II	701	1	14,14,15	0.20	0	17,19,21	0.51	0
3	NAG	H	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	P	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	NN	701	1	14,14,15	0.22	0	17,19,21	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	L	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	OO	701	1	14,14,15	0.22	0	17,19,21	0.51	0
3	NAG	PP	701	1	14,14,15	0.22	0	17,19,21	0.51	0
3	NAG	J	701	1	14,14,15	0.23	0	17,19,21	0.51	0
3	NAG	CC	701	1	14,14,15	0.20	0	17,19,21	0.50	0
3	NAG	DD	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	GG	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	LL	701	1	14,14,15	0.22	0	17,19,21	0.51	0
3	NAG	C	701	1	14,14,15	0.22	0	17,19,21	0.51	0
3	NAG	M	701	1	14,14,15	0.20	0	17,19,21	0.51	0
3	NAG	F	701	1	14,14,15	0.22	0	17,19,21	0.50	0
3	NAG	I	701	1	14,14,15	0.21	0	17,19,21	0.52	0
3	NAG	G	701	1	14,14,15	0.22	0	17,19,21	0.51	0
3	NAG	MM	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	K	701	1	14,14,15	0.21	0	17,19,21	0.52	0
3	NAG	AA	701	1	14,14,15	0.22	0	17,19,21	0.50	0
3	NAG	BB	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	O	701	1	14,14,15	0.23	0	17,19,21	0.50	0
3	NAG	KK	701	1	14,14,15	0.22	0	17,19,21	0.50	0
3	NAG	EE	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	JJ	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	B	701	1	14,14,15	0.21	0	17,19,21	0.52	0
3	NAG	E	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	FF	701	1	14,14,15	0.21	0	17,19,21	0.50	0
3	NAG	D	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	N	701	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	HH	701	1	14,14,15	0.21	0	17,19,21	0.50	0
3	NAG	A	701	1	14,14,15	0.22	0	17,19,21	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	II	701	1	-	2/6/23/26	0/1/1/1
3	NAG	H	701	1	-	2/6/23/26	0/1/1/1
3	NAG	P	701	1	-	2/6/23/26	0/1/1/1
3	NAG	NN	701	1	-	2/6/23/26	0/1/1/1
3	NAG	L	701	1	-	2/6/23/26	0/1/1/1
3	NAG	OO	701	1	-	2/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	PP	701	1	-	2/6/23/26	0/1/1/1
3	NAG	J	701	1	-	2/6/23/26	0/1/1/1
3	NAG	CC	701	1	-	2/6/23/26	0/1/1/1
3	NAG	DD	701	1	-	2/6/23/26	0/1/1/1
3	NAG	GG	701	1	-	2/6/23/26	0/1/1/1
3	NAG	LL	701	1	-	2/6/23/26	0/1/1/1
3	NAG	C	701	1	-	2/6/23/26	0/1/1/1
3	NAG	M	701	1	-	2/6/23/26	0/1/1/1
3	NAG	F	701	1	-	2/6/23/26	0/1/1/1
3	NAG	I	701	1	-	2/6/23/26	0/1/1/1
3	NAG	G	701	1	-	2/6/23/26	0/1/1/1
3	NAG	MM	701	1	-	2/6/23/26	0/1/1/1
3	NAG	K	701	1	-	2/6/23/26	0/1/1/1
3	NAG	AA	701	1	-	2/6/23/26	0/1/1/1
3	NAG	BB	701	1	-	2/6/23/26	0/1/1/1
3	NAG	O	701	1	-	2/6/23/26	0/1/1/1
3	NAG	KK	701	1	-	2/6/23/26	0/1/1/1
3	NAG	EE	701	1	-	2/6/23/26	0/1/1/1
3	NAG	JJ	701	1	-	2/6/23/26	0/1/1/1
3	NAG	B	701	1	-	2/6/23/26	0/1/1/1
3	NAG	E	701	1	-	2/6/23/26	0/1/1/1
3	NAG	FF	701	1	-	2/6/23/26	0/1/1/1
3	NAG	D	701	1	-	2/6/23/26	0/1/1/1
3	NAG	N	701	1	-	2/6/23/26	0/1/1/1
3	NAG	HH	701	1	-	2/6/23/26	0/1/1/1
3	NAG	A	701	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 64 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	701	NAG	C4-C5-C6-O6
3	B	701	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	701	NAG	C4-C5-C6-O6
3	D	701	NAG	C4-C5-C6-O6
3	E	701	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Map visualisation

This section contains visualisations of the EMDB entry EMD-20623. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections

This section was not generated.

### 6.2 Central slices

This section was not generated.

### 6.3 Largest variance slices

This section was not generated.

### 6.4 Orthogonal surface views

This section was not generated.

### 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis

This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution

This section was not generated.

### 7.2 Volume estimate versus contour level

This section was not generated.

### 7.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit

This section was not generated.