



wwPDB EM Validation Summary Report ⓘ

Feb 27, 2024 – 05:33 AM EST

PDB ID : 6W19
EMDB ID : EMD-21504
Title : Structures of Capsid and Capsid-Associated Tegument Complex inside the Epstein-Barr Virus
Authors : Liu, W.; Cui, Y.X.; Wang, C.Y.; Li, Z.H.; Gong, D.Y.; Dai, X.H.; Bi, G.Q.; Sun, R.; Zhou, Z.H.
Deposited on : 2020-03-03
Resolution : 5.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1381	24% (red), 99% (green), . (grey)
1	B	1381	22% (red), 98% (green), .. (grey)
1	C	1381	21% (red), 97% (green), .. (grey)
1	D	1381	23% (red), 99% (green), . (grey)
1	E	1381	22% (red), 99% (green), . (grey)
1	F	1381	22% (red), 97% (green), .. (grey)
1	G	1381	22% (red), 98% (green), . (grey)
1	H	1381	19% (red), 99% (green), . (grey)
1	I	1381	19% (red), 97% (green), .. (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	J	1381	26%	96%
1	K	1381	24%	97%
1	L	1381	24%	97%
1	M	1381	25%	98%
1	N	1381	26%	97%
1	O	1381	27%	96%
1	P	1381	31%	91%
2	Q	176	16%	44%
2	R	176	18%	43%
2	S	176	13%	43%
2	T	176	6%	44%
2	U	176	7%	43%
2	V	176	15%	44%
2	W	176	17%	43%
2	X	176	17%	44%
2	Y	176	14%	44%
2	Z	176	23%	44%
2	a	176	22%	42%
2	b	176	18%	43%
2	c	176	8%	42%
2	d	176	11%	42%
2	e	176	20%	43%
2	u	176	22%	36%
3	l	364	44%	92%
3	f	364	29%	82%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	g	364	26% 90% 8%
3	h	364	28% 91% 8%
3	i	364	31% 91% 8%
3	j	364	26% 90% 8%
4	2	301	34% 98% ..
4	3	301	32% 99% .
4	k	301	36% 97% ..
4	l	301	28% 97% ..
4	m	301	27% 98% ..
4	n	301	28% 98% ..
4	o	301	24% 98% ..
4	p	301	37% 98% ..
4	q	301	28% 96% ..
4	r	301	30% 96% ...
4	s	301	31% 98% ..
4	t	301	25% 98% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 225047 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1381	10832	6868	1884	2018	62	0	0
1	B	1364	10701	6788	1859	1993	61	0	0
1	C	1363	10690	6782	1855	1992	61	0	0
1	D	1381	10832	6868	1884	2018	62	0	0
1	E	1381	10832	6868	1884	2018	62	0	0
1	F	1362	10683	6777	1854	1991	61	0	0
1	G	1381	10831	6868	1884	2017	62	0	0
1	H	1381	10832	6868	1884	2018	62	0	0
1	I	1364	10702	6787	1860	1994	61	0	0
1	J	1348	10601	6730	1844	1966	61	0	0
1	K	1381	10832	6868	1884	2018	62	0	0
1	L	1365	10705	6790	1860	1994	61	0	0
1	M	1381	10832	6868	1884	2018	62	0	0
1	N	1362	10683	6777	1854	1991	61	0	0
1	O	1335	10473	6647	1819	1947	60	0	0
1	P	1292	10173	6466	1764	1884	59	0	0

- Molecule 2 is a protein called Small capsomere-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Q	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	R	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	S	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	T	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	U	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	V	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	W	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	X	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	Y	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	Z	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	a	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	b	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	c	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	d	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	e	77	Total 649	C 411	N 121	O 115	S 2	0	0
2	u	63	Total 528	C 339	N 90	O 98	S 1	0	0

- Molecule 3 is a protein called Triplex capsid protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	f	315	Total 2474	C 1586	N 436	O 444	S 8	0	0
3	g	336	Total 2604	C 1667	N 458	O 471	S 8	0	0
3	h	336	Total 2604	C 1667	N 458	O 471	S 8	0	0
3	i	336	Total 2604	C 1667	N 458	O 471	S 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	j	336	Total	C	N	O	S	0	0
			2604	1667	458	471	8		
3	1	336	Total	C	N	O	S	0	0
			2604	1667	458	471	8		


- Molecule 4 is a protein called Triplex capsid protein 2.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	k	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	l	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	m	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	n	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	o	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	2	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	p	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	q	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	r	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	s	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	t	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		
4	3	299	Total	C	N	O	S	0	0
			2338	1500	386	434	18		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Major capsid protein





• Molecule 1: Major capsid protein





• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein





• Molecule 1: Major capsid protein





• Molecule 1: Major capsid protein




• Molecule 1: Major capsid protein









• Molecule 2: Small capsomere-interacting protein




• Molecule 2: Small capsomere-interacting protein



• Molecule 2: Small capsomere-interacting protein




• Molecule 2: Small capsomere-interacting protein



SER VAL SER SER ILE SER SER LEU ARG ALA ALA THR THR SER SER GLY ALA ALA ALA ALA ALA VAL ASP THR THR THR SER SER SER GLY GLY GLY GLY GLY GLN GLN PRO PRO HIS ASP THR ALA ALA ARG ARG LYS LYS GLN


• Molecule 3: Triplex capsid protein 1

Chain f: 29% 82% 13%




• Molecule 3: Triplex capsid protein 1


Chain g: 26% 90% 8%





• Molecule 3: Triplex capsid protein 1

Chain h: 28% 91% 8%








• Molecule 3: Triplex capsid protein 1




• Molecule 3: Triplex capsid protein 1



• Molecule 3: Triplex capsid protein 1







• Molecule 4: Triplex capsid protein 2




Chain k:




• Molecule 4: Triplex capsid protein 2




Chain l:




• Molecule 4: Triplex capsid protein 2




• Molecule 4: Triplex capsid protein 2




• Molecule 4: Triplex capsid protein 2




• Molecule 4: Triplex capsid protein 2







• Molecule 4: Triplex capsid protein 2




• Molecule 4: Triplex capsid protein 2




• Molecule 4: Triplex capsid protein 2







• Molecule 4: Triplex capsid protein 2



• Molecule 4: Triplex capsid protein 2



• Molecule 4: Triplex capsid protein 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	2048	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	28	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.067	Depositor
Minimum map value	-0.016	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	1387.52, 1387.52, 1387.52	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.71, 2.71, 2.71	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/11085	0.49	1/15066 (0.0%)
1	B	0.42	0/10951	0.50	0/14882
1	C	0.42	0/10940	0.50	0/14868
1	D	0.42	0/11085	0.51	0/15066
1	E	0.41	0/11085	0.49	0/15066
1	F	0.40	0/10933	0.50	0/14858
1	G	0.38	0/11084	0.50	1/15065 (0.0%)
1	H	0.37	0/11085	0.46	0/15066
1	I	0.38	0/10952	0.48	0/14883
1	J	0.54	0/10850	0.55	0/14745
1	K	0.53	0/11085	0.53	0/15066
1	L	0.35	0/10955	0.46	0/14887
1	M	0.35	0/11085	0.46	0/15066
1	N	0.37	0/10933	0.49	0/14858
1	O	0.40	0/10719	0.50	0/14565
1	P	0.46	0/10410	0.54	0/14140
2	Q	0.32	0/664	0.44	0/896
2	R	0.35	0/664	0.50	0/896
2	S	0.41	0/664	0.51	0/896
2	T	0.33	0/664	0.43	0/896
2	U	0.36	0/664	0.44	0/896
2	V	0.33	0/664	0.41	0/896
2	W	0.30	0/664	0.43	0/896
2	X	0.32	0/664	0.41	0/896
2	Y	0.31	0/664	0.43	0/896
2	Z	0.39	0/664	0.44	0/896
2	a	0.38	0/664	0.50	0/896
2	b	0.28	0/664	0.41	0/896
2	c	0.30	0/664	0.44	0/896
2	d	0.28	0/664	0.45	0/896
2	e	0.32	0/664	0.47	0/896
2	u	0.32	0/542	0.45	0/735
3	l	0.33	0/2672	0.48	0/3635
3	f	0.43	0/2537	0.50	0/3450

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	g	0.35	0/2672	0.46	0/3635
3	h	0.37	0/2672	0.48	0/3635
3	i	0.37	0/2672	0.48	0/3635
3	j	0.35	0/2672	0.48	0/3635
4	2	0.37	0/2388	0.53	1/3254 (0.0%)
4	3	0.34	0/2388	0.49	0/3254
4	k	0.34	0/2388	0.50	0/3254
4	l	0.36	0/2388	0.48	0/3254
4	m	0.33	0/2388	0.51	0/3254
4	n	0.37	0/2388	0.54	0/3254
4	o	0.34	0/2388	0.47	0/3254
4	p	0.32	0/2388	0.51	0/3254
4	q	0.35	0/2388	0.48	0/3254
4	r	0.36	0/2388	0.50	0/3254
4	s	0.37	0/2388	0.51	0/3254
4	t	0.35	0/2388	0.47	0/3254
All	All	0.40	0/230292	0.50	3/312995 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	2	182	LEU	CA-CB-CG	5.74	128.49	115.30
1	G	1155	LEU	CA-CB-CG	5.62	128.22	115.30
1	A	1264	VAL	C-N-CD	5.22	139.36	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1379/1381 (100%)	1297 (94%)	78 (6%)	4 (0%)	41	76
1	B	1360/1381 (98%)	1287 (95%)	72 (5%)	1 (0%)	51	85
1	C	1359/1381 (98%)	1277 (94%)	80 (6%)	2 (0%)	51	85
1	D	1379/1381 (100%)	1301 (94%)	78 (6%)	0	100	100
1	E	1379/1381 (100%)	1286 (93%)	91 (7%)	2 (0%)	51	85
1	F	1358/1381 (98%)	1272 (94%)	84 (6%)	2 (0%)	51	85
1	G	1379/1381 (100%)	1296 (94%)	80 (6%)	3 (0%)	47	81
1	H	1379/1381 (100%)	1301 (94%)	75 (5%)	3 (0%)	47	81
1	I	1360/1381 (98%)	1288 (95%)	70 (5%)	2 (0%)	51	85
1	J	1344/1381 (97%)	1238 (92%)	104 (8%)	2 (0%)	51	85
1	K	1379/1381 (100%)	1268 (92%)	110 (8%)	1 (0%)	51	85
1	L	1361/1381 (99%)	1299 (95%)	60 (4%)	2 (0%)	51	85
1	M	1379/1381 (100%)	1299 (94%)	79 (6%)	1 (0%)	51	85
1	N	1358/1381 (98%)	1312 (97%)	42 (3%)	4 (0%)	41	76
1	O	1331/1381 (96%)	1274 (96%)	52 (4%)	5 (0%)	34	72
1	P	1284/1381 (93%)	1183 (92%)	97 (8%)	4 (0%)	41	76
2	Q	75/176 (43%)	68 (91%)	7 (9%)	0	100	100
2	R	75/176 (43%)	71 (95%)	4 (5%)	0	100	100
2	S	75/176 (43%)	68 (91%)	6 (8%)	1 (1%)	12	47
2	T	75/176 (43%)	71 (95%)	4 (5%)	0	100	100
2	U	75/176 (43%)	69 (92%)	6 (8%)	0	100	100
2	V	75/176 (43%)	71 (95%)	4 (5%)	0	100	100
2	W	75/176 (43%)	71 (95%)	4 (5%)	0	100	100
2	X	75/176 (43%)	73 (97%)	2 (3%)	0	100	100
2	Y	75/176 (43%)	72 (96%)	3 (4%)	0	100	100
2	Z	75/176 (43%)	69 (92%)	6 (8%)	0	100	100
2	a	75/176 (43%)	70 (93%)	5 (7%)	0	100	100
2	b	75/176 (43%)	69 (92%)	6 (8%)	0	100	100
2	c	75/176 (43%)	71 (95%)	4 (5%)	0	100	100
2	d	75/176 (43%)	71 (95%)	2 (3%)	2 (3%)	5	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	e	75/176 (43%)	75 (100%)	0	0	100	100
2	u	61/176 (35%)	56 (92%)	5 (8%)	0	100	100
3	1	330/364 (91%)	303 (92%)	25 (8%)	2 (1%)	25	65
3	f	307/364 (84%)	280 (91%)	27 (9%)	0	100	100
3	g	330/364 (91%)	308 (93%)	22 (7%)	0	100	100
3	h	330/364 (91%)	318 (96%)	10 (3%)	2 (1%)	25	65
3	i	330/364 (91%)	306 (93%)	23 (7%)	1 (0%)	41	76
3	j	330/364 (91%)	299 (91%)	31 (9%)	0	100	100
4	2	297/301 (99%)	253 (85%)	42 (14%)	2 (1%)	22	62
4	3	297/301 (99%)	279 (94%)	17 (6%)	1 (0%)	41	76
4	k	297/301 (99%)	284 (96%)	12 (4%)	1 (0%)	41	76
4	l	297/301 (99%)	286 (96%)	11 (4%)	0	100	100
4	m	297/301 (99%)	287 (97%)	10 (3%)	0	100	100
4	n	297/301 (99%)	277 (93%)	20 (7%)	0	100	100
4	o	297/301 (99%)	275 (93%)	22 (7%)	0	100	100
4	p	297/301 (99%)	293 (99%)	3 (1%)	1 (0%)	41	76
4	q	297/301 (99%)	283 (95%)	14 (5%)	0	100	100
4	r	297/301 (99%)	279 (94%)	15 (5%)	3 (1%)	15	53
4	s	297/301 (99%)	283 (95%)	12 (4%)	2 (1%)	22	62
4	t	297/301 (99%)	284 (96%)	12 (4%)	1 (0%)	41	76
All	All	28475/30708 (93%)	26770 (94%)	1648 (6%)	57 (0%)	50	81

5 of 57 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	978	ARG
1	K	1011	SER
1	O	1284	ASN
1	P	1179	GLN
2	d	19	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1171/1171 (100%)	1160 (99%)	11 (1%)	78	88
1	B	1157/1171 (99%)	1142 (99%)	15 (1%)	69	82
1	C	1156/1171 (99%)	1140 (99%)	16 (1%)	67	80
1	D	1171/1171 (100%)	1155 (99%)	16 (1%)	67	80
1	E	1171/1171 (100%)	1156 (99%)	15 (1%)	69	82
1	F	1155/1171 (99%)	1135 (98%)	20 (2%)	60	78
1	G	1170/1171 (100%)	1139 (97%)	31 (3%)	46	67
1	H	1171/1171 (100%)	1154 (98%)	17 (2%)	65	80
1	I	1157/1171 (99%)	1141 (99%)	16 (1%)	67	80
1	J	1146/1171 (98%)	1121 (98%)	25 (2%)	52	71
1	K	1171/1171 (100%)	1126 (96%)	45 (4%)	33	57
1	L	1157/1171 (99%)	1138 (98%)	19 (2%)	62	79
1	M	1171/1171 (100%)	1148 (98%)	23 (2%)	55	73
1	N	1155/1171 (99%)	1136 (98%)	19 (2%)	62	79
1	O	1131/1171 (97%)	1120 (99%)	11 (1%)	76	86
1	P	1100/1171 (94%)	1063 (97%)	37 (3%)	37	60
2	Q	71/128 (56%)	71 (100%)	0	100	100
2	R	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	S	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	T	71/128 (56%)	71 (100%)	0	100	100
2	U	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	V	71/128 (56%)	71 (100%)	0	100	100
2	W	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	X	71/128 (56%)	71 (100%)	0	100	100
2	Y	71/128 (56%)	71 (100%)	0	100	100
2	Z	71/128 (56%)	71 (100%)	0	100	100
2	a	71/128 (56%)	68 (96%)	3 (4%)	30	54
2	b	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	c	71/128 (56%)	68 (96%)	3 (4%)	30	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	d	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	e	71/128 (56%)	70 (99%)	1 (1%)	67	80
2	u	59/128 (46%)	59 (100%)	0	100	100
3	1	278/289 (96%)	278 (100%)	0	100	100
3	f	267/289 (92%)	251 (94%)	16 (6%)	19	46
3	g	278/289 (96%)	270 (97%)	8 (3%)	42	64
3	h	278/289 (96%)	276 (99%)	2 (1%)	84	90
3	i	278/289 (96%)	276 (99%)	2 (1%)	84	90
3	j	278/289 (96%)	268 (96%)	10 (4%)	35	59
4	2	265/267 (99%)	263 (99%)	2 (1%)	81	89
4	3	265/267 (99%)	265 (100%)	0	100	100
4	k	265/267 (99%)	258 (97%)	7 (3%)	46	67
4	l	265/267 (99%)	257 (97%)	8 (3%)	41	63
4	m	265/267 (99%)	260 (98%)	5 (2%)	57	75
4	n	265/267 (99%)	261 (98%)	4 (2%)	65	80
4	o	265/267 (99%)	260 (98%)	5 (2%)	57	75
4	p	265/267 (99%)	261 (98%)	4 (2%)	65	80
4	q	265/267 (99%)	255 (96%)	10 (4%)	33	57
4	r	265/267 (99%)	257 (97%)	8 (3%)	41	63
4	s	265/267 (99%)	262 (99%)	3 (1%)	73	84
4	t	265/267 (99%)	262 (99%)	3 (1%)	73	84
All	All	24471/25722 (95%)	24025 (98%)	446 (2%)	61	77

5 of 446 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	113	GLN
4	t	49	TYR
1	N	1295	SER
4	r	204	ASN
4	l	171	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 608 such sidechains are listed below:

Mol	Chain	Res	Type
1	O	1056	ASN
4	2	38	GLN
1	P	454	ASN
1	O	997	HIS
2	b	44	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21504. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 160



Y Index: 212




Z Index: 140


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 165404 nm³; this corresponds to an approximate mass of 149413 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.182 Å⁻¹

8 Fourier-Shell correlation


This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21504 and PDB model 6W19. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 65% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6470	 0.0590
1	 0.4660	 0.0150
2	 0.5820	 0.0800
3	 0.5820	 0.0620
A	 0.6700	 0.0500
B	 0.6840	 0.0600
C	 0.6810	 0.0690
D	 0.6720	 0.0640
E	 0.6780	 0.0610
F	 0.6750	 0.0550
G	 0.6790	 0.0570
H	 0.6970	 0.0670
I	 0.6980	 0.0740
J	 0.6480	 0.0460
K	 0.6630	 0.0490
L	 0.6580	 0.0520
M	 0.6500	 0.0520
N	 0.6520	 0.0510
O	 0.6360	 0.0420
P	 0.5860	 0.0490
Q	 0.5370	 0.1020
R	 0.5220	 0.0960
S	 0.6090	 0.0930
T	 0.6900	 0.1310
U	 0.6680	 0.1130
V	 0.5700	 0.1040
W	 0.5410	 0.0980
X	 0.5350	 0.1070
Y	 0.5960	 0.0940
Z	 0.4250	 0.0730
a	 0.4460	 0.0770
b	 0.5430	 0.0820
c	 0.6710	 0.1110
d	 0.6450	 0.1120
e	 0.5180	 0.1020



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.5760	 0.0400
g	 0.6310	 0.0530
h	 0.6140	 0.0670
i	 0.6070	 0.0560
j	 0.6320	 0.0800
k	 0.5420	 0.0550
l	 0.6040	 0.0700
m	 0.6340	 0.0690
n	 0.6110	 0.0670
o	 0.6660	 0.0770
p	 0.5620	 0.0750
q	 0.6180	 0.0710
r	 0.6130	 0.0630
s	 0.5970	 0.0560
t	 0.6500	 0.0670
u	 0.3200	 0.0440