Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2022 – 06:13 pm GMT

PDB ID	:	7OBN
Title	:	Structural investigations of a new L3 DNA ligase: structure-function analysis
Authors	:	Leiros, H.-K.S.; Williamson, A.
Deposited on	:	2021-04-23
Resolution	:	2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.26
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.26

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	B	21	81% 19%
2	C	21	81% 14% 5%
3	A	321	61% 27% • • 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	AMP	A	401	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 3303 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*TP*TP*CP*CP*GP*AP*TP*AP*GP*TP*GP*GP*GP*GP*TP*CP*GP*CP*AP*AP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	B	21	431	206	79	126	20	0	0	0

- Molecule 2 is a DNA chain called DNA/RNA (5'-D(*AP*TP*TP*GP*CP*GP*AP*C)-R(P*(OMC))-D(P*CP*CP*AP*CP*TP*AP*TP*CP*GP*GP*AP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	21	426	204	79	123	20	0	0	0

- Molecule 3 is a protein called DNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	299	2359	1494	420	432	13	53	1	0

- Molecule 4 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: $C_{10}H_{14}N_5O_7P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			22	10	5	6	1		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	O	S		0	0
			5	4	1			

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	12	Total O 12 12	0	0
6	C	13	Total O 13 13	0	0
6	A	35	Total O 35 35	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA (5'-D(*TP*TP*CP*CP*GP*AP*TP*AP*GP*TP*GP*GP*GP*GP*TP*CP*GP*CP*AP*AP*T)-3')

Chain B:





• Molecule 2: DNA/RNA (5'-D(*AP*TP*TP*GP*CP*GP*AP*C)-R(P*(OMC))-D(P*CP*CP*AP*CP*TP*AP*TP*CP*GP*GP*AP*A)-3')

Chain C:





• Molecule 3: DNA ligase

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	125.47Å 45.55Å 111.46Å 90.00° 103.94° 90.00°	Depositor
Resolution (Å)	24.62 – 2.45 24.62 – 2.45	Depositor EDS
% Data completeness (in resolution range)	96.0 (24.62-2.45) 96.0 (24.62-2.45)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.17 (at 2.44Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874, PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.257 , 0.283 0.257 , 0.283	Depositor DCC
R_{free} test set	2022 reflections (9.20%)	wwPDB-VP
Wilson B-factor (Å^2)	56.1	Xtriage
Anisotropy	0.328	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	(Not available) , (Not available)	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	3303	wwPDB-VP
Average B, all atoms (Å^2)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.37% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, OMC, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	B	0.52	0/483	0.91	0/745
2	C	0.51	0/454	0.90	0/698
3	A	0.63	4/2412 (0.2%)	1.35	27/3252 (0.8%)
All	All	0.60	4/3349 (0.1%)	1.23	27/4695 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	A	0	8

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	22	LYS	CD-CE	15.48	1.90	1.51
3	A	22	LYS	CE-NZ	8.73	1.70	1.49
3	A	291	ARG	CG-CD	5.79	1.66	1.51
3	A	215	ARG	CZ-NH1	5.03	1.39	1.33

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	211	GLU	OE1-CD-OE2	-37.20	78.66	123.30
3	A	211	GLU	CG-CD-OE1	22.55	163.41	118.30
3	A	215	ARG	NE-CZ-NH1	-18.03	111.28	120.30
3	A	211	GLU	CG-CD-OE2	-16.58	85.14	118.30
3	A	161	LEU	CB-CG-CD2	-16.49	82.96	111.00
3	A	161	LEU	CB-CG-CD1	11.97	131.35	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	105	PHE	CB-CG-CD2	-10.68	113.32	120.80
3	A	22	LYS	CD-CE-NZ	-9.39	90.11	111.70
3	A	199	ARG	NE-CZ-NH1	-8.68	115.96	120.30
3	A	22	LYS	CB-CG-CD	-8.04	90.70	111.60
3	A	7	PHE	CB-CG-CD2	-7.99	115.21	120.80
3	A	199	ARG	CG-CD-NE	7.68	127.93	111.80
3	A	215	ARG	CG-CD-NE	7.43	127.41	111.80
3	A	260	TYR	CB-CG-CD1	-7.42	116.55	121.00
3	A	291	ARG	NE-CZ-NH1	-6.76	116.92	120.30
3	A	199	ARG	CD-NE-CZ	6.63	132.89	123.60
3	A	22	LYS	CB-CA-C	6.59	123.58	110.40
3	A	215	ARG	CD-NE-CZ	6.57	132.80	123.60
3	A	304	ASP	CB-CG-OD2	-6.13	112.78	118.30
3	A	7	PHE	C-N-CA	6.03	136.77	121.70
3	A	291	ARG	CA-CB-CG	5.77	126.09	113.40
3	A	32	ASP	CB-CG-OD1	-5.72	113.15	118.30
3	A	260	TYR	CB-CG-CD2	5.72	124.44	121.00
3	A	291	ARG	CB-CA-C	-5.69	99.02	110.40
3	A	161	LEU	CD1-CG-CD2	-5.44	94.17	110.50
3	A	7	PHE	CB-CG-CD1	5.31	124.52	120.80
3	A	67	LEU	CB-CG-CD1	-5.23	102.10	111.00

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	A	105	PHE	Sidechain
3	A	199	ARG	Sidechain
3	A	215	ARG	Sidechain
3	A	22	LYS	Peptide
3	A	23	PHE	Peptide
3	A	4	PRO	Peptide
3	A	5	THR	Peptide
3	A	78	SER	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	431	0	239	3	0
2	C	426	0	239	5	0
3	A	2359	0	2303	95	0
4	A	22	0	12	9	0
5	A	5	0	0	0	0
6	A	35	0	0	3	0
6	B	12	0	0	1	0
6	C	13	0	0	2	0
All	All	3303	0	2793	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:22:LYS:NZ	3:A:22:LYS:CE	1.70	1.52
3:A:22:LYS:CE	3:A:22:LYS:CD	1.90	1.48
3:A:138:ARG:C	3:A:143:ASP:CA	2.45	0.85
3:A:72:GLY:HA2	3:A:105:PHE:CD1	2.17	0.79
3:A:78:SER:O	3:A:80:THR:N	2.15	0.78
3:A:66:LEU:O	3:A:130:ARG:NH2	2.20	0.75
3:A:22:LYS:NZ	3:A:22:LYS:CD	2.55	0.70
3:A:234:GLN:OE1	6:A:501:HOH:O	2.11	0.68
3:A:81:ASP:O	3:A:85:MET:HG3	1.94	0.67
3:A:7:PHE:HE1	3:A:9:PRO:HA	1.60	0.67
3:A:304:ASP:O	6:A:502:HOH:O	2.15	0.64
3:A:7:PHE:CE2	3:A:39:PHE:HE2	2.16	0.64
3:A:7:PHE:CE2	3:A:39:PHE:CE2	2.86	0.63
3:A:53:ASN:OD1	3:A:55:VAL:HG12	1.98	0.63
3:A:51:ILE:HB	3:A:57:GLN:HE21	1.63	0.63
3:A:92:MET:HG3	3:A:93:SER:N	2.14	0.63
3:A:215:ARG:NH2	3:A:238:VAL:HG11	2.14	0.62
2:C:33:DA:N7	6:C:102:HOH:O	2.31	0.62
3:A:30:LYS:NZ	3:A:171:GLU:OE2	2.29	0.62
3:A:106:ASP:OD1	3:A:124:ARG:NH1	2.33	0.61
3:A:105:PHE:HE2	4:A:401:AMP:C4	2.21	0.59
3:A:7:PHE:HE2	3:A:39:PHE:CE2	2.21	0.58
3:A:215:ARG:NH2	3:A:217:GLU:OE1	2.37	0.58
3:A:86:GLN:C	3:A:88:SER:H	2.06	0.58
3:A:76:VAL:HG22	3:A:85:MET:HA	1.86	0.57
3:A:105:PHE:CE2	4:A:401:AMP:C2	2.92	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:75:THR:OG1	3:A:85:MET:SD	2.62	0.56
3:A:62:ALA:O	3:A:138:ARG:NH1	2.38	0.56
3:A:105:PHE:HE2	4:A:401:AMP:N3	2.04	0.55
3:A:59:PHE:CD1	3:A:100:PHE:HZ	2.24	0.54
3:A:76:VAL:HG12	3:A:100:PHE:HA	1.88	0.54
3:A:80:THR:OG1	3:A:81:ASP:N	2.41	0.53
3:A:105:PHE:HE2	4:A:401:AMP:C2	2.26	0.53
3:A:212:GLU:HB3	3:A:282:TRP:CH2	2.43	0.53
3:A:171:GLU:CD	3:A:198:LYS:HZ2	2.11	0.53
3:A:86:GLN:O	3:A:86:GLN:HG2	2.08	0.53
3:A:72:GLY:HA2	3:A:105:PHE:CE1	2.43	0.52
3:A:106:ASP:OD1	3:A:107:TRP:N	2.43	0.52
3:A:84:CYS:C	3:A:86:GLN:H	2.11	0.52
3:A:102:PHE:CE2	3:A:104:VAL:HG22	2.45	0.52
3:A:34:ILE:C	3:A:73:GLU:HG3	2.30	0.52
3:A:171:GLU:CD	3:A:198:LYS:NZ	2.63	0.52
3:A:282:TRP:O	3:A:285:ARG:NH2	2.42	0.52
3:A:52:PRO:HG2	3:A:89:MET:HE3	1.92	0.51
3:A:119:MET:SD	3:A:123:ARG:HD3	2.50	0.51
3:A:223:ASN:OD1	3:A:227:ARG:N	2.41	0.51
3:A:56:VAL:O	3:A:59:PHE:HB3	2.11	0.51
3:A:122:ASP:N	3:A:178:HIS:O	2.45	0.50
3:A:250:ARG:NH2	3:A:304:ASP:HA	2.26	0.50
3:A:56:VAL:HG12	3:A:100:PHE:CD2	2.46	0.50
3:A:215:ARG:HH21	3:A:238:VAL:CG1	2.25	0.50
3:A:16:THR:N	3:A:189:GLU:OE2	2.41	0.50
3:A:207:ILE:HA	3:A:248:VAL:HG12	1.94	0.49
3:A:250:ARG:HH22	3:A:305:ALA:H	1.60	0.49
3:A:119:MET:HB3	3:A:124:ARG:HG3	1.95	0.49
3:A:215:ARG:NH2	3:A:238:VAL:CG1	2.75	0.49
3:A:7:PHE:HE2	3:A:39:PHE:CZ	2.30	0.49
3:A:174:MET:HE2	4:A:401:AMP:C2	2.48	0.48
2:C:32:DC:OP2	3:A:46:ARG:NH1	2.46	0.48
3:A:91:VAL:HG12	3:A:91:VAL:O	2.13	0.48
2:C:36:DA:N7	6:C:103:HOH:O	2.35	0.47
3:A:292:VAL:HG11	3:A:315:ARG:HD3	1.95	0.47
3:A:198:LYS:HE2	3:A:298:PHE:CD2	2.50	0.47
3:A:54:PRO:HD3	3:A:91:VAL:HA	1.96	0.46
3:A:33:GLY:HA3	3:A:74:LEU:O	2.15	0.46
3:A:7:PHE:CE1	3:A:9:PRO:HA	2.46	0.46
3:A:153:VAL:HG12	3:A:157:ASP:OD2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:198:LYS:HD3	3:A:298:PHE:CE2	2.50	0.46
2:C:30:OMC:OP1	3:A:47:SER:OG	2.33	0.46
3:A:73:GLU:OE1	4:A:401:AMP:C8	2.69	0.46
3:A:131:ARG:O	3:A:133:ALA:N	2.49	0.45
3:A:127:ILE:O	3:A:130:ARG:HG3	2.17	0.45
3:A:72:GLY:HA2	3:A:105:PHE:HD1	1.72	0.45
3:A:250:ARG:HH12	3:A:265:PRO:HD2	1.81	0.44
3:A:105:PHE:HD2	4:A:401:AMP:C6	2.34	0.44
3:A:215:ARG:HH21	3:A:238:VAL:HG11	1.82	0.44
2:C:32:DC:H2"	3:A:308:HIS:NE2	2.33	0.44
3:A:291:ARG:NH2	3:A:316:HIS:O	2.51	0.44
3:A:308:HIS:N	3:A:309:PRO:HD3	2.32	0.44
3:A:105:PHE:CD2	4:A:401:AMP:C6	3.06	0.43
3:A:86:GLN:C	3:A:88:SER:N	2.71	0.43
3:A:212:GLU:HB3	3:A:282:TRP:CZ2	2.54	0.43
3:A:212:GLU:HG3	3:A:214:MET:HE2	2.01	0.43
3:A:174:MET:HG3	4:A:401:AMP:C6	2.53	0.43
3:A:7:PHE:CE2	3:A:39:PHE:CZ	3.05	0.43
3:A:70:LEU:HD23	3:A:107:TRP:CD1	2.53	0.42
1:B:8:DA:OP1	3:A:228:THR:OG1	2.37	0.42
3:A:159:ASP:C	3:A:161:LEU:H	2.23	0.42
3:A:286:ASP:OD1	6:A:503:HOH:O	2.22	0.42
3:A:32:ASP:HB3	3:A:82:ALA:HB2	2.02	0.42
1:B:16:DC:H2"	1:B:17:DG:C8	2.54	0.41
3:A:78:SER:HB2	3:A:79:PRO:HD3	2.01	0.41
3:A:71:ASP:O	3:A:105:PHE:HD1	2.04	0.41
3:A:123:ARG:O	3:A:126:GLU:HB3	2.20	0.41
1:B:12:DG:N7	6:B:103:HOH:O	2.37	0.41
3:A:32:ASP:OD1	3:A:171:GLU:OE1	2.38	0.41
3:A:67:LEU:HD23	3:A:70:LEU:HD12	2.03	0.41
3:A:51:ILE:HG21	3:A:56:VAL:HG21	2.04	0.40
3:A:234:GLN:HA	3:A:237:LEU:HG	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
3	A	290/321 (90%)	246 (85%)	36 (12%)	8 (3%)	5 2

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	23	PHE
3	A	78	SER
3	A	79	PRO
3	A	4	PRO
3	A	5	THR
3	A	24	PRO
3	A	109	PRO
3	A	132	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	A	244/260 (94%)	243 (100%)	1 (0%)	91 94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	131	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	86	GLN
3	A	234	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	OMC	C	30	2,1	15,22,23	1.15	2 (13%)	17,31,34	1.51	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OMC	C	30	2,1	-	3/7/27/28	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	30	OMC	C2-N3	-2.80	1.32	1.38
2	C	30	OMC	C4-N4	2.66	1.43	1.35

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	C	30	OMC	C4-N3-C2	4.60	121.00	116.34
2	C	30	OMC	N4-C4-N3	2.71	120.77	116.49
2	C	30	OMC	C5-C4-N3	-2.36	119.00	121.72

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	30	OMC	C3'-C4'-C5'-O5'
2	C	30	OMC	O4'-C4'-C5'-O5'
2	C	30	OMC	C3'-C2'-O2'-CM2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	30	OMC	1	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
5	SO4	A	402	-	4,4,4	0.17	0	6,6,6	0.07	0
4	AMP	A	401	3	18,24,25	1.10	2 (11%)	18,35,38	1.46	3 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AMP	A	401	3	-	1/3/25/26	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	401	AMP	C5-C4	2.64	1.47	1.40
4	A	401	AMP	C2-N3	2.26	1.35	1.32

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	A	401	AMP	N3-C2-N1	-3.59	123.07	128.68
4	A	401	AMP	C3'-C2'-C1'	3.03	105.54	100.98
4	A	401	AMP	C4-C5-N7	-2.46	106.83	109.40

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	401	AMP	C4'-C5'-O5'-P

There are no ring outliers.

1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	AMP	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand AMP A 401



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AMP A 401:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.