



wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 11:32 AM EST

PDB ID : 7R8O
EMDB ID : EMD-24320
Title : Structure of the SARS-CoV-2 S 6P trimer in complex with neutralizing antibody C548
Authors : DeLaitsch, A.T.; Barnes, C.O.; Bjorkman, P.J.
Deposited on : 2021-06-26
Resolution : 3.50 Å(reported)
Based on initial model : 7K43

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Clashscore | 158937 | 4297 |
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---------------------|
| 1 | A | 1271 | 8% 63% 18% 19% |
| 1 | B | 1271 | 9% 61% 19% 19% |
| 1 | E | 1271 | 9% 61% 19% 19% |
| 2 | H | 232 | 15% 40% 12% 48% |
| 2 | M | 232 | 15% 42% 9% 48% |
| 2 | O | 232 | 16% 40% 12% 48% |
| 3 | L | 221 | 14% 39% 12% 48% |
| 3 | N | 221 | 15% 40% 11% 48% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 3 | P | 221 |  |
| 4 | C | 2 |  |
| 4 | F | 2 |  |
| 4 | G | 2 |  |
| 4 | J | 2 |  |
| 4 | K | 2 |  |
| 5 | D | 3 |  |
| 6 | I | 4 |  |
| 7 | Q | 5 |  |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 8 | NAG | E | 1304 | - | - | X | - |
| 8 | NAG | E | 1309 | - | - | X | - |

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 29964 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|------|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 1 | A | 1034 | 8021 | 5130 | 1337 | 1515 | 39 | 0 | 0 |
| 1 | B | 1034 | 8021 | 5130 | 1337 | 1515 | 39 | 0 | 0 |
| 1 | E | 1034 | 8021 | 5130 | 1337 | 1515 | 39 | 0 | 0 |

There are 213 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| A | ? | - | ARG | deletion | UNP P0DTC2 |
| A | ? | - | ARG | deletion | UNP P0DTC2 |
| A | ? | - | ALA | deletion | UNP P0DTC2 |
| A | 685 | ALA | ARG | conflict | UNP P0DTC2 |
| A | 817 | PRO | PHE | conflict | UNP P0DTC2 |
| A | 892 | PRO | ALA | conflict | UNP P0DTC2 |
| A | 899 | PRO | ALA | conflict | UNP P0DTC2 |
| A | 942 | PRO | ALA | conflict | UNP P0DTC2 |
| A | 986 | PRO | LYS | conflict | UNP P0DTC2 |
| A | 987 | PRO | VAL | conflict | UNP P0DTC2 |
| A | 1214 | SER | - | expression tag | UNP P0DTC2 |
| A | 1215 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1216 | ARG | - | expression tag | UNP P0DTC2 |
| A | 1217 | LEU | - | expression tag | UNP P0DTC2 |
| A | 1218 | VAL | - | expression tag | UNP P0DTC2 |
| A | 1219 | PRO | - | expression tag | UNP P0DTC2 |
| A | 1220 | ARG | - | expression tag | UNP P0DTC2 |
| A | 1221 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1222 | SER | - | expression tag | UNP P0DTC2 |
| A | 1223 | PRO | - | expression tag | UNP P0DTC2 |
| A | 1224 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1225 | SER | - | expression tag | UNP P0DTC2 |
| A | 1226 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1227 | TYR | - | expression tag | UNP P0DTC2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| A | 1228 | ILE | - | expression tag | UNP P0DTC2 |
| A | 1229 | PRO | - | expression tag | UNP P0DTC2 |
| A | 1230 | GLU | - | expression tag | UNP P0DTC2 |
| A | 1231 | ALA | - | expression tag | UNP P0DTC2 |
| A | 1232 | PRO | - | expression tag | UNP P0DTC2 |
| A | 1233 | ARG | - | expression tag | UNP P0DTC2 |
| A | 1234 | ASP | - | expression tag | UNP P0DTC2 |
| A | 1235 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1236 | GLN | - | expression tag | UNP P0DTC2 |
| A | 1237 | ALA | - | expression tag | UNP P0DTC2 |
| A | 1238 | TYR | - | expression tag | UNP P0DTC2 |
| A | 1239 | VAL | - | expression tag | UNP P0DTC2 |
| A | 1240 | ARG | - | expression tag | UNP P0DTC2 |
| A | 1241 | LYS | - | expression tag | UNP P0DTC2 |
| A | 1242 | ASP | - | expression tag | UNP P0DTC2 |
| A | 1243 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1244 | GLU | - | expression tag | UNP P0DTC2 |
| A | 1245 | TRP | - | expression tag | UNP P0DTC2 |
| A | 1246 | VAL | - | expression tag | UNP P0DTC2 |
| A | 1247 | LEU | - | expression tag | UNP P0DTC2 |
| A | 1248 | LEU | - | expression tag | UNP P0DTC2 |
| A | 1249 | SER | - | expression tag | UNP P0DTC2 |
| A | 1250 | THR | - | expression tag | UNP P0DTC2 |
| A | 1251 | PHE | - | expression tag | UNP P0DTC2 |
| A | 1252 | LEU | - | expression tag | UNP P0DTC2 |
| A | 1253 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1254 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1255 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1256 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1257 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1258 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1259 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1260 | GLY | - | expression tag | UNP P0DTC2 |
| A | 1261 | LEU | - | expression tag | UNP P0DTC2 |
| A | 1262 | ASN | - | expression tag | UNP P0DTC2 |
| A | 1263 | ASP | - | expression tag | UNP P0DTC2 |
| A | 1264 | ILE | - | expression tag | UNP P0DTC2 |
| A | 1265 | PHE | - | expression tag | UNP P0DTC2 |
| A | 1266 | GLU | - | expression tag | UNP P0DTC2 |
| A | 1267 | ALA | - | expression tag | UNP P0DTC2 |
| A | 1268 | GLN | - | expression tag | UNP P0DTC2 |
| A | 1269 | LYS | - | expression tag | UNP P0DTC2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| A | 1270 | ILE | - | expression tag | UNP P0DTC2 |
| A | 1271 | GLU | - | expression tag | UNP P0DTC2 |
| A | 1272 | TRP | - | expression tag | UNP P0DTC2 |
| A | 1273 | HIS | - | expression tag | UNP P0DTC2 |
| A | 1274 | GLU | - | expression tag | UNP P0DTC2 |
| B | ? | - | ARG | deletion | UNP P0DTC2 |
| B | ? | - | ARG | deletion | UNP P0DTC2 |
| B | ? | - | ALA | deletion | UNP P0DTC2 |
| B | 685 | ALA | ARG | conflict | UNP P0DTC2 |
| B | 817 | PRO | PHE | conflict | UNP P0DTC2 |
| B | 892 | PRO | ALA | conflict | UNP P0DTC2 |
| B | 899 | PRO | ALA | conflict | UNP P0DTC2 |
| B | 942 | PRO | ALA | conflict | UNP P0DTC2 |
| B | 986 | PRO | LYS | conflict | UNP P0DTC2 |
| B | 987 | PRO | VAL | conflict | UNP P0DTC2 |
| B | 1214 | SER | - | expression tag | UNP P0DTC2 |
| B | 1215 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1216 | ARG | - | expression tag | UNP P0DTC2 |
| B | 1217 | LEU | - | expression tag | UNP P0DTC2 |
| B | 1218 | VAL | - | expression tag | UNP P0DTC2 |
| B | 1219 | PRO | - | expression tag | UNP P0DTC2 |
| B | 1220 | ARG | - | expression tag | UNP P0DTC2 |
| B | 1221 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1222 | SER | - | expression tag | UNP P0DTC2 |
| B | 1223 | PRO | - | expression tag | UNP P0DTC2 |
| B | 1224 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1225 | SER | - | expression tag | UNP P0DTC2 |
| B | 1226 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1227 | TYR | - | expression tag | UNP P0DTC2 |
| B | 1228 | ILE | - | expression tag | UNP P0DTC2 |
| B | 1229 | PRO | - | expression tag | UNP P0DTC2 |
| B | 1230 | GLU | - | expression tag | UNP P0DTC2 |
| B | 1231 | ALA | - | expression tag | UNP P0DTC2 |
| B | 1232 | PRO | - | expression tag | UNP P0DTC2 |
| B | 1233 | ARG | - | expression tag | UNP P0DTC2 |
| B | 1234 | ASP | - | expression tag | UNP P0DTC2 |
| B | 1235 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1236 | GLN | - | expression tag | UNP P0DTC2 |
| B | 1237 | ALA | - | expression tag | UNP P0DTC2 |
| B | 1238 | TYR | - | expression tag | UNP P0DTC2 |
| B | 1239 | VAL | - | expression tag | UNP P0DTC2 |
| B | 1240 | ARG | - | expression tag | UNP P0DTC2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| B | 1241 | LYS | - | expression tag | UNP P0DTC2 |
| B | 1242 | ASP | - | expression tag | UNP P0DTC2 |
| B | 1243 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1244 | GLU | - | expression tag | UNP P0DTC2 |
| B | 1245 | TRP | - | expression tag | UNP P0DTC2 |
| B | 1246 | VAL | - | expression tag | UNP P0DTC2 |
| B | 1247 | LEU | - | expression tag | UNP P0DTC2 |
| B | 1248 | LEU | - | expression tag | UNP P0DTC2 |
| B | 1249 | SER | - | expression tag | UNP P0DTC2 |
| B | 1250 | THR | - | expression tag | UNP P0DTC2 |
| B | 1251 | PHE | - | expression tag | UNP P0DTC2 |
| B | 1252 | LEU | - | expression tag | UNP P0DTC2 |
| B | 1253 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1254 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1255 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1256 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1257 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1258 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1259 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1260 | GLY | - | expression tag | UNP P0DTC2 |
| B | 1261 | LEU | - | expression tag | UNP P0DTC2 |
| B | 1262 | ASN | - | expression tag | UNP P0DTC2 |
| B | 1263 | ASP | - | expression tag | UNP P0DTC2 |
| B | 1264 | ILE | - | expression tag | UNP P0DTC2 |
| B | 1265 | PHE | - | expression tag | UNP P0DTC2 |
| B | 1266 | GLU | - | expression tag | UNP P0DTC2 |
| B | 1267 | ALA | - | expression tag | UNP P0DTC2 |
| B | 1268 | GLN | - | expression tag | UNP P0DTC2 |
| B | 1269 | LYS | - | expression tag | UNP P0DTC2 |
| B | 1270 | ILE | - | expression tag | UNP P0DTC2 |
| B | 1271 | GLU | - | expression tag | UNP P0DTC2 |
| B | 1272 | TRP | - | expression tag | UNP P0DTC2 |
| B | 1273 | HIS | - | expression tag | UNP P0DTC2 |
| B | 1274 | GLU | - | expression tag | UNP P0DTC2 |
| E | ? | - | ARG | deletion | UNP P0DTC2 |
| E | ? | - | ARG | deletion | UNP P0DTC2 |
| E | ? | - | ALA | deletion | UNP P0DTC2 |
| E | 685 | ALA | ARG | conflict | UNP P0DTC2 |
| E | 817 | PRO | PHE | conflict | UNP P0DTC2 |
| E | 892 | PRO | ALA | conflict | UNP P0DTC2 |
| E | 899 | PRO | ALA | conflict | UNP P0DTC2 |
| E | 942 | PRO | ALA | conflict | UNP P0DTC2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| E | 986 | PRO | LYS | conflict | UNP P0DTC2 |
| E | 987 | PRO | VAL | conflict | UNP P0DTC2 |
| E | 1214 | SER | - | expression tag | UNP P0DTC2 |
| E | 1215 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1216 | ARG | - | expression tag | UNP P0DTC2 |
| E | 1217 | LEU | - | expression tag | UNP P0DTC2 |
| E | 1218 | VAL | - | expression tag | UNP P0DTC2 |
| E | 1219 | PRO | - | expression tag | UNP P0DTC2 |
| E | 1220 | ARG | - | expression tag | UNP P0DTC2 |
| E | 1221 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1222 | SER | - | expression tag | UNP P0DTC2 |
| E | 1223 | PRO | - | expression tag | UNP P0DTC2 |
| E | 1224 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1225 | SER | - | expression tag | UNP P0DTC2 |
| E | 1226 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1227 | TYR | - | expression tag | UNP P0DTC2 |
| E | 1228 | ILE | - | expression tag | UNP P0DTC2 |
| E | 1229 | PRO | - | expression tag | UNP P0DTC2 |
| E | 1230 | GLU | - | expression tag | UNP P0DTC2 |
| E | 1231 | ALA | - | expression tag | UNP P0DTC2 |
| E | 1232 | PRO | - | expression tag | UNP P0DTC2 |
| E | 1233 | ARG | - | expression tag | UNP P0DTC2 |
| E | 1234 | ASP | - | expression tag | UNP P0DTC2 |
| E | 1235 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1236 | GLN | - | expression tag | UNP P0DTC2 |
| E | 1237 | ALA | - | expression tag | UNP P0DTC2 |
| E | 1238 | TYR | - | expression tag | UNP P0DTC2 |
| E | 1239 | VAL | - | expression tag | UNP P0DTC2 |
| E | 1240 | ARG | - | expression tag | UNP P0DTC2 |
| E | 1241 | LYS | - | expression tag | UNP P0DTC2 |
| E | 1242 | ASP | - | expression tag | UNP P0DTC2 |
| E | 1243 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1244 | GLU | - | expression tag | UNP P0DTC2 |
| E | 1245 | TRP | - | expression tag | UNP P0DTC2 |
| E | 1246 | VAL | - | expression tag | UNP P0DTC2 |
| E | 1247 | LEU | - | expression tag | UNP P0DTC2 |
| E | 1248 | LEU | - | expression tag | UNP P0DTC2 |
| E | 1249 | SER | - | expression tag | UNP P0DTC2 |
| E | 1250 | THR | - | expression tag | UNP P0DTC2 |
| E | 1251 | PHE | - | expression tag | UNP P0DTC2 |
| E | 1252 | LEU | - | expression tag | UNP P0DTC2 |
| E | 1253 | GLY | - | expression tag | UNP P0DTC2 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| E | 1254 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1255 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1256 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1257 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1258 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1259 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1260 | GLY | - | expression tag | UNP P0DTC2 |
| E | 1261 | LEU | - | expression tag | UNP P0DTC2 |
| E | 1262 | ASN | - | expression tag | UNP P0DTC2 |
| E | 1263 | ASP | - | expression tag | UNP P0DTC2 |
| E | 1264 | ILE | - | expression tag | UNP P0DTC2 |
| E | 1265 | PHE | - | expression tag | UNP P0DTC2 |
| E | 1266 | GLU | - | expression tag | UNP P0DTC2 |
| E | 1267 | ALA | - | expression tag | UNP P0DTC2 |
| E | 1268 | GLN | - | expression tag | UNP P0DTC2 |
| E | 1269 | LYS | - | expression tag | UNP P0DTC2 |
| E | 1270 | ILE | - | expression tag | UNP P0DTC2 |
| E | 1271 | GLU | - | expression tag | UNP P0DTC2 |
| E | 1272 | TRP | - | expression tag | UNP P0DTC2 |
| E | 1273 | HIS | - | expression tag | UNP P0DTC2 |
| E | 1274 | GLU | - | expression tag | UNP P0DTC2 |

- Molecule 2 is a protein called C548 Fab Heavy Chain.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 2 | H | 120 | Total | C | N | O | S | 0 | 0 |
| | | | 928 | 587 | 155 | 181 | 5 | | |
| 2 | M | 120 | Total | C | N | O | S | 0 | 0 |
| | | | 928 | 587 | 155 | 181 | 5 | | |
| 2 | O | 120 | Total | C | N | O | S | 0 | 0 |
| | | | 928 | 587 | 155 | 181 | 5 | | |

- Molecule 3 is a protein called C548 Fab Light Chain.


| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 3 | L | 114 | Total | C | N | O | S | 1 | 0 |
| | | | 822 | 513 | 141 | 165 | 3 | | |
| 3 | N | 114 | Total | C | N | O | S | 1 | 0 |
| | | | 822 | 513 | 141 | 165 | 3 | | |
| 3 | P | 114 | Total | C | N | O | S | 1 | 0 |
| | | | 822 | 513 | 141 | 165 | 3 | | |

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| | | | Total | C | N | O | | |
| 4 | C | 2 | 28 | 16 | 2 | 10 | 0 | 0 |
| 4 | F | 2 | 28 | 16 | 2 | 10 | 0 | 0 |
| 4 | G | 2 | 28 | 16 | 2 | 10 | 0 | 0 |
| 4 | J | 2 | 28 | 16 | 2 | 10 | 0 | 0 |
| 4 | K | 2 | 28 | 16 | 2 | 10 | 0 | 0 |

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| | | | Total | C | N | O | | |
| 5 | D | 3 | 38 | 22 | 2 | 14 | 0 | 0 |


- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| | | | Total | C | N | O | | |
| 6 | I | 4 | 49 | 28 | 2 | 19 | 0 | 0 |


- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acet

amido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| | | | Total | C | N | O | | |
| 7 | Q | 5 | 60 | 34 | 2 | 24 | 0 | 0 |

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|----|---|----|---------|
| | | | Total | C | N | O | |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |



Continued on next page...

Continued from previous page...



| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|----|----|----|---------|
| | | | Total | C | N | O | |
| 8 | A | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | B | 1 | 112 | 64 | 8 | 40 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |
| 8 | E | 1 | 140 | 80 | 10 | 50 | 0 |




• Molecule 2: C548 Fab Heavy Chain




• Molecule 2: C548 Fab Heavy Chain



• Molecule 2: C548 Fab Heavy Chain





- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 94255 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TALOS ARCTICA | Depositor |
| Voltage (kV) | 200 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 60 | Depositor |
| Minimum defocus (nm) | 700 | Depositor |
| Maximum defocus (nm) | 2000 | Depositor |
| Magnification | 45000 | Depositor |
| Image detector | GATAN K3 (6k x 4k) | Depositor |
| Maximum map value | 0.753 | Depositor |
| Minimum map value | -0.396 | Depositor |
| Average map value | -0.000 | Depositor |
| Map value standard deviation | 0.021 | Depositor |
| Recommended contour level | 0.14 | Depositor |
| Map size (\AA) | 375.40802, 375.40802, 375.40802 | wwPDB |
| Map dimensions | 432, 432, 432 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 0.869, 0.869, 0.869 | Depositor |

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-----------------|-------------|-----------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | A | 0.46 | 2/8208 (0.0%) | 0.84 | 21/11180 (0.2%) |
| 1 | B | 0.44 | 2/8208 (0.0%) | 0.83 | 18/11180 (0.2%) |
| 1 | E | 0.43 | 1/8208 (0.0%) | 0.84 | 20/11180 (0.2%) |
| 2 | H | 0.36 | 0/951 | 0.73 | 0/1288 |
| 2 | M | 0.52 | 1/951 (0.1%) | 0.79 | 2/1288 (0.2%) |
| 2 | O | 0.52 | 1/951 (0.1%) | 0.79 | 2/1288 (0.2%) |
| 3 | L | 0.38 | 0/841 | 0.70 | 0/1140 |
| 3 | N | 0.47 | 2/841 (0.2%) | 0.86 | 4/1140 (0.4%) |
| 3 | P | 0.62 | 2/841 (0.2%) | 0.73 | 0/1140 |
| All | All | 0.45 | 11/30000 (0.0%) | 0.83 | 67/40824 (0.2%) |

The worst 5 of 11 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|--------|-------------|----------|
| 1 | A | 812 | PRO | N-CD | -13.13 | 1.29 | 1.47 |
| 1 | E | 1140 | PRO | N-CD | 11.69 | 1.64 | 1.47 |
| 1 | A | 1140 | PRO | N-CD | 11.68 | 1.64 | 1.47 |
| 2 | O | 14 | PRO | N-CD | -11.60 | 1.31 | 1.47 |
| 2 | M | 14 | PRO | N-CD | -11.54 | 1.31 | 1.47 |

The worst 5 of 67 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|-------|-------------|----------|
| 1 | B | 1139 | ASP | CB-CG-OD1 | 13.27 | 130.24 | 118.30 |
| 1 | A | 1139 | ASP | CB-CG-OD1 | 13.26 | 130.23 | 118.30 |
| 1 | E | 1139 | ASP | CB-CG-OD1 | 13.23 | 130.21 | 118.30 |
| 1 | E | 858 | LEU | CA-CB-CG | 10.44 | 139.32 | 115.30 |
| 1 | A | 858 | LEU | CA-CB-CG | 10.41 | 139.24 | 115.30 |

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A | 8021 | 0 | 7766 | 182 | 0 |
| 1 | B | 8021 | 0 | 7765 | 205 | 0 |
| 1 | E | 8021 | 0 | 7767 | 222 | 0 |
| 2 | H | 928 | 0 | 884 | 17 | 0 |
| 2 | M | 928 | 0 | 884 | 14 | 0 |
| 2 | O | 928 | 0 | 884 | 18 | 0 |
| 3 | L | 822 | 0 | 785 | 18 | 0 |
| 3 | N | 822 | 0 | 785 | 18 | 0 |
| 3 | P | 822 | 0 | 785 | 19 | 0 |
| 4 | C | 28 | 0 | 25 | 0 | 0 |
| 4 | F | 28 | 0 | 25 | 0 | 0 |
| 4 | G | 28 | 0 | 25 | 1 | 0 |
| 4 | J | 28 | 0 | 25 | 0 | 0 |
| 4 | K | 28 | 0 | 25 | 0 | 0 |
| 5 | D | 38 | 0 | 34 | 0 | 0 |
| 6 | I | 49 | 0 | 43 | 0 | 0 |
| 7 | Q | 60 | 0 | 52 | 0 | 0 |
| 8 | A | 112 | 0 | 104 | 3 | 0 |
| 8 | B | 112 | 0 | 104 | 1 | 0 |
| 8 | E | 140 | 0 | 130 | 26 | 0 |
| All | All | 29964 | 0 | 28897 | 681 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 681 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|-------------------|--------------------------|-------------------|
| 1:E:1098:ASN:ND2 | 8:E:1309:NAG:C7 | 1.98 | 1.26 |
| 1:E:331:ASN:HD22 | 8:E:1304:NAG:C1 | 1.49 | 1.25 |
| 1:E:804:GLN:O | 1:E:817:PRO:CD | 1.88 | 1.21 |
| 1:B:804:GLN:O | 1:B:817:PRO:CD | 1.89 | 1.20 |
| 1:B:1080:ALA:HB3 | 1:B:1132:ILE:HG12 | 1.25 | 1.16 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 1 | A | 1018/1271 (80%) | 981 (96%) | 35 (3%) | 2 (0%) | 47 | 81 |
| 1 | B | 1018/1271 (80%) | 983 (97%) | 34 (3%) | 1 (0%) | 51 | 84 |
| 1 | E | 1018/1271 (80%) | 985 (97%) | 31 (3%) | 2 (0%) | 47 | 81 |
| 2 | H | 118/232 (51%) | 114 (97%) | 4 (3%) | 0 | 100 | 100 |
| 2 | M | 118/232 (51%) | 114 (97%) | 4 (3%) | 0 | 100 | 100 |
| 2 | O | 118/232 (51%) | 114 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | L | 113/221 (51%) | 106 (94%) | 7 (6%) | 0 | 100 | 100 |
| 3 | N | 113/221 (51%) | 105 (93%) | 8 (7%) | 0 | 100 | 100 |
| 3 | P | 113/221 (51%) | 105 (93%) | 8 (7%) | 0 | 100 | 100 |
| All | All | 3747/5172 (72%) | 3607 (96%) | 135 (4%) | 5 (0%) | 54 | 84 |

All (5) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | E | 812 | PRO |
| 1 | A | 812 | PRO |
| 1 | B | 812 | PRO |
| 1 | A | 130 | VAL |
| 1 | E | 130 | VAL |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 1 | A | 885/1109 (80%) | 880 (99%) | 5 (1%) | 86 | 94 |
| 1 | B | 885/1109 (80%) | 881 (100%) | 4 (0%) | 88 | 94 |
| 1 | E | 885/1109 (80%) | 875 (99%) | 10 (1%) | 73 | 88 |
| 2 | H | 95/193 (49%) | 95 (100%) | 0 | 100 | 100 |
| 2 | M | 95/193 (49%) | 95 (100%) | 0 | 100 | 100 |
| 2 | O | 95/193 (49%) | 95 (100%) | 0 | 100 | 100 |
| 3 | L | 87/182 (48%) | 81 (93%) | 6 (7%) | 15 | 47 |
| 3 | N | 87/182 (48%) | 81 (93%) | 6 (7%) | 15 | 47 |
| 3 | P | 87/182 (48%) | 83 (95%) | 4 (5%) | 27 | 61 |
| All | All | 3201/4452 (72%) | 3166 (99%) | 35 (1%) | 77 | 88 |

5 of 35 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-------|------|
| 3 | N | 19[B] | VAL |
| 3 | N | 105 | THR |
| 3 | P | 19[A] | VAL |
| 1 | E | 738 | CYS |
| 1 | E | 333 | THR |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 1 | E | 774 | GLN |
| 1 | E | 1098 | ASN |
| 1 | E | 955 | ASN |
| 1 | E | 1134 | ASN |
| 1 | B | 774 | GLN |

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates i

22 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 4 | NAG | C | 1 | 4,1 | 14,14,15 | 0.30 | 0 | 17,19,21 | 1.07 | 0 |
| 4 | NAG | C | 2 | 4 | 14,14,15 | 0.38 | 0 | 17,19,21 | 0.85 | 1 (5%) |
| 5 | NAG | D | 1 | 5,1 | 14,14,15 | 0.38 | 0 | 17,19,21 | 1.19 | 1 (5%) |
| 5 | NAG | D | 2 | 5 | 14,14,15 | 0.31 | 0 | 17,19,21 | 0.52 | 0 |
| 5 | FUC | D | 3 | 5 | 10,10,11 | 0.21 | 0 | 14,14,16 | 0.56 | 0 |
| 4 | NAG | F | 1 | 4,1 | 14,14,15 | 0.38 | 0 | 17,19,21 | 1.17 | 2 (11%) |
| 4 | NAG | F | 2 | 4 | 14,14,15 | 0.27 | 0 | 17,19,21 | 0.65 | 0 |
| 4 | NAG | G | 1 | 4,1 | 14,14,15 | 0.28 | 0 | 17,19,21 | 0.92 | 1 (5%) |
| 4 | NAG | G | 2 | 4 | 14,14,15 | 0.25 | 0 | 17,19,21 | 0.95 | 2 (11%) |
| 6 | NAG | I | 1 | 6,1 | 14,14,15 | 0.41 | 0 | 17,19,21 | 1.25 | 3 (17%) |
| 6 | NAG | I | 2 | 6 | 14,14,15 | 0.35 | 0 | 17,19,21 | 1.89 | 4 (23%) |
| 6 | BMA | I | 3 | 6 | 11,11,12 | 0.22 | 0 | 15,15,17 | 0.93 | 1 (6%) |
| 6 | FUC | I | 4 | 6 | 10,10,11 | 0.22 | 0 | 14,14,16 | 0.56 | 0 |
| 4 | NAG | J | 1 | 4,1 | 14,14,15 | 0.37 | 0 | 17,19,21 | 1.01 | 1 (5%) |
| 4 | NAG | J | 2 | 4 | 14,14,15 | 0.28 | 0 | 17,19,21 | 0.67 | 0 |
| 4 | NAG | K | 1 | 4,1 | 14,14,15 | 0.36 | 0 | 17,19,21 | 0.70 | 0 |
| 4 | NAG | K | 2 | 4 | 14,14,15 | 0.24 | 0 | 17,19,21 | 0.97 | 0 |
| 7 | NAG | Q | 1 | 7,1 | 14,14,15 | 0.39 | 0 | 17,19,21 | 1.30 | 1 (5%) |
| 7 | NAG | Q | 2 | 7 | 14,14,15 | 0.30 | 0 | 17,19,21 | 0.85 | 1 (5%) |
| 7 | BMA | Q | 3 | 7 | 11,11,12 | 0.22 | 0 | 15,15,17 | 0.59 | 0 |
| 7 | MAN | Q | 4 | 7 | 11,11,12 | 0.19 | 0 | 15,15,17 | 0.76 | 0 |
| 7 | FUC | Q | 5 | 7 | 10,10,11 | 0.21 | 0 | 14,14,16 | 0.63 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 4 | NAG | C | 1 | 4,1 | - | 3/6/23/26 | 0/1/1/1 |
| 4 | NAG | C | 2 | 4 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | D | 1 | 5,1 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | D | 2 | 5 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | FUC | D | 3 | 5 | - | - | 0/1/1/1 |
| 4 | NAG | F | 1 | 4,1 | - | 3/6/23/26 | 0/1/1/1 |
| 4 | NAG | F | 2 | 4 | - | 0/6/23/26 | 0/1/1/1 |
| 4 | NAG | G | 1 | 4,1 | - | 0/6/23/26 | 0/1/1/1 |
| 4 | NAG | G | 2 | 4 | - | 3/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 2 | 6 | - | 3/6/23/26 | 0/1/1/1 |
| 6 | BMA | I | 3 | 6 | - | 1/2/19/22 | 0/1/1/1 |
| 6 | FUC | I | 4 | 6 | - | - | 0/1/1/1 |
| 4 | NAG | J | 1 | 4,1 | - | 2/6/23/26 | 0/1/1/1 |
| 4 | NAG | J | 2 | 4 | - | 0/6/23/26 | 0/1/1/1 |
| 4 | NAG | K | 1 | 4,1 | - | 2/6/23/26 | 0/1/1/1 |
| 4 | NAG | K | 2 | 4 | - | 3/6/23/26 | 0/1/1/1 |
| 7 | NAG | Q | 1 | 7,1 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | NAG | Q | 2 | 7 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | BMA | Q | 3 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | Q | 4 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | FUC | Q | 5 | 7 | - | - | 0/1/1/1 |

There are no bond length outliers.

The worst 5 of 18 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 6 | I | 2 | NAG | C1-O5-C5 | 5.03 | 119.00 | 112.19 |
| 7 | Q | 1 | NAG | C1-O5-C5 | 4.61 | 118.44 | 112.19 |
| 6 | I | 1 | NAG | C1-O5-C5 | 3.22 | 116.56 | 112.19 |
| 5 | D | 1 | NAG | C1-O5-C5 | 3.21 | 116.54 | 112.19 |
| 4 | F | 1 | NAG | C2-N2-C7 | 2.92 | 127.07 | 122.90 |

There are no chirality outliers.

5 of 22 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 4 | F | 1 | NAG | C8-C7-N2-C2 |
| 4 | F | 1 | NAG | O7-C7-N2-C2 |
| 4 | K | 2 | NAG | C8-C7-N2-C2 |
| 4 | K | 2 | NAG | O7-C7-N2-C2 |

Continued on next page...

Continued from previous page...


| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 4 | G | 2 | NAG | C8-C7-N2-C2 |


There are no ring outliers.


1 monomer is involved in 1 short contact:


| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 4 | G | 1 | NAG | 1 | 0 |


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


















5.6 Ligand geometry

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 8 | NAG | E | 1307 | 1 | 14,14,15 | 0.27 | 0 | 17,19,21 | 0.64 | 0 |
| 8 | NAG | A | 1306 | 1 | 14,14,15 | 0.28 | 0 | 17,19,21 | 0.65 | 0 |
| 8 | NAG | B | 1305 | 1 | 14,14,15 | 0.30 | 0 | 17,19,21 | 0.69 | 0 |
| 8 | NAG | A | 1307 | 1 | 14,14,15 | 0.29 | 0 | 17,19,21 | 0.67 | 0 |
| 8 | NAG | B | 1303 | 1 | 14,14,15 | 0.33 | 0 | 17,19,21 | 0.66 | 0 |
| 8 | NAG | B | 1307 | 1 | 14,14,15 | 0.32 | 0 | 17,19,21 | 0.84 | 1 (5%) |
| 8 | NAG | A | 1304 | 1 | 14,14,15 | 0.25 | 0 | 17,19,21 | 0.90 | 1 (5%) |
| 8 | NAG | B | 1304 | 1 | 14,14,15 | 0.27 | 0 | 17,19,21 | 0.76 | 1 (5%) |
| 8 | NAG | B | 1302 | 1 | 14,14,15 | 0.30 | 0 | 17,19,21 | 0.73 | 0 |
| 8 | NAG | E | 1309 | - | 14,14,15 | 0.40 | 0 | 17,19,21 | 0.82 | 0 |
| 8 | NAG | A | 1305 | 1 | 14,14,15 | 0.28 | 0 | 17,19,21 | 0.60 | 0 |
| 8 | NAG | A | 1301 | 1 | 14,14,15 | 0.29 | 0 | 17,19,21 | 0.74 | 0 |
| 8 | NAG | E | 1308 | 1 | 14,14,15 | 0.24 | 0 | 17,19,21 | 1.11 | 2 (11%) |
| 8 | NAG | E | 1305 | 1 | 14,14,15 | 0.29 | 0 | 17,19,21 | 0.70 | 0 |
| 8 | NAG | B | 1308 | 1 | 14,14,15 | 0.39 | 0 | 17,19,21 | 0.81 | 0 |
| 8 | NAG | A | 1308 | 1 | 14,14,15 | 0.39 | 0 | 17,19,21 | 0.81 | 0 |
| 8 | NAG | E | 1310 | - | 14,14,15 | 0.40 | 0 | 17,19,21 | 0.81 | 0 |
| 8 | NAG | E | 1306 | 1 | 14,14,15 | 0.23 | 0 | 17,19,21 | 0.90 | 1 (5%) |
| 8 | NAG | A | 1302 | 1 | 14,14,15 | 0.26 | 0 | 17,19,21 | 0.83 | 1 (5%) |
| 8 | NAG | A | 1303 | 1 | 14,14,15 | 0.26 | 0 | 17,19,21 | 0.65 | 0 |
| 8 | NAG | B | 1306 | 1 | 14,14,15 | 0.27 | 0 | 17,19,21 | 0.60 | 0 |
| 8 | NAG | E | 1303 | 1 | 14,14,15 | 0.25 | 0 | 17,19,21 | 0.83 | 1 (5%) |
| 8 | NAG | B | 1301 | 1 | 14,14,15 | 0.30 | 0 | 17,19,21 | 0.69 | 1 (5%) |
| 8 | NAG | E | 1304 | - | 14,14,15 | 0.40 | 0 | 17,19,21 | 0.81 | 0 |
| 8 | NAG | E | 1302 | 1 | 14,14,15 | 0.29 | 0 | 17,19,21 | 0.80 | 0 |
| 8 | NAG | E | 1301 | 1 | 14,14,15 | 0.29 | 0 | 17,19,21 | 0.74 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 8 | NAG | E | 1307 | 1 | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1306 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1305 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1307 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1303 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1307 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1304 | 1 | - | 4/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1304 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1302 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1309 | - | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1305 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1301 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1308 | 1 | - | 4/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1305 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1308 | 1 | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1308 | 1 | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1310 | - | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1306 | 1 | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1302 | 1 | - | 4/6/23/26 | 0/1/1/1 |
| 8 | NAG | A | 1303 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1306 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1303 | 1 | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | B | 1301 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1304 | - | - | 3/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1302 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 8 | NAG | E | 1301 | 1 | - | 2/6/23/26 | 0/1/1/1 |

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|------|-------------|----------|
| 8 | E | 1308 | NAG | C2-N2-C7 | 2.53 | 126.51 | 122.90 |
| 8 | B | 1307 | NAG | C1-O5-C5 | 2.19 | 115.17 | 112.19 |
| 8 | A | 1302 | NAG | C1-O5-C5 | 2.19 | 115.16 | 112.19 |
| 8 | E | 1308 | NAG | C1-O5-C5 | 2.18 | 115.14 | 112.19 |
| 8 | E | 1306 | NAG | C2-N2-C7 | 2.14 | 125.96 | 122.90 |

There are no chirality outliers.

5 of 54 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-------------|
| 8 | A | 1302 | NAG | C8-C7-N2-C2 |
| 8 | A | 1302 | NAG | O7-C7-N2-C2 |
| 8 | A | 1304 | NAG | C8-C7-N2-C2 |
| 8 | A | 1304 | NAG | O7-C7-N2-C2 |
| 8 | B | 1307 | NAG | C8-C7-N2-C2 |

There are no ring outliers.

6 monomers are involved in 30 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 8 | E | 1309 | NAG | 11 | 0 |
| 8 | B | 1308 | NAG | 1 | 0 |
| 8 | A | 1308 | NAG | 3 | 0 |
| 8 | E | 1310 | NAG | 4 | 0 |
| 8 | E | 1304 | NAG | 10 | 0 |
| 8 | E | 1302 | NAG | 1 | 0 |

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24320. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 234



Y Index: 222



Z Index: 223


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.14. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 156 nm³; this corresponds to an approximate mass of 141 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 3.50 | - | - |
| Author-provided FSC curve | 3.49 | 4.00 | 3.54 |
| Unmasked-calculated* | - | - | - |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24320 and PDB model 7R8O. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.14 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.14).





































9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.14) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.6342 |  0.4310 |
| A |  0.6565 |  0.4310 |
| B |  0.6558 |  0.4310 |
| C |  0.0357 |  0.2760 |
| D |  0.3684 |  0.4170 |
| E |  0.6602 |  0.4310 |
| F |  0.3214 |  0.2150 |
| G |  0.1429 |  0.4180 |
| H |  0.5355 |  0.4390 |
| I |  0.3061 |  0.3600 |
| J |  0.3929 |  0.3080 |
| K |  0.3214 |  0.4280 |
| L |  0.5585 |  0.4230 |
| M |  0.5388 |  0.4390 |
| N |  0.5510 |  0.4300 |
| O |  0.5322 |  0.4450 |
| P |  0.5485 |  0.4250 |
| Q |  0.3500 |  0.4300 |

