



Full wwPDB EM Validation Report ⓘ

Jun 1, 2024 – 11:34 PM EDT

PDB ID : 7UVY
EMDB ID : EMD-26820
Title : A. baumannii ribosome-Streptothricin-D complex: 70S with P-site tRNA
Authors : Morgan, C.E.; Yu, E.W.
Deposited on : 2022-05-02
Resolution : 2.39 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	51	
2	1	44	
3	2	64	
4	3	38	
5	A	2918	
6	B	115	
7	C	274	
8	D	212	





















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	E	200	 98%
10	F	178	 89% 8%
11	G	177	 92% 7%
12	H	148	 7% 40% 59%
13	I	142	 98%
14	J	122	 96%
15	K	146	 97%
16	L	137	 97%
17	M	125	 94% 5%
18	N	116	 97%
19	O	122	 93%
20	P	119	 97%
21	Q	103	 95% 5%
22	R	109	 97%
23	S	106	 84% 14%
24	T	105	 93% 5%
25	U	98	 96%
26	V	85	 88% 11%
27	W	78	 96%
28	X	65	 88% 5% 8%
29	Y	58	 95%
30	Z	61	 85% 11%
31	a	1544	 85% 14%
32	b	250	 14% 84% 6% 10%
33	c	250	 84% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	d	208	 96%
35	e	165	 93% 6%
36	f	127	 74% 8% 18%
37	g	156	 78% 10% 13%
38	h	131	 96%
39	i	128	 97%
40	j	103	 91% 6%
41	k	128	 86% 5% 9%
42	l	124	 92% 6%
43	m	118	 94%
44	n	101	 96%
45	o	89	 97%
46	p	101	 80% 19%
47	q	85	 87% 6% 7%
48	r	75	 68% 31%
49	s	91	 87% 10%
50	t	88	 93% 5%
51	u	71	 18% 86% 11%
52	v	77	 6% 62% 35%
53	w	3	 100%

2 Entry composition [i](#)

There are 57 unique types of molecules in this entry. The entry contains 138881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	51	427	274	77	73	3	0	0

- Molecule 2 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	44	363	222	85	54	2	0	0

- Molecule 3 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	63	509	319	110	76	4	0	0

- Molecule 4 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	38	295	179	64	48	4	0	0

- Molecule 5 is a RNA chain called 23s ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	A	2724	58438	26086	10700	18928	2724	0	0

- Molecule 6 is a RNA chain called 5s ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	B	115	2450	1095	440	800	115	0	0

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	C	272	2111	1302	436	365	8	0	0

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	D	211	1572	972	297	300	3	0	0

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	E	200	1516	952	281	278	5	0	0

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	F	174	1370	871	243	248	8	0	0

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	G	174	1318	832	236	249	1	0	0

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	H	60	458	287	84	86	1	0	0

- Molecule 13 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	I	142	1125	718	200	203	4	0	0

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	J	122	946	592	180	169	5	0	0

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	K	144	1071	663	213	195		0	0

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	L	137	1087	687	210	185	5	0	0

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	M	119	942	590	186	163	3	0	0

- Molecule 18 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	N	116	873	537	176	158	2	0	0

- Molecule 19 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	O	117	919	578	177	164		0	0

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	P	117	934	589	197	146	2	0	0

- Molecule 21 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	Q	103	807	506	155	143	3	0	0

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	R	109	826	514	158	150	4	0	0

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	S	91	710	452	128	129	1	0	0

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
24	T	103	766	476	142	148	0	0

- Molecule 25 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	U	97	760	477	143	139	1	0	0

- Molecule 26 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	V	76	577	358	111	106	2	0	0

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	W	77	632	395	130	105	2	0	0

- Molecule 28 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	X	60	Total	C	N	O	S	0	0
			486	302	93	90	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Y	57	Total	C	N	O	S	0	0
			455	281	87	84	3		

- Molecule 30 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Z	54	Total	C	N	O	S	0	0
			447	265	100	81	1		

- Molecule 31 is a RNA chain called 16s Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	a	1528	Total	C	N	O	P	0	0
			32782	14631	5994	10630	1527		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	1007	U	C	conflict	GB 1211343212
a	1034	C	U	conflict	GB 1211343212

- Molecule 32 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	b	225	Total	C	N	O	S	0	0
			1769	1110	328	325	6		

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	c	215	Total	C	N	O	S	0	0
			1690	1065	318	299	8		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	d	207	Total	C	N	O	S	0	0
			1631	1017	313	299	2		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	e	155	Total	C	N	O	S	0	0
			1129	700	217	207	5		

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	f	104	Total	C	N	O	S	0	0
			867	546	158	159	4		

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	g	136	Total	C	N	O	S	0	0
			1073	671	201	194	7		

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	h	130	Total	C	N	O	S	0	0
			985	615	177	187	6		

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	i	126	Total	C	N	O	S	0	0
			991	618	197	175	1		

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	j	100	Total	C	N	O	S	0	0
			801	500	150	148	3		

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	k	117	Total	C	N	O	S	0	0
			862	535	167	159	1		

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	l	122	Total	C	N	O	S	0	0
			945	580	193	167	5		

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	m	115	Total	C	N	O	S	0	0
			903	558	184	158	3		

- Molecule 44 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	n	100	Total	C	N	O	S	0	0
			792	493	158	137	4		

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	o	88	Total	C	N	O	S	0	0
			705	434	144	126	1		

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	p	82	Total	C	N	O	S	0	0
			644	403	128	112	1		

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	79	Total	C	N	O	S	0	0
			621	390	116	114	1		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
48	r	52	426	273	74	79	0	0

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	s	82	646	412	125	107	2	0	0

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	t	86	663	409	139	113	2	0	0

- Molecule 51 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	u	63	522	327	105	89	1	0	0

- Molecule 52 is a RNA chain called tRNA-met.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
52	v	77	1636	733	291	535	76	1	0	0


- Molecule 53 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
53	w	3	65	29	12	21	3	0	0

- Molecule 54 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
54	3	1	1	1	0

- Molecule 55 is Streptothricin D (three-letter code: OIY) (formula: C₃₁H₅₈N₁₂O₁₀) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
55	A	1	Total	C	N	O	0
			40	22	9	9	
55	A	1	Total	C	N	O	0
			47	27	10	10	
55	A	1	Total	C	N	O	0
			53	31	12	10	
55	A	1	Total	C	N	O	0
			53	31	12	10	
55	A	1	Total	C	N	O	0
			35	19	8	8	
55	A	1	Total	C	N	O	0
			44	25	10	9	
55	N	1	Total	C	N	O	0
			35	19	8	8	
55	W	1	Total	C	N	O	0
			53	31	12	10	
55	a	1	Total	C	N	O	0
			35	19	8	8	
55	a	1	Total	C	N	O	0
			53	31	12	10	
55	a	1	Total	C	N	O	0
			53	31	12	10	
55	a	1	Total	C	N	O	0
			35	19	8	8	

- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
56	A	1	Total	Mg	0
			1	1	

- Molecule 57 is water.

Mol	Chain	Residues	Atoms		AltConf
57	A	4	Total	O	0
			4	4	
57	R	1	Total	O	0
			1	1	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 50S ribosomal protein L33

Chain 0:  100%



- Molecule 2: 50S ribosomal protein L34

Chain 1:  95% 5%



- Molecule 3: 50S ribosomal protein L35

Chain 2:  97%




- Molecule 4: 50S ribosomal protein L36

Chain 3:  97%




- Molecule 5: 23s ribosomal RNA

Chain A:  79% 14% 7%



U246	A478	G773	C929	G1245	C1488	G1701	A1914	U	A2323	G9525	A2774
G252	A479	G774	U930	A1248	C1494	C1724	A1915	G	C2343	A2543	U2715
G255	G480	A780	A938	G1251	C1503	U1725	A1923	A	G2346	U2548	A2776
C256	G493	A781	A942	G1266	U1504	G1726	A1925	U	U2347	G2549	U2786
G257	A496	G782	G943	A1267	A1505	G1728	G1926	U	A2372	U2550	A2787
A262	A504	G783	U952	C1268	U1509	U1729	A1934	C	G2378	A2562	U2793
U278	A504	U788	C958	A1296	A1510	U1733	U1935	A	G2379	G2563	U2796
U279	C630	G803	C958	A1296	A1511	G1734	U1951	G	U2380	G2569	G2797
A285	A531	G810	G971	U1308	U1514	A1735	U1959	C	G2381	C2569	U2798
G297	U644	A817	U980	C1309	U1519	G1760	C1963	U	G2387	G2572	C2799
G304	C645	A817	A980	A1316	A1520	A1769	U1966	G	U2398	U2576	U2814
A313	G546	U825	A993	U1320	A1523	A1776	A1967	U	C2399	G2577	G2815
G331	U647	U826	A993	U1324	U1527	C1796	G1968	G	U2402	G2578	A2817
A332	G548	G843	U1009	U1347	G1528	A1797	U1983	A	U2419	A2598	A2831
U336	A554	A844	C1010	A1360	U1529	G1807	G1983	U	C2420	G2599	G2845
G345	U651	A845	G1014	A1363	A1530	G1807	U1987	G	A2421	U2600	A2852
C346	U671	A845	G1023	G1363	U1532	C1812	G1988	U	G2425	U2601	G2853
A347	A572	U851	U1030	U1374	U1533	A1825	U1989	U	A2426	U2605	U2854
A348	A573	A851	A1036	U1378	G1534	G1829	U2018	G	A2430	U2609	U2857
A360	A594	A851	A1036	A1378	U1536	U1844	C2019	A	A2431	U2611	A2863
A361	G595	A851	A1043	G1411	A1538	A1854	G2028	U	U2437	U2625	A2869
A364	A601	C874	G1044	C1412	A1538	A1854	A2028	G	G2441	G2636	U2881
U365	U611	A	U1050	G1413	G1539	G1865	G2028	G	G2442	U2652	G2882
G366	A612	A	A1051	A1414	A1542	G1869	C2039	A	A2444	G2657	U2898
A367	A625	G	G	A1422	A1543	U1869	C2051	C	U2453	A2661	A
C368	U625	C	G	C1423	A1564	A1872	G2052	C	A2465	U2685	U
A370	A635	U	G	A1428	A1567	U1879	A2056	A	G2466	A2686	A
G371	A635	C	U	C1432	A1574	G1880	G2057	G	U2469	C2687	C
G385	U643	C	U	A1435	C1575	A1881	A2058	U	U2470	U2470	A
G395	G649	C	G	A1435	U1576	C1889	G2065	C	C2471	C2709	A
A403	U650	A	C	A1447	U1582	U1889	G2089	C	A2472	G2710	C
G410	U651	U	U	U1448	C1580	A1892	G2089	A	C2476	U2722	C
A411	U684	U	A	U1448	U1581	A1892	C2089	U	C2494	A2729	A
G423	U684	C	G	U1455	U1582	A1897	C2092	G	G2498	A2744	C
G424	U684	C	A	U1462	G1605	G1902	U2094	G	A2499	A2744	C
C434	A899	A	C	U1477	A1606	U1907	U	G	U2500	C2748	G
C435	C900	C	C	G1478	A1616	A1908	A	C	G2314	U2500	A
C455	G905	C	C	U1483	C1644	C1910	C	C	U2315	G2315	U
A456	A908	C	C	U1484	U1645	3FD1911	U	U	G2317	U2502	U
				A1485	G1647	U1913	A	A	U2321	C2503	G
				G1187	G1672				U2322	A2514	

• Molecule 6: 5s ribosomal RNA



• Molecule 7: 50S ribosomal protein L2




• Molecule 8: 50S ribosomal protein L3



• Molecule 9: 50S ribosomal protein L4




• Molecule 10: 50S ribosomal protein L5



• Molecule 11: 50S ribosomal protein L6



• Molecule 12: 50S ribosomal protein L9



ALA ASP ALA LEU THR ASN ALA GLY LEU THR VAL ASP ARG ALA VAL ARG LEU PRO ASN GLY ALA ARG HIS THR GLY PHE ASN ILE ALA ILE GLN LEU HIS HIS ASP VAL VAL ALA GLU VAL VAL VAL THR ILE VAL SER VAL GLU

- Molecule 13: 50S ribosomal protein L13

Chain I:  98%



- Molecule 14: 50S ribosomal protein L14

Chain J:  96%




- Molecule 15: 50S ribosomal protein L15

Chain K:  97%




- Molecule 16: 50S ribosomal protein L16

Chain L:  97%



- Molecule 17: 50S ribosomal protein L17

Chain M:  94% 5%



- Molecule 18: 50S ribosomal protein L18

Chain N:  97%




- Molecule 19: 50S ribosomal protein L19

Chain O:  93%




- Molecule 20: 50S ribosomal protein L20

Chain P: 97%



- Molecule 21: 50S ribosomal protein L21

Chain Q: 95%




- Molecule 22: 50S ribosomal protein L22

Chain R: 97%



- Molecule 23: 50S ribosomal protein L23

Chain S: 84%



- Molecule 24: 50S ribosomal protein L24

Chain T: 93%




- Molecule 25: 50S ribosomal protein L25

Chain U: 96%




- Molecule 26: 50S ribosomal protein L27



Chain V: 88%



• Molecule 27: 50S ribosomal protein L28





• Molecule 28: 50S ribosomal protein L29





• Molecule 29: 50S ribosomal protein L30




• Molecule 30: 50S ribosomal protein L32





• Molecule 31: 16s Ribosomal RNA







- Molecule 32: 30S ribosomal protein S2




- Molecule 33: 30S ribosomal protein S3




- Molecule 34: 30S ribosomal protein S4




- Molecule 35: 30S ribosomal protein S5




- Molecule 36: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S7

Chain g:  78% 10% 13%




- Molecule 38: 30S ribosomal protein S8

Chain h:  96% ..





- Molecule 39: 30S ribosomal protein S9

Chain i:  97% ..




- Molecule 40: 30S ribosomal protein S10

Chain j:  91% 6% .





- Molecule 41: 30S ribosomal protein S11

Chain k:  86% 5% 9%



- Molecule 42: 30S ribosomal protein S12

Chain l:  92% 6% .



- Molecule 43: 30S ribosomal protein S13

Chain m:  94% ..




- Molecule 44: 30S ribosomal protein S14

Chain n:  96%





- Molecule 45: 30S ribosomal protein S15

Chain o:  97%




- Molecule 46: 30S ribosomal protein S16

Chain p:  80% 19%




- Molecule 47: 30S ribosomal protein S17

Chain q:  87% 6% 7%





- Molecule 48: 30S ribosomal protein S18

Chain r:  68% 31%



- Molecule 49: 30S ribosomal protein S19

Chain s:  87% 10%





- Molecule 50: 30S ribosomal protein S20


Chain t:  93% 5%



- Molecule 51: 30S ribosomal protein S21



- Molecule 52: tRNA-met



- Molecule 53: mRNA



There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	144189	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	36	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.869	Depositor
Minimum map value	-0.032	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.025	Depositor
Recommended contour level	0.08	Depositor
Map size (\AA)	460.80002, 460.80002, 460.80002	wwPDB
Map dimensions	640, 640, 640	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.72, 0.72, 0.72	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2MG, 3TD, OMU, 7MG, MA6, PSU, 4SU, OIY, OMG, 5MU, 6MZ, ZN, MG, UR3, H2U, 2MA, 4OC, 5MC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.27	0/434	0.54	0/573
2	1	0.25	0/367	0.63	0/481
3	2	0.26	0/515	0.59	0/678
4	3	0.28	0/296	0.57	0/389
5	A	0.41	0/65086	0.84	23/101513 (0.0%)
6	B	0.32	0/2739	0.81	0/4266
7	C	0.30	0/2152	0.61	0/2891
8	D	0.27	0/1590	0.55	0/2142
9	E	0.28	0/1537	0.55	0/2073
10	F	0.28	0/1390	0.60	0/1863
11	G	0.29	0/1337	0.54	0/1807
12	H	0.28	0/461	0.57	0/616
13	I	0.28	0/1151	0.49	0/1551
14	J	0.28	0/956	0.60	0/1286
15	K	0.26	0/1079	0.57	0/1439
16	L	0.28	0/1104	0.59	0/1475
17	M	0.27	0/956	0.58	0/1282
18	N	0.25	0/881	0.60	0/1177
19	O	0.29	0/931	0.58	0/1249
20	P	0.30	0/947	0.59	0/1262
21	Q	0.27	0/818	0.56	0/1094
22	R	0.27	0/831	0.52	0/1113
23	S	0.27	0/716	0.53	0/957
24	T	0.26	0/770	0.54	0/1034
25	U	0.27	0/770	0.53	0/1036
26	V	0.29	0/585	0.55	0/783
27	W	0.25	0/642	0.57	0/856
28	X	0.28	0/487	0.53	0/646
29	Y	0.27	0/460	0.52	0/614
30	Z	0.26	0/453	0.61	0/604
31	a	0.37	0/36476	0.83	16/56895 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	b	0.27	0/1799	0.54	1/2429 (0.0%)
33	c	0.27	0/1714	0.55	0/2304
34	d	0.29	0/1653	0.60	0/2213
35	e	0.28	0/1141	0.55	0/1537
36	f	0.28	0/882	0.57	0/1189
37	g	0.31	0/1087	0.68	2/1456 (0.1%)
38	h	0.27	0/993	0.51	0/1331
39	i	0.28	0/1002	0.60	0/1339
40	j	0.28	0/811	0.58	0/1096
41	k	0.28	0/878	0.59	0/1189
42	l	0.28	0/958	0.60	0/1284
43	m	0.26	0/913	0.58	0/1226
44	n	0.28	0/803	0.54	0/1071
45	o	0.28	0/715	0.55	0/958
46	p	0.27	0/655	0.57	0/879
47	q	0.24	0/628	0.55	0/847
48	r	0.28	0/432	0.60	0/583
49	s	0.27	0/664	0.51	0/897
50	t	0.28	0/669	0.51	0/892
51	u	0.27	0/528	0.54	0/697
52	v	0.26	0/1739	0.83	0/2709
53	w	0.22	0/72	0.73	0/110
All	All	0.36	0/149653	0.78	42/223881 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	C	0	1
21	Q	0	1
All	All	0	2

There are no bond length outliers.

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	a	720	U	C2-N1-C1'	7.46	126.66	117.70
5	A	1308	U	C2-N1-C1'	6.97	126.06	117.70
5	A	788	U	C2-N1-C1'	6.95	126.04	117.70
31	a	720	U	N1-C2-O2	6.84	127.58	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	a	720	U	N3-C2-O2	-6.68	117.53	122.20
32	b	146	LEU	CA-CB-CG	6.50	130.25	115.30
31	a	205	U	C2-N1-C1'	6.30	125.26	117.70
31	a	1379	C	C2-N1-C1'	6.26	125.69	118.80
31	a	1378	U	C2-N1-C1'	6.09	125.01	117.70
37	g	14	PRO	CA-N-CD	-6.04	103.04	111.50
5	A	364	A	P-O3'-C3'	6.03	126.93	119.70
37	g	13	LEU	CA-CB-CG	6.00	129.10	115.30
5	A	2469	U	N1-C2-O2	5.95	126.96	122.80
5	A	2469	U	C2-N1-C1'	5.94	124.83	117.70
31	a	434	U	P-O3'-C3'	5.86	126.73	119.70
5	A	1127	U	P-O3'-C3'	5.76	126.61	119.70
31	a	1155	C	C2-N1-C1'	5.76	125.13	118.80
5	A	1509	U	C2-N1-C1'	5.74	124.59	117.70
5	A	727	G	O4'-C1'-N9	5.72	112.78	108.20
5	A	278	U	C2-N1-C1'	5.71	124.56	117.70
31	a	838	U	C2-N1-C1'	5.71	124.55	117.70
5	A	715	C	C2-N1-C1'	5.66	125.03	118.80
31	a	1379	C	N1-C2-O2	5.59	122.25	118.90
5	A	2572	G	C4-N9-C1'	5.57	133.75	126.50
5	A	434	C	C2-N1-C1'	5.56	124.92	118.80
5	A	1309	C	C2-N1-C1'	5.54	124.89	118.80
31	a	751	C	C2-N1-C1'	5.45	124.80	118.80
31	a	6	C	C2-N1-C1'	5.43	124.78	118.80
31	a	248	U	C2-N1-C1'	5.41	124.19	117.70
5	A	278	U	N3-C2-O2	-5.39	118.42	122.20
5	A	1725	U	N1-C2-O2	5.34	126.54	122.80
5	A	278	U	N1-C2-O2	5.33	126.53	122.80
31	a	434	U	OP2-P-O3'	5.30	116.86	105.20
31	a	205	U	N1-C2-O2	5.25	126.48	122.80
5	A	480	G	O4'-C1'-N9	5.19	112.35	108.20
5	A	1889	C	N3-C2-O2	-5.17	118.28	121.90
5	A	1308	U	N3-C2-O2	-5.15	118.60	122.20
5	A	545	C	C2-N1-C1'	5.11	124.42	118.80
5	A	368	C	C6-N1-C2	-5.06	118.28	120.30
5	A	1725	U	N3-C2-O2	-5.06	118.66	122.20
5	A	545	C	N1-C2-O2	5.03	121.92	118.90
31	a	789	A	P-O3'-C3'	5.00	125.70	119.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
7	C	269	ARG	Sidechain
21	Q	51	ALA	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	49/51 (96%)	49 (100%)	0	0	100	100
2	1	42/44 (96%)	42 (100%)	0	0	100	100
3	2	61/64 (95%)	58 (95%)	3 (5%)	0	100	100
4	3	36/38 (95%)	36 (100%)	0	0	100	100
7	C	270/274 (98%)	262 (97%)	8 (3%)	0	100	100
8	D	209/212 (99%)	200 (96%)	9 (4%)	0	100	100
9	E	198/200 (99%)	197 (100%)	1 (0%)	0	100	100
10	F	172/178 (97%)	157 (91%)	12 (7%)	3 (2%)	9	11
11	G	172/177 (97%)	166 (96%)	5 (3%)	1 (1%)	25	36
12	H	58/148 (39%)	55 (95%)	3 (5%)	0	100	100
13	I	140/142 (99%)	137 (98%)	3 (2%)	0	100	100
14	J	120/122 (98%)	119 (99%)	1 (1%)	0	100	100
15	K	142/146 (97%)	139 (98%)	3 (2%)	0	100	100
16	L	135/137 (98%)	130 (96%)	4 (3%)	1 (1%)	22	32
17	M	117/125 (94%)	113 (97%)	4 (3%)	0	100	100
18	N	114/116 (98%)	110 (96%)	4 (4%)	0	100	100
19	O	115/122 (94%)	114 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	P	115/119 (97%)	115 (100%)	0	0	100	100
21	Q	101/103 (98%)	98 (97%)	2 (2%)	1 (1%)	15	23
22	R	107/109 (98%)	107 (100%)	0	0	100	100
23	S	89/106 (84%)	87 (98%)	2 (2%)	0	100	100
24	T	101/105 (96%)	97 (96%)	4 (4%)	0	100	100
25	U	95/98 (97%)	92 (97%)	3 (3%)	0	100	100
26	V	74/85 (87%)	73 (99%)	1 (1%)	0	100	100
27	W	75/78 (96%)	75 (100%)	0	0	100	100
28	X	58/65 (89%)	58 (100%)	0	0	100	100
29	Y	55/58 (95%)	54 (98%)	1 (2%)	0	100	100
30	Z	52/61 (85%)	51 (98%)	1 (2%)	0	100	100
32	b	223/250 (89%)	213 (96%)	8 (4%)	2 (1%)	17	25
33	c	213/250 (85%)	206 (97%)	7 (3%)	0	100	100
34	d	205/208 (99%)	200 (98%)	5 (2%)	0	100	100
35	e	153/165 (93%)	151 (99%)	2 (1%)	0	100	100
36	f	102/127 (80%)	99 (97%)	2 (2%)	1 (1%)	15	23
37	g	132/156 (85%)	123 (93%)	7 (5%)	2 (2%)	10	14
38	h	128/131 (98%)	126 (98%)	2 (2%)	0	100	100
39	i	124/128 (97%)	121 (98%)	3 (2%)	0	100	100
40	j	98/103 (95%)	96 (98%)	2 (2%)	0	100	100
41	k	115/128 (90%)	111 (96%)	4 (4%)	0	100	100
42	l	120/124 (97%)	114 (95%)	6 (5%)	0	100	100
43	m	113/118 (96%)	109 (96%)	4 (4%)	0	100	100
44	n	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
45	o	86/89 (97%)	85 (99%)	1 (1%)	0	100	100
46	p	80/101 (79%)	79 (99%)	1 (1%)	0	100	100
47	q	77/85 (91%)	75 (97%)	2 (3%)	0	100	100
48	r	50/75 (67%)	49 (98%)	1 (2%)	0	100	100
49	s	80/91 (88%)	79 (99%)	1 (1%)	0	100	100
50	t	84/88 (96%)	84 (100%)	0	0	100	100
51	u	61/71 (86%)	60 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	5414/5872 (92%)	5265 (97%)	138 (2%)	11 (0%)	50	62

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	F	137	VAL
32	b	8	MET
36	f	33	ASP
37	g	88	PRO
37	g	3	ARG
11	G	13	ASN
10	F	5	LYS
32	b	7	SER
10	F	121	SER
16	L	79	LEU
21	Q	52	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	47/47 (100%)	47 (100%)	0	100	100
2	1	36/36 (100%)	34 (94%)	2 (6%)	21	34
3	2	52/53 (98%)	51 (98%)	1 (2%)	57	75
4	3	33/33 (100%)	32 (97%)	1 (3%)	41	61
7	C	218/220 (99%)	211 (97%)	7 (3%)	39	59
8	D	166/167 (99%)	163 (98%)	3 (2%)	59	76
9	E	155/155 (100%)	150 (97%)	5 (3%)	39	59
10	F	144/147 (98%)	132 (92%)	12 (8%)	11	17
11	G	139/142 (98%)	128 (92%)	11 (8%)	12	19
12	H	45/112 (40%)	44 (98%)	1 (2%)	52	71
13	I	118/118 (100%)	115 (98%)	3 (2%)	47	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	J	103/103 (100%)	98 (95%)	5 (5%)	25	40
15	K	106/108 (98%)	104 (98%)	2 (2%)	57	75
16	L	113/113 (100%)	110 (97%)	3 (3%)	44	65
17	M	96/101 (95%)	94 (98%)	2 (2%)	53	72
18	N	85/85 (100%)	82 (96%)	3 (4%)	36	55
19	O	99/102 (97%)	95 (96%)	4 (4%)	31	49
20	P	85/86 (99%)	84 (99%)	1 (1%)	71	85
21	Q	84/84 (100%)	81 (96%)	3 (4%)	35	54
22	R	88/88 (100%)	85 (97%)	3 (3%)	37	56
23	S	77/87 (88%)	75 (97%)	2 (3%)	46	66
24	T	83/85 (98%)	78 (94%)	5 (6%)	19	31
25	U	79/80 (99%)	76 (96%)	3 (4%)	33	51
26	V	59/64 (92%)	58 (98%)	1 (2%)	60	78
27	W	69/70 (99%)	67 (97%)	2 (3%)	42	62
28	X	53/56 (95%)	50 (94%)	3 (6%)	20	33
29	Y	53/54 (98%)	51 (96%)	2 (4%)	33	51
30	Z	46/50 (92%)	44 (96%)	2 (4%)	29	46
32	b	185/200 (92%)	172 (93%)	13 (7%)	15	24
33	c	175/198 (88%)	169 (97%)	6 (3%)	37	56
34	d	170/171 (99%)	162 (95%)	8 (5%)	26	42
35	e	113/120 (94%)	112 (99%)	1 (1%)	78	90
36	f	94/111 (85%)	85 (90%)	9 (10%)	8	12
37	g	113/128 (88%)	102 (90%)	11 (10%)	8	12
38	h	108/109 (99%)	104 (96%)	4 (4%)	34	53
39	i	99/100 (99%)	97 (98%)	2 (2%)	55	74
40	j	89/91 (98%)	83 (93%)	6 (7%)	16	26
41	k	88/98 (90%)	81 (92%)	7 (8%)	12	18
42	l	104/106 (98%)	96 (92%)	8 (8%)	13	20
43	m	95/98 (97%)	91 (96%)	4 (4%)	30	47
44	n	81/82 (99%)	78 (96%)	3 (4%)	34	53
45	o	71/72 (99%)	69 (97%)	2 (3%)	43	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
46	p	63/77 (82%)	62 (98%)	1 (2%)	62	79
47	q	71/76 (93%)	66 (93%)	5 (7%)	15	24
48	r	46/66 (70%)	45 (98%)	1 (2%)	52	71
49	s	70/78 (90%)	67 (96%)	3 (4%)	29	46
50	t	65/67 (97%)	61 (94%)	4 (6%)	18	29
51	u	54/62 (87%)	52 (96%)	2 (4%)	34	53
All	All	4485/4756 (94%)	4293 (96%)	192 (4%)	33	46

All (192) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	1	25	LYS
2	1	41	SER
3	2	30	HIS
4	3	2	LYS
7	C	22	ASP
7	C	38	LYS
7	C	77	VAL
7	C	108	LYS
7	C	139	SER
7	C	167	ARG
7	C	265	LYS
8	D	3	ILE
8	D	81	LYS
8	D	121	PHE
9	E	6	VAL
9	E	119	LEU
9	E	125	VAL
9	E	154	GLU
9	E	183	ASP
10	F	23	LYS
10	F	26	MET
10	F	49	LEU
10	F	50	LEU
10	F	71	ARG
10	F	89	VAL
10	F	90	THR
10	F	106	ILE
10	F	130	MET
10	F	148	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	F	152	MET
10	F	177	PHE
11	G	16	THR
11	G	22	ARG
11	G	58	SER
11	G	67	THR
11	G	69	ARG
11	G	84	GLU
11	G	85	ARG
11	G	95	LYS
11	G	105	LEU
11	G	135	SER
11	G	173	GLU
12	H	33	GLN
13	I	1	MET
13	I	70	LEU
13	I	79	GLU
14	J	45	GLU
14	J	104	ARG
14	J	109	GLU
14	J	120	GLU
14	J	122	LEU
15	K	12	GLU
15	K	88	GLU
16	L	5	LYS
16	L	85	ASN
16	L	110	ASN
17	M	6	SER
17	M	16	HIS
18	N	7	SER
18	N	13	LYS
18	N	58	SER
19	O	4	LYS
19	O	42	ARG
19	O	68	SER
19	O	117	LEU
20	P	111	GLU
21	Q	45	ASP
21	Q	53	VAL
21	Q	102	SER
22	R	1	MET
22	R	67	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	R	95	ARG
23	S	43	LYS
23	S	67	LYS
24	T	24	VAL
24	T	50	THR
24	T	63	LEU
24	T	66	SER
24	T	76	GLN
25	U	28	SER
25	U	49	ARG
25	U	75	ASN
26	V	72	LYS
27	W	41	GLU
27	W	44	LYS
28	X	5	ASP
28	X	29	ARG
28	X	60	LYS
29	Y	49	LYS
29	Y	55	SER
30	Z	44	LYS
30	Z	49	ARG
32	b	4	TYR
32	b	6	VAL
32	b	23	ARG
32	b	25	TRP
32	b	34	PHE
32	b	107	LYS
32	b	116	LEU
32	b	118	ASP
32	b	141	ARG
32	b	150	LEU
32	b	176	LYS
32	b	196	ASP
32	b	201	VAL
33	c	10	ILE
33	c	28	GLN
33	c	93	ASN
33	c	102	SER
33	c	108	ARG
33	c	191	THR
34	d	3	ARG
34	d	28	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	d	64	ARG
34	d	107	MET
34	d	115	GLU
34	d	121	SER
34	d	174	GLU
34	d	176	ASP
35	e	40	ASP
36	f	6	ILE
36	f	24	ARG
36	f	53	LYS
36	f	70	THR
36	f	72	ASP
36	f	79	ARG
36	f	91	ARG
36	f	92	ARG
36	f	104	LYS
37	g	5	ARG
37	g	37	SER
37	g	41	SER
37	g	51	GLN
37	g	55	LYS
37	g	56	VAL
37	g	60	GLU
37	g	72	MET
37	g	131	LYS
37	g	136	LYS
37	g	138	ARG
38	h	41	GLN
38	h	56	THR
38	h	81	ARG
38	h	100	LEU
39	i	35	GLN
39	i	120	ARG
40	j	7	ARG
40	j	66	GLU
40	j	81	ASP
40	j	85	ASP
40	j	89	LYS
40	j	92	LEU
41	k	29	THR
41	k	37	GLN
41	k	39	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
41	k	51	PHE
41	k	52	ARG
41	k	81	LEU
41	k	82	ASP
42	l	59	SER
42	l	67	ILE
42	l	76	GLU
42	l	88	LYS
42	l	89	ASP
42	l	94	ARG
42	l	107	VAL
42	l	108	LYS
43	m	3	ARG
43	m	18	SER
43	m	63	VAL
43	m	107	ARG
44	n	23	LYS
44	n	41	ARG
44	n	85	ARG
45	o	44	LYS
45	o	64	ARG
46	p	69	ARG
47	q	15	SER
47	q	38	SER
47	q	41	ARG
47	q	46	HIS
47	q	58	ASP
48	r	42	SER
49	s	4	SER
49	s	43	ASP
49	s	48	THR
50	t	27	MET
50	t	34	ARG
50	t	37	SER
50	t	77	SER
51	u	25	LYS
51	u	28	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
18	N	66	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
31	a	1524/1544 (98%)	206 (13%)	0
5	A	2717/2918 (93%)	379 (13%)	19 (0%)
52	v	76/77 (98%)	28 (36%)	0
53	w	2/3 (66%)	0	0
6	B	114/115 (99%)	21 (18%)	1 (0%)
All	All	4433/4657 (95%)	634 (14%)	20 (0%)

All (634) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	A	22	G
5	A	50	G
5	A	53	G
5	A	67	G
5	A	78	A
5	A	81	A
5	A	82	G
5	A	91	A
5	A	92	G
5	A	104	C
5	A	109	G
5	A	110	A
5	A	125	A
5	A	126	A
5	A	127	U
5	A	138	A
5	A	139	C
5	A	147	A
5	A	148	A
5	A	149	G
5	A	170	A
5	A	203	A
5	A	206	A
5	A	222	G
5	A	223	A
5	A	228	A
5	A	229	A
5	A	235	U
5	A	236	U
5	A	237	G
5	A	240	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	246	U
5	A	252	G
5	A	255	G
5	A	257	G
5	A	262	A
5	A	279	U
5	A	285	A
5	A	297	G
5	A	304	G
5	A	313	A
5	A	331	G
5	A	332	A
5	A	336	U
5	A	345	C
5	A	347	A
5	A	348	A
5	A	360	A
5	A	361	A
5	A	365	U
5	A	366	G
5	A	367	A
5	A	369	G
5	A	370	A
5	A	371	G
5	A	385	G
5	A	395	G
5	A	403	A
5	A	410	G
5	A	411	A
5	A	423	G
5	A	435	C
5	A	455	C
5	A	456	A
5	A	479	A
5	A	480	G
5	A	493	G
5	A	504	A
5	A	529	G
5	A	531	A
5	A	544	U
5	A	545	C
5	A	546	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	548	G
5	A	554	A
5	A	561	A
5	A	571	U
5	A	573	A
5	A	594	A
5	A	595	G
5	A	601	A
5	A	611	U
5	A	612	A
5	A	625	A
5	A	635	A
5	A	643	U
5	A	649	G
5	A	651	U
5	A	684	U
5	A	712	U
5	A	713	A
5	A	714	A
5	A	728	A
5	A	745	U
5	A	762	A
5	A	773	G
5	A	774	G
5	A	780	A
5	A	782	G
5	A	783	G
5	A	803	G
5	A	810	C
5	A	817	A
5	A	825	U
5	A	826	U
5	A	843	G
5	A	845	A
5	A	851	U
5	A	857	G
5	A	900	C
5	A	905	G
5	A	908	A
5	A	929	C
5	A	930	U
5	A	931	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	938	A
5	A	942	A
5	A	943	G
5	A	958	C
5	A	971	G
5	A	980	A
5	A	993	A
5	A	1009	U
5	A	1010	C
5	A	1014	G
5	A	1023	G
5	A	1030	U
5	A	1036	A
5	A	1043	A
5	A	1044	G
5	A	1051	A
5	A	1104	G
5	A	1105	U
5	A	1106	C
5	A	1107	G
5	A	1108	A
5	A	1109	G
5	A	1125	G
5	A	1128	G
5	A	1129	U
5	A	1130	A
5	A	1131	A
5	A	1132	C
5	A	1140	A
5	A	1148	U
5	A	1149	G
5	A	1166	A
5	A	1170	U
5	A	1173	G
5	A	1174	U
5	A	1245	G
5	A	1248	A
5	A	1251	G
5	A	1266	G
5	A	1267	A
5	A	1268	C
5	A	1296	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	1316	A
5	A	1320	U
5	A	1324	U
5	A	1347	U
5	A	1360	A
5	A	1363	G
5	A	1374	U
5	A	1378	A
5	A	1411	G
5	A	1412	C
5	A	1414	A
5	A	1422	A
5	A	1423	C
5	A	1428	A
5	A	1432	C
5	A	1433	U
5	A	1435	A
5	A	1447	G
5	A	1448	U
5	A	1455	U
5	A	1462	G
5	A	1477	U
5	A	1478	G
5	A	1483	U
5	A	1484	U
5	A	1485	A
5	A	1488	C
5	A	1494	C
5	A	1503	C
5	A	1504	U
5	A	1505	A
5	A	1511	A
5	A	1514	U
5	A	1519	U
5	A	1520	A
5	A	1523	A
5	A	1527	U
5	A	1528	G
5	A	1529	U
5	A	1530	A
5	A	1531	C
5	A	1532	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	1533	U
5	A	1534	G
5	A	1535	U
5	A	1536	G
5	A	1537	C
5	A	1538	A
5	A	1539	G
5	A	1542	A
5	A	1543	A
5	A	1564	A
5	A	1567	A
5	A	1574	U
5	A	1576	U
5	A	1580	C
5	A	1581	U
5	A	1582	U
5	A	1605	G
5	A	1606	A
5	A	1616	A
5	A	1644	C
5	A	1645	U
5	A	1646	U
5	A	1647	G
5	A	1672	G
5	A	1701	G
5	A	1724	C
5	A	1726	C
5	A	1727	G
5	A	1729	U
5	A	1733	U
5	A	1734	G
5	A	1736	G
5	A	1760	G
5	A	1769	A
5	A	1776	A
5	A	1796	C
5	A	1797	A
5	A	1807	G
5	A	1812	C
5	A	1825	A
5	A	1829	C
5	A	1844	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	1854	A
5	A	1865	G
5	A	1869	G
5	A	1872	A
5	A	1879	U
5	A	1881	A
5	A	1892	A
5	A	1897	A
5	A	1902	G
5	A	1908	A
5	A	1909	A
5	A	1910	C
5	A	1915	A
5	A	1923	A
5	A	1925	G
5	A	1926	G
5	A	1934	A
5	A	1951	U
5	A	1959	U
5	A	1963	C
5	A	1966	A
5	A	1967	U
5	A	1968	G
5	A	1978	U
5	A	1983	G
5	A	1987	U
5	A	1989	U
5	A	2018	U
5	A	2019	C
5	A	2027	A
5	A	2029	A
5	A	2039	C
5	A	2051	C
5	A	2052	G
5	A	2056	A
5	A	2057	G
5	A	2058	A
5	A	2065	7MG
5	A	2089	G
5	A	2092	C
5	A	2093	U
5	A	2194	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	2200	G
5	A	2207	G
5	A	2216	C
5	A	2221	A
5	A	2234	G
5	A	2275	G
5	A	2279	U
5	A	2283	A
5	A	2301	U
5	A	2303	G
5	A	2304	G
5	A	2307	A
5	A	2314	G
5	A	2316	A
5	A	2317	G
5	A	2321	A
5	A	2323	A
5	A	2343	C
5	A	2346	C
5	A	2372	A
5	A	2378	G
5	A	2379	G
5	A	2381	C
5	A	2387	G
5	A	2398	U
5	A	2399	C
5	A	2402	U
5	A	2420	C
5	A	2421	A
5	A	2425	G
5	A	2426	A
5	A	2430	A
5	A	2431	A
5	A	2437	U
5	A	2444	A
5	A	2465	A
5	A	2466	G
5	A	2469	U
5	A	2471	C
5	A	2472	A
5	A	2476	C
5	A	2494	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	2498	G
5	A	2500	PSU
5	A	2502	U
5	A	2503	C
5	A	2514	A
5	A	2525	G
5	A	2543	A
5	A	2550	U
5	A	2562	A
5	A	2563	G
5	A	2569	C
5	A	2578	G
5	A	2598	A
5	A	2599	G
5	A	2605	U
5	A	2609	U
5	A	2611	U
5	A	2625	U
5	A	2636	G
5	A	2652	U
5	A	2657	G
5	A	2661	A
5	A	2685	U
5	A	2686	A
5	A	2687	C
5	A	2709	C
5	A	2710	G
5	A	2722	U
5	A	2729	A
5	A	2744	A
5	A	2748	C
5	A	2754	A
5	A	2761	A
5	A	2762	G
5	A	2774	A
5	A	2776	A
5	A	2786	U
5	A	2787	A
5	A	2793	U
5	A	2796	U
5	A	2797	G
5	A	2799	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	A	2814	U
5	A	2816	G
5	A	2817	A
5	A	2831	A
5	A	2845	G
5	A	2852	A
5	A	2854	U
5	A	2857	U
5	A	2863	A
5	A	2869	A
5	A	2881	U
5	A	2882	G
6	B	2	C
6	B	22	G
6	B	28	C
6	B	31	G
6	B	33	U
6	B	36	C
6	B	39	C
6	B	40	C
6	B	42	G
6	B	50	A
6	B	54	G
6	B	59	C
6	B	62	U
6	B	64	A
6	B	65	G
6	B	67	G
6	B	71	A
6	B	84	A
6	B	87	A
6	B	105	C
6	B	106	A
31	a	4	A
31	a	6	C
31	a	7	U
31	a	9	A
31	a	10	A
31	a	11	G
31	a	15	U
31	a	24	G
31	a	34	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	a	41	G
31	a	49	C
31	a	50	U
31	a	53	A
31	a	57	A
31	a	62	A
31	a	66	G
31	a	74	G
31	a	76	A
31	a	77	G
31	a	81	G
31	a	82	C
31	a	83	U
31	a	84	U
31	a	85	G
31	a	115	A
31	a	117	U
31	a	126	A
31	a	127	U
31	a	163	U
31	a	165	C
31	a	170	A
31	a	184	A
31	a	185	C
31	a	186	G
31	a	193	A
31	a	205	U
31	a	208	G
31	a	216	G
31	a	241	U
31	a	243	G
31	a	247	G
31	a	262	G
31	a	263	C
31	a	276	C
31	a	279	U
31	a	285	G
31	a	324	C
31	a	325	A
31	a	340	A
31	a	343	G
31	a	348	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	a	350	G
31	a	363	U
31	a	368	C
31	a	380	C
31	a	393	A
31	a	402	G
31	a	407	A
31	a	408	A
31	a	409	G
31	a	410	A
31	a	416	U
31	a	418	A
31	a	419	U
31	a	420	G
31	a	425	U
31	a	426	A
31	a	434	U
31	a	435	U
31	a	442	G
31	a	444	A
31	a	447	A
31	a	459	U
31	a	461	A
31	a	463	U
31	a	481	G
31	a	483	U
31	a	492	A
31	a	493	A
31	a	494	U
31	a	496	A
31	a	497	G
31	a	508	C
31	a	515	C
31	a	518	G
31	a	521	G
31	a	524	7MG
31	a	528	U
31	a	530	A
31	a	544	A
31	a	556	A
31	a	561	C
31	a	569	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	a	570	A
31	a	573	C
31	a	574	G
31	a	591	U
31	a	630	G
31	a	639	A
31	a	650	A
31	a	662	A
31	a	684	A
31	a	715	A
31	a	720	U
31	a	731	G
31	a	752	G
31	a	774	A
31	a	790	U
31	a	791	A
31	a	812	A
31	a	814	C
31	a	838	U
31	a	840	U
31	a	841	G
31	a	842	A
31	a	887	G
31	a	888	U
31	a	911	A
31	a	923	G
31	a	924	G
31	a	927	C
31	a	928	C
31	a	931	C
31	a	932	A
31	a	957	U
31	a	963	2MG
31	a	966	A
31	a	972	A
31	a	973	G
31	a	974	A
31	a	989	U
31	a	990	G
31	a	1000	A
31	a	1001	A
31	a	1007	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	a	1025	C
31	a	1027	U
31	a	1028	C
31	a	1029	G
31	a	1030	G
31	a	1033	A
31	a	1062	U
31	a	1082	U
31	a	1083	U
31	a	1091	G
31	a	1092	U
31	a	1097	C
31	a	1098	A
31	a	1101	G
31	a	1122	U
31	a	1123	U
31	a	1134	C
31	a	1136	G
31	a	1156	U
31	a	1164	A
31	a	1165	C
31	a	1166	A
31	a	1168	A
31	a	1179	G
31	a	1180	C
31	a	1181	G
31	a	1188	A
31	a	1193	A
31	a	1194	A
31	a	1210	A
31	a	1224	A
31	a	1233	A
31	a	1235	A
31	a	1255	G
31	a	1267	U
31	a	1276	A
31	a	1277	A
31	a	1284	A
31	a	1286	A
31	a	1295	U
31	a	1297	G
31	a	1299	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	a	1317	C
31	a	1335	G
31	a	1337	A
31	a	1343	A
31	a	1350	G
31	a	1360	A
31	a	1361	U
31	a	1367	G
31	a	1375	C
31	a	1378	U
31	a	1386	C
31	a	1394	C
31	a	1395	A
31	a	1416	G
31	a	1423	G
31	a	1438	A
31	a	1443	A
31	a	1448	C
31	a	1449	A
31	a	1451	A
31	a	1484	G
31	a	1491	G
31	a	1494	G
31	a	1500	A
31	a	1503	U
31	a	1514	G
31	a	1526	G
31	a	1527	G
31	a	1530	C
52	v	4	U
52	v	8	4SU
52	v	9	A
52	v	14	A
52	v	15	G
52	v	16	U
52	v	17	U
52	v	18	G
52	v	19	G
52	v	20	H2U
52	v	22	A
52	v	23	G
52	v	24	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
52	v	46	G
52	v	47	G
52	v	48	U
52	v	49	C
52	v	51	C
52	v	55	5MU
52	v	57	C
52	v	58	A
52	v	59	A
52	v	61	U
52	v	62	C
52	v	65	G
52	v	72	C
52	v	73	C
52	v	77	A

All (20) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
5	A	91	A
5	A	109	G
5	A	256	C
5	A	364	A
5	A	365	U
5	A	368	C
5	A	424	G
5	A	478	A
5	A	496	A
5	A	782	G
5	A	844	A
5	A	1127	U
5	A	1173	G
5	A	1179	G
5	A	1187	G
5	A	1880	G
5	A	2419	U
5	A	2443	G
5	A	2502	U
6	B	86	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

28 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	7MG	A	2065	5	22,26,27	1.18	1 (4%)	29,39,42	0.87	1 (3%)
5	PSU	A	952	5	18,21,22	1.03	1 (5%)	22,30,33	1.77	3 (13%)
31	MA6	a	1516	31	18,26,27	1.05	2 (11%)	19,38,41	3.50	2 (10%)
31	2MG	a	1204	31	18,26,27	1.15	2 (11%)	16,38,41	0.89	1 (6%)
31	PSU	a	513	31	18,21,22	1.06	1 (5%)	22,30,33	1.71	5 (22%)
5	PSU	A	2500	5	18,21,22	1.04	1 (5%)	22,30,33	1.72	3 (13%)
31	5MC	a	964	31	18,22,23	0.58	0	26,32,35	0.57	0
31	MA6	a	1515	31	18,26,27	1.07	2 (11%)	19,38,41	3.35	2 (10%)
5	OMU	A	2548	5	19,22,23	2.98	8 (42%)	26,31,34	1.72	5 (19%)
52	PSU	v	56	52	18,21,22	1.12	1 (5%)	22,30,33	1.75	5 (22%)
31	2MG	a	963	31	18,26,27	1.14	2 (11%)	16,38,41	0.92	1 (6%)
5	PSU	A	2576	5	18,21,22	1.07	2 (11%)	22,30,33	1.84	5 (22%)
5	3TD	A	1911	5	19,22,23	4.17	6 (31%)	21,32,35	1.61	2 (9%)
31	4OC	a	1399	31	20,23,24	3.11	8 (40%)	26,32,35	0.97	1 (3%)
5	2MA	A	2499	5	17,25,26	2.47	5 (29%)	17,37,40	1.42	2 (11%)
5	2MG	A	2441	5	18,26,27	1.19	3 (16%)	16,38,41	0.82	1 (6%)
5	PSU	A	2453	5	18,21,22	1.05	1 (5%)	22,30,33	1.79	5 (22%)
5	PSU	A	1907	5	18,21,22	1.08	1 (5%)	22,30,33	1.72	4 (18%)
5	OMG	A	2247	5,52	18,26,27	1.17	2 (11%)	19,38,41	0.83	1 (5%)
5	PSU	A	2601	5	18,21,22	1.01	1 (5%)	22,30,33	1.71	3 (13%)
5	5MU	A	1935	5	19,22,23	0.47	0	28,32,35	0.54	0
31	UR3	a	1495	31	19,22,23	2.82	7 (36%)	26,32,35	1.30	2 (7%)
52	4SU	v	8	52	18,21,22	4.25	8 (44%)	26,30,33	2.17	4 (15%)
31	7MG	a	524	31	22,26,27	1.20	1 (4%)	29,39,42	0.82	1 (3%)
5	6MZ	A	2026	5	18,25,26	1.89	3 (16%)	16,36,39	3.30	3 (18%)
52	5MU	v	55	52	19,22,23	0.45	0	28,32,35	0.62	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PSU	A	1913	5	18,21,22	1.09	1 (5%)	22,30,33	1.74	3 (13%)
52	H2U	v	20	52	18,21,22	0.54	0	21,30,33	0.96	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	7MG	A	2065	5	-	1/7/37/38	0/3/3/3
5	PSU	A	952	5	-	0/7/25/26	0/2/2/2
31	MA6	a	1516	31	-	0/7/29/30	0/3/3/3
31	2MG	a	1204	31	-	0/5/27/28	0/3/3/3
31	PSU	a	513	31	-	0/7/25/26	0/2/2/2
5	PSU	A	2500	5	-	0/7/25/26	0/2/2/2
31	5MC	a	964	31	-	0/7/25/26	0/2/2/2
31	MA6	a	1515	31	-	0/7/29/30	0/3/3/3
5	OMU	A	2548	5	-	0/9/27/28	0/2/2/2
52	PSU	v	56	52	-	4/7/25/26	0/2/2/2
31	2MG	a	963	31	-	0/5/27/28	0/3/3/3
5	PSU	A	2576	5	-	0/7/25/26	0/2/2/2
5	3TD	A	1911	5	-	2/7/25/26	0/2/2/2
31	4OC	a	1399	31	-	2/9/29/30	0/2/2/2
5	2MA	A	2499	5	-	2/3/25/26	0/3/3/3
5	2MG	A	2441	5	-	0/5/27/28	0/3/3/3
5	PSU	A	2453	5	-	0/7/25/26	0/2/2/2
5	PSU	A	1907	5	-	0/7/25/26	0/2/2/2
5	OMG	A	2247	5,52	-	0/5/27/28	0/3/3/3
5	PSU	A	2601	5	-	0/7/25/26	0/2/2/2
5	5MU	A	1935	5	-	0/7/25/26	0/2/2/2
31	UR3	a	1495	31	-	0/7/25/26	0/2/2/2
52	4SU	v	8	52	-	2/7/25/26	0/2/2/2
31	7MG	a	524	31	-	2/7/37/38	0/3/3/3
5	6MZ	A	2026	5	-	2/5/27/28	0/3/3/3
52	5MU	v	55	52	-	3/7/25/26	0/2/2/2
5	PSU	A	1913	5	-	0/7/25/26	0/2/2/2
52	H2U	v	20	52	-	3/7/38/39	0/2/2/2

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1911	3TD	C6-C5	12.48	1.49	1.35
5	A	1911	3TD	C2-N1	10.02	1.50	1.37
52	v	8	4SU	C2-N1	9.20	1.53	1.38
52	v	8	4SU	C4-N3	8.57	1.46	1.37
5	A	2499	2MA	C2-N3	7.15	1.46	1.31
52	v	8	4SU	C2-N3	6.98	1.50	1.38
5	A	2548	OMU	C2-N1	6.88	1.49	1.38
52	v	8	4SU	C5-C4	6.67	1.51	1.42
31	a	1495	UR3	C2-N1	6.67	1.48	1.38
31	a	1495	UR3	C6-C5	6.67	1.50	1.35
5	A	2548	OMU	C2-N3	6.64	1.49	1.38
31	a	1399	4OC	C4-N3	6.62	1.44	1.32
5	A	2026	6MZ	C6-N6	6.57	1.45	1.35
52	v	8	4SU	C6-C5	6.40	1.49	1.35
31	a	1399	4OC	C6-C5	6.27	1.49	1.35
31	a	1399	4OC	C2-N3	6.01	1.48	1.36
5	A	1911	3TD	C6-N1	5.69	1.45	1.36
31	a	1495	UR3	C2-N3	5.58	1.49	1.39
5	A	2548	OMU	C6-C5	5.58	1.48	1.35
5	A	2499	2MA	C4-N3	5.04	1.49	1.37
31	a	524	7MG	C5-N7	4.97	1.41	1.35
5	A	2065	7MG	C5-N7	4.90	1.41	1.35
31	a	1399	4OC	C4-N4	4.85	1.45	1.35
5	A	1911	3TD	C2-N3	4.66	1.48	1.38
52	v	8	4SU	C4-S4	-4.35	1.60	1.68
5	A	2548	OMU	C4-N3	4.08	1.45	1.38
31	a	1399	4OC	C2-N1	4.05	1.48	1.40
31	a	1399	4OC	C5-C4	3.75	1.48	1.40
52	v	56	PSU	C6-C5	3.59	1.39	1.35
5	A	1913	PSU	C6-C5	3.55	1.39	1.35
5	A	1907	PSU	C6-C5	3.45	1.39	1.35
31	a	513	PSU	C6-C5	3.33	1.39	1.35
31	a	1495	UR3	C6-N1	3.28	1.45	1.38
5	A	2500	PSU	C6-C5	3.26	1.39	1.35
5	A	2601	PSU	C6-C5	3.24	1.39	1.35
5	A	952	PSU	C6-C5	3.18	1.39	1.35
31	a	1399	4OC	C6-N1	3.17	1.45	1.38
5	A	2453	PSU	C6-C5	3.16	1.39	1.35
5	A	2441	2MG	C8-N7	-3.15	1.29	1.35
5	A	2548	OMU	O4-C4	-3.11	1.18	1.24
5	A	2576	PSU	C6-C5	3.10	1.38	1.35
5	A	2247	OMG	C8-N7	-3.00	1.29	1.35
5	A	1911	3TD	C4-N3	2.94	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	a	1399	4OC	O2-C2	-2.93	1.18	1.23
31	a	1204	2MG	C8-N7	-2.92	1.30	1.35
31	a	963	2MG	C8-N7	-2.89	1.30	1.35
5	A	2499	2MA	C5-C4	-2.89	1.35	1.43
5	A	2499	2MA	C6-N1	2.81	1.44	1.38
31	a	1515	MA6	C5-C4	-2.78	1.33	1.40
5	A	2026	6MZ	C5-C4	-2.77	1.33	1.40
5	A	2548	OMU	C6-N1	2.72	1.44	1.38
31	a	1516	MA6	C5-C4	-2.71	1.33	1.40
5	A	2548	OMU	O2-C2	-2.53	1.18	1.23
52	v	8	4SU	O2-C2	-2.51	1.18	1.23
52	v	8	4SU	C6-N1	2.49	1.44	1.38
31	a	1515	MA6	C2-N3	2.47	1.36	1.32
5	A	2499	2MA	C2-N1	2.42	1.44	1.36
31	a	1516	MA6	C2-N3	2.39	1.35	1.32
5	A	2441	2MG	C5-C6	-2.36	1.42	1.47
5	A	2247	OMG	C5-C6	-2.32	1.42	1.47
31	a	1204	2MG	C5-C6	-2.31	1.42	1.47
5	A	2026	6MZ	C2-N3	2.28	1.35	1.32
31	a	963	2MG	C5-C6	-2.24	1.42	1.47
5	A	1911	3TD	O2-C2	-2.24	1.19	1.23
5	A	2548	OMU	C5-C4	2.23	1.48	1.43
31	a	1495	UR3	C5-C4	2.17	1.49	1.43
31	a	1495	UR3	O2-C2	-2.17	1.18	1.22
31	a	1495	UR3	C4-N3	2.10	1.45	1.40
5	A	2576	PSU	O4'-C1'	-2.07	1.41	1.43
5	A	2441	2MG	C5-C4	-2.00	1.38	1.43

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	a	1516	MA6	N1-C6-N6	-14.03	102.29	117.06
31	a	1515	MA6	N1-C6-N6	-13.39	102.97	117.06
5	A	2026	6MZ	C1'-N9-C4	-11.82	105.88	126.64
52	v	8	4SU	C4-N3-C2	-7.50	120.06	127.34
31	a	1516	MA6	N3-C2-N1	-5.34	120.33	128.68
31	a	1515	MA6	N3-C2-N1	-5.29	120.41	128.68
5	A	2548	OMU	C4-N3-C2	-5.25	119.65	126.58
52	v	8	4SU	C5-C4-N3	5.22	119.53	114.69
5	A	1911	3TD	N1-C2-N3	4.86	119.98	116.14
31	a	1495	UR3	C4-N3-C2	-4.84	120.00	124.56
5	A	2026	6MZ	N3-C2-N1	-4.83	121.13	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	952	PSU	C4-N3-C2	-4.74	119.50	126.34
5	A	2453	PSU	C4-N3-C2	-4.68	119.60	126.34
5	A	2500	PSU	C4-N3-C2	-4.60	119.72	126.34
5	A	2601	PSU	C4-N3-C2	-4.58	119.74	126.34
5	A	1913	PSU	C4-N3-C2	-4.57	119.76	126.34
5	A	2576	PSU	C4-N3-C2	-4.56	119.76	126.34
5	A	2576	PSU	N1-C2-N3	4.52	120.25	115.13
5	A	1907	PSU	C4-N3-C2	-4.46	119.91	126.34
5	A	952	PSU	N1-C2-N3	4.46	120.18	115.13
5	A	2453	PSU	N1-C2-N3	4.42	120.13	115.13
52	v	56	PSU	C4-N3-C2	-4.41	119.99	126.34
5	A	2500	PSU	N1-C2-N3	4.40	120.12	115.13
52	v	56	PSU	N1-C2-N3	4.37	120.08	115.13
5	A	1913	PSU	N1-C2-N3	4.34	120.05	115.13
5	A	1907	PSU	N1-C2-N3	4.32	120.03	115.13
31	a	513	PSU	C4-N3-C2	-4.31	120.13	126.34
31	a	513	PSU	N1-C2-N3	4.30	120.00	115.13
5	A	2601	PSU	N1-C2-N3	4.29	119.99	115.13
5	A	2548	OMU	N3-C2-N1	3.92	120.10	114.89
5	A	1911	3TD	C4-N3-C2	-3.92	120.35	124.61
5	A	2499	2MA	C5-C6-N1	3.79	120.56	114.02
52	v	8	4SU	C5-C4-S4	-3.63	119.80	124.47
52	v	8	4SU	N3-C2-N1	3.61	119.68	114.89
5	A	2548	OMU	C5-C4-N3	3.26	119.72	114.84
5	A	2499	2MA	C8-N7-C5	3.05	108.81	102.99
52	v	20	H2U	C5-C4-N3	-3.03	113.25	116.65
5	A	2548	OMU	O4-C4-C5	-2.96	119.95	125.16
5	A	2576	PSU	O2-C2-N1	-2.81	119.70	122.79
5	A	2453	PSU	O2-C2-N1	-2.76	119.76	122.79
5	A	952	PSU	O2-C2-N1	-2.67	119.85	122.79
31	a	1399	4OC	C6-C5-C4	2.62	120.16	116.96
31	a	513	PSU	O2-C2-N1	-2.58	119.95	122.79
52	v	56	PSU	O2-C2-N1	-2.55	119.98	122.79
5	A	1907	PSU	O2-C2-N1	-2.54	120.00	122.79
5	A	2576	PSU	O4'-C1'-C2'	2.50	108.67	105.14
5	A	2500	PSU	O2-C2-N1	-2.43	120.12	122.79
31	a	513	PSU	C6-N1-C2	-2.42	120.20	122.68
5	A	1913	PSU	O2-C2-N1	-2.41	120.14	122.79
5	A	2247	OMG	O6-C6-C5	2.40	129.07	124.37
5	A	2026	6MZ	C2-N1-C6	2.39	118.64	116.59
5	A	2065	7MG	C5-C4-N9	2.37	109.42	106.35
5	A	2601	PSU	O2-C2-N1	-2.35	120.20	122.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	v	56	PSU	O4'-C1'-C2'	2.34	108.45	105.14
31	a	513	PSU	O4'-C1'-C2'	2.30	108.38	105.14
52	v	56	PSU	C6-N1-C2	-2.29	120.34	122.68
31	a	1204	2MG	O6-C6-C5	2.28	128.82	124.37
5	A	2576	PSU	C6-N1-C2	-2.28	120.36	122.68
31	a	524	7MG	C5-C4-N9	2.26	109.28	106.35
31	a	963	2MG	O6-C6-C5	2.24	128.75	124.37
5	A	2548	OMU	O2-C2-N1	-2.22	119.83	122.79
5	A	2441	2MG	O6-C6-C5	2.17	128.60	124.37
5	A	1907	PSU	C6-N1-C2	-2.15	120.48	122.68
5	A	2453	PSU	O4'-C1'-C2'	2.09	108.10	105.14
31	a	1495	UR3	C6-N1-C2	-2.04	119.96	121.79
5	A	2453	PSU	C6-N1-C2	-2.02	120.61	122.68

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
31	a	524	7MG	C3'-C4'-C5'-O5'
52	v	8	4SU	C3'-C4'-C5'-O5'
52	v	8	4SU	O4'-C4'-C5'-O5'
52	v	55	5MU	C3'-C4'-C5'-O5'
52	v	55	5MU	O4'-C4'-C5'-O5'
52	v	56	PSU	O4'-C1'-C5-C4
52	v	56	PSU	O4'-C1'-C5-C6
52	v	56	PSU	C3'-C4'-C5'-O5'
5	A	2026	6MZ	O4'-C4'-C5'-O5'
52	v	56	PSU	O4'-C4'-C5'-O5'
5	A	1911	3TD	O4'-C4'-C5'-O5'
5	A	2026	6MZ	C3'-C4'-C5'-O5'
5	A	2499	2MA	O4'-C4'-C5'-O5'
5	A	2499	2MA	C3'-C4'-C5'-O5'
5	A	1911	3TD	C3'-C4'-C5'-O5'
31	a	524	7MG	O4'-C4'-C5'-O5'
52	v	20	H2U	O4'-C4'-C5'-O5'
52	v	20	H2U	C3'-C4'-C5'-O5'
31	a	1399	4OC	O4'-C4'-C5'-O5'
52	v	20	H2U	C4'-C5'-O5'-P
52	v	55	5MU	C4'-C5'-O5'-P
5	A	2065	7MG	O4'-C4'-C5'-O5'
31	a	1399	4OC	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
55	OIY	A	3004	-	52,55,55	1.81	10 (19%)	56,74,74	1.82	8 (14%)
55	OIY	A	3006	-	43,46,55	1.69	8 (18%)	47,63,74	1.85	8 (17%)
55	OIY	A	3002	-	46,49,55	1.85	11 (23%)	51,67,74	2.19	11 (21%)
55	OIY	W	101	-	52,55,55	1.84	10 (19%)	56,74,74	1.90	9 (16%)
55	OIY	A	3005	-	34,37,55	1.33	6 (17%)	38,52,74	2.27	9 (23%)
55	OIY	A	3001	-	39,42,55	1.70	8 (20%)	44,58,74	2.12	8 (18%)
55	OIY	a	1603	-	52,55,55	1.84	10 (19%)	56,74,74	1.87	12 (21%)
55	OIY	N	201	-	34,37,55	1.35	6 (17%)	38,52,74	1.98	7 (18%)
55	OIY	a	1601	-	34,37,55	1.32	6 (17%)	38,52,74	2.06	6 (15%)
55	OIY	a	1602	-	52,55,55	1.83	10 (19%)	56,74,74	1.79	10 (17%)
55	OIY	A	3003	-	52,55,55	1.84	10 (19%)	56,74,74	1.78	9 (16%)
55	OIY	a	1604	-	34,37,55	1.29	6 (17%)	38,52,74	2.21	6 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	OIY	A	3004	-	-	11/44/89/89	0/3/3/3
55	OIY	A	3006	-	-	13/33/78/89	0/3/3/3
55	OIY	A	3002	-	-	14/36/81/89	0/3/3/3
55	OIY	W	101	-	-	11/44/89/89	0/3/3/3
55	OIY	A	3005	-	-	6/22/67/89	0/3/3/3
55	OIY	A	3001	-	-	4/28/73/89	0/3/3/3
55	OIY	a	1603	-	-	7/44/89/89	0/3/3/3
55	OIY	N	201	-	-	3/22/67/89	0/3/3/3
55	OIY	a	1601	-	-	2/22/67/89	0/3/3/3
55	OIY	a	1602	-	-	11/44/89/89	0/3/3/3
55	OIY	A	3003	-	-	15/44/89/89	0/3/3/3
55	OIY	a	1604	-	-	2/22/67/89	0/3/3/3

All (101) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	A	3002	OIY	C34-N33	7.19	1.49	1.33
55	a	1602	OIY	C34-N33	7.06	1.49	1.33
55	A	3006	OIY	C34-N33	7.00	1.49	1.33
55	a	1603	OIY	C34-N33	6.99	1.49	1.33
55	W	101	OIY	C34-N33	6.98	1.49	1.33
55	A	3004	OIY	C34-N33	6.96	1.49	1.33
55	A	3003	OIY	C34-N33	6.96	1.49	1.33
55	A	3001	OIY	C34-N33	6.93	1.49	1.33
55	A	3003	OIY	C42-N41	6.47	1.48	1.33
55	a	1602	OIY	C42-N41	6.40	1.47	1.33
55	W	101	OIY	C42-N41	6.39	1.47	1.33
55	A	3004	OIY	C42-N41	6.38	1.47	1.33
55	a	1603	OIY	C42-N41	6.34	1.47	1.33
55	A	3002	OIY	C42-N41	4.74	1.47	1.34
55	a	1603	OIY	C05-N07	3.79	1.40	1.33
55	A	3006	OIY	C05-N07	3.77	1.40	1.33
55	a	1602	OIY	C05-N07	3.76	1.40	1.33
55	N	201	OIY	C05-N07	3.72	1.40	1.33
55	W	101	OIY	C05-N07	3.72	1.40	1.33
55	A	3003	OIY	C05-N07	3.69	1.40	1.33
55	a	1601	OIY	C05-N07	3.69	1.40	1.33
55	A	3002	OIY	C05-N07	3.64	1.40	1.33
55	A	3005	OIY	C05-N07	3.57	1.40	1.33
55	A	3004	OIY	C05-N07	3.57	1.40	1.33
55	A	3001	OIY	C05-N07	3.56	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	a	1604	OIY	C05-N07	3.44	1.39	1.33
55	A	3005	OIY	C01-C02	3.11	1.55	1.52
55	A	3002	OIY	C01-C02	3.06	1.55	1.52
55	W	101	OIY	C01-C02	3.06	1.55	1.52
55	A	3004	OIY	C01-C02	3.02	1.55	1.52
55	A	3006	OIY	C01-C02	3.02	1.55	1.52
55	a	1603	OIY	C02-C03	-2.99	1.50	1.53
55	a	1604	OIY	C01-C02	2.99	1.55	1.52
55	a	1601	OIY	C01-C02	2.98	1.55	1.52
55	a	1601	OIY	C02-C03	-2.97	1.50	1.53
55	A	3003	OIY	C01-C02	2.91	1.55	1.52
55	a	1603	OIY	C01-C02	2.88	1.55	1.52
55	N	201	OIY	C01-C02	2.88	1.55	1.52
55	N	201	OIY	C02-C03	-2.87	1.50	1.53
55	A	3003	OIY	C02-C03	-2.87	1.50	1.53
55	a	1602	OIY	C02-C03	-2.86	1.50	1.53
55	W	101	OIY	C02-C03	-2.85	1.50	1.53
55	A	3001	OIY	C01-C02	2.84	1.55	1.52
55	A	3006	OIY	C02-C03	-2.84	1.50	1.53
55	A	3004	OIY	C02-C03	-2.73	1.50	1.53
55	A	3005	OIY	C02-C03	-2.72	1.50	1.53
55	a	1602	OIY	C01-C02	2.71	1.55	1.52
55	A	3002	OIY	C02-C03	-2.67	1.50	1.53
55	a	1604	OIY	C02-C03	-2.65	1.50	1.53
55	N	201	OIY	C01-N07	2.62	1.49	1.46
55	A	3001	OIY	C02-C03	-2.59	1.50	1.53
55	a	1603	OIY	C01-N07	2.59	1.49	1.46
55	A	3003	OIY	C01-N07	2.57	1.49	1.46
55	a	1601	OIY	C01-N07	2.54	1.49	1.46
55	W	101	OIY	C01-N07	2.53	1.49	1.46
55	a	1602	OIY	C01-N07	2.52	1.49	1.46
55	A	3001	OIY	C36-C34	2.51	1.56	1.51
55	A	3005	OIY	C01-N07	2.50	1.49	1.46
55	A	3006	OIY	C01-N07	2.50	1.49	1.46
55	A	3004	OIY	C01-N07	2.48	1.49	1.46
55	A	3002	OIY	C01-N07	2.48	1.49	1.46
55	A	3002	OIY	C26-N25	2.44	1.39	1.34
55	A	3005	OIY	C26-N25	2.41	1.39	1.34
55	a	1603	OIY	C26-N25	2.39	1.39	1.34
55	A	3004	OIY	C26-N25	2.38	1.39	1.34
55	A	3002	OIY	C44-C42	2.37	1.55	1.50
55	N	201	OIY	C26-N25	2.37	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	A	3003	OIY	C26-N25	2.37	1.39	1.34
55	A	3001	OIY	C26-N25	2.36	1.39	1.34
55	A	3006	OIY	C26-N25	2.35	1.39	1.34
55	a	1604	OIY	C01-N07	2.34	1.48	1.46
55	W	101	OIY	C26-N25	2.34	1.39	1.34
55	a	1602	OIY	C26-N25	2.33	1.39	1.34
55	a	1604	OIY	C26-N25	2.33	1.39	1.34
55	a	1601	OIY	C26-N25	2.31	1.38	1.34
55	A	3001	OIY	C01-N07	2.23	1.48	1.46
55	A	3005	OIY	C21-N23	2.21	1.37	1.33
55	A	3001	OIY	C21-N23	2.19	1.37	1.33
55	W	101	OIY	C21-N23	2.18	1.37	1.33
55	a	1604	OIY	C21-N23	2.18	1.37	1.33
55	a	1603	OIY	C21-N23	2.17	1.37	1.33
55	N	201	OIY	C21-N23	2.15	1.37	1.33
55	a	1602	OIY	C21-N23	2.15	1.37	1.33
55	A	3006	OIY	C21-N23	2.14	1.37	1.33
55	A	3004	OIY	C21-N23	2.14	1.37	1.33
55	A	3003	OIY	C21-N23	2.13	1.37	1.33
55	a	1602	OIY	O43-C42	-2.11	1.19	1.23
55	a	1601	OIY	C21-N23	2.11	1.37	1.33
55	W	101	OIY	O43-C42	-2.11	1.19	1.23
55	A	3004	OIY	O43-C42	-2.09	1.19	1.23
55	a	1603	OIY	O43-C42	-2.09	1.19	1.23
55	A	3002	OIY	C36-C34	2.09	1.56	1.51
55	A	3002	OIY	C21-N23	2.07	1.37	1.33
55	A	3002	OIY	O35-C34	-2.07	1.19	1.23
55	W	101	OIY	O35-C34	-2.07	1.19	1.23
55	A	3003	OIY	O43-C42	-2.05	1.19	1.23
55	A	3003	OIY	O35-C34	-2.04	1.19	1.23
55	a	1602	OIY	O35-C34	-2.04	1.19	1.23
55	a	1603	OIY	O35-C34	-2.02	1.19	1.23
55	A	3004	OIY	O35-C34	-2.01	1.19	1.23
55	A	3006	OIY	O35-C34	-2.00	1.19	1.23

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	A	3001	OIY	C03-C04-N08	8.59	112.56	104.75
55	a	1604	OIY	C02-C01-N07	7.92	118.04	109.83
55	A	3002	OIY	C02-C01-N07	7.58	117.69	109.83
55	W	101	OIY	C02-C01-N07	7.52	117.63	109.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	a	1601	OIY	C02-C01-N07	7.35	117.45	109.83
55	A	3001	OIY	C02-C01-N07	7.27	117.36	109.83
55	a	1604	OIY	C03-C04-N08	7.26	111.36	104.75
55	A	3004	OIY	C02-C01-N07	7.16	117.25	109.83
55	A	3006	OIY	C02-C01-N07	7.13	117.22	109.83
55	A	3005	OIY	C02-C01-N07	7.08	117.17	109.83
55	A	3003	OIY	C02-C01-N07	6.98	117.06	109.83
55	N	201	OIY	C02-C01-N07	6.92	117.00	109.83
55	a	1602	OIY	C02-C01-N07	6.88	116.96	109.83
55	a	1603	OIY	C02-C01-N07	6.77	116.84	109.83
55	A	3002	OIY	C03-C04-N08	6.19	110.38	104.75
55	W	101	OIY	C03-C04-N08	6.10	110.30	104.75
55	a	1602	OIY	C03-N10-C09	-6.05	106.75	112.56
55	a	1601	OIY	C03-C04-N08	5.87	110.09	104.75
55	A	3002	OIY	O17-C12-C13	5.51	112.73	108.97
55	a	1603	OIY	C03-N10-C09	-5.28	107.50	112.56
55	A	3003	OIY	C03-N10-C09	-5.23	107.55	112.56
55	A	3005	OIY	C03-N10-C09	-5.17	107.61	112.56
55	A	3006	OIY	C03-N10-C09	-5.15	107.62	112.56
55	A	3005	OIY	C12-C13-N25	5.13	117.38	111.12
55	N	201	OIY	C03-N10-C09	-5.10	107.67	112.56
55	A	3004	OIY	C03-N10-C09	-5.02	107.74	112.56
55	a	1601	OIY	C03-N10-C09	-4.95	107.81	112.56
55	A	3004	OIY	C03-C04-N08	4.93	109.23	104.75
55	W	101	OIY	C03-N10-C09	-4.81	107.95	112.56
55	A	3002	OIY	C03-N10-C09	-4.76	107.99	112.56
55	A	3005	OIY	C03-C04-N08	4.70	109.02	104.75
55	A	3006	OIY	C03-C04-N08	4.52	108.85	104.75
55	A	3003	OIY	C03-C04-N08	4.48	108.82	104.75
55	N	201	OIY	C03-C04-N08	4.37	108.72	104.75
55	a	1604	OIY	C03-N10-C09	-4.35	108.39	112.56
55	a	1603	OIY	C03-C04-N08	4.22	108.58	104.75
55	A	3002	OIY	C36-C34-N33	4.12	121.67	115.97
55	a	1603	OIY	C36-C34-N33	4.10	121.64	115.97
55	A	3002	OIY	C28-C26-N25	-3.82	111.33	116.33
55	A	3004	OIY	C28-C26-N25	-3.73	111.44	116.33
55	A	3005	OIY	C28-C26-N25	-3.70	111.47	116.33
55	a	1604	OIY	C28-C26-N25	-3.66	111.53	116.33
55	W	101	OIY	C28-C26-N25	-3.65	111.54	116.33
55	A	3004	OIY	O06-C05-N07	3.64	127.45	122.38
55	a	1603	OIY	C28-C26-N25	-3.62	111.58	116.33
55	A	3005	OIY	O06-C05-N07	3.61	127.41	122.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	A	3003	OIY	C28-C26-N25	-3.58	111.63	116.33
55	A	3001	OIY	C28-C26-N25	-3.56	111.66	116.33
55	N	201	OIY	C28-C26-N25	-3.55	111.68	116.33
55	a	1602	OIY	C28-C26-N25	-3.53	111.70	116.33
55	A	3006	OIY	C28-C26-N25	-3.53	111.70	116.33
55	a	1602	OIY	C03-C04-N08	3.48	107.92	104.75
55	A	3001	OIY	C03-N10-C09	-3.48	109.23	112.56
55	a	1601	OIY	C28-C26-N25	-3.48	111.77	116.33
55	a	1604	OIY	O06-C05-N07	3.31	126.99	122.38
55	a	1603	OIY	C44-C42-N41	3.21	120.41	115.97
55	N	201	OIY	O06-C05-N07	3.20	126.83	122.38
55	A	3004	OIY	C36-C34-N33	3.19	120.38	115.97
55	a	1601	OIY	O06-C05-N07	3.16	126.78	122.38
55	A	3006	OIY	O06-C05-N07	3.16	126.78	122.38
55	a	1602	OIY	O17-C12-N11	3.11	113.60	108.01
55	A	3003	OIY	O06-C05-N07	3.11	126.71	122.38
55	N	201	OIY	C03-C04-C05	-3.07	105.20	116.61
55	A	3002	OIY	O06-C05-N07	3.06	126.64	122.38
55	A	3005	OIY	C13-N25-C26	3.00	127.32	122.90
55	a	1603	OIY	O17-C12-C13	3.00	111.02	108.97
55	A	3002	OIY	C16-O17-C12	2.98	116.57	112.52
55	A	3003	OIY	C44-C42-N41	2.95	120.05	115.97
55	W	101	OIY	C36-C34-N33	2.92	120.02	115.97
55	A	3005	OIY	C03-C04-C05	-2.92	105.78	116.61
55	a	1603	OIY	C03-C04-C05	-2.90	105.82	116.61
55	A	3003	OIY	C03-C04-C05	-2.88	105.90	116.61
55	a	1603	OIY	O06-C05-N07	2.87	126.38	122.38
55	A	3006	OIY	C36-C34-N33	2.87	119.94	115.97
55	a	1602	OIY	C03-C04-C05	-2.87	105.96	116.61
55	a	1604	OIY	O17-C12-C13	2.83	110.90	108.97
55	W	101	OIY	C44-C42-N41	2.77	119.81	115.97
55	A	3006	OIY	C03-C04-C05	-2.76	106.36	116.61
55	A	3004	OIY	C03-C04-C05	-2.76	106.37	116.61
55	W	101	OIY	O06-C05-N07	2.72	126.16	122.38
55	A	3001	OIY	O17-C12-N11	2.70	112.87	108.01
55	a	1602	OIY	O06-C05-N07	2.63	126.05	122.38
55	a	1602	OIY	C36-C34-N33	2.60	119.57	115.97
55	a	1602	OIY	C44-C42-N41	2.57	119.53	115.97
55	A	3004	OIY	C44-C42-N41	2.50	119.43	115.97
55	A	3003	OIY	C36-C34-N33	2.47	119.39	115.97
55	A	3002	OIY	C44-C42-N41	2.34	120.24	116.09
55	N	201	OIY	O17-C12-C13	2.27	110.52	108.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	W	101	OIY	N11-C09-N10	-2.23	114.80	122.17
55	a	1601	OIY	C03-C04-C05	-2.17	108.55	116.61
55	A	3001	OIY	C36-C34-N33	2.17	120.07	116.42
55	A	3001	OIY	O06-C05-N07	2.14	125.36	122.38
55	W	101	OIY	O17-C12-N11	2.13	111.83	108.01
55	A	3003	OIY	N11-C09-N10	-2.11	115.20	122.17
55	A	3002	OIY	O35-C34-N33	-2.08	119.09	123.01
55	a	1603	OIY	N11-C09-N10	-2.07	115.33	122.17
55	A	3002	OIY	C03-C04-C05	-2.06	108.97	116.61
55	a	1603	OIY	O35-C34-N33	-2.05	119.14	123.01
55	a	1602	OIY	C40-N41-C42	-2.04	119.05	122.84
55	A	3001	OIY	C12-C13-N25	2.03	113.60	111.12
55	A	3005	OIY	O20-C21-O22	2.03	125.74	123.69
55	A	3006	OIY	O17-C12-C13	2.01	110.34	108.97
55	a	1603	OIY	O43-C42-N41	-2.00	119.24	123.01

There are no chirality outliers.

All (99) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	A	3002	OIY	C28-C29-C30-C31
55	A	3002	OIY	N52-C29-C30-C31
55	A	3002	OIY	C36-C37-C38-C39
55	A	3002	OIY	N51-C37-C38-C39
55	A	3003	OIY	C12-C13-N25-C26
55	A	3003	OIY	C28-C29-C30-C31
55	A	3003	OIY	C34-C36-C37-N51
55	A	3004	OIY	C26-C28-C29-N52
55	A	3004	OIY	C36-C37-C38-C39
55	A	3004	OIY	C42-C44-C45-N50
55	A	3005	OIY	C12-C13-N25-C26
55	A	3005	OIY	C14-C15-O20-C21
55	A	3005	OIY	C16-C15-O20-C21
55	A	3005	OIY	C26-C28-C29-C30
55	A	3005	OIY	C26-C28-C29-N52
55	A	3006	OIY	N23-C21-O20-C15
55	A	3006	OIY	O22-C21-O20-C15
55	A	3006	OIY	C26-C28-C29-N52
55	A	3006	OIY	C28-C29-C30-C31
55	W	101	OIY	N23-C21-O20-C15
55	W	101	OIY	O22-C21-O20-C15
55	W	101	OIY	C28-C29-C30-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	a	1602	OIY	C26-C28-C29-N52
55	a	1602	OIY	C34-C36-C37-C38
55	a	1602	OIY	C34-C36-C37-N51
55	a	1602	OIY	C44-C45-C46-C47
55	a	1602	OIY	N50-C45-C46-C47
55	a	1603	OIY	C28-C29-C30-C31
55	a	1603	OIY	N52-C29-C30-C31
55	a	1603	OIY	C44-C45-C46-C47
55	A	3001	OIY	O17-C16-C18-O19
55	A	3002	OIY	C36-C34-N33-C32
55	a	1602	OIY	C44-C42-N41-C40
55	a	1603	OIY	C36-C34-N33-C32
55	A	3001	OIY	C15-C16-C18-O19
55	A	3001	OIY	C30-C31-C32-N33
55	A	3002	OIY	O17-C16-C18-O19
55	A	3003	OIY	C15-C16-C18-O19
55	a	1601	OIY	O17-C16-C18-O19
55	A	3002	OIY	O35-C34-N33-C32
55	a	1602	OIY	O43-C42-N41-C40
55	a	1603	OIY	O35-C34-N33-C32
55	A	3006	OIY	C15-C16-C18-O19
55	A	3004	OIY	C30-C31-C32-N33
55	a	1603	OIY	C38-C39-C40-N41
55	a	1604	OIY	C15-C16-C18-O19
55	A	3004	OIY	C15-C16-C18-O19
55	W	101	OIY	C38-C39-C40-N41
55	A	3006	OIY	O17-C16-C18-O19
55	a	1601	OIY	C15-C16-C18-O19
55	A	3003	OIY	O17-C16-C18-O19
55	a	1604	OIY	O17-C16-C18-O19
55	A	3006	OIY	C29-C30-C31-C32
55	W	101	OIY	C45-C46-C47-C48
55	W	101	OIY	O17-C16-C18-O19
55	A	3004	OIY	O17-C16-C18-O19
55	A	3003	OIY	C37-C38-C39-C40
55	A	3002	OIY	C26-C28-C29-C30
55	A	3003	OIY	C34-C36-C37-C38
55	A	3004	OIY	C26-C28-C29-C30
55	A	3002	OIY	C29-C30-C31-C32
55	a	1602	OIY	O17-C16-C18-O19
55	N	201	OIY	C15-C16-C18-O19
55	A	3003	OIY	C38-C39-C40-N41

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
55	A	3002	OIY	C15-C16-C18-O19
55	W	101	OIY	C42-C44-C45-C46
55	A	3004	OIY	O35-C34-C36-C37
55	A	3006	OIY	C12-C13-N25-C26
55	N	201	OIY	O17-C16-C18-O19
55	N	201	OIY	C26-C28-C29-N52
55	A	3002	OIY	N25-C26-C28-C29
55	A	3004	OIY	N33-C34-C36-C37
55	A	3006	OIY	N51-C37-C38-C39
55	W	101	OIY	N52-C29-C30-C31
55	W	101	OIY	N51-C37-C38-C39
55	a	1603	OIY	C29-C30-C31-C32
55	A	3006	OIY	C36-C37-C38-C39
55	W	101	OIY	C36-C37-C38-C39
55	a	1602	OIY	C14-C15-O20-C21
55	A	3002	OIY	O35-C34-C36-C37
55	A	3004	OIY	C37-C38-C39-C40
55	A	3002	OIY	O27-C26-C28-C29
55	A	3002	OIY	N33-C34-C36-C37
55	A	3003	OIY	C30-C31-C32-N33
55	A	3003	OIY	C42-C44-C45-C46
55	a	1602	OIY	C26-C28-C29-C30
55	A	3003	OIY	C29-C30-C31-C32
55	A	3003	OIY	C14-C13-N25-C26
55	A	3006	OIY	C14-C13-N25-C26
55	a	1602	OIY	C31-C32-N33-C34
55	A	3006	OIY	C34-C36-C37-C38
55	A	3001	OIY	C26-C28-C29-N52
55	A	3006	OIY	C34-C36-C37-N51
55	W	101	OIY	C26-C28-C29-N52
55	A	3003	OIY	O43-C42-C44-C45
55	A	3004	OIY	C29-C30-C31-C32
55	A	3003	OIY	O17-C12-N11-C09
55	A	3005	OIY	C14-C13-N25-C26
55	A	3003	OIY	N52-C29-C30-C31


There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26820. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 320



Y Index: 320




Z Index: 320


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 329



Y Index: 341




Z Index: 364


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1240 nm^3 ; this corresponds to an approximate mass of 1120 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.418 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26820 and PDB model 7UVY. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary







































The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.6220
0	 0.9260	 0.6420
1	 0.9880	 0.6980
2	 0.9960	 0.6850
3	 0.9830	 0.6550
A	 0.9900	 0.6450
B	 0.9960	 0.5940
C	 0.9850	 0.6670
D	 0.9820	 0.6790
E	 0.9740	 0.6600
F	 0.8410	 0.4750
G	 0.9170	 0.5690
H	 0.7110	 0.4750
I	 0.9860	 0.6760
J	 0.9770	 0.6620
K	 0.9830	 0.6710
L	 0.9730	 0.6600
M	 0.9950	 0.6880
N	 0.9610	 0.6060
O	 0.9770	 0.6530
P	 0.9970	 0.6900
Q	 0.9750	 0.6670
R	 0.9830	 0.6770
S	 0.9570	 0.6430
T	 0.9340	 0.6100
U	 0.9520	 0.6390
V	 0.9890	 0.6800
W	 0.9640	 0.6650
X	 0.9330	 0.5970
Y	 0.9710	 0.6680
Z	 0.9740	 0.6690
a	 0.9820	 0.6000
b	 0.6790	 0.4810
c	 0.9460	 0.6130
d	 0.9040	 0.5220



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.9790	 0.6290
f	 0.9220	 0.5780
g	 0.8590	 0.5340
h	 0.9770	 0.6360
i	 0.9720	 0.6300
j	 0.9190	 0.6030
k	 0.9360	 0.5770
l	 0.9230	 0.6050
m	 0.9610	 0.6190
n	 0.9580	 0.6280
o	 0.9770	 0.6320
p	 0.9730	 0.6220
q	 0.9640	 0.6020
r	 0.9660	 0.6090
s	 0.9780	 0.6340
t	 0.9800	 0.6130
u	 0.6910	 0.5320
v	 0.8140	 0.4220
w	 0.9850	 0.6120