



## Full wwPDB EM Validation Report ⓘ

Oct 13, 2024 – 11:56 am BST

PDB ID : 7ZLK  
EMDB ID : EMD-14783  
Title : AMC009 SOSIPv5.2 in complex with Fabs ACS114 and ACS122  
Authors : van Schooten, J.; Ozorowski, G.; Ward, A.  
Deposited on : 2022-04-15  
Resolution : 3.99 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	482	 6% 85% 6% 10%
1	C	482	 • 87% • 10%
1	D	482	 5% 87% • 10%
2	B	154	 73% 5% • 22%
2	E	154	 7% 80% 20%
2	F	154	 80% 6% 14%
3	H	120	 5% 96% •
3	O	120	 18% 96% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	120	7% 95% 5%
4	L	112	12% 97% .
4	P	112	27% 96% .
4	R	112	8% 95% 5%
5	M	124	19% 94% 5% .
5	S	124	15% 83% 12% . .
6	N	108	27% 93% 6% .
6	T	108	11% 93% 6% ..
7	G	2	50% 100%
7	V	2	50% 100%
7	e	2	50% 100%
8	I	5	100%
8	U	5	20% 100%
8	W	5	100%
8	Y	5	100%
8	Z	5	80% 20%
8	b	5	20% 100%
8	f	5	20% 100%
9	J	7	14% 100%
9	X	7	14% 100%
9	c	7	14% 100%
10	K	4	25% 67% 75%
11	a	3	67% 100%
12	d	8	38% 100%

## 2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 23518 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AMC009 SOSIPv5.2 envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	436	Total	C	N	O	S	0	0
			3460	2185	606	642	27		
1	C	436	Total	C	N	O	S	0	0
			3460	2185	606	642	27		
1	D	436	Total	C	N	O	S	0	0
			3460	2185	606	642	27		

- Molecule 2 is a protein called AMC009 SOSIPv5.2 envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	120	Total	C	N	O	S	0	0
			954	601	170	176	7		
2	E	123	Total	C	N	O	S	0	0
			982	616	176	183	7		
2	F	132	Total	C	N	O	S	0	0
			1058	662	187	202	7		

- Molecule 3 is a protein called ACS114 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	H	120	Total	C	N	O	S	0	0
			934	594	163	171	6		
3	O	120	Total	C	N	O	S	0	0
			934	594	163	171	6		
3	Q	120	Total	C	N	O	S	0	0
			934	594	163	171	6		

- Molecule 4 is a protein called ACS114 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	L	112	Total	C	N	O	S	0	0
			856	538	147	168	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	P	112	Total	C	N	O	S	0	0
			856	538	147	168	3		
4	R	112	Total	C	N	O	S	0	0
			856	538	147	168	3		

- Molecule 5 is a protein called ACS122 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	M	124	Total	C	N	O	S	0	0
			971	618	165	185	3		
5	S	119	Total	C	N	O	S	0	0
			938	598	160	177	3		

- Molecule 6 is a protein called ACS122 light chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
6	N	107	Total	C	N	O	S	0	0
			814	509	141	161	3		
6	T	107	Total	C	N	O	S	0	0
			814	509	141	161	3		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	G	2	Total	C	N	O	0	0
			28	16	2	10		
7	V	2	Total	C	N	O	0	0
			28	16	2	10		
7	e	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	I	5	61	34	2	25	0	0
8	U	5	61	34	2	25	0	0
8	W	5	61	34	2	25	0	0
8	Y	5	61	34	2	25	0	0
8	Z	5	61	34	2	25	0	0
8	b	5	61	34	2	25	0	0
8	f	5	61	34	2	25	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	J	7	83	46	2	35	0	0
9	X	7	83	46	2	35	0	0
9	c	7	83	46	2	35	0	0

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
10	K	4	50	28	2	20	0	0

- Molecule 11 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
11	a	3	39	22	2	15	0	0

- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
12	d	8	94	52	2	40	0	0

- Molecule 13 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	A	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	C	1	14	8	1	5	0
13	D	1	14	8	1	5	0

*Continued on next page...*




*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>				<b>AltConf</b>
13	D	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0
13	D	1	Total 14	C 8	N 1	O 5	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: AMC009 SOSIPv5.2 envelope glycoprotein gp120




- Molecule 1: AMC009 SOSIPv5.2 envelope glycoprotein gp120




- Molecule 1: AMC009 SOSIPv5.2 envelope glycoprotein gp120




- Molecule 2: AMC009 SOSIPv5.2 envelope glycoprotein gp41




- Molecule 2: AMC009 SOSIPv5.2 envelope glycoprotein gp41




- Molecule 2: AMC009 SOSIPv5.2 envelope glycoprotein gp41




- Molecule 3: ACS114 heavy chain



- Molecule 3: ACS114 heavy chain




- Molecule 3: ACS114 heavy chain




- Molecule 4: ACS114 light chain








- Molecule 4: ACS114 light chain





- Molecule 4: ACS114 light chain




- Molecule 5: ACS122 heavy chain





- Molecule 5: ACS122 heavy chain



- Molecule 6: ACS122 light chain



- Molecule 6: ACS122 light chain



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  80% 20%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  20% 100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  20% 100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  14% 100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5  
MAN6  
MAN7


- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X: 



- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c: 



- Molecule 10: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 



- Molecule 11: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 



- Molecule 12: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d: 



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	159597	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	49.3	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.164	Depositor
Minimum map value	-0.731	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.032	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	345.0, 345.0, 345.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.11	13/3535 (0.4%)	0.92	4/4800 (0.1%)
1	C	1.08	12/3535 (0.3%)	0.89	5/4800 (0.1%)
1	D	1.06	13/3535 (0.4%)	0.92	6/4800 (0.1%)
2	B	1.06	1/970 (0.1%)	1.01	2/1317 (0.2%)
2	E	1.08	0/998	0.87	0/1353
2	F	1.16	3/1074 (0.3%)	0.88	1/1456 (0.1%)
3	H	1.03	1/963 (0.1%)	1.02	7/1314 (0.5%)
3	O	1.01	1/963 (0.1%)	0.94	3/1314 (0.2%)
3	Q	1.11	2/963 (0.2%)	1.02	6/1314 (0.5%)
4	L	0.98	1/875 (0.1%)	1.01	1/1190 (0.1%)
4	P	1.02	1/875 (0.1%)	1.01	2/1190 (0.2%)
4	R	0.98	1/875 (0.1%)	0.99	2/1190 (0.2%)
5	M	1.16	6/997 (0.6%)	0.93	1/1361 (0.1%)
5	S	1.15	6/964 (0.6%)	1.04	4/1315 (0.3%)
6	N	1.15	8/834 (1.0%)	0.92	1/1136 (0.1%)
6	T	1.12	6/834 (0.7%)	0.97	2/1136 (0.2%)
All	All	1.08	75/22790 (0.3%)	0.94	47/30986 (0.2%)

All (75) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	S	102	PRO	N-CD	10.08	1.61	1.47
3	Q	29	PHE	CB-CG	-8.49	1.36	1.51
6	N	1	TYR	CG-CD2	8.02	1.49	1.39
6	T	1	TYR	CG-CD2	8.01	1.49	1.39
1	C	482	GLU	CG-CD	-7.81	1.40	1.51
1	D	134	TYR	CG-CD2	7.72	1.49	1.39
1	A	134	TYR	CE1-CZ	7.71	1.48	1.38
1	A	134	TYR	CG-CD2	7.65	1.49	1.39
6	T	1	TYR	CG-CD1	7.61	1.49	1.39
1	D	134	TYR	CE2-CZ	7.58	1.48	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	N	1	TYR	CE2-CZ	7.57	1.48	1.38
6	N	86	CYS	CB-SG	-7.46	1.69	1.82
1	A	134	TYR	CG-CD1	7.43	1.48	1.39
1	D	134	TYR	CG-CD1	7.28	1.48	1.39
1	C	134	TYR	CG-CD2	7.24	1.48	1.39
1	D	134	TYR	CE1-CZ	7.16	1.47	1.38
5	S	34	TRP	CB-CG	-7.10	1.37	1.50
1	C	482	GLU	CD-OE2	-7.00	1.18	1.25
6	N	1	TYR	CG-CD1	6.99	1.48	1.39
6	T	1	TYR	CE1-CZ	6.99	1.47	1.38
3	H	29	PHE	CB-CG	-6.90	1.39	1.51
6	T	96	CYS	CB-SG	-6.88	1.70	1.82
5	M	59	TYR	CB-CG	-6.81	1.41	1.51
1	C	134	TYR	CE2-CZ	6.81	1.47	1.38
5	M	100(G)	TRP	CB-CG	-6.78	1.38	1.50
6	T	86	CYS	CB-SG	-6.76	1.70	1.82
1	C	134	TYR	CG-CD1	6.74	1.48	1.39
1	C	134	TYR	CE1-CZ	6.74	1.47	1.38
5	M	6	GLU	CD-OE2	-6.41	1.18	1.25
6	N	34	TYR	CB-CG	-6.34	1.42	1.51
1	C	35	TRP	CD2-CE3	6.28	1.49	1.40
1	D	35	TRP	CD2-CE3	6.25	1.49	1.40
1	A	53	PHE	CB-CG	-6.18	1.40	1.51
3	O	29	PHE	CB-CG	-6.08	1.41	1.51
1	A	134	TYR	CE2-CZ	6.00	1.46	1.38
6	T	1	TYR	CE2-CZ	6.00	1.46	1.38
1	A	150	GLU	CB-CG	5.91	1.63	1.52
1	A	35	TRP	CZ2-CH2	5.87	1.48	1.37
1	C	35	TRP	CZ2-CH2	5.86	1.48	1.37
1	A	35	TRP	CE3-CZ3	5.82	1.48	1.38
2	F	631	TRP	CB-CG	-5.81	1.39	1.50
5	S	78	PHE	CB-CG	-5.72	1.41	1.51
1	D	35	TRP	CZ2-CH2	5.69	1.48	1.37
1	D	150	GLU	CB-CG	5.67	1.62	1.52
1	D	159	PHE	CB-CG	-5.64	1.41	1.51
2	F	647	GLU	CD-OE2	-5.62	1.19	1.25
1	D	482	GLU	CD-OE1	-5.61	1.19	1.25
1	D	308	HIS	CB-CG	-5.60	1.40	1.50
4	P	94	PHE	CB-CG	-5.52	1.42	1.51
1	A	466	GLU	CD-OE1	-5.48	1.19	1.25
5	S	33	TYR	CE1-CZ	-5.47	1.31	1.38
3	Q	25	TYR	CB-CG	-5.47	1.43	1.51

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	159	PHE	CB-CG	-5.44	1.42	1.51
5	M	95	GLU	CD-OE1	-5.44	1.19	1.25
1	A	35	TRP	CD2-CE3	5.38	1.48	1.40
6	N	1	TYR	CD2-CE2	5.38	1.47	1.39
6	N	96	CYS	CB-SG	-5.34	1.73	1.81
4	R	94	PHE	CB-CG	-5.33	1.42	1.51
1	C	53	PHE	CB-CG	-5.29	1.42	1.51
1	C	317	PHE	CB-CG	-5.27	1.42	1.51
5	S	34	TRP	CE2-CZ2	-5.26	1.30	1.39
1	D	35	TRP	CE3-CZ3	5.21	1.47	1.38
2	F	651	ASN	CB-CG	-5.21	1.39	1.51
1	A	468	PHE	CB-CG	-5.21	1.42	1.51
5	M	100	GLU	CD-OE1	-5.17	1.20	1.25
5	M	59	TYR	CD1-CE1	-5.16	1.31	1.39
1	D	482	GLU	CD-OE2	-5.15	1.20	1.25
1	C	150	GLU	CB-CG	5.12	1.61	1.52
1	D	466	GLU	CD-OE2	-5.10	1.20	1.25
4	L	49	TYR	CE1-CZ	-5.08	1.31	1.38
1	C	482	GLU	CD-OE1	-5.07	1.20	1.25
6	N	1	TYR	CE1-CZ	5.05	1.45	1.38
2	B	643	TYR	CB-CG	-5.02	1.44	1.51
1	A	482	GLU	CD-OE2	-5.01	1.20	1.25
5	S	6	GLU	CD-OE2	-5.00	1.20	1.25

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	T	48	TYR	CB-CG-CD1	-11.38	114.17	121.00
5	S	101	ASP	N-CA-C	10.86	140.32	111.00
3	H	66	ARG	NE-CZ-NH2	-10.20	115.20	120.30
3	Q	66	ARG	NE-CZ-NH2	-9.00	115.80	120.30
3	O	66	ARG	NE-CZ-NH2	-8.89	115.85	120.30
2	B	588	ARG	NE-CZ-NH2	-8.75	115.93	120.30
1	D	273	ARG	NE-CZ-NH2	-8.59	116.00	120.30
4	L	49	TYR	CB-CG-CD1	-8.27	116.04	121.00
2	B	633	ARG	NE-CZ-NH2	-8.11	116.24	120.30
1	D	456	ARG	NE-CZ-NH1	7.94	124.27	120.30
3	Q	38	ARG	NE-CZ-NH1	7.81	124.20	120.30
4	P	45	ARG	NE-CZ-NH2	-7.70	116.45	120.30
4	P	49	TYR	CB-CG-CD1	-7.60	116.44	121.00
2	F	617	ARG	NE-CZ-NH2	-7.50	116.55	120.30
1	D	469	ARG	NE-CZ-NH2	-7.49	116.55	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	217	TYR	CB-CG-CD1	-7.35	116.59	121.00
3	H	66	ARG	NE-CZ-NH1	7.33	123.97	120.30
3	O	66	ARG	NE-CZ-NH1	7.25	123.93	120.30
4	R	54	ARG	NE-CZ-NH2	-6.77	116.91	120.30
6	T	48	TYR	CB-CG-CD2	6.39	124.83	121.00
3	Q	29	PHE	N-CA-C	6.16	127.64	111.00
3	Q	86	ASP	CB-CG-OD1	6.14	123.82	118.30
1	D	456	ARG	NE-CZ-NH2	-6.11	117.25	120.30
3	Q	66	ARG	NE-CZ-NH1	6.05	123.32	120.30
1	D	469	ARG	NE-CZ-NH1	6.01	123.31	120.30
6	N	34	TYR	CB-CG-CD2	-5.98	117.41	121.00
1	A	273	ARG	NE-CZ-NH2	-5.95	117.32	120.30
1	A	217	TYR	CB-CG-CD1	-5.91	117.45	121.00
1	C	384	TYR	CB-CG-CD2	-5.88	117.47	121.00
3	H	86	ASP	CB-CG-OD1	5.81	123.53	118.30
3	H	38	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	A	61	TYR	CB-CG-CD2	-5.64	117.62	121.00
3	H	29	PHE	N-CA-C	5.64	126.23	111.00
5	M	102	PRO	N-CA-C	-5.63	97.46	112.10
3	Q	102	TYR	CB-CG-CD1	-5.52	117.69	121.00
3	H	38	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	C	166	ARG	NE-CZ-NH2	5.42	123.01	120.30
1	D	191	TYR	CB-CG-CD2	-5.38	117.77	121.00
1	C	104	MET	CG-SD-CE	5.37	108.79	100.20
1	C	480	ARG	NE-CZ-NH1	5.31	122.96	120.30
4	R	86	TYR	CB-CG-CD2	-5.27	117.83	121.00
5	S	101	ASP	CB-CG-OD2	5.16	122.94	118.30
5	S	102	PRO	CA-N-CD	-5.15	104.28	111.50
3	H	94	ARG	NE-CZ-NH2	-5.11	117.74	120.30
3	O	86	ASP	CB-CG-OD1	5.10	122.89	118.30
5	S	31	ARG	NE-CZ-NH2	-5.05	117.78	120.30
1	A	66	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3460	0	3412	9	0
1	C	3460	0	3410	4	0
1	D	3460	0	3410	4	0
2	B	954	0	945	3	0
2	E	982	0	969	0	0
2	F	1058	0	1038	3	0
3	H	934	0	900	0	0
3	O	934	0	900	1	0
3	Q	934	0	900	0	0
4	L	856	0	848	1	0
4	P	856	0	848	1	0
4	R	856	0	848	2	0
5	M	971	0	948	3	0
5	S	938	0	913	6	0
6	N	814	0	785	3	0
6	T	814	0	785	3	0
7	G	28	0	25	0	0
7	V	28	0	25	0	0
7	e	28	0	25	0	0
8	I	61	0	52	0	0
8	U	61	0	52	0	0
8	W	61	0	52	0	0
8	Y	61	0	52	0	0
8	Z	61	0	52	1	0
8	b	61	0	52	0	0
8	f	61	0	52	0	0
9	J	83	0	70	0	0
9	X	83	0	70	0	0
9	c	83	0	70	0	0
10	K	50	0	43	0	0
11	a	39	0	34	0	0
12	d	94	0	79	0	0
13	A	70	0	65	1	0
13	C	112	0	104	0	0
13	D	112	0	104	0	0
All	All	23518	0	22937	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:444:ARG:HH12	8:Z:1:NAG:H81	1.65	0.62
5:M:100(G):TRP:HE1	6:N:48:TYR:H	1.48	0.62
5:S:100(H):PHE:O	5:S:103:TRP:NE1	2.35	0.60
5:S:35:ASN:ND2	5:S:95:GLU:HB2	2.20	0.57
1:A:113:ASP:OD1	1:A:429:LYS:NZ	2.38	0.56
1:A:59:LYS:NZ	1:A:62:ASP:OD2	2.40	0.55
1:D:500:LYS:NZ	6:N:51:ASP:OD2	2.39	0.55
1:D:107:ASP:OD1	2:F:574:LYS:NZ	2.42	0.52
1:A:133:ASP:OD1	1:A:155:LYS:NZ	2.43	0.52
1:D:501:CYS:O	1:D:502:LYS:C	2.47	0.51
1:C:231:LYS:NZ	1:C:267:GLU:OE1	2.43	0.51
4:R:60:ASP:OD1	4:R:60:ASP:N	2.46	0.48
1:A:501:CYS:O	1:A:502:LYS:C	2.51	0.48
1:A:40:TYR:O	1:A:40:TYR:CG	2.65	0.48
1:C:72:HIS:ND1	1:C:72:HIS:N	2.57	0.47
5:S:100(B):ASP:N	5:S:100(B):ASP:OD1	2.45	0.47
1:A:490:LYS:NZ	1:A:492:GLU:OE2	2.49	0.46
1:A:363:GLN:HB2	13:A:605:NAG:H82	1.98	0.46
4:L:27(D):HIS:ND1	4:L:27(E):SER:N	2.64	0.46
6:T:26:ILE:HG23	6:T:31:VAL:HG21	1.97	0.46
1:C:123:THR:N	1:C:124:PRO:CD	2.78	0.46
1:A:123:THR:N	1:A:124:PRO:CD	2.79	0.46
4:R:27(D):HIS:ND1	4:R:27(E):SER:N	2.64	0.45
2:B:531:GLY:O	2:B:532:ALA:C	2.55	0.45
5:S:100(F):ARG:HD2	6:T:89:TRP:CE2	2.50	0.45
5:M:100(B):ASP:N	5:M:100(B):ASP:OD1	2.43	0.45
2:F:596:TRP:O	2:F:650:GLN:HG2	2.17	0.44
5:S:100(E):VAL:HG21	6:T:48:TYR:CE1	2.52	0.44
1:A:345:ILE:O	1:A:349:LEU:N	2.50	0.44
2:F:541:ALA:O	2:F:542:ARG:HB2	2.17	0.44
2:B:642:ILE:O	2:B:643:TYR:C	2.54	0.43
6:N:64:LYS:HE3	6:N:64:LYS:HB3	1.87	0.42
1:D:123:THR:N	1:D:124:PRO:CD	2.82	0.42
5:M:6:GLU:OE2	5:M:105:GLN:N	2.51	0.42
2:B:533:ALA:HB3	2:B:623:TRP:HA	2.00	0.42
5:S:29:ILE:HA	5:S:94:ARG:HH21	1.84	0.42
3:O:36:TRP:CE2	3:O:80:LEU:HB2	2.55	0.41
4:P:7:THR:HB	4:P:8:PRO:HD3	2.03	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	428/482 (89%)	413 (96%)	15 (4%)	0	100	100
1	C	428/482 (89%)	422 (99%)	6 (1%)	0	100	100
1	D	428/482 (89%)	414 (97%)	14 (3%)	0	100	100
2	B	116/154 (75%)	110 (95%)	6 (5%)	0	100	100
2	E	119/154 (77%)	116 (98%)	3 (2%)	0	100	100
2	F	128/154 (83%)	122 (95%)	6 (5%)	0	100	100
3	H	118/120 (98%)	116 (98%)	2 (2%)	0	100	100
3	O	118/120 (98%)	114 (97%)	4 (3%)	0	100	100
3	Q	118/120 (98%)	115 (98%)	3 (2%)	0	100	100
4	L	110/112 (98%)	107 (97%)	3 (3%)	0	100	100
4	P	110/112 (98%)	108 (98%)	2 (2%)	0	100	100
4	R	110/112 (98%)	107 (97%)	3 (3%)	0	100	100
5	M	122/124 (98%)	117 (96%)	5 (4%)	0	100	100
5	S	117/124 (94%)	113 (97%)	4 (3%)	0	100	100
6	N	105/108 (97%)	103 (98%)	2 (2%)	0	100	100
6	T	105/108 (97%)	102 (97%)	3 (3%)	0	100	100
All	All	2780/3068 (91%)	2699 (97%)	81 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/429 (92%)	393 (100%)	0	100	100
1	C	393/429 (92%)	393 (100%)	0	100	100
1	D	393/429 (92%)	392 (100%)	1 (0%)	91	92
2	B	102/130 (78%)	102 (100%)	0	100	100
2	E	105/130 (81%)	105 (100%)	0	100	100
2	F	114/130 (88%)	114 (100%)	0	100	100
3	H	101/101 (100%)	101 (100%)	0	100	100
3	O	101/101 (100%)	101 (100%)	0	100	100
3	Q	101/101 (100%)	101 (100%)	0	100	100
4	L	98/98 (100%)	98 (100%)	0	100	100
4	P	98/98 (100%)	98 (100%)	0	100	100
4	R	98/98 (100%)	98 (100%)	0	100	100
5	M	109/109 (100%)	109 (100%)	0	100	100
5	S	104/109 (95%)	103 (99%)	1 (1%)	73	81
6	N	90/91 (99%)	90 (100%)	0	100	100
6	T	90/91 (99%)	90 (100%)	0	100	100
All	All	2490/2674 (93%)	2488 (100%)	2 (0%)	92	94

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	88	ASN
5	S	94	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates i

77 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	G	1	1,7	14,14,15	2.28	7 (50%)	17,19,21	1.08	2 (11%)
7	NAG	G	2	7	14,14,15	2.00	4 (28%)	17,19,21	0.92	1 (5%)
8	NAG	I	1	8,1	14,14,15	2.14	6 (42%)	17,19,21	1.56	3 (17%)
8	NAG	I	2	8	14,14,15	2.15	6 (42%)	17,19,21	1.32	3 (17%)
8	BMA	I	3	8	11,11,12	1.48	3 (27%)	15,15,17	0.70	0
8	MAN	I	4	8	11,11,12	1.99	5 (45%)	15,15,17	0.63	0
8	MAN	I	5	8	11,11,12	1.95	6 (54%)	15,15,17	0.73	0
9	NAG	J	1	9,1	14,14,15	1.88	4 (28%)	17,19,21	1.19	1 (5%)
9	NAG	J	2	9	14,14,15	2.04	6 (42%)	17,19,21	1.22	2 (11%)
9	BMA	J	3	9	11,11,12	1.43	3 (27%)	15,15,17	0.66	0
9	MAN	J	4	9	11,11,12	1.40	2 (18%)	15,15,17	0.64	0
9	MAN	J	5	9	11,11,12	1.92	5 (45%)	15,15,17	0.82	0
9	MAN	J	6	9	11,11,12	1.83	4 (36%)	15,15,17	0.81	0
9	MAN	J	7	9	11,11,12	1.94	6 (54%)	15,15,17	0.77	0
10	NAG	K	1	1,10	14,14,15	2.06	7 (50%)	17,19,21	2.55	5 (29%)
10	NAG	K	2	10	14,14,15	1.97	5 (35%)	17,19,21	1.33	2 (11%)
10	BMA	K	3	10	11,11,12	0.75	0	15,15,17	0.94	0
10	MAN	K	4	10	11,11,12	2.00	6 (54%)	15,15,17	0.76	0
8	NAG	U	1	8,1	14,14,15	2.02	7 (50%)	17,19,21	1.26	2 (11%)
8	NAG	U	2	8	14,14,15	2.05	4 (28%)	17,19,21	1.14	3 (17%)
8	BMA	U	3	8	11,11,12	1.45	2 (18%)	15,15,17	0.68	0
8	MAN	U	4	8	11,11,12	2.00	6 (54%)	15,15,17	0.93	1 (6%)
8	MAN	U	5	8	11,11,12	1.90	6 (54%)	15,15,17	0.78	0
7	NAG	V	1	1,7	14,14,15	2.23	7 (50%)	17,19,21	1.29	2 (11%)
7	NAG	V	2	7	14,14,15	1.98	6 (42%)	17,19,21	0.91	1 (5%)
8	NAG	W	1	8,1	14,14,15	1.72	2 (14%)	17,19,21	1.11	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	NAG	W	2	8	14,14,15	1.74	5 (35%)	17,19,21	0.99	1 (5%)
8	BMA	W	3	8	11,11,12	1.41	3 (27%)	15,15,17	0.68	0
8	MAN	W	4	8	11,11,12	1.86	4 (36%)	15,15,17	0.77	0
8	MAN	W	5	8	11,11,12	1.99	5 (45%)	15,15,17	0.72	0
9	NAG	X	1	9,1	14,14,15	1.70	2 (14%)	17,19,21	1.17	2 (11%)
9	NAG	X	2	9	14,14,15	1.76	4 (28%)	17,19,21	1.01	1 (5%)
9	BMA	X	3	9	11,11,12	1.38	3 (27%)	15,15,17	0.63	0
9	MAN	X	4	9	11,11,12	1.36	1 (9%)	15,15,17	0.70	0
9	MAN	X	5	9	11,11,12	1.90	5 (45%)	15,15,17	0.78	0
9	MAN	X	6	9	11,11,12	1.76	5 (45%)	15,15,17	0.85	0
9	MAN	X	7	9	11,11,12	1.98	5 (45%)	15,15,17	0.69	0
8	NAG	Y	1	8,1	14,14,15	1.92	6 (42%)	17,19,21	1.06	1 (5%)
8	NAG	Y	2	8	14,14,15	1.80	5 (35%)	17,19,21	1.02	1 (5%)
8	BMA	Y	3	8	11,11,12	1.38	3 (27%)	15,15,17	0.63	0
8	MAN	Y	4	8	11,11,12	1.97	6 (54%)	15,15,17	0.74	0
8	MAN	Y	5	8	11,11,12	1.90	6 (54%)	15,15,17	0.73	0
8	NAG	Z	1	8,1	14,14,15	1.99	4 (28%)	17,19,21	1.15	3 (17%)
8	NAG	Z	2	8	14,14,15	1.91	4 (28%)	17,19,21	0.88	0
8	BMA	Z	3	8	11,11,12	1.56	3 (27%)	15,15,17	0.77	0
8	MAN	Z	4	8	11,11,12	2.07	5 (45%)	15,15,17	0.75	0
8	MAN	Z	5	8	11,11,12	1.92	5 (45%)	15,15,17	0.75	0
11	NAG	a	1	11,1	14,14,15	2.03	6 (42%)	17,19,21	1.01	0
11	NAG	a	2	11	14,14,15	2.00	5 (35%)	17,19,21	0.93	1 (5%)
11	BMA	a	3	11	11,11,12	2.02	6 (54%)	15,15,17	0.69	0
8	NAG	b	1	8,1	14,14,15	1.96	3 (21%)	17,19,21	0.98	1 (5%)
8	NAG	b	2	8	14,14,15	0.52	0	17,19,21	1.08	1 (5%)
8	BMA	b	3	8	11,11,12	1.44	3 (27%)	15,15,17	0.62	0
8	MAN	b	4	8	11,11,12	1.93	5 (45%)	15,15,17	0.77	0
8	MAN	b	5	8	11,11,12	2.00	6 (54%)	15,15,17	0.74	0
9	NAG	c	1	9,1	14,14,15	1.85	5 (35%)	17,19,21	1.17	1 (5%)
9	NAG	c	2	9	14,14,15	1.87	5 (35%)	17,19,21	1.02	1 (5%)
9	BMA	c	3	9	11,11,12	1.45	3 (27%)	15,15,17	0.66	0
9	MAN	c	4	9	11,11,12	1.54	2 (18%)	15,15,17	1.02	0
9	MAN	c	5	9	11,11,12	1.92	5 (45%)	15,15,17	0.73	0
9	MAN	c	6	9	11,11,12	1.94	5 (45%)	15,15,17	0.86	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	MAN	c	7	9	11,11,12	2.00	6 (54%)	15,15,17	0.72	0
12	NAG	d	1	12,1	14,14,15	1.90	7 (50%)	17,19,21	1.31	2 (11%)
12	NAG	d	2	12	14,14,15	1.92	5 (35%)	17,19,21	0.92	0
12	BMA	d	3	12	11,11,12	1.41	3 (27%)	15,15,17	0.72	0
12	MAN	d	4	12	11,11,12	1.03	2 (18%)	15,15,17	1.72	2 (13%)
12	MAN	d	5	12	11,11,12	1.99	5 (45%)	15,15,17	0.83	1 (6%)
12	MAN	d	6	12	11,11,12	1.44	2 (18%)	15,15,17	0.77	0
12	MAN	d	7	12	11,11,12	2.01	6 (54%)	15,15,17	0.62	0
12	MAN	d	8	12	11,11,12	1.97	6 (54%)	15,15,17	0.73	0
7	NAG	e	1	1,7	14,14,15	1.99	5 (35%)	17,19,21	0.99	0
7	NAG	e	2	7	14,14,15	1.94	6 (42%)	17,19,21	0.98	1 (5%)
8	NAG	f	1	8,1	14,14,15	2.03	6 (42%)	17,19,21	1.09	1 (5%)
8	NAG	f	2	8	14,14,15	1.83	5 (35%)	17,19,21	0.91	1 (5%)
8	BMA	f	3	8	11,11,12	1.45	3 (27%)	15,15,17	0.63	0
8	MAN	f	4	8	11,11,12	2.02	5 (45%)	15,15,17	0.69	0
8	MAN	f	5	8	11,11,12	1.90	5 (45%)	15,15,17	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. <sup>1,2</sup> means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	G	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	G	2	7	-	0/6/23/26	0/1/1/1
8	NAG	I	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	I	2	8	-	0/6/23/26	0/1/1/1
8	BMA	I	3	8	-	0/2/19/22	0/1/1/1
8	MAN	I	4	8	-	2/2/19/22	0/1/1/1
8	MAN	I	5	8	-	1/2/19/22	0/1/1/1
9	NAG	J	1	9,1	-	0/6/23/26	0/1/1/1
9	NAG	J	2	9	-	1/6/23/26	0/1/1/1
9	BMA	J	3	9	-	0/2/19/22	0/1/1/1
9	MAN	J	4	9	-	0/2/19/22	0/1/1/1
9	MAN	J	5	9	-	1/2/19/22	0/1/1/1
9	MAN	J	6	9	-	1/2/19/22	0/1/1/1
9	MAN	J	7	9	-	1/2/19/22	0/1/1/1
10	NAG	K	1	1,10	-	3/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	K	2	10	-	1/6/23/26	0/1/1/1
10	BMA	K	3	10	-	2/2/19/22	0/1/1/1
10	MAN	K	4	10	-	0/2/19/22	0/1/1/1
8	NAG	U	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	U	2	8	-	0/6/23/26	0/1/1/1
8	BMA	U	3	8	-	2/2/19/22	0/1/1/1
8	MAN	U	4	8	-	1/2/19/22	0/1/1/1
8	MAN	U	5	8	-	0/2/19/22	0/1/1/1
7	NAG	V	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	V	2	7	-	0/6/23/26	0/1/1/1
8	NAG	W	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	W	2	8	-	0/6/23/26	0/1/1/1
8	BMA	W	3	8	-	0/2/19/22	0/1/1/1
8	MAN	W	4	8	-	1/2/19/22	0/1/1/1
8	MAN	W	5	8	-	1/2/19/22	0/1/1/1
9	NAG	X	1	9,1	-	0/6/23/26	0/1/1/1
9	NAG	X	2	9	-	0/6/23/26	0/1/1/1
9	BMA	X	3	9	-	0/2/19/22	0/1/1/1
9	MAN	X	4	9	-	2/2/19/22	0/1/1/1
9	MAN	X	5	9	-	0/2/19/22	0/1/1/1
9	MAN	X	6	9	-	0/2/19/22	0/1/1/1
9	MAN	X	7	9	-	0/2/19/22	0/1/1/1
8	NAG	Y	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	Y	2	8	-	1/6/23/26	0/1/1/1
8	BMA	Y	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Y	4	8	-	0/2/19/22	0/1/1/1
8	MAN	Y	5	8	-	0/2/19/22	0/1/1/1
8	NAG	Z	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	Z	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Z	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	4	8	-	1/2/19/22	0/1/1/1
8	MAN	Z	5	8	-	1/2/19/22	0/1/1/1
11	NAG	a	1	11,1	-	0/6/23/26	0/1/1/1
11	NAG	a	2	11	-	0/6/23/26	0/1/1/1
11	BMA	a	3	11	-	0/2/19/22	0/1/1/1
8	NAG	b	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	b	2	8	-	2/6/23/26	0/1/1/1
8	BMA	b	3	8	-	0/2/19/22	0/1/1/1
8	MAN	b	4	8	-	1/2/19/22	0/1/1/1
8	MAN	b	5	8	-	1/2/19/22	0/1/1/1
9	NAG	c	1	9,1	-	0/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	c	2	9	-	0/6/23/26	0/1/1/1
9	BMA	c	3	9	-	0/2/19/22	0/1/1/1
9	MAN	c	4	9	-	1/2/19/22	0/1/1/1
9	MAN	c	5	9	-	1/2/19/22	0/1/1/1
9	MAN	c	6	9	-	0/2/19/22	0/1/1/1
9	MAN	c	7	9	-	1/2/19/22	0/1/1/1
12	NAG	d	1	12,1	-	0/6/23/26	0/1/1/1
12	NAG	d	2	12	-	0/6/23/26	0/1/1/1
12	BMA	d	3	12	-	1/2/19/22	0/1/1/1
12	MAN	d	4	12	-	2/2/19/22	0/1/1/1
12	MAN	d	5	12	-	0/2/19/22	0/1/1/1
12	MAN	d	6	12	-	2/2/19/22	0/1/1/1
12	MAN	d	7	12	-	0/2/19/22	0/1/1/1
12	MAN	d	8	12	-	0/2/19/22	0/1/1/1
7	NAG	e	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	e	2	7	-	0/6/23/26	0/1/1/1
8	NAG	f	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	f	2	8	-	2/6/23/26	0/1/1/1
8	BMA	f	3	8	-	0/2/19/22	0/1/1/1
8	MAN	f	4	8	-	0/2/19/22	0/1/1/1
8	MAN	f	5	8	-	0/2/19/22	0/1/1/1

All (350) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	1	NAG	C1-C2	5.64	1.60	1.52
11	a	1	NAG	C1-C2	4.99	1.59	1.52
7	V	1	NAG	C1-C2	4.98	1.59	1.52
8	Z	1	NAG	C1-C2	4.93	1.59	1.52
8	U	2	NAG	C1-C2	4.91	1.59	1.52
8	I	2	NAG	C1-C2	4.81	1.59	1.52
8	b	1	NAG	C1-C2	4.76	1.59	1.52
8	I	1	NAG	C1-C2	4.75	1.59	1.52
8	f	1	NAG	C1-C2	4.73	1.59	1.52
9	c	1	NAG	C1-C2	4.64	1.59	1.52
9	J	2	NAG	C1-C2	4.62	1.59	1.52
7	G	2	NAG	C1-C2	4.60	1.59	1.52
8	W	1	NAG	C1-C2	4.56	1.59	1.52
10	K	1	NAG	C1-C2	4.49	1.59	1.52
8	Y	1	NAG	C1-C2	4.48	1.59	1.52
7	e	1	NAG	C1-C2	4.43	1.59	1.52
7	e	2	NAG	C1-C2	4.38	1.58	1.52

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	V	2	NAG	C1-C2	4.36	1.58	1.52
12	d	2	NAG	C1-C2	4.32	1.58	1.52
8	U	1	NAG	C1-C2	4.32	1.58	1.52
12	d	1	NAG	C1-C2	4.28	1.58	1.52
11	a	2	NAG	C1-C2	4.27	1.58	1.52
9	J	1	NAG	C1-C2	4.20	1.58	1.52
9	X	1	NAG	C1-C2	4.14	1.58	1.52
8	Z	2	NAG	C1-C2	4.11	1.58	1.52
9	c	2	NAG	C1-C2	3.98	1.58	1.52
8	f	2	NAG	C1-C2	3.98	1.58	1.52
9	X	2	NAG	C1-C2	3.93	1.58	1.52
10	K	2	NAG	C1-C2	3.80	1.58	1.52
8	Y	2	NAG	C1-C2	3.68	1.57	1.52
8	W	2	NAG	C1-C2	3.55	1.57	1.52
8	b	5	MAN	C2-C3	3.46	1.57	1.52
8	I	5	MAN	C2-C3	3.40	1.57	1.52
7	e	1	NAG	O5-C5	3.40	1.50	1.43
8	Z	4	MAN	O5-C5	3.38	1.50	1.43
8	U	4	MAN	O5-C5	3.33	1.50	1.43
8	Y	4	MAN	C2-C3	3.32	1.57	1.52
8	W	5	MAN	C2-C3	3.31	1.57	1.52
11	a	3	BMA	C2-C3	3.29	1.57	1.52
8	f	4	MAN	C2-C3	3.29	1.57	1.52
8	Z	4	MAN	C1-C2	3.29	1.59	1.52
9	X	7	MAN	C2-C3	3.29	1.57	1.52
12	d	8	MAN	C2-C3	3.27	1.57	1.52
12	d	5	MAN	C2-C3	3.24	1.57	1.52
8	U	4	MAN	C2-C3	3.23	1.57	1.52
12	d	8	MAN	O5-C5	3.23	1.50	1.43
7	V	1	NAG	O5-C5	3.22	1.50	1.43
12	d	7	MAN	O5-C5	3.21	1.50	1.43
9	X	5	MAN	C2-C3	3.20	1.57	1.52
12	d	7	MAN	C2-C3	3.19	1.57	1.52
10	K	2	NAG	C4-C5	3.18	1.59	1.53
9	J	7	MAN	C2-C3	3.17	1.57	1.52
8	W	5	MAN	O5-C5	3.16	1.49	1.43
11	a	3	BMA	O5-C5	3.16	1.49	1.43
10	K	4	MAN	C2-C3	3.15	1.57	1.52
10	K	4	MAN	O5-C5	3.15	1.49	1.43
9	c	5	MAN	C2-C3	3.14	1.57	1.52
7	V	2	NAG	O5-C5	3.13	1.49	1.43
9	c	7	MAN	C2-C3	3.13	1.57	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	c	7	MAN	O5-C5	3.12	1.49	1.43
8	I	5	MAN	O5-C5	3.12	1.49	1.43
8	U	5	MAN	C2-C3	3.12	1.57	1.52
8	f	5	MAN	C2-C3	3.11	1.57	1.52
8	f	4	MAN	C1-C2	3.11	1.59	1.52
8	b	5	MAN	O5-C5	3.11	1.49	1.43
9	X	7	MAN	O5-C5	3.11	1.49	1.43
8	I	2	NAG	C3-C2	3.11	1.59	1.52
8	f	4	MAN	O5-C5	3.10	1.49	1.43
8	b	4	MAN	C2-C3	3.09	1.57	1.52
8	I	4	MAN	C1-C2	3.09	1.59	1.52
8	I	4	MAN	O5-C5	3.09	1.49	1.43
8	f	5	MAN	O5-C5	3.09	1.49	1.43
9	c	6	MAN	O5-C5	3.08	1.49	1.43
8	Z	5	MAN	C2-C3	3.07	1.57	1.52
8	Y	4	MAN	O5-C5	3.07	1.49	1.43
7	G	2	NAG	O5-C5	3.07	1.49	1.43
8	I	4	MAN	C2-C3	3.07	1.57	1.52
8	U	5	MAN	O5-C5	3.06	1.49	1.43
12	d	5	MAN	C1-C2	3.06	1.59	1.52
9	J	6	MAN	C2-C3	3.05	1.57	1.52
8	Y	5	MAN	O5-C5	3.05	1.49	1.43
11	a	2	NAG	O5-C5	3.05	1.49	1.43
8	U	2	NAG	O5-C5	3.04	1.49	1.43
9	J	5	MAN	O5-C5	3.03	1.49	1.43
8	Z	2	NAG	O5-C5	3.02	1.49	1.43
8	Y	5	MAN	C2-C3	3.02	1.57	1.52
10	K	2	NAG	O5-C5	3.01	1.49	1.43
8	Z	4	MAN	C2-C3	3.01	1.56	1.52
8	Z	5	MAN	O5-C5	3.00	1.49	1.43
9	c	6	MAN	C2-C3	3.00	1.56	1.52
12	d	5	MAN	O5-C5	2.99	1.49	1.43
9	J	5	MAN	C1-C2	2.99	1.59	1.52
8	W	4	MAN	C2-C3	2.99	1.56	1.52
9	J	7	MAN	O5-C5	2.97	1.49	1.43
9	X	5	MAN	O5-C5	2.97	1.49	1.43
8	b	4	MAN	O5-C5	2.96	1.49	1.43
8	f	1	NAG	O5-C5	2.96	1.49	1.43
8	I	2	NAG	C2-N2	2.94	1.51	1.46
12	d	2	NAG	O5-C5	2.92	1.49	1.43
9	J	2	NAG	C3-C2	2.90	1.58	1.52
7	V	1	NAG	C4-C5	2.89	1.59	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	b	1	NAG	O5-C5	2.89	1.49	1.43
9	c	5	MAN	O5-C5	2.89	1.49	1.43
9	J	6	MAN	O5-C5	2.88	1.49	1.43
7	e	2	NAG	O5-C5	2.88	1.49	1.43
8	W	4	MAN	O5-C5	2.86	1.49	1.43
8	I	1	NAG	O5-C5	2.86	1.49	1.43
11	a	3	BMA	C1-C2	2.86	1.58	1.52
7	G	1	NAG	O5-C5	2.86	1.49	1.43
12	d	7	MAN	C1-C2	2.86	1.58	1.52
10	K	1	NAG	O5-C5	2.85	1.49	1.43
11	a	1	NAG	O5-C5	2.85	1.49	1.43
8	Z	1	NAG	O5-C5	2.81	1.49	1.43
8	W	2	NAG	O5-C5	2.79	1.49	1.43
9	X	6	MAN	C2-C3	2.79	1.56	1.52
9	c	7	MAN	C1-C2	2.79	1.58	1.52
9	J	5	MAN	C2-C3	2.78	1.56	1.52
8	b	4	MAN	C1-C2	2.77	1.58	1.52
8	W	5	MAN	C1-C2	2.76	1.58	1.52
9	X	7	MAN	C1-C2	2.75	1.58	1.52
9	c	6	MAN	C1-C2	2.74	1.58	1.52
8	f	2	NAG	O5-C5	2.73	1.49	1.43
7	G	2	NAG	C3-C2	2.72	1.58	1.52
8	Z	3	BMA	C2-C3	2.71	1.56	1.52
9	X	6	MAN	O5-C5	2.70	1.48	1.43
8	Z	5	MAN	C1-C2	2.70	1.58	1.52
7	e	1	NAG	C4-C5	2.70	1.58	1.53
8	U	1	NAG	O5-C5	2.70	1.48	1.43
8	I	1	NAG	O4-C4	2.67	1.49	1.43
8	Y	2	NAG	O5-C5	2.67	1.48	1.43
8	I	1	NAG	C4-C3	2.66	1.59	1.52
8	W	4	MAN	C1-C2	2.65	1.58	1.52
8	Y	4	MAN	C1-C2	2.65	1.58	1.52
8	b	5	MAN	C1-C2	2.65	1.58	1.52
9	c	5	MAN	C1-C2	2.64	1.58	1.52
10	K	1	NAG	C3-C2	2.63	1.58	1.52
9	J	7	MAN	C1-C2	2.62	1.58	1.52
9	J	6	MAN	C1-C2	2.61	1.58	1.52
9	J	1	NAG	C4-C3	2.61	1.59	1.52
10	K	4	MAN	C4-C5	2.61	1.58	1.53
8	b	4	MAN	C4-C5	2.60	1.58	1.53
9	c	2	NAG	O5-C5	2.60	1.48	1.43
7	G	1	NAG	O5-C1	2.60	1.47	1.43

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	c	7	MAN	C4-C5	2.60	1.58	1.53
8	f	1	NAG	O5-C1	2.59	1.47	1.43
8	I	2	NAG	C4-C3	2.59	1.58	1.52
12	d	1	NAG	O5-C5	2.58	1.48	1.43
9	J	2	NAG	C2-N2	2.58	1.50	1.46
9	X	5	MAN	C1-C2	2.57	1.58	1.52
8	Y	1	NAG	O5-C5	2.56	1.48	1.43
11	a	2	NAG	C4-C5	2.56	1.58	1.53
10	K	4	MAN	C1-C2	2.56	1.58	1.52
8	U	1	NAG	C4-C5	2.55	1.58	1.53
10	K	2	NAG	C4-C3	2.54	1.58	1.52
8	I	1	NAG	C3-C2	2.53	1.57	1.52
8	Z	4	MAN	C4-C5	2.52	1.58	1.53
8	U	4	MAN	C1-C2	2.52	1.57	1.52
9	J	1	NAG	O5-C5	2.52	1.48	1.43
8	Z	2	NAG	C4-C5	2.51	1.58	1.53
9	J	7	MAN	C4-C5	2.51	1.58	1.53
8	U	2	NAG	O5-C1	2.51	1.47	1.43
7	V	1	NAG	C2-N2	2.51	1.50	1.46
9	c	6	MAN	C4-C5	2.51	1.58	1.53
9	J	5	MAN	C4-C5	2.50	1.58	1.53
8	U	2	NAG	C3-C2	2.49	1.57	1.52
9	X	7	MAN	C4-C5	2.49	1.58	1.53
8	I	4	MAN	C4-C5	2.49	1.58	1.53
9	J	2	NAG	O5-C5	2.48	1.48	1.43
9	c	3	BMA	C2-C3	2.48	1.56	1.52
9	c	4	MAN	C2-C3	2.48	1.56	1.52
12	d	8	MAN	C1-C2	2.47	1.57	1.52
7	V	2	NAG	C3-C2	2.47	1.57	1.52
8	Z	5	MAN	C4-C5	2.47	1.58	1.53
8	f	2	NAG	C3-C2	2.46	1.57	1.52
11	a	2	NAG	C3-C2	2.46	1.57	1.52
8	I	2	NAG	O5-C5	2.46	1.48	1.43
8	Y	5	MAN	C1-C2	2.46	1.57	1.52
8	b	5	MAN	C4-C5	2.46	1.58	1.53
9	c	5	MAN	C4-C5	2.46	1.58	1.53
7	G	1	NAG	C4-C3	2.46	1.58	1.52
9	c	4	MAN	O5-C5	2.45	1.48	1.43
8	U	4	MAN	C4-C5	2.45	1.58	1.53
9	X	1	NAG	C4-C3	2.45	1.58	1.52
8	I	3	BMA	C2-C3	2.45	1.56	1.52
7	e	1	NAG	O5-C1	2.44	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	V	2	NAG	C4-C5	2.43	1.58	1.53
8	f	5	MAN	C4-C5	2.43	1.58	1.53
9	c	2	NAG	C4-C3	2.43	1.58	1.52
8	U	5	MAN	C4-C5	2.43	1.58	1.53
8	Y	5	MAN	C4-C5	2.42	1.58	1.53
9	c	1	NAG	C4-C3	2.41	1.58	1.52
12	d	7	MAN	C4-C5	2.41	1.58	1.53
7	e	2	NAG	C3-C2	2.41	1.57	1.52
8	Z	3	BMA	C1-C2	2.40	1.57	1.52
8	f	3	BMA	O5-C5	2.40	1.48	1.43
7	V	1	NAG	O5-C1	2.40	1.47	1.43
11	a	3	BMA	C4-C5	2.40	1.58	1.53
12	d	6	MAN	O5-C5	2.40	1.48	1.43
8	b	1	NAG	O5-C1	2.40	1.47	1.43
9	J	6	MAN	C4-C5	2.39	1.58	1.53
10	K	1	NAG	C4-C3	2.39	1.58	1.52
12	d	6	MAN	C2-C3	2.39	1.56	1.52
8	f	5	MAN	C1-C2	2.39	1.57	1.52
7	V	1	NAG	C3-C2	2.39	1.57	1.52
8	Z	1	NAG	O5-C1	2.38	1.47	1.43
8	I	5	MAN	C4-C5	2.38	1.58	1.53
12	d	2	NAG	C4-C5	2.37	1.58	1.53
8	Y	2	NAG	C3-C2	2.37	1.57	1.52
8	b	3	BMA	C2-C3	2.36	1.56	1.52
12	d	4	MAN	C1-C2	2.36	1.57	1.52
12	d	8	MAN	C4-C5	2.36	1.58	1.53
7	G	1	NAG	C4-C5	2.35	1.58	1.53
8	W	5	MAN	C4-C5	2.35	1.58	1.53
8	W	3	BMA	O5-C5	2.35	1.48	1.43
8	b	3	BMA	O5-C5	2.35	1.48	1.43
8	Z	2	NAG	C3-C2	2.34	1.57	1.52
8	W	4	MAN	C4-C5	2.34	1.58	1.53
9	X	2	NAG	O5-C5	2.34	1.48	1.43
8	I	3	BMA	C1-C2	2.34	1.57	1.52
8	I	3	BMA	O5-C5	2.34	1.48	1.43
8	f	4	MAN	C4-C5	2.33	1.58	1.53
8	Y	4	MAN	C4-C5	2.33	1.57	1.53
10	K	4	MAN	O5-C1	2.33	1.47	1.43
8	U	3	BMA	O5-C5	2.33	1.48	1.43
9	J	2	NAG	C4-C3	2.33	1.58	1.52
8	Y	1	NAG	C4-C5	2.32	1.57	1.53
9	J	4	MAN	O5-C5	2.32	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	U	1	NAG	C4-C3	2.32	1.58	1.52
10	K	1	NAG	C4-C5	2.32	1.57	1.53
8	U	5	MAN	C1-C2	2.32	1.57	1.52
9	X	3	BMA	O5-C5	2.31	1.48	1.43
12	d	2	NAG	C3-C2	2.30	1.57	1.52
8	Y	2	NAG	C4-C3	2.30	1.58	1.52
8	Y	2	NAG	C4-C5	2.30	1.57	1.53
7	G	1	NAG	C3-C2	2.30	1.57	1.52
9	X	4	MAN	O5-C5	2.30	1.48	1.43
10	K	2	NAG	C3-C2	2.29	1.57	1.52
9	X	6	MAN	C1-C2	2.29	1.57	1.52
12	d	1	NAG	C2-N2	2.29	1.50	1.46
11	a	1	NAG	O5-C1	2.28	1.47	1.43
8	W	3	BMA	C2-C3	2.28	1.55	1.52
9	J	1	NAG	C4-C5	2.28	1.57	1.53
9	X	5	MAN	C4-C5	2.28	1.57	1.53
7	e	2	NAG	C4-C5	2.27	1.57	1.53
8	f	3	BMA	C2-C3	2.27	1.55	1.52
9	J	3	BMA	O5-C5	2.27	1.48	1.43
9	X	2	NAG	C3-C2	2.27	1.57	1.52
8	I	5	MAN	C1-C2	2.26	1.57	1.52
9	J	3	BMA	C1-C2	2.26	1.57	1.52
11	a	1	NAG	C4-C5	2.26	1.57	1.53
8	U	1	NAG	C3-C2	2.26	1.57	1.52
9	J	4	MAN	C2-C3	2.25	1.55	1.52
12	d	3	BMA	C1-C2	2.25	1.57	1.52
8	I	1	NAG	C4-C5	2.25	1.57	1.53
8	f	3	BMA	C1-C2	2.24	1.57	1.52
8	U	1	NAG	O4-C4	2.24	1.48	1.43
9	c	3	BMA	C1-C2	2.23	1.57	1.52
9	J	3	BMA	C2-C3	2.23	1.55	1.52
7	e	2	NAG	C4-C3	2.23	1.58	1.52
11	a	3	BMA	O5-C1	2.22	1.47	1.43
8	Z	3	BMA	O5-C5	2.22	1.47	1.43
8	Z	4	MAN	O5-C1	2.21	1.47	1.43
8	f	1	NAG	C4-C3	2.21	1.58	1.52
7	G	2	NAG	C4-C5	2.21	1.57	1.53
9	c	2	NAG	C4-C5	2.21	1.57	1.53
12	d	5	MAN	C4-C5	2.21	1.57	1.53
8	U	3	BMA	C1-C2	2.20	1.57	1.52
9	X	6	MAN	C4-C3	2.20	1.57	1.52
8	Y	1	NAG	O5-C1	2.20	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	V	1	NAG	C4-C3	2.20	1.57	1.52
8	Y	3	BMA	C1-C2	2.20	1.57	1.52
8	W	2	NAG	C4-C5	2.19	1.57	1.53
11	a	2	NAG	C4-C3	2.19	1.57	1.52
8	b	3	BMA	C1-C2	2.19	1.57	1.52
7	e	2	NAG	C2-N2	2.19	1.50	1.46
8	U	1	NAG	C2-N2	2.19	1.50	1.46
9	c	7	MAN	O5-C1	2.18	1.47	1.43
9	c	6	MAN	C4-C3	2.18	1.57	1.52
8	Y	4	MAN	O5-C1	2.17	1.47	1.43
12	d	1	NAG	O5-C1	2.17	1.47	1.43
10	K	1	NAG	C2-N2	2.17	1.50	1.46
12	d	5	MAN	C4-C3	2.17	1.57	1.52
8	W	5	MAN	C4-C3	2.16	1.57	1.52
8	Y	3	BMA	O5-C5	2.15	1.47	1.43
9	c	5	MAN	O5-C1	2.15	1.47	1.43
9	c	3	BMA	O5-C5	2.15	1.47	1.43
11	a	1	NAG	C4-C3	2.15	1.57	1.52
8	f	2	NAG	C4-C3	2.15	1.57	1.52
12	d	3	BMA	O5-C5	2.15	1.47	1.43
8	W	2	NAG	C3-C2	2.15	1.57	1.52
12	d	2	NAG	C4-C3	2.14	1.57	1.52
12	d	8	MAN	C4-C3	2.14	1.57	1.52
12	d	8	MAN	O5-C1	2.14	1.47	1.43
9	X	3	BMA	C2-C3	2.14	1.55	1.52
8	Y	5	MAN	C4-C3	2.14	1.57	1.52
12	d	7	MAN	O5-C1	2.13	1.47	1.43
12	d	7	MAN	C4-C3	2.13	1.57	1.52
8	U	4	MAN	O5-C1	2.13	1.47	1.43
8	I	2	NAG	C4-C5	2.12	1.57	1.53
8	Y	3	BMA	C2-C3	2.12	1.55	1.52
10	K	1	NAG	O5-C1	2.12	1.47	1.43
8	f	5	MAN	C4-C3	2.12	1.57	1.52
8	U	4	MAN	C4-C3	2.11	1.57	1.52
8	f	4	MAN	C4-C3	2.11	1.57	1.52
8	f	1	NAG	C4-C5	2.11	1.57	1.53
8	W	2	NAG	C4-C3	2.11	1.57	1.52
8	I	4	MAN	O5-C1	2.11	1.47	1.43
7	V	2	NAG	C4-C3	2.11	1.57	1.52
8	f	2	NAG	C4-C5	2.11	1.57	1.53
8	b	5	MAN	C4-C3	2.10	1.57	1.52
7	G	1	NAG	O4-C4	2.10	1.47	1.43

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	c	1	NAG	C4-C5	2.10	1.57	1.53
9	J	5	MAN	C4-C3	2.10	1.57	1.52
8	I	5	MAN	O5-C1	2.09	1.47	1.43
8	W	1	NAG	O5-C5	2.09	1.47	1.43
9	J	7	MAN	C4-C3	2.09	1.57	1.52
9	J	2	NAG	C4-C5	2.09	1.57	1.53
8	I	5	MAN	C4-C3	2.09	1.57	1.52
12	d	1	NAG	C4-C5	2.08	1.57	1.53
9	c	1	NAG	O5-C5	2.08	1.47	1.43
8	U	5	MAN	C4-C3	2.08	1.57	1.52
9	c	2	NAG	C3-C2	2.08	1.56	1.52
8	W	3	BMA	C1-C2	2.08	1.56	1.52
10	K	4	MAN	C4-C3	2.08	1.57	1.52
8	b	4	MAN	C4-C3	2.08	1.57	1.52
11	a	1	NAG	C3-C2	2.07	1.56	1.52
9	c	7	MAN	C4-C3	2.07	1.57	1.52
9	c	1	NAG	C3-C2	2.07	1.56	1.52
9	X	6	MAN	O5-C1	2.07	1.47	1.43
8	Z	5	MAN	C4-C3	2.07	1.57	1.52
8	Z	1	NAG	C4-C5	2.06	1.57	1.53
12	d	1	NAG	C4-C3	2.05	1.57	1.52
7	e	1	NAG	C4-C3	2.05	1.57	1.52
12	d	1	NAG	C3-C2	2.05	1.56	1.52
9	X	3	BMA	C1-C2	2.04	1.56	1.52
11	a	3	BMA	C4-C3	2.04	1.57	1.52
8	Y	1	NAG	C4-C3	2.04	1.57	1.52
8	b	5	MAN	O5-C1	2.04	1.47	1.43
12	d	3	BMA	C2-C3	2.04	1.55	1.52
9	X	2	NAG	C4-C3	2.04	1.57	1.52
8	Y	4	MAN	C4-C3	2.03	1.57	1.52
8	U	5	MAN	O5-C1	2.03	1.47	1.43
9	X	7	MAN	C4-C3	2.02	1.57	1.52
8	Y	1	NAG	C3-C2	2.02	1.56	1.52
8	f	1	NAG	C3-C2	2.02	1.56	1.52
12	d	4	MAN	O2-C2	2.02	1.47	1.43
9	J	7	MAN	O5-C1	2.02	1.46	1.43
9	X	5	MAN	C4-C3	2.01	1.57	1.52
7	V	2	NAG	O5-C1	2.00	1.46	1.43
8	Y	5	MAN	O5-C1	2.00	1.46	1.43

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	K	1	NAG	C8-C7-N2	7.47	128.75	116.10
12	d	4	MAN	O2-C2-C1	5.22	119.84	109.15
10	K	1	NAG	O7-C7-N2	-4.54	113.60	121.95
8	I	1	NAG	O4-C4-C3	4.25	120.18	110.35
10	K	1	NAG	C2-N2-C7	4.13	128.79	122.90
8	b	2	NAG	C1-O5-C5	3.65	117.14	112.19
12	d	1	NAG	C8-C7-N2	3.36	121.79	116.10
12	d	4	MAN	O2-C2-C3	-3.01	104.10	110.14
10	K	2	NAG	O4-C4-C3	-3.00	103.42	110.35
8	I	1	NAG	C8-C7-N2	2.95	121.10	116.10
10	K	2	NAG	O5-C5-C6	-2.90	102.66	107.20
7	V	1	NAG	O4-C4-C3	-2.88	103.69	110.35
8	U	1	NAG	C8-C7-N2	2.82	120.87	116.10
8	I	1	NAG	O7-C7-C8	-2.78	116.89	122.06
8	W	2	NAG	C8-C7-N2	2.73	120.73	116.10
9	c	1	NAG	O4-C4-C5	-2.69	102.63	109.30
8	I	2	NAG	C8-C7-N2	2.65	120.59	116.10
9	X	1	NAG	O4-C4-C5	-2.59	102.87	109.30
8	Z	1	NAG	C8-C7-N2	2.58	120.47	116.10
8	f	1	NAG	C8-C7-N2	2.57	120.45	116.10
10	K	1	NAG	C4-C3-C2	-2.54	107.30	111.02
9	J	2	NAG	C8-C7-N2	2.52	120.36	116.10
12	d	1	NAG	O7-C7-C8	-2.48	117.46	122.06
8	U	2	NAG	C8-C7-N2	2.42	120.19	116.10
8	I	2	NAG	C1-O5-C5	2.42	115.47	112.19
8	Y	1	NAG	C8-C7-N2	2.41	120.18	116.10
7	V	2	NAG	C8-C7-N2	2.37	120.12	116.10
10	K	1	NAG	O7-C7-C8	-2.37	117.65	122.06
8	U	1	NAG	O7-C7-C8	-2.34	117.72	122.06
9	J	2	NAG	C1-O5-C5	2.31	115.32	112.19
9	J	1	NAG	C8-C7-N2	2.30	120.00	116.10
7	G	2	NAG	C8-C7-N2	2.25	119.91	116.10
11	a	2	NAG	C8-C7-N2	2.21	119.84	116.10
9	X	1	NAG	C8-C7-N2	2.20	119.82	116.10
8	Z	1	NAG	O7-C7-C8	-2.19	117.99	122.06
7	e	2	NAG	C8-C7-N2	2.17	119.77	116.10
7	G	1	NAG	C8-C7-N2	2.15	119.74	116.10
8	W	1	NAG	C1-O5-C5	2.13	115.08	112.19
7	V	1	NAG	C8-C7-N2	2.12	119.68	116.10
8	b	1	NAG	C8-C7-N2	2.11	119.68	116.10
9	c	2	NAG	C1-O5-C5	2.10	115.04	112.19
9	X	2	NAG	C8-C7-N2	2.10	119.65	116.10
7	G	1	NAG	O4-C4-C3	2.09	115.19	110.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	I	2	NAG	O4-C4-C3	2.09	115.19	110.35
8	Y	2	NAG	C8-C7-N2	2.09	119.64	116.10
8	U	2	NAG	O4-C4-C5	-2.05	104.21	109.30
8	U	2	NAG	O7-C7-C8	-2.04	118.26	122.06
8	Z	1	NAG	C1-O5-C5	2.02	114.93	112.19
8	f	2	NAG	C8-C7-N2	2.02	119.52	116.10
12	d	5	MAN	C1-O5-C5	2.01	114.92	112.19
8	U	4	MAN	C1-O5-C5	2.01	114.92	112.19

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	b	2	NAG	C8-C7-N2-C2
8	b	2	NAG	O7-C7-N2-C2
9	X	4	MAN	C4-C5-C6-O6
9	X	4	MAN	O5-C5-C6-O6
8	U	3	BMA	C4-C5-C6-O6
8	U	3	BMA	O5-C5-C6-O6
12	d	6	MAN	O5-C5-C6-O6
10	K	1	NAG	C8-C7-N2-C2
10	K	1	NAG	O7-C7-N2-C2
12	d	4	MAN	O5-C5-C6-O6
8	I	4	MAN	O5-C5-C6-O6
8	U	4	MAN	O5-C5-C6-O6
8	f	2	NAG	C4-C5-C6-O6
12	d	6	MAN	C4-C5-C6-O6
12	d	4	MAN	C4-C5-C6-O6
8	f	2	NAG	O5-C5-C6-O6
8	W	5	MAN	O5-C5-C6-O6
8	Z	5	MAN	O5-C5-C6-O6
8	b	5	MAN	O5-C5-C6-O6
9	J	5	MAN	O5-C5-C6-O6
9	J	7	MAN	O5-C5-C6-O6
10	K	2	NAG	O5-C5-C6-O6
10	K	3	BMA	C4-C5-C6-O6
8	I	5	MAN	O5-C5-C6-O6
12	d	3	BMA	O5-C5-C6-O6
9	c	4	MAN	O5-C5-C6-O6
9	c	7	MAN	O5-C5-C6-O6
8	W	4	MAN	O5-C5-C6-O6
8	Y	2	NAG	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	b	4	MAN	O5-C5-C6-O6
9	J	6	MAN	O5-C5-C6-O6
9	c	5	MAN	O5-C5-C6-O6
8	Z	4	MAN	O5-C5-C6-O6
8	I	4	MAN	C4-C5-C6-O6
10	K	3	BMA	O5-C5-C6-O6
7	e	1	NAG	C4-C5-C6-O6
7	V	1	NAG	C3-C2-N2-C7
9	J	2	NAG	C3-C2-N2-C7
10	K	1	NAG	C3-C2-N2-C7


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	Z	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















































## 5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
13	NAG	D	606	1	14,14,15	2.09	7 (50%)	17,19,21	0.92	1 (5%)
13	NAG	C	605	1	14,14,15	2.07	6 (42%)	17,19,21	0.98	1 (5%)
13	NAG	D	607	1	14,14,15	2.01	6 (42%)	17,19,21	1.03	1 (5%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
13	NAG	D	605	1	14,14,15	2.29	7 (50%)	17,19,21	1.13	1 (5%)
13	NAG	C	607	1	14,14,15	1.99	5 (35%)	17,19,21	1.05	1 (5%)
13	NAG	A	601	1	14,14,15	2.12	5 (35%)	17,19,21	0.96	0
13	NAG	D	602	1	14,14,15	2.09	6 (42%)	17,19,21	0.98	1 (5%)
13	NAG	D	603	1	14,14,15	0.46	0	17,19,21	0.76	0
13	NAG	A	602	1	14,14,15	2.08	5 (35%)	17,19,21	0.93	0
13	NAG	C	604	1	14,14,15	2.17	6 (42%)	17,19,21	1.02	1 (5%)
13	NAG	A	603	1	14,14,15	2.06	4 (28%)	17,19,21	1.05	0
13	NAG	D	608	1	14,14,15	0.40	0	17,19,21	0.81	1 (5%)
13	NAG	C	601	1	14,14,15	2.09	5 (35%)	17,19,21	0.95	1 (5%)
13	NAG	C	602	1	14,14,15	2.03	4 (28%)	17,19,21	0.91	0
13	NAG	C	606	1	14,14,15	2.02	5 (35%)	17,19,21	0.91	1 (5%)
13	NAG	C	603	1	14,14,15	2.08	5 (35%)	17,19,21	0.99	1 (5%)
13	NAG	D	604	1	14,14,15	1.99	5 (35%)	17,19,21	1.09	1 (5%)
13	NAG	C	608	1	14,14,15	2.14	5 (35%)	17,19,21	0.98	1 (5%)
13	NAG	A	604	1	14,14,15	2.18	6 (42%)	17,19,21	0.94	1 (5%)
13	NAG	D	601	1	14,14,15	2.02	5 (35%)	17,19,21	0.93	1 (5%)
13	NAG	A	605	1	14,14,15	2.09	6 (42%)	17,19,21	1.12	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	D	606	1	-	0/6/23/26	0/1/1/1
13	NAG	C	605	1	-	1/6/23/26	0/1/1/1
13	NAG	D	607	1	-	1/6/23/26	0/1/1/1
13	NAG	D	605	1	-	1/6/23/26	0/1/1/1
13	NAG	C	607	1	-	0/6/23/26	0/1/1/1
13	NAG	A	601	1	-	1/6/23/26	0/1/1/1
13	NAG	D	602	1	-	0/6/23/26	0/1/1/1
13	NAG	D	603	1	-	2/6/23/26	0/1/1/1
13	NAG	A	602	1	-	0/6/23/26	0/1/1/1
13	NAG	C	604	1	-	0/6/23/26	0/1/1/1
13	NAG	A	603	1	-	0/6/23/26	0/1/1/1
13	NAG	D	608	1	-	3/6/23/26	0/1/1/1
13	NAG	C	601	1	-	0/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	C	602	1	-	0/6/23/26	0/1/1/1
13	NAG	C	606	1	-	1/6/23/26	0/1/1/1
13	NAG	C	603	1	-	1/6/23/26	0/1/1/1
13	NAG	D	604	1	-	1/6/23/26	0/1/1/1
13	NAG	C	608	1	-	0/6/23/26	0/1/1/1
13	NAG	A	604	1	-	0/6/23/26	0/1/1/1
13	NAG	D	601	1	-	0/6/23/26	0/1/1/1
13	NAG	A	605	1	-	0/6/23/26	0/1/1/1

All (103) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	D	605	NAG	C1-C2	5.56	1.60	1.52
13	A	604	NAG	C1-C2	5.37	1.60	1.52
13	A	601	NAG	C1-C2	5.36	1.60	1.52
13	A	602	NAG	C1-C2	5.34	1.60	1.52
13	C	601	NAG	C1-C2	5.30	1.60	1.52
13	C	608	NAG	C1-C2	5.23	1.60	1.52
13	C	603	NAG	C1-C2	5.14	1.60	1.52
13	C	604	NAG	C1-C2	5.11	1.60	1.52
13	A	605	NAG	C1-C2	5.06	1.59	1.52
13	C	602	NAG	C1-C2	5.05	1.59	1.52
13	A	603	NAG	C1-C2	5.02	1.59	1.52
13	D	602	NAG	C1-C2	4.97	1.59	1.52
13	D	601	NAG	C1-C2	4.94	1.59	1.52
13	C	606	NAG	C1-C2	4.90	1.59	1.52
13	D	607	NAG	C1-C2	4.88	1.59	1.52
13	D	604	NAG	C1-C2	4.81	1.59	1.52
13	C	605	NAG	C1-C2	4.80	1.59	1.52
13	C	607	NAG	C1-C2	4.60	1.59	1.52
13	D	606	NAG	C1-C2	4.51	1.59	1.52
13	C	604	NAG	O5-C5	3.31	1.50	1.43
13	D	601	NAG	O5-C5	3.29	1.50	1.43
13	C	607	NAG	O5-C5	3.29	1.50	1.43
13	C	608	NAG	O5-C5	3.26	1.50	1.43
13	D	605	NAG	O5-C5	3.25	1.50	1.43
13	D	606	NAG	O5-C5	3.25	1.50	1.43
13	A	604	NAG	O5-C5	3.23	1.50	1.43
13	A	603	NAG	O5-C5	3.15	1.49	1.43
13	C	606	NAG	O5-C5	3.13	1.49	1.43
13	A	602	NAG	O5-C5	3.09	1.49	1.43
13	D	602	NAG	O5-C5	3.08	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	C	605	NAG	O5-C5	3.08	1.49	1.43
13	D	605	NAG	C3-C2	3.07	1.59	1.52
13	A	605	NAG	O5-C5	3.06	1.49	1.43
13	C	603	NAG	O5-C5	3.06	1.49	1.43
13	A	601	NAG	O5-C5	3.05	1.49	1.43
13	C	602	NAG	O5-C5	3.03	1.49	1.43
13	D	607	NAG	O5-C5	3.01	1.49	1.43
13	C	601	NAG	O5-C5	3.00	1.49	1.43
13	D	606	NAG	O5-C1	2.96	1.48	1.43
13	D	604	NAG	O5-C5	2.92	1.49	1.43
13	C	607	NAG	O5-C1	2.90	1.48	1.43
13	C	605	NAG	O5-C1	2.87	1.48	1.43
13	A	604	NAG	O5-C1	2.85	1.48	1.43
13	A	601	NAG	O5-C1	2.81	1.48	1.43
13	C	604	NAG	O5-C1	2.80	1.48	1.43
13	C	608	NAG	O5-C1	2.77	1.48	1.43
13	D	605	NAG	O5-C1	2.74	1.48	1.43
13	A	605	NAG	O5-C1	2.73	1.48	1.43
13	C	604	NAG	C3-C2	2.71	1.58	1.52
13	A	603	NAG	O5-C1	2.69	1.48	1.43
13	D	602	NAG	C3-C2	2.68	1.58	1.52
13	D	602	NAG	O5-C1	2.64	1.47	1.43
13	C	601	NAG	O5-C1	2.60	1.47	1.43
13	C	606	NAG	O5-C1	2.60	1.47	1.43
13	C	603	NAG	O5-C1	2.59	1.47	1.43
13	D	604	NAG	O5-C1	2.54	1.47	1.43
13	C	602	NAG	C3-C2	2.50	1.57	1.52
13	C	602	NAG	O5-C1	2.49	1.47	1.43
13	D	601	NAG	O5-C1	2.46	1.47	1.43
13	D	606	NAG	C2-N2	2.46	1.50	1.46
13	A	602	NAG	O5-C1	2.35	1.47	1.43
13	D	606	NAG	C4-C5	2.34	1.58	1.53
13	C	603	NAG	C3-C2	2.34	1.57	1.52
13	D	604	NAG	C4-C5	2.30	1.57	1.53
13	D	607	NAG	C4-C5	2.29	1.57	1.53
13	A	604	NAG	C3-C2	2.29	1.57	1.52
13	C	605	NAG	C4-C5	2.29	1.57	1.53
13	A	605	NAG	C3-C2	2.27	1.57	1.52
13	D	605	NAG	C4-C3	2.27	1.58	1.52
13	D	607	NAG	O5-C1	2.25	1.47	1.43
13	C	604	NAG	C4-C5	2.23	1.57	1.53
13	D	601	NAG	C4-C5	2.23	1.57	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	A	603	NAG	C3-C2	2.23	1.57	1.52
13	A	602	NAG	C4-C5	2.23	1.57	1.53
13	A	602	NAG	C3-C2	2.22	1.57	1.52
13	C	608	NAG	C3-C2	2.22	1.57	1.52
13	D	604	NAG	C3-C2	2.22	1.57	1.52
13	C	601	NAG	C3-C2	2.22	1.57	1.52
13	A	601	NAG	C4-C5	2.21	1.57	1.53
13	D	601	NAG	C3-C2	2.20	1.57	1.52
13	C	605	NAG	C3-C2	2.19	1.57	1.52
13	A	604	NAG	C4-C5	2.19	1.57	1.53
13	C	606	NAG	C4-C5	2.19	1.57	1.53
13	D	605	NAG	C4-C5	2.18	1.57	1.53
13	A	605	NAG	C4-C5	2.17	1.57	1.53
13	A	601	NAG	C3-C2	2.17	1.57	1.52
13	C	608	NAG	C4-C5	2.16	1.57	1.53
13	C	603	NAG	C4-C5	2.15	1.57	1.53
13	D	606	NAG	C4-C3	2.15	1.57	1.52
13	C	601	NAG	C4-C5	2.14	1.57	1.53
13	C	604	NAG	C4-C3	2.14	1.57	1.52
13	C	607	NAG	C3-C2	2.13	1.57	1.52
13	D	607	NAG	C3-C2	2.11	1.57	1.52
13	D	602	NAG	C4-C5	2.09	1.57	1.53
13	C	606	NAG	C3-C2	2.08	1.56	1.52
13	D	606	NAG	C3-C2	2.05	1.56	1.52
13	A	605	NAG	C2-N2	2.04	1.49	1.46
13	D	607	NAG	C4-C3	2.03	1.57	1.52
13	D	602	NAG	C4-C3	2.03	1.57	1.52
13	C	607	NAG	C4-C5	2.03	1.57	1.53
13	D	605	NAG	C2-N2	2.02	1.49	1.46
13	A	604	NAG	C4-C3	2.01	1.57	1.52
13	C	605	NAG	C4-C3	2.01	1.57	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	A	605	NAG	C8-C7-N2	2.80	120.83	116.10
13	D	602	NAG	C8-C7-N2	2.57	120.45	116.10
13	C	605	NAG	C8-C7-N2	2.46	120.26	116.10
13	C	607	NAG	C1-C2-N2	-2.45	106.30	110.49
13	A	605	NAG	O7-C7-C8	-2.45	117.52	122.06
13	C	604	NAG	C8-C7-N2	2.42	120.19	116.10
13	D	604	NAG	C1-C2-N2	-2.38	106.42	110.49

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	D	605	NAG	C1-C2-N2	-2.34	106.49	110.49
13	C	608	NAG	C8-C7-N2	2.29	119.98	116.10
13	C	606	NAG	C8-C7-N2	2.25	119.91	116.10
13	D	607	NAG	C8-C7-N2	2.20	119.82	116.10
13	D	606	NAG	C8-C7-N2	2.16	119.76	116.10
13	C	603	NAG	C8-C7-N2	2.12	119.69	116.10
13	A	604	NAG	C8-C7-N2	2.05	119.57	116.10
13	D	608	NAG	C2-N2-C7	-2.03	120.01	122.90
13	D	601	NAG	C8-C7-N2	2.03	119.54	116.10
13	C	601	NAG	C8-C7-N2	2.03	119.53	116.10

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	D	603	NAG	C8-C7-N2-C2
13	D	603	NAG	O7-C7-N2-C2
13	D	608	NAG	C8-C7-N2-C2
13	D	608	NAG	O7-C7-N2-C2
13	C	605	NAG	O5-C5-C6-O6
13	D	604	NAG	O5-C5-C6-O6
13	A	601	NAG	O5-C5-C6-O6
13	D	607	NAG	O5-C5-C6-O6
13	C	606	NAG	O5-C5-C6-O6
13	D	608	NAG	O5-C5-C6-O6
13	C	603	NAG	O5-C5-C6-O6
13	D	605	NAG	C1-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	A	605	NAG	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14783. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 136




Y Index: 176




Z Index: 164


### 6.3.2 Raw map



X Index: 167



Y Index: 176




Z Index: 164


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_14783\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 206 nm<sup>3</sup>; this corresponds to an approximate mass of 186 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.251 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.251 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.99	-	-
Author-provided FSC curve	3.99	4.45	4.06
Unmasked-calculated*	4.49	6.15	4.55

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.49 differs from the reported value 3.99 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14783 and PDB model 7ZLK. Per-residue inclusion information can be found in section 3 on page 10.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).



































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7060	 0.3620
A	 0.7360	 0.3790
B	 0.7200	 0.3160
C	 0.7820	 0.4190
D	 0.7380	 0.3960
E	 0.7000	 0.3360
F	 0.7640	 0.3810
G	 0.4640	 0.2640
H	 0.7290	 0.3550
I	 0.6230	 0.2870
J	 0.7350	 0.3800
K	 0.7400	 0.3500
L	 0.6610	 0.2940
M	 0.6040	 0.3710
N	 0.5210	 0.3630
O	 0.6370	 0.2890
P	 0.5480	 0.2510
Q	 0.7540	 0.3650
R	 0.6870	 0.2940
S	 0.6460	 0.3140
T	 0.6530	 0.3190
U	 0.6890	 0.4000
V	 0.3570	 0.2970
W	 0.7700	 0.4240
X	 0.7590	 0.4040
Y	 0.7870	 0.4140
Z	 0.8530	 0.4550
a	 0.4360	 0.3680
b	 0.6720	 0.4090
c	 0.7350	 0.3550
d	 0.5850	 0.3400
e	 0.3930	 0.2400
f	 0.7050	 0.4040

