



Full wwPDB X-ray Structure Validation Report i

Apr 27, 2023 – 12:10 PM JST

PDB ID : 8I28
Title : Structure of Phosphoserine Aminotransferase from *Saccharomyces cerevisiae*
Authors : Jang, J.Y.; Chang, J.H.
Deposited on : 2023-01-14
Resolution : 2.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.32.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 5253 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoserine aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C 2604	N 1673	O 434	S 491	6	0	0
1	B	335	Total	C 2596	N 1664	O 435	S 491	6	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	23	Total O 23 23	0	0
2	B	30	Total O 30 30	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoserine aminotransferase



- Molecule 1: Phosphoserine aminotransferase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	132.28Å 132.28Å 141.62Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.33 – 2.80 48.33 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.33-2.80) 99.9 (48.33-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.62 (at 2.81Å)	Xtriage
Refinement program	PHENIX (1.19.1_4122: ????)	Depositor
R , R_{free}	0.229 , 0.268 0.229 , 0.267	Depositor DCC
R_{free} test set	1995 reflections (5.59%)	wwPDB-VP
Wilson B-factor (Å ²)	53.1	Xtriage
Anisotropy	0.411	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.046 for -h,-k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5253	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.53	0/2656	0.68	1/3591 (0.0%)
1	B	0.49	0/2648	0.61	0/3583
All	All	0.51	0/5304	0.65	1/7174 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	91	LEU	CA-CB-CG	-5.64	102.32	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2604	0	2610	69	0
1	B	2596	0	2600	58	0
2	A	23	0	0	0	0
2	B	30	0	0	2	0
All	All	5253	0	5210	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:ILE:HD11	1:A:380:VAL:HG23	1.51	0.92
1:A:275:ILE:HA	1:A:278:LEU:HD23	1.58	0.85
1:A:320:ASN:HB2	1:A:336:THR:HG22	1.63	0.81
1:B:64:LEU:HB3	1:B:289:LEU:HD11	1.67	0.76
1:B:192:VAL:HG22	1:B:211:VAL:HG13	1.69	0.75
1:B:64:LEU:HD12	1:B:65:LEU:HG	1.69	0.74
1:A:62:ILE:HA	1:A:67:ILE:HD12	1.71	0.71
1:B:307:ILE:HG22	1:B:384:VAL:HG21	1.74	0.69
1:B:339:LYS:HE3	1:B:341:GLY:H	1.57	0.69
1:B:109:VAL:HA	1:B:114:SER:HB3	1.74	0.69
1:B:131:ILE:HG12	1:B:155:ILE:HD11	1.75	0.69
1:A:320:ASN:HD21	1:A:338:LYS:HE2	1.58	0.68
1:A:320:ASN:ND2	1:A:338:LYS:HE2	2.08	0.68
1:A:285:PHE:O	1:A:287:HIS:N	2.27	0.68
1:A:315:ASN:ND2	1:A:319:TYR:H	1.92	0.67
1:A:192:VAL:HG22	1:A:211:VAL:HB	1.75	0.67
1:A:286:GLN:HA	1:A:289:LEU:HB2	1.76	0.66
1:A:244:GLU:O	1:A:248:GLU:HG3	1.96	0.65
1:A:131:ILE:HD13	1:A:155:ILE:HD11	1.78	0.63
1:B:199:ILE:HG23	1:B:200:LEU:HG	1.79	0.63
1:A:308:LEU:HD12	1:A:371:ILE:HD11	1.81	0.63
1:A:65:LEU:HD12	1:A:67:ILE:HD11	1.80	0.62
1:A:280:VAL:O	1:A:284:VAL:HG23	1.99	0.62
1:A:372:TYR:CZ	1:A:375:LEU:HD23	2.34	0.62
1:A:238:ILE:HD12	1:A:261:PRO:HD3	1.81	0.62
1:B:196:SER:HB2	1:B:217:GLN:HE21	1.64	0.62
1:A:280:VAL:HA	1:A:283:LEU:HD12	1.82	0.61
1:B:280:VAL:HA	1:B:283:LEU:HD12	1.83	0.60
1:A:385:ASP:O	1:A:389:GLU:N	2.35	0.60
1:B:138:ASN:HB3	1:B:144:LYS:HD2	1.84	0.60
1:A:57:SER:OG	1:A:282:ASP:HB3	2.01	0.60
1:B:279:HIS:O	1:B:283:LEU:HG	2.03	0.58
1:B:311:ALA:HB2	1:B:384:VAL:HG13	1.85	0.58
1:B:64:LEU:HB3	1:B:289:LEU:CD1	2.33	0.57
1:A:311:ALA:HB2	1:A:384:VAL:HG13	1.87	0.57
1:B:135:LYS:HG2	1:B:140:GLY:O	2.05	0.56
1:A:94:ALA:HB2	1:A:238:ILE:HG23	1.87	0.56
1:B:62:ILE:HA	1:B:67:ILE:HD12	1.86	0.56
1:A:301:ASN:HA	1:A:304:LYS:HE2	1.87	0.55
1:A:59:LYS:O	1:A:63:GLU:HG3	2.07	0.55
1:B:135:LYS:HG2	1:B:140:GLY:C	2.27	0.55
1:B:320:ASN:HB2	1:B:336:THR:HG22	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:315:ASN:HD21	1:A:319:TYR:H	1.53	0.55
1:B:372:TYR:CZ	1:B:375:LEU:HG	2.42	0.55
1:B:296:ALA:O	1:B:300:GLU:HG3	2.08	0.54
1:B:244:GLU:HB3	1:B:248:GLU:OE1	2.08	0.53
1:A:154:LYS:O	1:A:158:LYS:HG3	2.09	0.53
1:B:339:LYS:HE3	1:B:341:GLY:N	2.22	0.53
1:A:286:GLN:CA	1:A:289:LEU:HB2	2.39	0.53
1:A:89:THR:OG1	1:A:254:THR:HB	2.09	0.52
1:B:71:HIS:NE2	1:B:231:LYS:HG3	2.25	0.52
1:A:388:LYS:C	1:A:389:GLU:N	2.62	0.52
1:A:315:ASN:HD22	1:A:319:TYR:HD1	1.58	0.52
1:A:372:TYR:CE2	1:A:375:LEU:HD23	2.46	0.51
1:B:64:LEU:HD23	1:B:289:LEU:HD13	1.94	0.49
1:B:292:GLY:HA3	1:B:296:ALA:HB2	1.94	0.49
1:A:235:LEU:HD23	1:A:238:ILE:HD11	1.93	0.49
1:A:340:ASP:N	1:A:340:ASP:OD1	2.45	0.49
1:A:60:HIS:CD2	1:A:282:ASP:HB2	2.48	0.49
1:A:260:TYR:O	1:A:264:VAL:HG23	2.12	0.49
1:B:216:ALA:HB1	1:B:218:LYS:HD2	1.94	0.49
1:A:281:MET:HG3	1:A:285:PHE:CZ	2.47	0.48
1:B:106:GLY:O	1:B:163:VAL:HA	2.13	0.48
1:A:350:ALA:HB2	1:A:386:PHE:CE2	2.48	0.48
1:B:176:TRP:CZ3	1:B:180:PRO:HG3	2.48	0.48
1:B:320:ASN:OD1	1:B:338:LYS:HG2	2.13	0.48
1:A:131:ILE:HA	1:A:154:LYS:HE2	1.96	0.48
1:B:303:GLU:O	1:B:307:ILE:HG13	2.14	0.48
1:A:272:THR:OG1	1:A:273:ILE:N	2.45	0.48
1:A:309:TYR:CE1	1:A:333:VAL:HG13	2.49	0.47
1:B:178:GLU:HG2	2:B:417:HOH:O	2.14	0.47
1:B:320:ASN:ND2	1:B:338:LYS:HE2	2.28	0.47
1:A:234:ILE:O	1:A:238:ILE:HG12	2.13	0.47
1:B:94:ALA:HB2	1:B:238:ILE:HG13	1.96	0.47
1:B:76:LEU:HD13	1:B:263:VAL:HG11	1.97	0.47
1:A:372:TYR:CZ	1:A:375:LEU:CD2	2.98	0.47
1:A:203:LYS:HD3	1:A:295:GLU:HG2	1.95	0.47
1:A:242:SER:HG	1:A:245:THR:H	1.62	0.46
1:A:389:GLU:OE2	1:A:393:LYS:HE2	2.14	0.46
1:A:199:ILE:HG23	1:A:200:LEU:HG	1.97	0.46
1:A:324:ASP:OD1	1:A:326:LYS:HB2	2.16	0.46
1:A:280:VAL:O	1:A:283:LEU:HB2	2.16	0.46
1:B:259:ASP:HB3	1:B:262:THR:HG23	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:LEU:HD11	1:A:204:ILE:HD13	1.97	0.45
1:B:58:LYS:O	1:B:62:ILE:HG23	2.16	0.45
1:B:101:LYS:HG3	1:B:102:ILE:H	1.80	0.45
1:A:314:ALA:HA	1:B:313:ASP:O	2.16	0.45
1:A:196:SER:HB2	1:A:217:GLN:HE21	1.82	0.45
1:B:244:GLU:HB3	1:B:248:GLU:CD	2.37	0.45
1:B:348:LYS:HA	1:B:348:LYS:HD2	1.77	0.44
1:B:277:THR:N	1:B:279:HIS:CE1	2.85	0.44
1:B:289:LEU:O	1:B:290:LYS:HB2	2.17	0.44
1:A:319:TYR:CZ	1:A:387:ILE:HG23	2.53	0.44
1:B:256:ILE:H	1:B:256:ILE:HG13	1.30	0.44
1:A:325:PRO:HA	1:A:328:ARG:HD2	2.00	0.43
1:B:114:SER:HA	1:B:164:TYR:HE2	1.83	0.43
1:A:256:ILE:HA	1:A:259:ASP:HB2	2.00	0.43
1:A:297:GLN:HE21	1:A:297:GLN:HB2	1.62	0.43
1:A:343:ASP:HB2	1:A:367:PHE:CZ	2.54	0.43
1:B:227:LEU:HD11	1:B:281:MET:HE1	2.01	0.43
1:A:244:GLU:HG2	1:A:245:THR:N	2.34	0.43
1:A:262:THR:HA	1:A:265:LYS:HB2	2.01	0.43
1:A:176:TRP:CZ3	1:A:180:PRO:HG3	2.54	0.42
1:A:275:ILE:O	1:A:277:THR:N	2.43	0.42
1:B:347:LEU:HD23	1:B:347:LEU:HA	1.70	0.42
1:A:58:LYS:O	1:A:62:ILE:HG13	2.19	0.42
1:B:110:THR:HG22	1:B:145:ILE:HG12	2.02	0.42
1:B:155:ILE:HD13	1:B:160:PHE:CE2	2.55	0.42
1:B:210:GLY:HA2	1:B:231:LYS:HE2	2.01	0.42
1:B:277:THR:HG23	1:B:278:LEU:HD12	2.00	0.42
1:A:273:ILE:O	1:A:275:ILE:HG23	2.20	0.42
1:A:277:THR:HA	1:A:280:VAL:HG23	2.02	0.42
1:A:135:LYS:HD3	1:A:142:PHE:CZ	2.55	0.41
1:B:89:THR:OG1	1:B:254:THR:HB	2.20	0.41
1:B:339:LYS:HA	1:B:339:LYS:HD2	1.71	0.41
1:A:106:GLY:HA2	1:A:129:GLU:O	2.21	0.41
1:A:131:ILE:HD13	1:A:155:ILE:CD1	2.50	0.41
1:B:59:LYS:NZ	2:B:406:HOH:O	2.54	0.41
1:A:343:ASP:HB2	1:A:367:PHE:HZ	1.86	0.40
1:B:61:LEU:HD12	1:B:64:LEU:HD11	2.04	0.40
1:B:108:LEU:HD22	1:B:132:PHE:CE2	2.56	0.40
1:B:372:TYR:HD2	1:B:374:ALA:HB3	1.86	0.40
1:A:238:ILE:CD1	1:A:261:PRO:HD3	2.50	0.40
1:A:285:PHE:CD1	1:A:285:PHE:N	2.89	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:ALA:H	1:B:128:ALA:HA	1.87	0.40
1:B:232:LYS:O	1:B:236:LYS:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	327/395 (83%)	300 (92%)	24 (7%)	3 (1%)	17 46
1	B	331/395 (84%)	300 (91%)	30 (9%)	1 (0%)	41 72
All	All	658/790 (83%)	600 (91%)	54 (8%)	4 (1%)	25 56

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	275	ILE
1	A	360	GLY
1	A	285	PHE
1	B	291	LYS

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/330 (85%)	255 (91%)	25 (9%)	9 28
1	B	279/330 (84%)	256 (92%)	23 (8%)	11 33
All	All	559/660 (85%)	511 (91%)	48 (9%)	10 30

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	LEU
1	A	66	ASN
1	A	87	VAL
1	A	91	LEU
1	A	112	SER
1	A	195	LEU
1	A	197	SER
1	A	198	ASP
1	A	201	SER
1	A	226	THR
1	A	233	SER
1	A	236	LYS
1	A	239	SER
1	A	243	ASP
1	A	254	THR
1	A	262	THR
1	A	277	THR
1	A	282	ASP
1	A	330	LYS
1	A	336	THR
1	A	339	LYS
1	A	343	ASP
1	A	348	LYS
1	A	364	VAL
1	A	368	ARG
1	B	52	LYS
1	B	72	GLU
1	B	77	GLN
1	B	101	LYS
1	B	102	ILE
1	B	130	VAL
1	B	138	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	158	LYS
1	B	201	SER
1	B	207	SER
1	B	211	VAL
1	B	218	LYS
1	B	219	ASN
1	B	233	SER
1	B	245	THR
1	B	254	THR
1	B	256	ILE
1	B	262	THR
1	B	291	LYS
1	B	340	ASP
1	B	372	TYR
1	B	389	GLU
1	B	392	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	208	GLN
1	A	217	GLN
1	A	315	ASN
1	A	320	ASN
1	B	287	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	388:LYS	C	389:GLU	N	2.62

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/395 (84%)	-0.09	13 (3%) 39 29	30, 50, 109, 146	0
1	B	335/395 (84%)	-0.03	8 (2%) 59 49	35, 61, 108, 157	0
All	All	670/790 (84%)	-0.06	21 (3%) 49 39	30, 55, 109, 157	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	360	GLY	4.8
1	B	365	GLY	4.8
1	A	361	HIS	4.5
1	A	364	VAL	4.2
1	B	361	HIS	3.4
1	A	316	SER	3.3
1	B	357	GLY	3.3
1	A	272	THR	3.1
1	A	278	LEU	3.0
1	A	276	PHE	2.9
1	A	363	SER	2.6
1	A	359	LYS	2.6
1	B	367	PHE	2.4
1	A	362	ARG	2.4
1	A	277	THR	2.4
1	B	337	LEU	2.3
1	A	287	HIS	2.2
1	B	364	VAL	2.2
1	B	346	PHE	2.0
1	A	275	ILE	2.0
1	B	363	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.