



Full wwPDB EM Validation Report ⓘ

Dec 11, 2023 – 02:27 PM JST

PDB ID : 8W4P
EMDB ID : EMD-37268
Title : Structure of PSII-FCPII-I/J/K complex in the PSII-FCPII supercomplex from *Cyclotella meneghiniana*
Authors : Shen, L.L.; Li, Z.H.; Shen, J.R.; Wang, W.D.
Deposited on : 2023-08-24
Resolution : 3.48 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	p	214	
2	4	153	
3	3	163	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CLA	3	304	X	-	-	-
4	CLA	3	305	X	-	-	-
4	CLA	3	306	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CLA	3	307	X	-	-	-
4	CLA	3	308	X	-	-	-
4	CLA	3	309	X	-	-	-
4	CLA	3	310	X	-	-	-
4	CLA	3	311	X	-	-	-
4	CLA	3	312	X	-	-	-
4	CLA	3	313	X	-	-	-
4	CLA	3	314	X	-	-	-
4	CLA	4	204	X	-	-	-
4	CLA	4	205	X	-	-	-
4	CLA	4	206	X	-	-	-
4	CLA	4	207	X	-	-	-
4	CLA	4	208	X	-	-	-
4	CLA	4	209	X	-	-	-
4	CLA	4	210	X	-	-	-
4	CLA	4	211	X	-	-	-
4	CLA	4	212	X	-	-	-
4	CLA	4	213	X	-	-	-
4	CLA	p	601	X	-	-	-
4	CLA	p	602	X	-	-	-
4	CLA	p	603	X	-	-	-
4	CLA	p	604	X	-	-	-
4	CLA	p	605	X	-	-	-
4	CLA	p	606	X	-	-	-
4	CLA	p	607	X	-	-	-
4	CLA	p	608	X	-	-	-
4	CLA	p	609	X	-	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4531 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FCPII-I, Fucoxanthin chlorophyll a/c binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	p	214	1271	795	230	245	1	0	0


- Molecule 2 is a protein called FCPII-K, Fucoxanthin chlorophyll a/c binding protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	4	153	765	459	153	153	0	0

- Molecule 3 is a protein called FCPII-J, Fucoxanthin chlorophyll a/c binding protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	3	163	992	616	192	184	0	0

- Molecule 4 is CHLOROPHYLL A (three-letter code: CLA) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
4	p	1	Total	C	Mg	N	O	0
			36	30	1	4	1	
4	p	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
4	p	1	Total	C	Mg	N	O	0
			37	31	1	4	1	
4	p	1	Total	C	Mg	N	O	0
			40	32	1	4	3	
4	p	1	Total	C	Mg	N	O	0
			37	31	1	4	1	
4	p	1	Total	C	Mg	N	O	0
			37	31	1	4	1	
4	p	1	Total	C	Mg	N	O	0
			36	30	1	4	1	
4	p	1	Total	C	Mg	N	O	0
			38	30	1	4	3	
4	p	1	Total	C	Mg	N	O	0
			39	32	1	4	2	
4	4	1	Total	C	Mg	N	O	0
			38	32	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			35	29	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			37	31	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			38	32	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			40	32	1	4	3	
4	4	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
4	4	1	Total	C	Mg	N	O	0
			38	32	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			34	28	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			36	30	1	4	1	
4	4	1	Total	C	Mg	N	O	0
			35	29	1	4	1	
4	3	1	Total	C	Mg	N	O	0
			34	28	1	4	1	
4	3	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
4	3	1	Total	C	Mg	N	O	0
			33	27	1	4	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
4	3	1	Total	C	Mg	N	O	0
			42	34	1	4	3	
4	3	1	Total	C	Mg	N	O	0
			36	30	1	4	1	
4	3	1	Total	C	Mg	N	O	0
			40	32	1	4	3	
4	3	1	Total	C	Mg	N	O	0
			35	29	1	4	1	
4	3	1	Total	C	Mg	N	O	0
			40	32	1	4	3	
4	3	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
4	3	1	Total	C	Mg	N	O	0
			39	33	1	4	1	
4	3	1	Total	C	Mg	N	O	0
			35	29	1	4	1	

- Molecule 5 is (3S,3'S,5R,5'R,6S,6'R,8'R)-3,5'-dihydroxy-8-oxo-6',7'-didehydro-5,5',6,6',7,8-hexahydro-5,6-epoxy-beta,beta-caroten-3'-yl acetate (three-letter code: A86) (formula: C₄₂H₅₈O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
5	p	1	Total	C	O	0
			48	42	6	
5	4	1	Total	C	O	0
			48	42	6	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
5	4	1	Total	C	O	0
			48	42	6	
5	4	1	Total	C	O	0
			48	42	6	
5	3	1	Total	C	O	0
			48	42	6	
5	3	1	Total	C	O	0
			48	42	6	

- Molecule 6 is (3S,3'R,5R,6S,7cis)-7',8'-didehydro-5,6-dihydro-5,6-epoxy-beta,beta-carotene-3,3'-diol (three-letter code: DD6) (formula: C₄₀H₅₄O₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
6	p	1	Total	C	O	0
			43	40	3	
6	3	1	Total	C	O	0
			43	40	3	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: FCPII-I, Fucoxanthin chlorophyll a/c binding protein



- Molecule 2: FCPII-K, Fucoxanthin chlorophyll a/c binding protein



- Molecule 3: FCPII-J, Fucoxanthin chlorophyll a/c binding protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	314409	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.683	Depositor
Minimum map value	-0.377	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.178	Depositor
Map size (Å)	542.72, 542.72, 542.72	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A86, CLA, DD6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	p	0.34	0/1294	0.57	0/1787
3	3	0.43	1/1003 (0.1%)	0.64	0/1373
All	All	0.38	1/2297 (0.0%)	0.60	0/3160

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	3	106	VAL	CB-CG1	-5.44	1.41	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	p	1271	0	953	0	0
2	4	765	0	161	4	0
3	3	992	0	778	15	0
4	3	416	0	257	6	0
4	4	372	0	234	3	0
4	p	341	0	213	0	0
5	3	96	0	0	0	0
5	4	144	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	p	48	0	0	0	0
6	3	43	0	0	1	0
6	p	43	0	0	0	0
All	All	4531	0	2596	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:3:80:TYR:HD2	3:3:168:LEU:HD13	1.55	0.70
3:3:67:LEU:HD11	3:3:71:ARG:CZ	2.23	0.69
6:3:303:DD6:C9	4:3:305:CLA:HMC2	2.24	0.68
4:3:310:CLA:HBB1	4:3:310:CLA:HHC	1.84	0.60
3:3:173:SER:HB3	4:3:312:CLA:HMD3	1.85	0.58
3:3:165:PHE:O	3:3:169:ILE:HG22	2.06	0.56
2:4:70:UNK:O	2:4:73:UNK:N	2.40	0.55
3:3:80:TYR:CD2	3:3:168:LEU:HD13	2.39	0.54
3:3:99:THR:HA	3:3:102:ILE:HD13	1.91	0.53
3:3:170:ARG:O	3:3:174:GLN:HG2	2.10	0.52
3:3:65:ALA:HA	4:3:308:CLA:OBD	2.12	0.50
3:3:87:ARG:NH1	3:3:99:THR:O	2.47	0.48
3:3:114:PHE:O	3:3:118:VAL:HG23	2.14	0.47
3:3:61:GLN:OE1	3:3:61:GLN:N	2.42	0.45
3:3:167:GLU:HB2	4:3:311:CLA:C4B	2.47	0.45
3:3:151:GLN:O	3:3:155:LEU:HG	2.18	0.44
2:4:74:UNK:O	2:4:76:UNK:N	2.51	0.43
3:3:169:ILE:HG13	4:3:312:CLA:HAC1	2.00	0.43
3:3:103:PRO:HB2	3:3:107:ALA:HB3	2.01	0.43
5:4:202:A86:C25	4:4:205:CLA:HMC2	2.49	0.42
2:4:32:UNK:O	4:4:205:CLA:HMB3	2.20	0.40
2:4:80:UNK:C	2:4:82:UNK:N	2.84	0.40
4:4:209:CLA:HED2	4:4:209:CLA:HBD	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	p	212/214 (99%)	173 (82%)	37 (18%)	2 (1%)	17	54
3	3	161/163 (99%)	140 (87%)	20 (12%)	1 (1%)	25	63
All	All	373/377 (99%)	313 (84%)	57 (15%)	3 (1%)	24	57

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	3	177	ALA
1	p	174	ILE
1	p	70	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	p	71/166 (43%)	71 (100%)	0	100	100
3	3	54/128 (42%)	54 (100%)	0	100	100
All	All	125/294 (42%)	125 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	p	200	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

38 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CLA	4	212	-	37,44,73	1.99	7 (18%)	46,77,113	1.74	8 (17%)
4	CLA	3	313	-	38,47,73	1.84	7 (18%)	45,81,113	1.64	6 (13%)
4	CLA	3	309	-	39,48,73	1.82	8 (20%)	44,83,113	1.87	7 (15%)
4	CLA	3	314	-	36,43,73	1.99	8 (22%)	45,76,113	1.70	9 (20%)
4	CLA	p	608	-	36,46,73	1.97	8 (22%)	45,80,113	1.74	11 (24%)
4	CLA	3	306	-	32,41,73	2.34	9 (28%)	43,72,113	1.87	10 (23%)
4	CLA	4	209	-	41,49,73	1.78	8 (19%)	47,84,113	1.73	8 (17%)
4	CLA	3	308	-	36,43,73	1.97	9 (25%)	39,73,113	2.65	8 (20%)
5	A86	4	203	-	44,50,50	1.40	4 (9%)	51,76,76	3.55	21 (41%)
4	CLA	p	602	-	41,49,73	1.77	7 (17%)	47,84,113	1.81	10 (21%)
4	CLA	p	603	-	36,45,73	1.88	7 (19%)	43,79,113	1.91	7 (16%)
5	A86	4	202	-	44,50,50	1.47	5 (11%)	51,76,76	3.56	26 (50%)
4	CLA	4	213	-	33,43,73	2.11	8 (24%)	43,76,113	1.84	9 (20%)
5	A86	4	201	-	44,50,50	1.38	4 (9%)	51,76,76	4.06	22 (43%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CLA	4	208	-	39,48,73	1.86	9 (23%)	44,83,113	1.78	10 (22%)
4	CLA	4	210	-	37,46,73	1.87	5 (13%)	44,80,113	1.82	8 (18%)
4	CLA	3	312	-	40,49,73	1.82	8 (20%)	45,84,113	1.63	8 (17%)
4	CLA	3	310	-	37,43,73	2.08	9 (24%)	41,75,113	1.79	8 (19%)
4	CLA	3	305	-	40,49,73	1.79	9 (22%)	45,84,113	1.72	8 (17%)
5	A86	p	610	-	44,50,50	1.43	6 (13%)	51,76,76	3.96	26 (50%)
4	CLA	p	605	-	36,45,73	1.89	10 (27%)	43,79,113	1.76	7 (16%)
6	DD6	3	303	-	39,45,45	2.01	3 (7%)	52,67,67	2.77	15 (28%)
4	CLA	p	604	-	39,48,73	1.79	7 (17%)	44,83,113	1.83	7 (15%)
4	CLA	p	609	-	39,47,73	1.93	8 (20%)	42,81,113	1.77	7 (16%)
4	CLA	4	206	-	35,45,73	1.96	8 (22%)	41,78,113	1.63	6 (14%)
4	CLA	4	205	-	35,43,73	2.00	9 (25%)	43,75,113	1.57	7 (16%)
4	CLA	4	207	-	37,46,73	1.88	9 (24%)	44,80,113	1.78	7 (15%)
4	CLA	3	311	-	39,48,73	1.85	9 (23%)	44,83,113	1.75	9 (20%)
4	CLA	p	601	-	36,44,73	2.00	7 (19%)	42,77,113	1.88	10 (23%)
4	CLA	3	304	-	36,42,73	2.10	10 (27%)	44,74,113	1.79	9 (20%)
4	CLA	p	607	-	34,44,73	2.01	8 (23%)	44,77,113	1.66	8 (18%)
4	CLA	4	204	-	37,46,73	1.91	6 (16%)	44,80,113	1.68	7 (15%)
4	CLA	p	606	-	35,45,73	1.98	10 (28%)	41,78,113	1.61	6 (14%)
5	A86	3	301	-	44,50,50	1.53	7 (15%)	51,76,76	5.17	24 (47%)
6	DD6	p	611	-	39,45,45	1.99	3 (7%)	52,67,67	1.99	15 (28%)
4	CLA	4	211	-	34,42,73	2.07	7 (20%)	42,74,113	1.71	8 (19%)
4	CLA	3	307	-	43,50,73	1.73	8 (18%)	49,84,113	1.65	5 (10%)
5	A86	3	302	-	44,50,50	1.47	5 (11%)	51,76,76	3.28	23 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CLA	4	212	-	1/1/8/20	0/2/74/115	-
4	CLA	3	313	-	1/1/9/20	1/4/82/115	-
4	CLA	3	309	-	1/1/10/20	1/6/84/115	-
4	CLA	3	314	-	1/1/8/20	-	-
4	CLA	p	608	-	1/1/9/20	3/6/78/115	-
4	CLA	3	306	-	1/1/7/20	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CLA	4	209	-	1/1/10/20	4/8/86/115	-
4	CLA	3	308	-	1/1/6/20	2/4/66/115	-
5	A86	4	203	-	-	5/34/90/90	0/3/3/3
4	CLA	p	602	-	1/1/10/20	2/8/86/115	-
4	CLA	p	603	-	1/1/9/20	0/0/78/115	-
5	A86	4	202	-	-	7/34/90/90	0/3/3/3
4	CLA	4	213	-	1/1/8/20	-	-
5	A86	4	201	-	-	7/34/90/90	1/3/3/3
4	CLA	4	208	-	1/1/10/20	0/6/84/115	-
4	CLA	4	210	-	1/1/9/20	0/2/80/115	-
4	CLA	3	312	-	1/1/10/20	2/8/86/115	-
4	CLA	3	310	-	1/1/8/20	0/0/74/115	-
4	CLA	3	305	-	1/1/10/20	1/8/86/115	-
5	A86	p	610	-	-	9/34/90/90	0/3/3/3
4	CLA	p	605	-	1/1/9/20	0/0/78/115	-
6	DD6	3	303	-	-	2/26/80/80	0/3/3/3
4	CLA	p	604	-	1/1/10/20	2/6/84/115	-
4	CLA	p	609	-	1/1/9/20	0/2/82/115	-
4	CLA	4	206	-	1/1/8/20	0/2/76/115	-
4	CLA	4	205	-	1/1/7/20	0/2/70/115	-
4	CLA	4	207	-	1/1/9/20	0/2/80/115	-
4	CLA	3	311	-	1/1/10/20	0/6/84/115	-
4	CLA	p	601	-	1/1/9/20	0/0/78/115	-
4	CLA	3	304	-	1/1/8/20	-	-
4	CLA	p	607	-	1/1/8/20	0/2/74/115	-
4	CLA	4	204	-	1/1/9/20	0/2/80/115	-
4	CLA	p	606	-	1/1/8/20	0/2/76/115	-
5	A86	3	301	-	-	11/34/90/90	0/3/3/3
6	DD6	p	611	-	-	5/26/80/80	0/3/3/3
4	CLA	4	211	-	1/1/7/20	-	-
4	CLA	3	307	-	1/1/9/20	2/9/83/115	-
5	A86	3	302	-	-	5/34/90/90	0/3/3/3

All (279) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	3	303	DD6	C29-C27	-8.59	1.26	1.42
6	p	611	DD6	C29-C27	-8.46	1.26	1.42
4	3	310	CLA	C4B-NB	7.85	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	p	611	DD6	C30-C31	-7.70	1.26	1.42
6	3	303	DD6	C30-C31	-7.56	1.26	1.42
4	4	211	CLA	C4B-NB	7.53	1.41	1.35
4	4	206	CLA	C4B-NB	7.45	1.41	1.35
4	4	212	CLA	C4B-NB	7.42	1.41	1.35
4	p	601	CLA	C4B-NB	7.42	1.41	1.35
4	4	213	CLA	C4B-NB	7.42	1.41	1.35
4	3	304	CLA	C4B-NB	7.37	1.41	1.35
4	4	204	CLA	C4B-NB	7.25	1.41	1.35
4	3	306	CLA	C4B-NB	7.24	1.41	1.35
4	3	308	CLA	C4B-NB	7.22	1.41	1.35
4	3	314	CLA	C4B-NB	7.20	1.41	1.35
4	p	608	CLA	C4B-NB	7.14	1.41	1.35
4	4	210	CLA	C4B-NB	7.11	1.41	1.35
4	p	606	CLA	C4B-NB	7.10	1.41	1.35
4	p	609	CLA	C4B-NB	7.10	1.41	1.35
4	p	603	CLA	C4B-NB	7.09	1.41	1.35
4	4	207	CLA	C4B-NB	7.02	1.41	1.35
4	4	205	CLA	C4B-NB	7.00	1.41	1.35
4	3	313	CLA	C4B-NB	6.95	1.41	1.35
4	3	311	CLA	C4B-NB	6.95	1.41	1.35
4	p	602	CLA	C4B-NB	6.91	1.41	1.35
4	4	209	CLA	C4B-NB	6.88	1.41	1.35
4	3	309	CLA	C4B-NB	6.87	1.41	1.35
4	3	312	CLA	C4B-NB	6.86	1.41	1.35
4	4	208	CLA	C4B-NB	6.85	1.41	1.35
4	p	607	CLA	C4B-NB	6.77	1.41	1.35
4	p	604	CLA	C4B-NB	6.76	1.41	1.35
4	3	307	CLA	C4B-NB	6.75	1.41	1.35
4	3	305	CLA	C4B-NB	6.72	1.41	1.35
4	p	605	CLA	C4B-NB	6.57	1.41	1.35
5	4	202	A86	O4-C38	5.19	1.46	1.35
5	4	203	A86	O4-C38	5.12	1.46	1.35
5	3	302	A86	O4-C38	4.84	1.46	1.35
4	3	306	CLA	CHB-C4A	4.68	1.38	1.34
5	3	301	A86	O4-C38	4.62	1.45	1.35
5	4	201	A86	O4-C38	4.46	1.45	1.35
5	p	610	A86	O4-C38	4.35	1.45	1.35
4	p	609	CLA	O1D-CGD	4.24	1.36	1.19
4	p	606	CLA	C4D-ND	-4.23	1.31	1.37
5	3	302	A86	C30-C29	-4.19	1.25	1.32
4	4	213	CLA	C4D-ND	-4.03	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	4	212	CLA	C1D-ND	3.89	1.42	1.37
4	3	310	CLA	C3C-C4C	3.87	1.46	1.40
4	3	308	CLA	C4D-ND	-3.84	1.33	1.37
4	3	306	CLA	C3C-C4C	3.83	1.46	1.40
5	4	203	A86	O1-C20	-3.82	1.40	1.46
4	3	310	CLA	C1D-ND	3.81	1.42	1.37
4	3	304	CLA	C3C-C4C	3.80	1.46	1.40
4	p	601	CLA	C3C-C4C	3.78	1.46	1.40
5	3	301	A86	C21-C20	3.76	1.57	1.51
5	4	201	A86	O1-C20	-3.72	1.40	1.46
4	p	607	CLA	C4D-ND	-3.72	1.32	1.37
4	3	314	CLA	CAB-C3B	-3.70	1.43	1.51
5	4	202	A86	O1-C20	-3.69	1.40	1.46
4	p	607	CLA	C1D-ND	3.65	1.42	1.37
4	3	309	CLA	C4D-ND	-3.65	1.32	1.37
4	p	607	CLA	CAB-C3B	-3.65	1.44	1.51
4	4	211	CLA	CAB-C3B	-3.65	1.44	1.51
4	3	306	CLA	CAB-C3B	-3.64	1.44	1.51
5	3	301	A86	C30-C29	-3.63	1.25	1.32
4	3	304	CLA	CAB-C3B	-3.63	1.44	1.51
4	4	205	CLA	CAB-C3B	-3.61	1.44	1.51
5	p	610	A86	O1-C20	-3.60	1.41	1.46
4	3	307	CLA	C1D-ND	3.59	1.42	1.37
4	p	605	CLA	C4D-ND	-3.58	1.32	1.37
4	4	213	CLA	CAB-C3B	-3.57	1.44	1.51
4	p	608	CLA	CAB-C3B	-3.57	1.44	1.51
4	4	212	CLA	CAB-C3B	-3.56	1.44	1.51
4	p	604	CLA	C1D-ND	3.55	1.42	1.37
4	3	308	CLA	C1D-ND	3.54	1.42	1.37
4	p	609	CLA	C1D-ND	3.54	1.42	1.37
5	3	301	A86	O1-C20	-3.53	1.41	1.46
4	p	603	CLA	C1D-ND	3.52	1.42	1.37
4	4	211	CLA	C1D-ND	3.52	1.42	1.37
4	4	209	CLA	C4D-ND	-3.52	1.32	1.37
4	4	207	CLA	C1D-ND	3.51	1.42	1.37
4	4	208	CLA	C1D-ND	3.50	1.42	1.37
4	4	204	CLA	C1D-ND	3.49	1.42	1.37
4	4	206	CLA	C4D-ND	-3.48	1.32	1.37
4	4	210	CLA	C1D-ND	3.47	1.42	1.37
4	3	304	CLA	C1D-ND	3.46	1.42	1.37
4	4	208	CLA	C4D-ND	-3.46	1.32	1.37
4	4	210	CLA	C4D-ND	-3.46	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	3	311	CLA	C1D-ND	3.45	1.42	1.37
4	4	205	CLA	C4D-ND	-3.44	1.33	1.37
4	3	314	CLA	C1D-ND	3.43	1.42	1.37
4	3	307	CLA	C4D-ND	-3.43	1.33	1.37
4	3	306	CLA	C1D-ND	3.42	1.42	1.37
5	4	202	A86	C30-C29	-3.42	1.26	1.32
4	4	205	CLA	C1D-ND	3.41	1.42	1.37
5	3	302	A86	O1-C20	-3.40	1.41	1.46
4	p	602	CLA	C1D-ND	3.40	1.42	1.37
5	4	203	A86	C30-C29	-3.38	1.26	1.32
4	4	204	CLA	C4D-ND	-3.37	1.33	1.37
4	3	313	CLA	C1D-ND	3.33	1.41	1.37
4	p	606	CLA	C1D-ND	3.33	1.41	1.37
5	4	201	A86	C30-C29	-3.33	1.26	1.32
4	3	305	CLA	C1D-ND	3.32	1.41	1.37
4	4	207	CLA	C4D-ND	-3.32	1.33	1.37
4	3	312	CLA	C1D-ND	3.31	1.41	1.37
4	p	608	CLA	C4D-ND	-3.30	1.33	1.37
4	3	313	CLA	C4D-ND	-3.30	1.33	1.37
4	4	213	CLA	C1D-ND	3.29	1.41	1.37
4	p	602	CLA	C4D-ND	-3.27	1.33	1.37
4	4	209	CLA	C1D-ND	3.27	1.41	1.37
4	3	306	CLA	C4D-ND	-3.25	1.33	1.37
4	4	206	CLA	C1D-ND	3.25	1.41	1.37
4	4	205	CLA	CHC-C1C	3.24	1.43	1.35
4	3	305	CLA	C4D-ND	-3.23	1.33	1.37
4	p	601	CLA	C4D-ND	-3.22	1.33	1.37
4	3	311	CLA	C4D-ND	-3.22	1.33	1.37
4	3	312	CLA	C4D-ND	-3.22	1.33	1.37
4	p	604	CLA	C4D-ND	-3.21	1.33	1.37
4	p	608	CLA	C1D-ND	3.19	1.41	1.37
4	3	310	CLA	CHC-C1C	3.18	1.43	1.35
4	p	605	CLA	C1D-ND	3.16	1.41	1.37
4	p	603	CLA	C4D-ND	-3.15	1.33	1.37
4	p	608	CLA	CHC-C1C	3.14	1.43	1.35
4	3	314	CLA	C4D-ND	-3.12	1.33	1.37
4	3	304	CLA	C4D-ND	-3.12	1.33	1.37
4	4	212	CLA	CHC-C1C	3.11	1.42	1.35
4	p	603	CLA	CHC-C1C	3.11	1.42	1.35
4	p	602	CLA	CHC-C1C	3.10	1.42	1.35
4	3	314	CLA	CHC-C1C	3.07	1.42	1.35
4	3	308	CLA	CHC-C1C	3.06	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	4	206	CLA	CHC-C1C	3.06	1.42	1.35
4	3	310	CLA	C4D-ND	-3.06	1.33	1.37
4	p	604	CLA	CHC-C1C	3.05	1.42	1.35
4	4	210	CLA	CHC-C1C	3.05	1.42	1.35
4	3	304	CLA	CHC-C1C	3.05	1.42	1.35
4	3	306	CLA	CHC-C1C	3.04	1.42	1.35
4	4	211	CLA	C4D-ND	-3.04	1.33	1.37
4	4	204	CLA	CHC-C1C	3.04	1.42	1.35
4	p	601	CLA	C1D-ND	3.02	1.41	1.37
4	3	307	CLA	CHC-C1C	3.01	1.42	1.35
4	3	313	CLA	CHC-C1C	3.01	1.42	1.35
4	3	309	CLA	C1D-ND	3.00	1.41	1.37
4	3	305	CLA	CHC-C1C	3.00	1.42	1.35
4	p	606	CLA	CHC-C1C	3.00	1.42	1.35
4	p	607	CLA	CHC-C1C	2.99	1.42	1.35
4	4	211	CLA	CHC-C1C	2.98	1.42	1.35
4	p	605	CLA	CHC-C1C	2.98	1.42	1.35
4	p	609	CLA	CHC-C1C	2.96	1.42	1.35
4	4	212	CLA	C4D-ND	-2.94	1.33	1.37
4	3	309	CLA	CHC-C1C	2.93	1.42	1.35
4	3	312	CLA	CHC-C1C	2.93	1.42	1.35
5	p	610	A86	C19-C18	-2.93	1.48	1.52
4	4	207	CLA	CHC-C1C	2.91	1.42	1.35
4	4	208	CLA	CHC-C1C	2.90	1.42	1.35
4	p	601	CLA	CHC-C1C	2.90	1.42	1.35
4	4	209	CLA	CHC-C1C	2.87	1.42	1.35
4	3	311	CLA	CHC-C1C	2.79	1.42	1.35
4	4	213	CLA	CHC-C1C	2.78	1.42	1.35
4	4	213	CLA	CMB-C2B	-2.77	1.45	1.51
4	p	609	CLA	C4D-ND	-2.76	1.33	1.37
5	p	610	A86	C32-C31	-2.69	1.50	1.54
4	3	311	CLA	CMB-C2B	-2.66	1.46	1.51
4	3	312	CLA	CMB-C2B	-2.66	1.46	1.51
4	p	606	CLA	CMB-C2B	-2.64	1.46	1.51
4	3	304	CLA	CMB-C2B	-2.61	1.46	1.51
4	4	206	CLA	CMB-C2B	-2.60	1.46	1.51
6	3	303	DD6	O1-C20	-2.60	1.42	1.46
4	3	313	CLA	CMB-C2B	-2.59	1.46	1.51
4	4	207	CLA	CMB-C2B	-2.59	1.46	1.51
4	3	310	CLA	CMB-C2B	-2.57	1.46	1.51
4	3	307	CLA	CMB-C2B	-2.56	1.46	1.51
4	4	208	CLA	CMB-C2B	-2.55	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	4	205	CLA	CMB-C2B	-2.54	1.46	1.51
4	3	305	CLA	CMB-C2B	-2.54	1.46	1.51
4	4	210	CLA	CMB-C2B	-2.54	1.46	1.51
4	3	314	CLA	CMB-C2B	-2.54	1.46	1.51
4	3	308	CLA	CMB-C2B	-2.54	1.46	1.51
4	p	609	CLA	CMB-C2B	-2.52	1.46	1.51
4	4	209	CLA	CMB-C2B	-2.52	1.46	1.51
4	p	607	CLA	CMB-C2B	-2.52	1.46	1.51
4	3	306	CLA	CMB-C2B	-2.51	1.46	1.51
4	3	309	CLA	CMB-C2B	-2.51	1.46	1.51
4	p	601	CLA	CMB-C2B	-2.51	1.46	1.51
4	p	602	CLA	CMB-C2B	-2.50	1.46	1.51
4	p	605	CLA	C3B-CAB	-2.50	1.42	1.47
4	p	605	CLA	CMB-C2B	-2.49	1.46	1.51
4	p	608	CLA	CMB-C2B	-2.49	1.46	1.51
4	p	604	CLA	CMB-C2B	-2.48	1.46	1.51
4	4	204	CLA	CMB-C2B	-2.48	1.46	1.51
4	p	603	CLA	CMB-C2B	-2.46	1.46	1.51
4	4	211	CLA	CMB-C2B	-2.46	1.46	1.51
4	4	212	CLA	CMB-C2B	-2.44	1.46	1.51
4	p	605	CLA	MG-ND	-2.43	2.01	2.05
5	3	301	A86	C19-C18	2.41	1.55	1.52
4	p	606	CLA	MG-ND	-2.38	2.01	2.05
5	p	610	A86	C19-C20	-2.37	1.48	1.52
5	p	610	A86	C13-C11	-2.36	1.45	1.49
5	3	301	A86	C32-C31	-2.35	1.50	1.54
4	3	308	CLA	CHA-C4D	2.34	1.42	1.38
5	3	301	A86	C13-C11	-2.34	1.45	1.49
5	4	201	A86	C19-C18	-2.33	1.49	1.52
5	3	302	A86	C19-C18	-2.30	1.49	1.52
4	3	312	CLA	C3B-C2B	-2.28	1.37	1.40
4	4	208	CLA	MG-ND	-2.28	2.01	2.05
4	3	311	CLA	C3B-C2B	-2.28	1.37	1.40
4	p	605	CLA	CMD-C2D	-2.26	1.46	1.50
5	4	202	A86	C19-C18	-2.26	1.49	1.52
4	4	212	CLA	CBD-CAD	2.23	1.56	1.51
5	3	302	A86	C13-C11	-2.22	1.45	1.49
4	3	308	CLA	C3B-C2B	-2.20	1.37	1.40
4	p	602	CLA	CMC-C2C	-2.19	1.46	1.50
4	3	307	CLA	CMD-C2D	-2.17	1.46	1.50
4	p	605	CLA	C3B-C2B	-2.17	1.37	1.40
4	3	305	CLA	CMC-C2C	-2.17	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	3	306	CLA	CMD-C2D	-2.16	1.46	1.50
4	p	609	CLA	CMD-C2D	-2.16	1.46	1.50
4	3	312	CLA	C3B-CAB	-2.15	1.43	1.47
4	p	601	CLA	CMD-C2D	-2.14	1.46	1.50
4	3	307	CLA	MG-ND	-2.14	2.01	2.05
4	3	313	CLA	CMD-C2D	-2.14	1.46	1.50
4	4	206	CLA	CMD-C2D	-2.13	1.46	1.50
4	3	311	CLA	CMD-C2D	-2.13	1.46	1.50
4	3	304	CLA	CMD-C2D	-2.13	1.46	1.50
4	3	314	CLA	CMD-C2D	-2.13	1.46	1.50
4	p	606	CLA	CMD-C2D	-2.13	1.46	1.50
4	3	304	CLA	MG-ND	-2.12	2.01	2.05
4	3	310	CLA	CMD-C2D	-2.12	1.46	1.50
4	3	309	CLA	CMC-C2C	-2.12	1.46	1.50
4	4	208	CLA	CMD-C2D	-2.12	1.46	1.50
4	4	206	CLA	C3B-C2B	-2.12	1.37	1.40
4	p	603	CLA	CMD-C2D	-2.11	1.46	1.50
4	4	207	CLA	C3B-CAB	-2.11	1.43	1.47
4	4	204	CLA	CMD-C2D	-2.11	1.46	1.50
4	p	602	CLA	CMD-C2D	-2.11	1.46	1.50
4	3	312	CLA	CMD-C2D	-2.11	1.46	1.50
4	4	213	CLA	CMD-C2D	-2.10	1.46	1.50
4	4	211	CLA	CBD-CAD	2.10	1.56	1.51
4	4	209	CLA	CMD-C2D	-2.10	1.46	1.50
4	p	608	CLA	CMD-C2D	-2.09	1.46	1.50
4	4	205	CLA	CMD-C2D	-2.08	1.46	1.50
4	p	606	CLA	C3B-C2B	-2.08	1.37	1.40
4	3	314	CLA	CBD-CAD	2.08	1.56	1.51
4	3	305	CLA	CMD-C2D	-2.08	1.46	1.50
4	3	305	CLA	C3B-C2B	-2.08	1.37	1.40
4	p	604	CLA	CMC-C2C	-2.08	1.46	1.50
4	p	607	CLA	CMD-C2D	-2.08	1.46	1.50
4	4	207	CLA	C3B-C2B	-2.08	1.37	1.40
4	3	310	CLA	C3B-C2B	-2.08	1.37	1.40
4	3	310	CLA	CBD-CAD	2.08	1.56	1.51
4	4	205	CLA	MG-ND	-2.07	2.01	2.05
4	4	205	CLA	CBD-CAD	2.07	1.56	1.51
4	3	308	CLA	CMC-C2C	-2.07	1.46	1.50
4	3	304	CLA	CBD-CAD	2.07	1.56	1.51
4	p	606	CLA	CMC-C2C	-2.06	1.46	1.50
4	p	604	CLA	CMD-C2D	-2.06	1.46	1.50
4	p	609	CLA	CMC-C2C	-2.05	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	3	307	CLA	CMC-C2C	-2.05	1.46	1.50
4	3	311	CLA	MG-ND	-2.05	2.01	2.05
4	4	207	CLA	CMD-C2D	-2.05	1.46	1.50
4	3	305	CLA	MG-ND	-2.05	2.01	2.05
4	4	206	CLA	CMC-C2C	-2.05	1.46	1.50
4	4	208	CLA	C3B-C2B	-2.04	1.37	1.40
4	4	207	CLA	CMC-C2C	-2.04	1.46	1.50
4	4	213	CLA	CMC-C2C	-2.04	1.46	1.50
4	4	208	CLA	CMC-C2C	-2.03	1.46	1.50
4	3	311	CLA	C3B-CAB	-2.03	1.43	1.47
4	4	209	CLA	CMC-C2C	-2.03	1.46	1.50
4	4	209	CLA	MG-ND	-2.03	2.01	2.05
4	p	606	CLA	C3B-CAB	-2.03	1.43	1.47
4	3	313	CLA	MG-ND	-2.03	2.01	2.05
4	3	309	CLA	C3B-C2B	-2.03	1.37	1.40
5	4	203	A86	C13-C11	-2.03	1.45	1.49
4	p	603	CLA	CMC-C2C	-2.03	1.46	1.50
4	3	308	CLA	CMD-C2D	-2.03	1.46	1.50
4	p	605	CLA	CMC-C2C	-2.02	1.46	1.50
6	p	611	DD6	O1-C20	-2.02	1.43	1.46
5	4	202	A86	C13-C11	-2.02	1.45	1.49
4	3	309	CLA	CMD-C2D	-2.01	1.46	1.50
4	p	607	CLA	CMC-C2C	-2.01	1.46	1.50
4	p	608	CLA	CMC-C2C	-2.00	1.46	1.50

All (410) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	3	301	A86	O1-C20-C19	-20.74	97.80	113.38
5	3	301	A86	C40-C32-C31	-17.37	94.92	110.47
5	p	610	A86	O1-C15-C14	-15.87	81.37	113.21
5	3	302	A86	O1-C15-C14	-14.57	83.97	113.21
5	4	201	A86	O1-C15-C14	-14.50	84.11	113.21
5	4	203	A86	O1-C15-C14	-13.48	86.16	113.21
5	4	202	A86	O1-C15-C14	-13.31	86.50	113.21
5	4	201	A86	C41-C32-C31	13.01	122.11	110.47
4	3	308	CLA	CHA-C4D-ND	11.57	135.09	124.45
5	3	301	A86	C35-C34-C33	-10.46	91.63	109.88
5	3	301	A86	C23-C16-C22	-9.59	93.22	107.37
6	3	303	DD6	C10-C9-C8	9.22	151.98	123.22
5	4	203	A86	O1-C20-C21	-9.11	104.14	115.06
5	p	610	A86	C41-C32-C31	-9.06	102.36	110.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	4	203	A86	O1-C20-C19	8.97	120.12	113.38
5	p	610	A86	O1-C20-C19	8.69	119.91	113.38
5	4	202	A86	O4-C38-C39	8.45	126.63	111.09
6	3	303	DD6	C9-C10-C11	8.40	139.30	127.31
4	3	309	CLA	C4A-NA-C1A	8.30	110.44	106.71
5	4	201	A86	C33-C32-C31	-8.27	101.17	109.21
5	4	201	A86	O4-C34-C35	-8.02	87.62	107.59
5	3	301	A86	O1-C20-C21	-7.89	105.61	115.06
5	3	302	A86	O1-C20-C19	7.88	119.30	113.38
6	3	303	DD6	C9-C8-C6	7.67	147.96	126.42
5	3	301	A86	C21-C20-C19	-7.50	105.84	114.28
5	p	610	A86	C33-C32-C31	7.21	116.22	109.21
4	3	304	CLA	C4A-NA-C1A	7.16	109.92	106.71
4	3	308	CLA	CHA-C4D-C3D	-7.14	113.04	125.26
5	4	203	A86	O4-C38-C39	7.00	123.97	111.09
5	4	202	A86	C34-O4-C38	6.97	130.88	117.90
4	4	207	CLA	C4A-NA-C1A	6.84	109.78	106.71
4	p	603	CLA	C4A-NA-C1A	6.82	109.77	106.71
4	3	305	CLA	C4A-NA-C1A	6.70	109.72	106.71
4	p	601	CLA	C4A-NA-C1A	6.70	109.72	106.71
4	3	311	CLA	C4A-NA-C1A	6.68	109.71	106.71
4	3	313	CLA	C4A-NA-C1A	6.66	109.70	106.71
4	p	609	CLA	C4A-NA-C1A	6.64	109.69	106.71
4	4	209	CLA	C4A-NA-C1A	6.59	109.67	106.71
5	p	610	A86	C4-C5-C6	-6.57	117.93	127.31
4	p	604	CLA	C4A-NA-C1A	6.56	109.65	106.71
5	4	201	A86	O4-C34-C33	6.54	123.88	107.59
4	3	307	CLA	C4A-NA-C1A	6.49	109.62	106.71
4	4	204	CLA	C4A-NA-C1A	6.48	109.62	106.71
5	4	201	A86	C21-C20-C19	6.47	121.56	114.28
4	3	314	CLA	C4A-NA-C1A	6.41	109.59	106.71
4	3	310	CLA	C4A-NA-C1A	6.39	109.58	106.71
5	3	301	A86	C20-C19-C18	-6.32	100.24	112.75
4	4	205	CLA	C4A-NA-C1A	6.26	109.52	106.71
4	p	605	CLA	C4A-NA-C1A	6.21	109.50	106.71
5	p	610	A86	C21-C20-C19	6.19	121.25	114.28
4	4	212	CLA	C4A-NA-C1A	6.18	109.49	106.71
4	4	213	CLA	C4A-NA-C1A	6.11	109.45	106.71
4	4	210	CLA	C4A-NA-C1A	6.11	109.45	106.71
4	3	312	CLA	C4A-NA-C1A	6.11	109.45	106.71
4	p	608	CLA	C4A-NA-C1A	6.08	109.44	106.71
5	3	301	A86	C17-C16-C15	6.03	115.32	109.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	p	610	A86	O4-C38-C39	6.02	122.16	111.09
4	3	306	CLA	C4A-NA-C1A	5.99	109.40	106.71
4	4	211	CLA	C4A-NA-C1A	5.93	109.37	106.71
4	4	206	CLA	C4A-NA-C1A	5.91	109.36	106.71
5	3	301	A86	O4-C38-C39	5.85	121.86	111.09
5	3	301	A86	C41-C32-C31	5.79	115.66	110.47
4	4	208	CLA	C4A-NA-C1A	5.75	109.29	106.71
4	p	602	CLA	C4A-NA-C1A	5.70	109.27	106.71
5	3	302	A86	O4-C38-C39	5.66	121.50	111.09
5	4	202	A86	C17-C16-C15	5.38	114.66	109.16
5	4	202	A86	C3-C2-C1	-5.35	119.68	127.31
5	4	201	A86	O1-C20-C19	5.24	117.32	113.38
5	3	302	A86	O1-C20-C21	-5.22	108.81	115.06
5	4	202	A86	O1-C20-C19	5.10	117.21	113.38
6	3	303	DD6	C37-C36-C31	-5.06	117.47	124.35
4	p	606	CLA	C4A-NA-C1A	5.03	108.97	106.71
6	p	611	DD6	C4-C5-C6	-5.03	120.14	127.31
5	3	302	A86	C25-C26-C27	-5.00	120.17	127.31
4	p	603	CLA	CMB-C2B-C1B	-4.97	120.82	128.46
6	p	611	DD6	C21-C20-C19	4.90	119.79	114.28
6	3	303	DD6	C4-C5-C6	-4.86	120.38	127.31
5	4	201	A86	C4-C5-C6	-4.85	120.39	127.31
4	p	604	CLA	CMB-C2B-C1B	-4.82	121.05	128.46
4	p	607	CLA	C4A-NA-C1A	4.82	108.87	106.71
5	4	202	A86	O4-C38-O5	-4.78	113.47	122.96
4	3	307	CLA	CMB-C2B-C1B	-4.78	121.12	128.46
4	3	308	CLA	C4A-NA-C1A	4.71	108.83	106.71
6	3	303	DD6	C21-C20-C19	4.65	119.52	114.28
6	p	611	DD6	C3-C2-C1	-4.62	120.72	127.31
5	4	202	A86	C28-C27-C26	-4.57	116.52	122.92
5	4	203	A86	C4-C5-C6	-4.56	120.80	127.31
5	4	203	A86	C35-C34-C33	-4.54	101.96	109.88
5	4	203	A86	C3-C2-C1	-4.52	120.85	127.31
4	4	210	CLA	CMB-C2B-C1B	-4.51	121.54	128.46
5	p	610	A86	C35-C34-C33	-4.46	102.09	109.88
5	4	202	A86	C41-C32-C31	4.44	114.45	110.47
5	4	201	A86	C17-C16-C15	4.42	113.67	109.16
6	p	611	DD6	C20-C19-C18	-4.36	104.13	112.75
5	p	610	A86	C36-C31-C32	-4.35	115.38	119.70
4	p	602	CLA	CMB-C2B-C1B	-4.34	121.80	128.46
5	3	302	A86	C4-C5-C6	-4.27	121.22	127.31
5	3	301	A86	O1-C15-C14	-4.21	104.76	113.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	p	603	CLA	CMB-C2B-C3B	4.21	132.55	124.68
5	4	202	A86	C25-C26-C27	-4.17	121.36	127.31
5	4	203	A86	C23-C16-C17	-4.14	101.78	108.98
5	p	610	A86	C34-O4-C38	-4.13	110.19	117.90
4	p	604	CLA	CMB-C2B-C3B	4.12	132.38	124.68
5	4	203	A86	C20-C19-C18	4.12	120.89	112.75
5	p	610	A86	O4-C38-O5	-4.11	114.80	122.96
4	4	213	CLA	CMB-C2B-C1B	-4.09	122.18	128.46
4	p	602	CLA	CMA-C3A-C2A	-4.04	106.68	116.10
5	4	201	A86	O1-C20-C21	-4.02	110.24	115.06
4	3	307	CLA	CMB-C2B-C3B	4.00	132.17	124.68
5	4	201	A86	C3-C2-C1	-3.99	121.61	127.31
5	3	302	A86	C3-C2-C1	-3.99	121.61	127.31
4	p	609	CLA	CMB-C2B-C1B	-3.99	122.33	128.46
5	4	201	A86	C40-C32-C31	-3.93	106.96	110.47
4	4	211	CLA	CAB-C3B-C4B	-3.93	122.43	128.46
5	4	203	A86	O1-C15-C20	-3.87	55.62	59.40
4	p	608	CLA	CAB-C3B-C4B	-3.85	122.55	128.46
4	4	209	CLA	CAA-C2A-C3A	-3.84	107.13	116.10
6	3	303	DD6	C14-C13-C11	-3.83	119.58	125.53
5	4	202	A86	C20-C19-C18	3.83	120.32	112.75
5	4	203	A86	C17-C16-C15	3.82	113.06	109.16
4	4	208	CLA	CAA-C2A-C1A	3.81	121.21	111.81
4	p	601	CLA	CAA-C2A-C3A	-3.79	107.25	116.10
5	3	301	A86	C34-O4-C38	-3.78	110.84	117.90
4	p	605	CLA	CAA-C2A-C3A	-3.78	107.28	116.10
4	4	210	CLA	CMB-C2B-C3B	3.78	131.75	124.68
5	3	301	A86	C25-C26-C27	-3.78	121.92	127.31
5	4	202	A86	O1-C15-C20	-3.75	55.73	59.40
5	4	201	A86	O4-C38-C39	3.75	117.99	111.09
5	p	610	A86	C9-C8-C6	-3.74	115.90	126.42
4	4	209	CLA	CMB-C2B-C1B	-3.74	122.72	128.46
6	p	611	DD6	C9-C10-C11	-3.73	121.98	127.31
4	3	312	CLA	CMB-C2B-C1B	-3.73	122.73	128.46
5	4	203	A86	C23-C16-C22	-3.72	101.88	107.37
5	p	610	A86	C28-C27-C26	-3.72	117.72	122.92
4	4	212	CLA	CAB-C3B-C4B	-3.71	122.77	128.46
4	3	306	CLA	CAB-C3B-C4B	-3.69	122.78	128.46
6	3	303	DD6	C37-C36-C35	3.69	121.20	114.36
5	4	202	A86	C23-C16-C22	-3.68	101.94	107.37
4	4	212	CLA	CMB-C2B-C1B	-3.68	122.81	128.46
5	4	203	A86	O4-C38-O5	-3.67	115.68	122.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	p	607	CLA	CAB-C3B-C4B	-3.66	122.84	128.46
4	3	306	CLA	CMB-C2B-C1B	-3.66	122.84	128.46
4	p	602	CLA	CMB-C2B-C3B	3.64	131.49	124.68
4	p	606	CLA	CMB-C2B-C1B	-3.62	122.90	128.46
4	4	207	CLA	CAA-C2A-C3A	-3.62	107.66	116.10
5	4	201	A86	C25-C26-C27	-3.61	122.16	127.31
4	p	603	CLA	CAA-C2A-C3A	-3.59	107.72	116.10
4	3	310	CLA	CMB-C2B-C1B	-3.58	122.96	128.46
4	4	211	CLA	CMB-C2B-C1B	-3.58	122.96	128.46
4	3	313	CLA	CMB-C2B-C1B	-3.58	122.97	128.46
5	p	610	A86	C25-C26-C27	-3.57	122.22	127.31
4	4	213	CLA	CAB-C3B-C4B	-3.57	122.98	128.46
5	3	302	A86	C21-C20-C19	3.54	118.27	114.28
4	p	607	CLA	CMB-C2B-C1B	-3.52	123.05	128.46
4	3	304	CLA	CAB-C3B-C4B	-3.52	123.05	128.46
5	3	301	A86	O1-C15-C20	-3.52	55.96	59.40
4	4	210	CLA	CAA-C2A-C3A	-3.52	107.89	116.10
4	4	206	CLA	CMB-C2B-C1B	-3.51	123.07	128.46
5	p	610	A86	C3-C2-C1	-3.49	122.33	127.31
4	4	205	CLA	CAB-C3B-C4B	-3.49	123.11	128.46
5	3	302	A86	C28-C27-C26	-3.48	118.04	122.92
4	3	314	CLA	CAB-C3B-C4B	-3.45	123.16	128.46
4	3	314	CLA	CAA-C2A-C3A	-3.44	108.06	116.10
5	4	202	A86	O1-C20-C21	-3.44	110.93	115.06
5	3	301	A86	O4-C38-O5	-3.44	116.13	122.96
4	3	310	CLA	CAA-C2A-C3A	-3.44	108.08	116.10
5	4	202	A86	C3-C4-C5	-3.43	116.44	123.47
4	3	309	CLA	CAA-C2A-C3A	-3.42	108.11	116.10
4	4	208	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
4	p	608	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
4	p	601	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
4	3	304	CLA	CAA-C2A-C3A	-3.38	108.21	116.10
4	p	609	CLA	CMB-C2B-C3B	3.37	130.99	124.68
4	4	207	CLA	CMB-C2B-C1B	-3.37	123.28	128.46
5	p	610	A86	C20-C19-C18	3.35	119.38	112.75
4	4	204	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
5	4	201	A86	O1-C15-C20	-3.32	56.16	59.40
4	3	305	CLA	CMB-C2B-C1B	-3.31	123.37	128.46
4	p	604	CLA	CAA-C2A-C3A	-3.29	108.42	116.10
4	4	212	CLA	CAA-C2A-C3A	-3.29	108.43	116.10
4	p	601	CLA	CBD-CHA-C1A	3.27	132.67	127.43
5	3	301	A86	C9-C10-C11	-3.27	117.00	126.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	4	201	A86	C20-C19-C18	3.26	119.20	112.75
5	4	202	A86	C4-C5-C6	-3.25	122.67	127.31
5	4	203	A86	C25-C26-C27	-3.24	122.69	127.31
4	3	308	CLA	CMB-C2B-C1B	-3.23	123.49	128.46
5	3	302	A86	O1-C15-C20	-3.23	56.24	59.40
4	4	206	CLA	CBD-CHA-C1A	3.23	131.47	128.06
4	4	209	CLA	CMB-C2B-C3B	3.21	130.68	124.68
4	3	306	CLA	CBD-CHA-C1A	3.21	131.46	128.06
4	p	605	CLA	CMB-C2B-C1B	-3.21	123.53	128.46
4	p	602	CLA	O2D-CGD-O1D	-3.21	117.57	123.84
5	4	203	A86	C10-C9-C8	-3.18	113.29	123.22
4	4	204	CLA	CAA-C2A-C3A	-3.18	108.68	116.10
4	p	602	CLA	CAA-C2A-C3A	-3.18	108.69	116.10
4	p	605	CLA	CBD-CHA-C1A	3.18	132.51	127.43
4	3	311	CLA	CMB-C2B-C1B	-3.14	123.64	128.46
4	3	314	CLA	CMB-C2B-C1B	-3.13	123.65	128.46
5	3	302	A86	C20-C19-C18	3.13	118.94	112.75
5	3	302	A86	C17-C16-C15	3.11	112.34	109.16
6	3	303	DD6	C33-C34-C35	-3.09	106.07	110.30
6	p	611	DD6	C37-C36-C31	-3.08	120.16	124.35
5	p	610	A86	O1-C15-C20	-3.06	56.41	59.40
5	3	302	A86	C23-C16-C22	-3.03	102.90	107.37
5	4	203	A86	C28-C27-C26	-3.03	118.68	122.92
4	4	213	CLA	CAB-C3B-C2B	3.02	130.60	124.69
6	3	303	DD6	C4-C3-C2	-3.01	117.30	123.47
4	4	211	CLA	CAB-C3B-C2B	3.00	130.56	124.69
5	3	302	A86	C4-C3-C2	-3.00	117.33	123.47
4	3	311	CLA	CAA-C2A-C3A	-2.99	109.12	116.10
4	3	306	CLA	C3A-C4A-CHB	-2.97	120.28	123.91
4	p	605	CLA	CMB-C2B-C3B	2.96	130.22	124.68
4	p	603	CLA	CBD-CHA-C1A	2.95	132.15	127.43
6	p	611	DD6	C21-C20-C15	-2.94	117.34	122.26
4	p	608	CLA	CAB-C3B-C2B	2.93	130.42	124.69
4	3	312	CLA	CMB-C2B-C3B	2.92	130.14	124.68
4	3	305	CLA	CAC-C3C-C4C	2.91	128.59	124.81
4	p	609	CLA	CHB-C4A-NA	2.91	128.54	124.51
4	4	211	CLA	C1B-CHB-C4A	-2.91	124.36	130.12
5	4	202	A86	C21-C20-C19	2.91	117.55	114.28
5	4	203	A86	C12-C11-C13	2.90	120.90	116.02
4	4	207	CLA	CBD-CHA-C1A	2.89	132.06	127.43
4	4	212	CLA	CMB-C2B-C3B	2.88	130.33	124.69
4	4	208	CLA	CMB-C2B-C3B	2.87	130.05	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	3	313	CLA	CMB-C2B-C3B	2.85	130.01	124.68
4	3	313	CLA	CBD-CHA-C1A	2.85	132.00	127.43
4	p	606	CLA	CMB-C2B-C3B	2.84	129.99	124.68
4	3	306	CLA	CAB-C3B-C2B	2.84	130.25	124.69
5	p	610	A86	C23-C16-C17	-2.84	104.05	108.98
4	4	211	CLA	CMB-C2B-C3B	2.83	130.22	124.69
5	4	202	A86	C35-C34-C33	-2.82	104.95	109.88
5	3	302	A86	O4-C38-O5	-2.82	117.37	122.96
4	4	212	CLA	CAB-C3B-C2B	2.81	130.19	124.69
4	p	606	CLA	C1B-CHB-C4A	-2.81	124.55	130.12
4	4	208	CLA	O2D-CGD-O1D	-2.81	117.72	124.09
4	p	609	CLA	CAA-C2A-C3A	-2.80	109.56	116.10
4	4	208	CLA	C2A-C1A-CHA	2.80	128.75	123.85
4	4	204	CLA	CMB-C2B-C3B	2.80	129.92	124.68
4	p	601	CLA	CHB-C4A-NA	2.79	128.38	124.51
4	4	213	CLA	CHD-C1D-ND	-2.78	121.90	124.45
4	p	601	CLA	CMB-C2B-C3B	2.78	129.87	124.68
4	4	207	CLA	CMB-C2B-C3B	2.77	129.86	124.68
5	4	202	A86	O4-C34-C35	2.76	114.46	107.59
4	3	308	CLA	C1B-CHB-C4A	-2.76	124.66	130.12
4	3	304	CLA	CHB-C4A-NA	2.75	128.32	124.51
5	4	202	A86	C9-C10-C11	-2.75	118.51	126.61
4	3	310	CLA	CHB-C4A-NA	2.75	128.32	124.51
6	p	611	DD6	C15-C14-C13	-2.75	120.18	125.99
4	p	607	CLA	CMB-C2B-C3B	2.75	130.07	124.69
4	4	207	CLA	CHB-C4A-NA	2.75	128.31	124.51
4	3	306	CLA	CMB-C2B-C3B	2.74	130.05	124.69
4	p	608	CLA	CBD-CHA-C1A	2.73	131.72	128.50
5	p	610	A86	C17-C16-C15	2.73	111.95	109.16
5	3	301	A86	C14-C15-C16	2.73	129.21	118.75
5	3	301	A86	C19-C18-C17	2.73	116.04	110.77
4	3	308	CLA	CMB-C2B-C3B	2.72	129.77	124.68
5	p	610	A86	C4-C3-C2	-2.71	117.92	123.47
5	4	201	A86	C41-C32-C40	-2.71	100.20	108.53
4	3	309	CLA	CHB-C4A-NA	2.71	128.26	124.51
5	3	301	A86	C8-C6-C5	2.71	123.10	118.94
4	4	206	CLA	CMB-C2B-C3B	2.71	129.74	124.68
5	4	202	A86	O4-C34-C33	-2.70	100.88	107.59
4	3	311	CLA	CHB-C4A-NA	2.69	128.23	124.51
4	p	603	CLA	CHB-C4A-NA	2.69	128.23	124.51
4	3	307	CLA	CHB-C4A-NA	2.69	128.23	124.51
4	4	209	CLA	CHB-C4A-NA	2.68	128.22	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	p	607	CLA	CAB-C3B-C2B	2.67	129.93	124.69
4	p	605	CLA	CHB-C4A-NA	2.67	128.21	124.51
4	3	309	CLA	CMA-C3A-C2A	-2.65	109.91	116.10
4	3	305	CLA	CMB-C2B-C3B	2.65	129.63	124.68
5	4	203	A86	C21-C20-C19	2.64	117.25	114.28
4	4	213	CLA	CMB-C2B-C3B	2.63	129.84	124.69
4	p	608	CLA	CMB-C2B-C3B	2.62	129.83	124.69
4	p	605	CLA	C1B-CHB-C4A	-2.62	124.92	130.12
5	3	301	A86	O-C13-C11	-2.62	115.35	121.15
6	p	611	DD6	C37-C36-C35	2.62	119.21	114.36
5	4	202	A86	C9-C8-C6	-2.62	119.06	126.42
4	3	310	CLA	CHC-C1C-C2C	-2.61	123.57	129.77
4	3	314	CLA	CAB-C3B-C2B	2.59	129.76	124.69
4	p	607	CLA	C1B-CHB-C4A	-2.59	124.98	130.12
4	4	210	CLA	CHB-C4A-NA	2.59	128.09	124.51
4	p	604	CLA	CHB-C4A-NA	2.57	128.07	124.51
4	3	312	CLA	O2D-CGD-O1D	-2.57	118.26	124.09
4	p	606	CLA	C4D-C3D-CAD	-2.56	105.07	108.10
4	4	209	CLA	O2D-CGD-O1D	-2.56	118.83	123.84
4	4	205	CLA	CMB-C2B-C1B	-2.56	124.53	128.46
4	3	305	CLA	CHB-C4A-NA	2.56	128.05	124.51
4	3	309	CLA	CHD-C1D-ND	-2.56	122.11	124.45
4	3	304	CLA	CAB-C3B-C2B	2.55	129.69	124.69
6	3	303	DD6	C12-C11-C10	-2.55	119.35	122.92
4	3	313	CLA	CHB-C4A-NA	2.55	128.04	124.51
4	4	210	CLA	CHD-C1D-ND	-2.55	122.11	124.45
6	p	611	DD6	C7-C6-C5	-2.55	119.36	122.92
4	p	601	CLA	CHC-C1C-C2C	-2.55	123.72	129.77
4	3	314	CLA	CHB-C4A-NA	2.54	128.03	124.51
4	3	310	CLA	CMB-C2B-C3B	2.54	129.43	124.68
4	p	607	CLA	CHD-C1D-ND	-2.54	122.12	124.45
4	3	305	CLA	O2D-CGD-O1D	-2.54	118.33	124.09
5	4	201	A86	C41-C32-C33	2.53	120.42	109.05
5	4	201	A86	C35-C34-C33	-2.53	105.46	109.88
6	p	611	DD6	C32-C31-C36	-2.53	119.07	122.63
4	4	210	CLA	CBD-CHA-C1A	2.52	131.46	127.43
4	4	212	CLA	CHB-C4A-NA	2.51	127.98	124.51
4	3	311	CLA	CMA-C3A-C2A	-2.50	110.26	116.10
5	3	302	A86	C3-C4-C5	-2.50	118.35	123.47
6	p	611	DD6	C-C1-C2	-2.50	119.42	122.92
4	4	204	CLA	CHB-C4A-NA	2.50	127.97	124.51
4	3	306	CLA	CHC-C1C-C2C	-2.50	123.83	129.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	3	303	DD6	C3-C2-C1	-2.50	123.75	127.31
4	3	312	CLA	CHB-C4A-NA	2.49	127.96	124.51
4	3	311	CLA	CMB-C2B-C3B	2.49	129.34	124.68
4	4	206	CLA	C1B-CHB-C4A	-2.48	125.20	130.12
6	p	611	DD6	C25-C24-C1	-2.48	119.46	126.42
4	4	205	CLA	CAB-C3B-C2B	2.47	129.53	124.69
4	p	602	CLA	O2D-CGD-CBD	2.47	115.65	111.27
5	p	610	A86	C41-C32-C40	2.47	116.10	108.53
4	3	304	CLA	CHC-C1C-C2C	-2.46	123.92	129.77
4	3	311	CLA	O2D-CGD-O1D	-2.45	118.52	124.09
4	3	312	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
4	4	208	CLA	CHA-C1A-NA	-2.45	120.79	126.40
4	p	602	CLA	CHB-C4A-NA	2.45	127.89	124.51
4	4	204	CLA	CBD-CHA-C1A	2.45	131.35	127.43
6	3	303	DD6	O1-C20-C21	-2.44	112.13	115.06
4	3	313	CLA	C1B-CHB-C4A	-2.44	125.29	130.12
4	3	304	CLA	C4C-C3C-C2C	-2.43	106.20	108.89
4	p	608	CLA	CHB-C4A-NA	2.43	127.87	124.51
4	4	208	CLA	CHB-C4A-NA	2.42	127.86	124.51
5	p	610	A86	O-C13-C11	-2.41	115.83	121.15
4	3	309	CLA	CMB-C2B-C1B	-2.41	124.76	128.46
5	4	203	A86	C26-C25-C24	-2.40	115.74	123.22
4	p	604	CLA	O2D-CGD-O1D	-2.40	118.65	124.09
4	3	314	CLA	CMB-C2B-C3B	2.39	129.37	124.69
6	3	303	DD6	C26-C25-C24	-2.38	115.78	123.22
4	p	608	CLA	O2D-CGD-O1D	-2.38	118.68	124.09
5	4	201	A86	C12-C11-C13	2.37	120.01	116.02
4	3	304	CLA	CMB-C2B-C1B	-2.37	124.82	128.46
4	4	204	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
4	p	604	CLA	C1B-CHB-C4A	-2.35	125.45	130.12
5	3	302	A86	C26-C25-C24	-2.34	115.91	123.22
4	3	310	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
4	p	608	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
4	4	212	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
5	4	203	A86	O-C13-C11	-2.32	116.02	121.15
4	3	304	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
5	4	202	A86	C23-C16-C17	-2.32	104.96	108.98
4	4	213	CLA	C1B-CHB-C4A	-2.31	125.55	130.12
5	3	302	A86	C10-C9-C8	-2.30	116.03	123.22
4	4	207	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
4	4	209	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
4	4	210	CLA	C1B-CHB-C4A	-2.30	125.56	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	3	307	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
4	p	602	CLA	C1B-CHB-C4A	-2.28	125.61	130.12
4	p	601	CLA	CHD-C1D-ND	-2.28	122.36	124.45
4	3	311	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
5	3	302	A86	C36-C31-C32	-2.26	117.45	119.70
4	4	205	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
5	4	202	A86	O-C13-C11	-2.23	116.22	121.15
4	3	308	CLA	CHA-C1A-NA	-2.23	122.60	125.08
4	3	309	CLA	O2D-CGD-O1D	-2.22	119.04	124.09
5	3	301	A86	C4-C3-C2	-2.22	118.93	123.47
5	3	302	A86	C40-C32-C31	2.21	112.45	110.47
4	3	306	CLA	C1B-CHB-C4A	-2.21	125.75	130.12
4	p	609	CLA	C1B-CHB-C4A	-2.20	125.75	130.12
5	4	203	A86	C3-C4-C5	-2.20	118.97	123.47
5	3	301	A86	C9-C8-C6	-2.20	120.25	126.42
4	p	601	CLA	C1B-CHB-C4A	-2.19	125.78	130.12
4	4	209	CLA	CHD-C1D-ND	-2.19	122.44	124.45
5	4	202	A86	C33-C32-C31	-2.19	107.09	109.21
4	p	608	CLA	CAC-C3C-C4C	2.18	127.64	124.81
5	p	610	A86	C41-C32-C33	-2.18	99.25	109.05
4	p	603	CLA	C1B-CHB-C4A	-2.18	125.80	130.12
4	3	314	CLA	CMA-C3A-C2A	-2.17	111.03	116.10
5	3	302	A86	C23-C16-C17	-2.17	105.21	108.98
4	3	305	CLA	C1B-CHB-C4A	-2.17	125.83	130.12
4	4	208	CLA	C1B-CHB-C4A	-2.17	125.83	130.12
6	3	303	DD6	C21-C20-C15	-2.16	118.64	122.26
5	3	302	A86	O-C13-C11	-2.16	116.38	121.15
4	p	602	CLA	CHD-C1D-ND	-2.15	122.47	124.45
4	4	206	CLA	CHB-C4A-NA	2.15	127.48	124.51
4	3	312	CLA	CAA-C2A-C3A	-2.14	108.90	114.26
4	3	314	CLA	C1B-CHB-C4A	-2.13	125.89	130.12
4	3	310	CLA	C4C-C3C-C2C	-2.13	106.53	108.89
5	4	202	A86	C19-C18-C17	-2.13	106.65	110.77
4	4	213	CLA	CBD-CHA-C1A	2.13	130.31	128.06
4	4	208	CLA	CAA-C2A-C3A	-2.12	111.15	116.10
5	3	301	A86	C41-C32-C40	2.11	115.01	108.53
4	4	205	CLA	CMA-C3A-C2A	-2.11	108.32	114.44
5	4	201	A86	C4-C3-C2	-2.11	119.16	123.47
5	3	302	A86	C-C1-C24	2.10	121.39	118.08
4	3	306	CLA	CHB-C4A-NA	2.10	127.56	124.34
5	3	301	A86	C26-C25-C24	-2.09	116.70	123.22
5	p	610	A86	O2-C18-C19	-2.09	105.66	109.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	4	211	CLA	CHB-C4A-NA	2.08	127.39	124.51
4	4	205	CLA	CHB-C4A-NA	2.08	127.39	124.51
4	p	608	CLA	CHD-C1D-ND	-2.08	122.55	124.45
5	p	610	A86	C-C1-C2	-2.07	120.03	122.92
4	p	609	CLA	C2D-C1D-ND	-2.06	108.58	110.10
4	4	213	CLA	CHD-C4C-NC	2.06	127.46	124.20
5	4	201	A86	C9-C8-C6	-2.04	120.69	126.42
4	p	606	CLA	CHB-C4A-NA	2.04	127.33	124.51
4	3	308	CLA	C2A-C1A-CHA	2.03	124.83	122.46
6	p	611	DD6	C32-C33-C34	-2.03	109.06	113.64
4	p	601	CLA	CMA-C3A-C2A	-2.02	111.38	116.10
4	3	311	CLA	C2D-C1D-ND	-2.02	108.61	110.10
4	3	305	CLA	CAC-C3C-C2C	-2.02	124.07	127.53
4	3	312	CLA	CHD-C1D-ND	-2.02	122.60	124.45
4	p	607	CLA	C4D-CHA-C1A	2.02	123.71	121.25
5	p	610	A86	C8-C6-C5	2.01	122.03	118.94
4	4	211	CLA	CHD-C1D-ND	-2.01	122.61	124.45
6	p	611	DD6	C9-C8-C6	-2.00	120.79	126.42

All (30) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	p	601	CLA	ND
4	p	602	CLA	ND
4	p	603	CLA	ND
4	p	604	CLA	ND
4	p	605	CLA	ND
4	p	606	CLA	ND
4	p	607	CLA	ND
4	p	608	CLA	ND
4	p	609	CLA	ND
4	4	204	CLA	ND
4	4	205	CLA	ND
4	4	206	CLA	ND
4	4	207	CLA	ND
4	4	208	CLA	ND
4	4	209	CLA	ND
4	4	210	CLA	ND
4	4	211	CLA	ND
4	4	212	CLA	ND
4	4	213	CLA	ND
4	3	304	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
4	3	305	CLA	ND
4	3	306	CLA	ND
4	3	307	CLA	ND
4	3	308	CLA	ND
4	3	309	CLA	ND
4	3	310	CLA	ND
4	3	311	CLA	ND
4	3	312	CLA	ND
4	3	313	CLA	ND
4	3	314	CLA	ND

All (71) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	p	604	CLA	CAD-CBD-CGD-O2D
4	4	209	CLA	CHA-CBD-CGD-O1D
4	4	209	CLA	CHA-CBD-CGD-O2D
4	4	209	CLA	CBD-CGD-O2D-CED
4	4	209	CLA	O1D-CGD-O2D-CED
4	3	308	CLA	C2D-C3D-CAD-OB
4	3	308	CLA	C4D-C3D-CAD-OB
4	3	312	CLA	C1A-C2A-CAA-CBA
4	3	312	CLA	CAD-CBD-CGD-O2D
5	p	610	A86	C39-C38-O4-C34
5	p	610	A86	C5-C6-C8-C9
5	p	610	A86	C7-C6-C8-C9
5	4	201	A86	C12-C11-C13-O
5	4	201	A86	C39-C38-O4-C34
5	4	202	A86	C12-C11-C13-C14
5	3	301	A86	C13-C14-C15-C16
5	3	301	A86	C13-C14-C15-O1
5	3	301	A86	C3-C4-C5-C6
5	3	301	A86	C5-C6-C8-C9
5	3	301	A86	C7-C6-C8-C9
6	p	611	DD6	C10-C11-C13-C14
6	p	611	DD6	C12-C11-C13-C14
6	3	303	DD6	C12-C11-C13-C14
5	3	301	A86	C39-C38-O4-C34
5	3	302	A86	C39-C38-O4-C34
4	p	602	CLA	CBD-CGD-O2D-CED
5	p	610	A86	O5-C38-O4-C34
5	4	201	A86	O5-C38-O4-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	3	301	A86	O5-C38-O4-C34
5	p	610	A86	C11-C10-C9-C8
5	4	202	A86	C39-C38-O4-C34
5	3	302	A86	O5-C38-O4-C34
5	4	202	A86	O5-C38-O4-C34
5	4	203	A86	C39-C38-O4-C34
5	4	203	A86	O5-C38-O4-C34
5	4	202	A86	C35-C34-O4-C38
4	p	602	CLA	O1D-CGD-O2D-CED
5	4	201	A86	C35-C34-O4-C38
5	p	610	A86	C33-C34-O4-C38
6	p	611	DD6	C-C1-C24-C25
6	3	303	DD6	C10-C11-C13-C14
4	3	307	CLA	C3A-C2A-CAA-CBA
5	4	202	A86	C10-C11-C13-C14
5	3	302	A86	C10-C11-C13-C14
4	3	305	CLA	C1A-C2A-CAA-CBA
4	3	313	CLA	C1A-C2A-CAA-CBA
5	4	202	A86	C12-C11-C13-O
5	3	302	A86	C12-C11-C13-O
5	p	610	A86	C10-C11-C13-O
5	4	201	A86	C10-C11-C13-O
5	4	202	A86	C10-C11-C13-O
5	3	302	A86	C10-C11-C13-O
6	p	611	DD6	C2-C1-C24-C25
4	3	307	CLA	C1A-C2A-CAA-CBA
5	4	203	A86	C35-C34-O4-C38
4	p	604	CLA	CAD-CBD-CGD-O1D
5	p	610	A86	C13-C14-C15-C20
5	4	203	A86	C13-C14-C15-C20
5	4	201	A86	C12-C11-C13-C14
5	3	301	A86	C12-C11-C13-C14
5	3	301	A86	C35-C34-O4-C38
5	4	201	A86	C10-C11-C13-C14
4	p	608	CLA	C2C-C3C-CAC-CBC
5	p	610	A86	C12-C11-C13-O
5	3	301	A86	C12-C11-C13-O
6	p	611	DD6	C13-C14-C15-O1
5	4	203	A86	C10-C11-C13-O
5	3	301	A86	C10-C11-C13-O
4	p	608	CLA	CHA-CBD-CGD-O2D
4	3	309	CLA	CHA-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	p	608	CLA	CHA-CBD-CGD-O1D


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	4	201	A86	C31-C32-C33-C34-C35-C36


9 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	4	209	CLA	1	0
4	3	308	CLA	1	0
5	4	202	A86	1	0
4	3	312	CLA	2	0
4	3	310	CLA	1	0
4	3	305	CLA	1	0
6	3	303	DD6	1	0
4	4	205	CLA	2	0
4	3	311	CLA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































































Ligand CLA 4 206








Ligand CLA 4 207
















Ligand CLA 4 204











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37268. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256



Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 258




Y Index: 317




Z Index: 254


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 511


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.178. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 60 nm³; this corresponds to an approximate mass of 54 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.287 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.287 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.48	-	-
Author-provided FSC curve	3.48	3.90	3.51
Unmasked-calculated*	4.86	8.23	5.90

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.86 differs from the reported value 3.48 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-37268 and PDB model 8W4P. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.178 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.178).









9.4 Atom inclusion [i](#)



At the recommended contour level, 63% of all backbone atoms, 53% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.178) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5300	 0.3940
3	 0.5870	 0.4130
4	 0.5040	 0.3580
p	 0.4980	 0.4030

