



## Full wwPDB EM Validation Report ⓘ

Jul 17, 2024 – 12:41 pm BST

PDB ID : 9ESM  
EMDB ID : EMD-19943  
Title : Archaeum filament from the Halobacterium salinarum deltaAgl26 strain  
Authors : Grosmann-Haham, I.; Shahar, A.  
Deposited on : 2024-03-26  
Resolution : 3.06 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	193	 10% 89% 8%
1	B	193	 11% 91% 8%
1	C	193	 1% 90% 8%
1	D	193	 9% 90% 8%
1	E	193	 1% 90% 8%
1	F	193	 1% 90% 8%
1	G	193	 15% 90% 8%
1	H	193	 6% 91% 8%
1	I	193	 1% 89% 8%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	J	193	 90% 8%
1	K	193	 91% 8%
1	L	193	 89% 8%
1	M	193	 88% 8%
1	N	193	 90% 8%
1	O	193	 89% 8%
1	P	193	 90% 8%
1	Q	193	 91% 8%
1	R	193	 90% 8%
1	S	193	 88% 8%
1	T	193	 6% 90% 8%
1	U	193	 89% 8%
1	V	193	 8% 90% 8%
1	W	193	 89% 8%
1	X	193	 9% 90% 8%
1	Y	193	 14% 90% 8%
2	0	2	 50% 50%
2	1	2	 50% 50%
2	2	2	 50% 50%
2	3	2	 50% 50%
2	4	2	 50% 50%
2	5	2	 50% 50%
2	6	2	 50% 50%
2	7	2	 50% 50%
2	8	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	9	2	50% 100%
2	AA	2	50% 50%
2	BA	2	50% 50%
2	CA	2	50% 50%
2	DA	2	50% 50%
2	EA	2	50% 50%
2	FA	2	50% 50%
2	GA	2	50% 50%
2	HA	2	50% 50%
2	IA	2	50% 50%
2	JA	2	50% 100%
2	KA	2	50% 50%
2	LA	2	50% 50%
2	MA	2	50% 50%
2	Z	2	50% 50%
2	a	2	50% 100%
2	b	2	100% 50%
2	c	2	50% 50%
2	d	2	50% 100%
2	e	2	50% 100%
2	f	2	100% 100%
2	g	2	100% 50% 50%
2	h	2	50% 50%
2	i	2	100% 50% 50%
2	j	2	50% 100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	k	2	100% 50% 50%
2	l	2	100% 100%
2	m	2	50% 50% 50%
2	n	2	50% 100%
2	o	2	50% 100%
2	p	2	50% 50% 50%
2	q	2	50% 100%
2	r	2	50% 100%
2	s	2	50% 50% 50%
2	t	2	50% 50% 50%
2	u	2	50% 50% 50%
2	v	2	50% 50% 50%
2	w	2	50% 50% 50%
2	x	2	50% 100%
2	y	2	100% 50% 50%
2	z	2	50% 50% 50%

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 32749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Archaeollin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	177	1260	796	213	250	1	0	0
1	B	178	1268	801	214	251	2	0	0
1	C	177	1263	798	213	250	2	0	0
1	D	177	1263	798	213	250	2	0	0
1	E	178	1268	801	214	251	2	0	0
1	F	177	1263	798	213	250	2	0	0
1	G	177	1263	798	213	250	2	0	0
1	H	178	1268	801	214	251	2	0	0
1	I	177	1263	798	213	250	2	0	0
1	J	177	1263	798	213	250	2	0	0
1	K	177	1263	798	213	250	2	0	0
1	L	177	1263	798	213	250	2	0	0
1	M	177	1263	798	213	250	2	0	0
1	N	177	1263	798	213	250	2	0	0
1	O	177	1263	798	213	250	2	0	0
1	P	177	1263	798	213	250	2	0	0
1	Q	177	1263	798	213	250	2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	177	Total	C	N	O	S	0	0
			1263	798	213	250	2		
1	S	177	Total	C	N	O	S	0	0
			1263	798	213	250	2		
1	T	177	Total	C	N	O	S	0	0
			1260	797	212	249	2		
1	U	177	Total	C	N	O	S	0	0
			1263	798	213	250	2		
1	V	178	Total	C	N	O	S	0	0
			1268	801	214	251	2		
1	W	178	Total	C	N	O	S	0	0
			1268	801	214	251	2		
1	X	178	Total	C	N	O	S	0	0
			1268	801	214	251	2		
1	Y	177	Total	C	N	O	S	0	0
			1263	798	213	250	2		

- Molecule 2 is an oligosaccharide called beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			AltConf	Trace
2	Z	2	Total	C	O	0	0
			23	12	11		
2	a	2	Total	C	O	0	0
			23	12	11		
2	b	2	Total	C	O	0	0
			23	12	11		
2	c	2	Total	C	O	0	0
			23	12	11		
2	d	2	Total	C	O	0	0
			23	12	11		
2	e	2	Total	C	O	0	0
			23	12	11		
2	f	2	Total	C	O	0	0
			23	12	11		
2	g	2	Total	C	O	0	0
			23	12	11		
2	h	2	Total	C	O	0	0
			23	12	11		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			AltConf	Trace
2	i	2	Total 23	C 12	O 11	0	0
2	j	2	Total 23	C 12	O 11	0	0
2	k	2	Total 23	C 12	O 11	0	0
2	l	2	Total 23	C 12	O 11	0	0
2	m	2	Total 23	C 12	O 11	0	0
2	n	2	Total 23	C 12	O 11	0	0
2	o	2	Total 23	C 12	O 11	0	0
2	p	2	Total 23	C 12	O 11	0	0
2	q	2	Total 23	C 12	O 11	0	0
2	r	2	Total 23	C 12	O 11	0	0
2	s	2	Total 23	C 12	O 11	0	0
2	t	2	Total 23	C 12	O 11	0	0
2	u	2	Total 23	C 12	O 11	0	0
2	v	2	Total 23	C 12	O 11	0	0
2	w	2	Total 23	C 12	O 11	0	0
2	x	2	Total 23	C 12	O 11	0	0
2	y	2	Total 23	C 12	O 11	0	0
2	z	2	Total 23	C 12	O 11	0	0
2	0	2	Total 23	C 12	O 11	0	0
2	1	2	Total 23	C 12	O 11	0	0
2	2	2	Total 23	C 12	O 11	0	0

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms			AltConf	Trace
2	3	2	Total 23	C 12	O 11	0	0
2	4	2	Total 23	C 12	O 11	0	0
2	5	2	Total 23	C 12	O 11	0	0
2	6	2	Total 23	C 12	O 11	0	0
2	7	2	Total 23	C 12	O 11	0	0
2	8	2	Total 23	C 12	O 11	0	0
2	9	2	Total 23	C 12	O 11	0	0
2	AA	2	Total 23	C 12	O 11	0	0
2	BA	2	Total 23	C 12	O 11	0	0
2	CA	2	Total 23	C 12	O 11	0	0
2	DA	2	Total 23	C 12	O 11	0	0
2	EA	2	Total 23	C 12	O 11	0	0
2	FA	2	Total 23	C 12	O 11	0	0
2	GA	2	Total 23	C 12	O 11	0	0
2	HA	2	Total 23	C 12	O 11	0	0
2	IA	2	Total 23	C 12	O 11	0	0
2	JA	2	Total 23	C 12	O 11	0	0
2	KA	2	Total 23	C 12	O 11	0	0
2	LA	2	Total 23	C 12	O 11	0	0
2	MA	2	Total 23	C 12	O 11	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Archaeollin




- Molecule 1: Archaeollin




- Molecule 1: Archaeollin




- Molecule 1: Archaeollin




- Molecule 1: Archaeollin





- Molecule 1: Archaeollin

Chain F:  90% 8%





• Molecule 1: Archaeollin

Chain G:  15% 90% 8%





• Molecule 1: Archaeollin

Chain H:  6% 91% 8%





• Molecule 1: Archaeollin

Chain I:  89% 8%





• Molecule 1: Archaeollin

Chain J:  90% 8%



• Molecule 1: Archaeollin

Chain K:  91% 8%




• Molecule 1: Archaeollin



Chain L:  89% 8%




● Molecule 1: Archaeellin




● Molecule 1: Archaeellin




● Molecule 1: Archaeellin





● Molecule 1: Archaeellin





● Molecule 1: Archaeellin



● Molecule 1: Archaeellin




● Molecule 1: Archaeellin




• Molecule 1: Archaeollin




• Molecule 1: Archaeollin





• Molecule 1: Archaeollin




• Molecule 1: Archaeollin



• Molecule 1: Archaeollin



• Molecule 1: Archaeollin





- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain f:  100%  
100%



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain g:  100%  
50% 50%



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain h:  50%  
50% 50%



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain i:  100%  
50% 50%



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain j:  50%  
100%



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain k:  100%  
50% 50%




- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose

Chain l:  100%  
100%



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose





- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose





- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose





- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



- Molecule 2: beta-D-glucopyranuronic acid-(1-4)-beta-D-glucopyranose



## 4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=107.91°, rise=5.45 Å, axial sym=C1	Depositor
Number of segments used	448635	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{Å}^2$ )	30	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.686	Depositor
Minimum map value	-0.443	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	370.24, 370.24, 370.24	wwPDB
Map dimensions	416, 416, 416	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.89, 0.89, 0.89	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, BDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/1138	0.44	0/1535
1	B	0.24	0/1141	0.45	0/1538
1	C	0.25	0/1141	0.47	0/1538
1	D	0.25	0/1141	0.46	0/1538
1	E	0.25	0/1141	0.48	0/1538
1	F	0.25	0/1141	0.47	0/1538
1	G	0.24	0/1141	0.47	0/1538
1	H	0.25	0/1141	0.47	0/1538
1	I	0.25	0/1141	0.48	0/1538
1	J	0.25	0/1141	0.46	0/1538
1	K	0.25	0/1141	0.46	0/1538
1	L	0.24	0/1141	0.47	0/1538
1	M	0.24	0/1141	0.46	0/1538
1	N	0.24	0/1141	0.45	0/1538
1	O	0.25	0/1141	0.47	0/1538
1	P	0.24	0/1141	0.45	0/1538
1	Q	0.24	0/1141	0.45	0/1538
1	R	0.25	0/1141	0.47	0/1538
1	S	0.25	0/1141	0.49	0/1538
1	T	0.24	0/1138	0.47	0/1534
1	U	0.24	0/1141	0.46	0/1538
1	V	0.24	0/1141	0.45	0/1538
1	W	0.25	0/1141	0.46	0/1538
1	X	0.25	0/1141	0.47	0/1538
1	Y	0.24	0/1141	0.48	0/1538
All	All	0.25	0/28519	0.47	0/38443

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	150/193 (78%)	145 (97%)	5 (3%)	0	100	100
1	B	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	C	150/193 (78%)	149 (99%)	1 (1%)	0	100	100
1	D	150/193 (78%)	143 (95%)	7 (5%)	0	100	100
1	E	150/193 (78%)	144 (96%)	5 (3%)	1 (1%)	22	52
1	F	150/193 (78%)	147 (98%)	3 (2%)	0	100	100
1	G	150/193 (78%)	143 (95%)	7 (5%)	0	100	100
1	H	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	I	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	J	150/193 (78%)	145 (97%)	5 (3%)	0	100	100
1	K	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	L	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	M	150/193 (78%)	145 (97%)	5 (3%)	0	100	100
1	N	150/193 (78%)	144 (96%)	6 (4%)	0	100	100
1	O	150/193 (78%)	145 (97%)	5 (3%)	0	100	100
1	P	150/193 (78%)	148 (99%)	2 (1%)	0	100	100
1	Q	150/193 (78%)	149 (99%)	1 (1%)	0	100	100
1	R	150/193 (78%)	147 (98%)	3 (2%)	0	100	100
1	S	150/193 (78%)	146 (97%)	4 (3%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	T	150/193 (78%)	147 (98%)	3 (2%)	0	100	100
1	U	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	V	150/193 (78%)	147 (98%)	3 (2%)	0	100	100
1	W	150/193 (78%)	143 (95%)	7 (5%)	0	100	100
1	X	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
1	Y	150/193 (78%)	146 (97%)	4 (3%)	0	100	100
All	All	3750/4825 (78%)	3645 (97%)	104 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	76	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	122/134 (91%)	117 (96%)	5 (4%)	30	61
1	B	123/134 (92%)	120 (98%)	3 (2%)	49	74
1	C	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	D	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	E	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	F	123/134 (92%)	120 (98%)	3 (2%)	49	74
1	G	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	H	123/134 (92%)	120 (98%)	3 (2%)	49	74
1	I	123/134 (92%)	118 (96%)	5 (4%)	30	61
1	J	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	K	123/134 (92%)	121 (98%)	2 (2%)	62	83
1	L	123/134 (92%)	118 (96%)	5 (4%)	30	61

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	123/134 (92%)	115 (94%)	8 (6%)	17	44
1	N	123/134 (92%)	120 (98%)	3 (2%)	49	74
1	O	123/134 (92%)	117 (95%)	6 (5%)	25	55
1	P	123/134 (92%)	120 (98%)	3 (2%)	49	74
1	Q	123/134 (92%)	121 (98%)	2 (2%)	62	83
1	R	123/134 (92%)	120 (98%)	3 (2%)	49	74
1	S	123/134 (92%)	116 (94%)	7 (6%)	20	49
1	T	122/134 (91%)	119 (98%)	3 (2%)	47	74
1	U	123/134 (92%)	118 (96%)	5 (4%)	30	61
1	V	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	W	123/134 (92%)	116 (94%)	7 (6%)	20	49
1	X	123/134 (92%)	119 (97%)	4 (3%)	38	67
1	Y	123/134 (92%)	119 (97%)	4 (3%)	38	67
All	All	3073/3350 (92%)	2968 (97%)	105 (3%)	40	67

All (105) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	SER
1	A	61	ARG
1	A	80	ASN
1	A	84	ARG
1	A	123	ASN
1	B	78	TYR
1	B	142	ASP
1	B	149	TYR
1	C	78	TYR
1	C	123	ASN
1	C	142	ASP
1	C	149	TYR
1	D	59	SER
1	D	80	ASN
1	D	149	TYR
1	D	165	LEU
1	E	80	ASN
1	E	97	SER
1	E	142	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	E	149	TYR
1	F	55	SER
1	F	142	ASP
1	F	149	TYR
1	G	53	GLU
1	G	68	TYR
1	G	84	ARG
1	G	145	LYS
1	H	55	SER
1	H	84	ARG
1	H	97	SER
1	I	77	ASP
1	I	97	SER
1	I	112	TYR
1	I	142	ASP
1	I	149	TYR
1	J	59	SER
1	J	91	ASN
1	J	142	ASP
1	J	149	TYR
1	K	63	ASN
1	K	91	ASN
1	L	22	PHE
1	L	59	SER
1	L	84	ARG
1	L	142	ASP
1	L	149	TYR
1	M	53	GLU
1	M	61	ARG
1	M	84	ARG
1	M	97	SER
1	M	112	TYR
1	M	142	ASP
1	M	149	TYR
1	M	170	GLN
1	N	80	ASN
1	N	142	ASP
1	N	164	GLN
1	O	22	PHE
1	O	59	SER
1	O	68	TYR
1	O	80	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	O	84	ARG
1	O	140	GLN
1	P	55	SER
1	P	185	LEU
1	P	186	LYS
1	Q	140	GLN
1	Q	149	TYR
1	R	84	ARG
1	R	97	SER
1	R	149	TYR
1	S	48	SER
1	S	55	SER
1	S	84	ARG
1	S	123	ASN
1	S	142	ASP
1	S	149	TYR
1	S	184	SER
1	T	91	ASN
1	T	142	ASP
1	T	184	SER
1	U	80	ASN
1	U	97	SER
1	U	105	ASP
1	U	130	LYS
1	U	149	TYR
1	V	84	ARG
1	V	142	ASP
1	V	149	TYR
1	V	184	SER
1	W	19	LEU
1	W	25	MET
1	W	60	ASN
1	W	84	ARG
1	W	149	TYR
1	W	184	SER
1	W	189	ASN
1	X	46	LYS
1	X	142	ASP
1	X	149	TYR
1	X	170	GLN
1	Y	43	LEU
1	Y	128	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	Y	149	TYR
1	Y	174	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (71) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	100	GLN
1	B	13	GLN
1	B	100	GLN
1	B	123	ASN
1	C	63	ASN
1	C	140	GLN
1	C	170	GLN
1	D	13	GLN
1	D	91	ASN
1	D	123	ASN
1	D	164	GLN
1	D	180	GLN
1	E	13	GLN
1	E	85	GLN
1	F	13	GLN
1	F	60	ASN
1	F	63	ASN
1	F	85	GLN
1	F	164	GLN
1	G	13	GLN
1	G	38	ASN
1	G	63	ASN
1	G	91	ASN
1	G	164	GLN
1	H	44	GLN
1	H	70	ASN
1	I	123	ASN
1	J	100	GLN
1	J	189	ASN
1	K	13	GLN
1	K	63	ASN
1	K	85	GLN
1	L	13	GLN
1	L	63	ASN
1	L	123	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	M	13	GLN
1	M	164	GLN
1	N	13	GLN
1	N	100	GLN
1	O	38	ASN
1	O	63	ASN
1	O	85	GLN
1	O	140	GLN
1	P	63	ASN
1	P	170	GLN
1	P	189	ASN
1	Q	170	GLN
1	R	63	ASN
1	R	100	GLN
1	S	38	ASN
1	S	60	ASN
1	S	180	GLN
1	T	38	ASN
1	T	63	ASN
1	T	100	GLN
1	U	38	ASN
1	U	63	ASN
1	U	91	ASN
1	V	85	GLN
1	V	180	GLN
1	V	189	ASN
1	W	13	GLN
1	W	63	ASN
1	W	85	GLN
1	W	91	ASN
1	W	189	ASN
1	X	63	ASN
1	X	180	GLN
1	Y	91	ASN
1	Y	140	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

100 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	0	1	2,1	11,11,12	0.19	0	15,15,17	0.74	0
2	BDP	0	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.48	3 (21%)
2	BGC	1	1	2,1	11,11,12	0.23	0	15,15,17	0.68	0
2	BDP	1	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.54	3 (21%)
2	BGC	2	1	2,1	11,11,12	0.24	0	15,15,17	0.75	0
2	BDP	2	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.52	3 (21%)
2	BGC	3	1	2,1	11,11,12	0.22	0	15,15,17	0.67	0
2	BDP	3	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.54	3 (21%)
2	BGC	4	1	2,1	11,11,12	0.22	0	15,15,17	0.66	0
2	BDP	4	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.51	3 (21%)
2	BGC	5	1	2,1	11,11,12	0.21	0	15,15,17	0.74	0
2	BDP	5	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.53	3 (21%)
2	BGC	6	1	2,1	11,11,12	0.23	0	15,15,17	0.61	0
2	BDP	6	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.48	3 (21%)
2	BGC	7	1	2,1	11,11,12	0.23	0	15,15,17	0.76	0
2	BDP	7	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.45	2 (14%)
2	BGC	8	1	2,1	11,11,12	0.19	0	15,15,17	0.57	0
2	BDP	8	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.55	3 (21%)
2	BGC	9	1	2,1	11,11,12	0.31	0	15,15,17	1.28	1 (6%)
2	BDP	9	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.67	3 (21%)
2	BGC	AA	1	2,1	11,11,12	0.23	0	15,15,17	0.76	0
2	BDP	AA	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.48	3 (21%)
2	BGC	BA	1	2,1	11,11,12	0.22	0	15,15,17	0.71	0
2	BDP	BA	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.50	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	CA	1	2,1	11,11,12	0.24	0	15,15,17	0.71	0
2	BDP	CA	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.50	3 (21%)
2	BGC	DA	1	2,1	11,11,12	0.22	0	15,15,17	0.73	0
2	BDP	DA	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.52	3 (21%)
2	BGC	EA	1	2,1	11,11,12	0.20	0	15,15,17	0.65	0
2	BDP	EA	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.47	3 (21%)
2	BGC	FA	1	2,1	11,11,12	0.21	0	15,15,17	0.77	0
2	BDP	FA	2	2	12,12,13	1.95	1 (8%)	14,17,19	1.50	3 (21%)
2	BGC	GA	1	2,1	11,11,12	0.20	0	15,15,17	0.55	0
2	BDP	GA	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.44	2 (14%)
2	BGC	HA	1	2,1	11,11,12	0.22	0	15,15,17	0.73	0
2	BDP	HA	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.47	3 (21%)
2	BGC	IA	1	2,1	11,11,12	0.22	0	15,15,17	0.60	0
2	BDP	IA	2	2	12,12,13	1.92	1 (8%)	14,17,19	1.48	3 (21%)
2	BGC	JA	1	2,1	11,11,12	0.27	0	15,15,17	1.22	1 (6%)
2	BDP	JA	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.49	3 (21%)
2	BGC	KA	1	2,1	11,11,12	0.22	0	15,15,17	0.63	0
2	BDP	KA	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.49	3 (21%)
2	BGC	LA	1	2,1	11,11,12	0.24	0	15,15,17	0.70	0
2	BDP	LA	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.50	3 (21%)
2	BGC	MA	1	2,1	11,11,12	0.22	0	15,15,17	0.59	0
2	BDP	MA	2	2	12,12,13	1.92	1 (8%)	14,17,19	1.48	3 (21%)
2	BGC	Z	1	2,1	11,11,12	0.21	0	15,15,17	0.70	0
2	BDP	Z	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.52	3 (21%)
2	BGC	a	1	2,1	11,11,12	0.25	0	15,15,17	1.28	2 (13%)
2	BDP	a	2	2	12,12,13	1.92	1 (8%)	14,17,19	1.51	3 (21%)
2	BGC	b	1	2,1	11,11,12	0.23	0	15,15,17	0.75	0
2	BDP	b	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.51	3 (21%)
2	BGC	c	1	2,1	11,11,12	0.22	0	15,15,17	0.67	0
2	BDP	c	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.50	3 (21%)
2	BGC	d	1	2,1	11,11,12	0.22	0	15,15,17	0.92	1 (6%)
2	BDP	d	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.65	3 (21%)
2	BGC	e	1	2,1	11,11,12	0.22	0	15,15,17	0.93	1 (6%)
2	BDP	e	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.43	2 (14%)
2	BGC	f	1	2,1	11,11,12	0.21	0	15,15,17	0.93	1 (6%)
2	BDP	f	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.59	3 (21%)
2	BGC	g	1	2,1	11,11,12	0.20	0	15,15,17	0.62	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BDP	g	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.47	3 (21%)
2	BGC	h	1	2,1	11,11,12	0.21	0	15,15,17	0.79	0
2	BDP	h	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.59	3 (21%)
2	BGC	i	1	2,1	11,11,12	0.20	0	15,15,17	0.55	0
2	BDP	i	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.45	3 (21%)
2	BGC	j	1	2,1	11,11,12	0.21	0	15,15,17	0.84	1 (6%)
2	BDP	j	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.61	3 (21%)
2	BGC	k	1	2,1	11,11,12	0.21	0	15,15,17	0.68	0
2	BDP	k	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.50	3 (21%)
2	BGC	l	1	2,1	11,11,12	0.22	0	15,15,17	1.21	2 (13%)
2	BDP	l	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.52	3 (21%)
2	BGC	m	1	2,1	11,11,12	0.20	0	15,15,17	0.57	0
2	BDP	m	2	2	12,12,13	1.92	1 (8%)	14,17,19	1.47	3 (21%)
2	BGC	n	1	2,1	11,11,12	0.23	0	15,15,17	1.04	1 (6%)
2	BDP	n	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.52	3 (21%)
2	BGC	o	1	2,1	11,11,12	0.23	0	15,15,17	1.08	2 (13%)
2	BDP	o	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.45	3 (21%)
2	BGC	p	1	2,1	11,11,12	0.20	0	15,15,17	0.74	0
2	BDP	p	2	2	12,12,13	1.95	1 (8%)	14,17,19	1.55	3 (21%)
2	BGC	q	1	2,1	11,11,12	0.21	0	15,15,17	0.71	1 (6%)
2	BDP	q	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.43	2 (14%)
2	BGC	r	1	2,1	11,11,12	0.23	0	15,15,17	0.95	1 (6%)
2	BDP	r	2	2	12,12,13	1.95	1 (8%)	14,17,19	1.61	3 (21%)
2	BGC	s	1	2,1	11,11,12	0.18	0	15,15,17	0.56	0
2	BDP	s	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.50	3 (21%)
2	BGC	t	1	2,1	11,11,12	0.21	0	15,15,17	0.78	0
2	BDP	t	2	2	12,12,13	1.95	1 (8%)	14,17,19	1.48	3 (21%)
2	BGC	u	1	2,1	11,11,12	0.23	0	15,15,17	0.63	0
2	BDP	u	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.47	3 (21%)
2	BGC	v	1	2,1	11,11,12	0.22	0	15,15,17	0.80	0
2	BDP	v	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.56	3 (21%)
2	BGC	w	1	2,1	11,11,12	0.20	0	15,15,17	0.49	0
2	BDP	w	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.45	3 (21%)
2	BGC	x	1	2,1	11,11,12	0.20	0	15,15,17	0.80	1 (6%)
2	BDP	x	2	2	12,12,13	1.94	1 (8%)	14,17,19	1.51	3 (21%)
2	BGC	y	1	2,1	11,11,12	0.23	0	15,15,17	0.66	0
2	BDP	y	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.51	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	z	1	2,1	11,11,12	0.19	0	15,15,17	0.53	0
2	BDP	z	2	2	12,12,13	1.93	1 (8%)	14,17,19	1.51	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	0	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	0	2	2	-	1/4/21/24	0/1/1/1
2	BGC	1	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	1	2	2	-	1/4/21/24	0/1/1/1
2	BGC	2	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	2	2	2	-	1/4/21/24	0/1/1/1
2	BGC	3	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	3	2	2	-	1/4/21/24	0/1/1/1
2	BGC	4	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	4	2	2	-	1/4/21/24	0/1/1/1
2	BGC	5	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	5	2	2	-	1/4/21/24	0/1/1/1
2	BGC	6	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	6	2	2	-	1/4/21/24	0/1/1/1
2	BGC	7	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	7	2	2	-	1/4/21/24	0/1/1/1
2	BGC	8	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	8	2	2	-	1/4/21/24	0/1/1/1
2	BGC	9	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	9	2	2	-	1/4/21/24	0/1/1/1
2	BGC	AA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	AA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	BA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	BA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	CA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	CA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	DA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	DA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	EA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	EA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	FA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	FA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	GA	1	2,1	-	1/2/19/22	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BDP	GA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	HA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	HA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	IA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	IA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	JA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	JA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	KA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	KA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	LA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	LA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	MA	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	MA	2	2	-	1/4/21/24	0/1/1/1
2	BGC	Z	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	Z	2	2	-	1/4/21/24	0/1/1/1
2	BGC	a	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	a	2	2	-	1/4/21/24	0/1/1/1
2	BGC	b	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	b	2	2	-	1/4/21/24	0/1/1/1
2	BGC	c	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	c	2	2	-	1/4/21/24	0/1/1/1
2	BGC	d	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	d	2	2	-	1/4/21/24	0/1/1/1
2	BGC	e	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	e	2	2	-	1/4/21/24	0/1/1/1
2	BGC	f	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	f	2	2	-	1/4/21/24	0/1/1/1
2	BGC	g	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	g	2	2	-	1/4/21/24	0/1/1/1
2	BGC	h	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	h	2	2	-	1/4/21/24	0/1/1/1
2	BGC	i	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	i	2	2	-	1/4/21/24	0/1/1/1
2	BGC	j	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	j	2	2	-	1/4/21/24	0/1/1/1
2	BGC	k	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	k	2	2	-	1/4/21/24	0/1/1/1
2	BGC	l	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	l	2	2	-	1/4/21/24	0/1/1/1
2	BGC	m	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	m	2	2	-	1/4/21/24	0/1/1/1
2	BGC	n	1	2,1	-	1/2/19/22	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BDP	n	2	2	-	1/4/21/24	0/1/1/1
2	BGC	o	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	o	2	2	-	1/4/21/24	0/1/1/1
2	BGC	p	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	p	2	2	-	1/4/21/24	0/1/1/1
2	BGC	q	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	q	2	2	-	1/4/21/24	0/1/1/1
2	BGC	r	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	r	2	2	-	1/4/21/24	0/1/1/1
2	BGC	s	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	s	2	2	-	1/4/21/24	0/1/1/1
2	BGC	t	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	t	2	2	-	1/4/21/24	0/1/1/1
2	BGC	u	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	u	2	2	-	1/4/21/24	0/1/1/1
2	BGC	v	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	v	2	2	-	1/4/21/24	0/1/1/1
2	BGC	w	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	w	2	2	-	1/4/21/24	0/1/1/1
2	BGC	x	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	x	2	2	-	1/4/21/24	0/1/1/1
2	BGC	y	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	y	2	2	-	1/4/21/24	0/1/1/1
2	BGC	z	1	2,1	-	1/2/19/22	0/1/1/1
2	BDP	z	2	2	-	1/4/21/24	0/1/1/1

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	r	2	BDP	O6A-C6	6.63	1.42	1.22
2	t	2	BDP	O6A-C6	6.62	1.42	1.22
2	p	2	BDP	O6A-C6	6.62	1.42	1.22
2	FA	2	BDP	O6A-C6	6.62	1.42	1.22
2	BA	2	BDP	O6A-C6	6.62	1.42	1.22
2	1	2	BDP	O6A-C6	6.62	1.42	1.22
2	CA	2	BDP	O6A-C6	6.61	1.42	1.22
2	9	2	BDP	O6A-C6	6.61	1.42	1.22
2	l	2	BDP	O6A-C6	6.61	1.42	1.22
2	e	2	BDP	O6A-C6	6.60	1.42	1.22
2	Z	2	BDP	O6A-C6	6.60	1.42	1.22
2	7	2	BDP	O6A-C6	6.60	1.42	1.22
2	k	2	BDP	O6A-C6	6.60	1.42	1.22

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	q	2	BDP	O6A-C6	6.59	1.42	1.22
2	x	2	BDP	O6A-C6	6.59	1.42	1.22
2	j	2	BDP	O6A-C6	6.59	1.42	1.22
2	AA	2	BDP	O6A-C6	6.59	1.42	1.22
2	4	2	BDP	O6A-C6	6.59	1.42	1.22
2	d	2	BDP	O6A-C6	6.59	1.42	1.22
2	i	2	BDP	O6A-C6	6.59	1.42	1.22
2	o	2	BDP	O6A-C6	6.59	1.42	1.22
2	h	2	BDP	O6A-C6	6.59	1.42	1.22
2	b	2	BDP	O6A-C6	6.58	1.42	1.22
2	y	2	BDP	O6A-C6	6.58	1.42	1.22
2	0	2	BDP	O6A-C6	6.58	1.42	1.22
2	w	2	BDP	O6A-C6	6.58	1.42	1.22
2	HA	2	BDP	O6A-C6	6.58	1.42	1.22
2	JA	2	BDP	O6A-C6	6.58	1.42	1.22
2	v	2	BDP	O6A-C6	6.58	1.42	1.22
2	6	2	BDP	O6A-C6	6.58	1.42	1.22
2	DA	2	BDP	O6A-C6	6.58	1.42	1.22
2	KA	2	BDP	O6A-C6	6.58	1.42	1.22
2	8	2	BDP	O6A-C6	6.58	1.42	1.22
2	3	2	BDP	O6A-C6	6.58	1.42	1.22
2	EA	2	BDP	O6A-C6	6.58	1.42	1.22
2	g	2	BDP	O6A-C6	6.58	1.42	1.22
2	5	2	BDP	O6A-C6	6.57	1.42	1.22
2	z	2	BDP	O6A-C6	6.57	1.42	1.22
2	LA	2	BDP	O6A-C6	6.57	1.42	1.22
2	n	2	BDP	O6A-C6	6.57	1.42	1.22
2	u	2	BDP	O6A-C6	6.57	1.42	1.22
2	s	2	BDP	O6A-C6	6.57	1.42	1.22
2	c	2	BDP	O6A-C6	6.57	1.42	1.22
2	GA	2	BDP	O6A-C6	6.56	1.42	1.22
2	f	2	BDP	O6A-C6	6.56	1.42	1.22
2	2	2	BDP	O6A-C6	6.56	1.42	1.22
2	a	2	BDP	O6A-C6	6.56	1.42	1.22
2	m	2	BDP	O6A-C6	6.55	1.42	1.22
2	MA	2	BDP	O6A-C6	6.55	1.42	1.22
2	IA	2	BDP	O6A-C6	6.54	1.42	1.22

All (162) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	9	1	BGC	C1-C2-C3	3.90	114.46	109.67

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	n	2	BDP	O6B-C6-O6A	-3.81	115.45	124.09
2	l	2	BDP	O6B-C6-O6A	-3.77	115.52	124.09
2	FA	2	BDP	O6B-C6-O6A	-3.75	115.58	124.09
2	r	2	BDP	O6B-C6-O6A	-3.75	115.58	124.09
2	m	2	BDP	O6B-C6-O6A	-3.74	115.59	124.09
2	0	2	BDP	O6B-C6-O6A	-3.74	115.61	124.09
2	CA	2	BDP	O6B-C6-O6A	-3.73	115.61	124.09
2	o	2	BDP	O6B-C6-O6A	-3.73	115.62	124.09
2	k	2	BDP	O6B-C6-O6A	-3.73	115.62	124.09
2	JA	2	BDP	O6B-C6-O6A	-3.73	115.63	124.09
2	b	2	BDP	O6B-C6-O6A	-3.73	115.63	124.09
2	AA	2	BDP	O6B-C6-O6A	-3.72	115.64	124.09
2	LA	2	BDP	O6B-C6-O6A	-3.72	115.64	124.09
2	x	2	BDP	O6B-C6-O6A	-3.72	115.64	124.09
2	l	2	BDP	O6B-C6-O6A	-3.72	115.65	124.09
2	5	2	BDP	O6B-C6-O6A	-3.71	115.67	124.09
2	7	2	BDP	O6B-C6-O6A	-3.71	115.67	124.09
2	6	2	BDP	O6B-C6-O6A	-3.71	115.67	124.09
2	u	2	BDP	O6B-C6-O6A	-3.71	115.67	124.09
2	3	2	BDP	O6B-C6-O6A	-3.70	115.68	124.09
2	a	2	BDP	O6B-C6-O6A	-3.70	115.68	124.09
2	KA	2	BDP	O6B-C6-O6A	-3.70	115.69	124.09
2	h	2	BDP	O6B-C6-O6A	-3.69	115.70	124.09
2	y	2	BDP	O6B-C6-O6A	-3.69	115.70	124.09
2	BA	2	BDP	O6B-C6-O6A	-3.69	115.71	124.09
2	c	2	BDP	O6B-C6-O6A	-3.69	115.72	124.09
2	e	2	BDP	O6B-C6-O6A	-3.69	115.72	124.09
2	IA	2	BDP	O6B-C6-O6A	-3.68	115.72	124.09
2	j	2	BDP	O6B-C6-O6A	-3.68	115.72	124.09
2	2	2	BDP	O6B-C6-O6A	-3.68	115.72	124.09
2	s	2	BDP	O6B-C6-O6A	-3.68	115.73	124.09
2	v	2	BDP	O6B-C6-O6A	-3.68	115.73	124.09
2	EA	2	BDP	O6B-C6-O6A	-3.68	115.74	124.09
2	d	2	BDP	O6B-C6-O6A	-3.67	115.75	124.09
2	z	2	BDP	O6B-C6-O6A	-3.67	115.75	124.09
2	GA	2	BDP	O6B-C6-O6A	-3.67	115.75	124.09
2	f	2	BDP	O6B-C6-O6A	-3.67	115.76	124.09
2	p	2	BDP	O6B-C6-O6A	-3.67	115.76	124.09
2	i	2	BDP	O6B-C6-O6A	-3.67	115.76	124.09
2	4	2	BDP	O6B-C6-O6A	-3.67	115.77	124.09
2	t	2	BDP	O6B-C6-O6A	-3.66	115.77	124.09
2	JA	1	BGC	C1-C2-C3	3.66	114.16	109.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	DA	2	BDP	O6B-C6-O6A	-3.66	115.78	124.09
2	HA	2	BDP	O6B-C6-O6A	-3.66	115.78	124.09
2	9	2	BDP	O6B-C6-O6A	-3.65	115.80	124.09
2	Z	2	BDP	O6B-C6-O6A	-3.64	115.81	124.09
2	8	2	BDP	O6B-C6-O6A	-3.64	115.82	124.09
2	g	2	BDP	O6B-C6-O6A	-3.64	115.83	124.09
2	w	2	BDP	O6B-C6-O6A	-3.62	115.86	124.09
2	MA	2	BDP	O6B-C6-O6A	-3.61	115.88	124.09
2	q	2	BDP	O6B-C6-O6A	-3.61	115.89	124.09
2	9	2	BDP	C1-C2-C3	-3.26	105.66	109.67
2	d	2	BDP	C1-C2-C3	-3.24	105.68	109.67
2	a	1	BGC	O4-C4-C3	-3.10	103.17	110.35
2	j	2	BDP	C1-C2-C3	-3.07	105.90	109.67
2	r	2	BDP	C1-C2-C3	-2.98	106.00	109.67
2	n	1	BGC	C1-C2-C3	2.97	113.32	109.67
2	h	2	BDP	C1-C2-C3	-2.93	106.07	109.67
2	f	2	BDP	C1-C2-C3	-2.87	106.14	109.67
2	9	2	BDP	O6A-C6-C5	-2.82	110.48	120.81
2	f	2	BDP	O6A-C6-C5	-2.79	110.59	120.81
2	2	2	BDP	O6A-C6-C5	-2.78	110.63	120.81
2	b	2	BDP	O6A-C6-C5	-2.77	110.64	120.81
2	HA	2	BDP	O6A-C6-C5	-2.77	110.65	120.81
2	v	2	BDP	O6A-C6-C5	-2.76	110.70	120.81
2	t	2	BDP	O6A-C6-C5	-2.75	110.71	120.81
2	a	1	BGC	O4-C4-C5	2.75	116.12	109.30
2	j	2	BDP	O6A-C6-C5	-2.75	110.73	120.81
2	p	2	BDP	C1-C2-C3	-2.74	106.29	109.67
2	h	2	BDP	O6A-C6-C5	-2.74	110.75	120.81
2	CA	2	BDP	O6A-C6-C5	-2.74	110.76	120.81
2	d	2	BDP	O6A-C6-C5	-2.74	110.77	120.81
2	l	2	BDP	O6A-C6-C5	-2.73	110.78	120.81
2	e	2	BDP	O6A-C6-C5	-2.73	110.79	120.81
2	KA	2	BDP	O6A-C6-C5	-2.73	110.81	120.81
2	r	2	BDP	O6A-C6-C5	-2.73	110.81	120.81
2	FA	2	BDP	O6A-C6-C5	-2.73	110.81	120.81
2	8	2	BDP	O6A-C6-C5	-2.72	110.82	120.81
2	s	2	BDP	O6A-C6-C5	-2.72	110.83	120.81
2	o	2	BDP	O6A-C6-C5	-2.72	110.83	120.81
2	6	2	BDP	O6A-C6-C5	-2.72	110.83	120.81
2	u	2	BDP	O6A-C6-C5	-2.72	110.83	120.81
2	5	2	BDP	O6A-C6-C5	-2.72	110.83	120.81
2	m	2	BDP	O6A-C6-C5	-2.72	110.84	120.81

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	0	2	BDP	O6A-C6-C5	-2.72	110.84	120.81
2	k	2	BDP	O6A-C6-C5	-2.72	110.85	120.81
2	DA	2	BDP	O6A-C6-C5	-2.72	110.85	120.81
2	AA	2	BDP	O6A-C6-C5	-2.72	110.85	120.81
2	1	2	BDP	O6A-C6-C5	-2.72	110.85	120.81
2	IA	2	BDP	O6A-C6-C5	-2.72	110.85	120.81
2	p	2	BDP	O6A-C6-C5	-2.71	110.85	120.81
2	7	2	BDP	O6A-C6-C5	-2.71	110.85	120.81
2	a	2	BDP	O6A-C6-C5	-2.71	110.86	120.81
2	MA	2	BDP	O6A-C6-C5	-2.71	110.86	120.81
2	v	2	BDP	C1-C2-C3	-2.71	106.33	109.67
2	c	2	BDP	O6A-C6-C5	-2.71	110.87	120.81
2	y	2	BDP	O6A-C6-C5	-2.71	110.87	120.81
2	4	2	BDP	O6A-C6-C5	-2.71	110.87	120.81
2	g	2	BDP	O6A-C6-C5	-2.71	110.88	120.81
2	EA	2	BDP	O6A-C6-C5	-2.70	110.89	120.81
2	3	2	BDP	O6A-C6-C5	-2.70	110.89	120.81
2	8	2	BDP	C1-C2-C3	-2.70	106.34	109.67
2	x	2	BDP	O6A-C6-C5	-2.70	110.90	120.81
2	LA	2	BDP	O6A-C6-C5	-2.70	110.90	120.81
2	l	1	BGC	O5-C1-C2	-2.69	106.62	110.77
2	JA	2	BDP	O6A-C6-C5	-2.69	110.96	120.81
2	BA	2	BDP	O6A-C6-C5	-2.68	110.96	120.81
2	q	2	BDP	O6A-C6-C5	-2.68	110.97	120.81
2	z	2	BDP	O6A-C6-C5	-2.68	110.99	120.81
2	GA	2	BDP	O6A-C6-C5	-2.67	111.00	120.81
2	n	2	BDP	O6A-C6-C5	-2.67	111.02	120.81
2	w	2	BDP	O6A-C6-C5	-2.66	111.06	120.81
2	i	2	BDP	O6A-C6-C5	-2.65	111.07	120.81
2	Z	2	BDP	O6A-C6-C5	-2.65	111.10	120.81
2	r	1	BGC	C1-C2-C3	2.62	112.88	109.67
2	d	1	BGC	C1-C2-C3	2.60	112.86	109.67
2	3	2	BDP	C1-C2-C3	-2.58	106.50	109.67
2	Z	2	BDP	C1-C2-C3	-2.56	106.52	109.67
2	DA	2	BDP	C1-C2-C3	-2.53	106.56	109.67
2	z	2	BDP	C1-C2-C3	-2.52	106.57	109.67
2	l	1	BGC	C1-C2-C3	2.52	112.77	109.67
2	1	2	BDP	C1-C2-C3	-2.51	106.58	109.67
2	5	2	BDP	C1-C2-C3	-2.47	106.63	109.67
2	y	2	BDP	C1-C2-C3	-2.47	106.64	109.67
2	2	2	BDP	C1-C2-C3	-2.47	106.64	109.67
2	l	2	BDP	C1-C2-C3	-2.44	106.66	109.67

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	s	2	BDP	C1-C2-C3	-2.44	106.67	109.67
2	4	2	BDP	C1-C2-C3	-2.43	106.67	109.67
2	a	2	BDP	C1-C2-C3	-2.43	106.68	109.67
2	o	1	BGC	O4-C4-C5	2.42	115.31	109.30
2	n	2	BDP	C1-C2-C3	-2.41	106.70	109.67
2	c	2	BDP	C1-C2-C3	-2.35	106.77	109.67
2	BA	2	BDP	C1-C2-C3	-2.34	106.78	109.67
2	o	1	BGC	O4-C4-C3	-2.34	104.94	110.35
2	x	2	BDP	C1-C2-C3	-2.34	106.80	109.67
2	LA	2	BDP	C1-C2-C3	-2.34	106.80	109.67
2	e	1	BGC	O4-C4-C3	-2.33	104.96	110.35
2	k	2	BDP	C1-C2-C3	-2.33	106.80	109.67
2	b	2	BDP	C1-C2-C3	-2.29	106.85	109.67
2	CA	2	BDP	C1-C2-C3	-2.27	106.87	109.67
2	MA	2	BDP	C1-C2-C3	-2.27	106.88	109.67
2	f	1	BGC	C1-C2-C3	2.26	112.45	109.67
2	IA	2	BDP	C1-C2-C3	-2.25	106.90	109.67
2	FA	2	BDP	C1-C2-C3	-2.24	106.91	109.67
2	JA	2	BDP	C1-C2-C3	-2.23	106.93	109.67
2	6	2	BDP	C1-C2-C3	-2.21	106.95	109.67
2	KA	2	BDP	C1-C2-C3	-2.18	106.98	109.67
2	i	2	BDP	C1-C2-C3	-2.18	106.98	109.67
2	0	2	BDP	C1-C2-C3	-2.18	106.99	109.67
2	w	2	BDP	C1-C2-C3	-2.17	106.99	109.67
2	g	2	BDP	C1-C2-C3	-2.17	107.00	109.67
2	t	2	BDP	C1-C2-C3	-2.17	107.00	109.67
2	AA	2	BDP	C1-C2-C3	-2.13	107.04	109.67
2	u	2	BDP	C1-C2-C3	-2.12	107.06	109.67
2	EA	2	BDP	C1-C2-C3	-2.10	107.08	109.67
2	x	1	BGC	C1-C2-C3	2.07	112.21	109.67
2	q	1	BGC	C1-C2-C3	2.06	112.20	109.67
2	j	1	BGC	C1-C2-C3	2.06	112.19	109.67
2	o	2	BDP	C1-C2-C3	-2.05	107.15	109.67
2	HA	2	BDP	C1-C2-C3	-2.03	107.17	109.67
2	m	2	BDP	C1-C2-C3	-2.03	107.17	109.67

There are no chirality outliers.

All (100) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	Z	2	BDP	C4-C5-C6-O6B
2	a	2	BDP	C4-C5-C6-O6B

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
2	b	2	BDP	C4-C5-C6-O6B
2	c	2	BDP	C4-C5-C6-O6B
2	d	2	BDP	C4-C5-C6-O6B
2	e	2	BDP	C4-C5-C6-O6B
2	f	2	BDP	C4-C5-C6-O6B
2	g	2	BDP	C4-C5-C6-O6B
2	h	2	BDP	C4-C5-C6-O6B
2	i	2	BDP	C4-C5-C6-O6B
2	j	2	BDP	C4-C5-C6-O6B
2	k	2	BDP	C4-C5-C6-O6B
2	l	2	BDP	C4-C5-C6-O6B
2	m	2	BDP	C4-C5-C6-O6B
2	n	2	BDP	C4-C5-C6-O6B
2	o	2	BDP	C4-C5-C6-O6B
2	p	2	BDP	C4-C5-C6-O6B
2	q	2	BDP	C4-C5-C6-O6B
2	r	2	BDP	C4-C5-C6-O6B
2	s	2	BDP	C4-C5-C6-O6B
2	t	2	BDP	C4-C5-C6-O6B
2	u	2	BDP	C4-C5-C6-O6B
2	v	2	BDP	C4-C5-C6-O6B
2	w	2	BDP	C4-C5-C6-O6B
2	x	2	BDP	C4-C5-C6-O6B
2	y	2	BDP	C4-C5-C6-O6B
2	z	2	BDP	C4-C5-C6-O6B
2	0	2	BDP	C4-C5-C6-O6B
2	1	2	BDP	C4-C5-C6-O6B
2	2	2	BDP	C4-C5-C6-O6B
2	3	2	BDP	C4-C5-C6-O6B
2	4	2	BDP	C4-C5-C6-O6B
2	5	2	BDP	C4-C5-C6-O6B
2	6	2	BDP	C4-C5-C6-O6B
2	7	2	BDP	C4-C5-C6-O6B
2	8	2	BDP	C4-C5-C6-O6B
2	9	2	BDP	C4-C5-C6-O6B
2	AA	2	BDP	C4-C5-C6-O6B
2	BA	2	BDP	C4-C5-C6-O6B
2	CA	2	BDP	C4-C5-C6-O6B
2	DA	2	BDP	C4-C5-C6-O6B
2	EA	2	BDP	C4-C5-C6-O6B
2	FA	2	BDP	C4-C5-C6-O6B
2	GA	2	BDP	C4-C5-C6-O6B

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	HA	2	BDP	C4-C5-C6-O6B
2	IA	2	BDP	C4-C5-C6-O6B
2	JA	2	BDP	C4-C5-C6-O6B
2	KA	2	BDP	C4-C5-C6-O6B
2	LA	2	BDP	C4-C5-C6-O6B
2	MA	2	BDP	C4-C5-C6-O6B
2	a	1	BGC	O5-C5-C6-O6
2	c	1	BGC	O5-C5-C6-O6
2	g	1	BGC	O5-C5-C6-O6
2	l	1	BGC	O5-C5-C6-O6
2	p	1	BGC	O5-C5-C6-O6
2	u	1	BGC	O5-C5-C6-O6
2	x	1	BGC	O5-C5-C6-O6
2	y	1	BGC	O5-C5-C6-O6
2	3	1	BGC	O5-C5-C6-O6
2	AA	1	BGC	O5-C5-C6-O6
2	CA	1	BGC	O5-C5-C6-O6
2	HA	1	BGC	O5-C5-C6-O6
2	JA	1	BGC	O5-C5-C6-O6
2	KA	1	BGC	O5-C5-C6-O6
2	MA	1	BGC	O5-C5-C6-O6
2	Z	1	BGC	O5-C5-C6-O6
2	h	1	BGC	O5-C5-C6-O6
2	j	1	BGC	O5-C5-C6-O6
2	k	1	BGC	O5-C5-C6-O6
2	r	1	BGC	O5-C5-C6-O6
2	v	1	BGC	O5-C5-C6-O6
2	2	1	BGC	O5-C5-C6-O6
2	4	1	BGC	O5-C5-C6-O6
2	5	1	BGC	O5-C5-C6-O6
2	6	1	BGC	O5-C5-C6-O6
2	7	1	BGC	O5-C5-C6-O6
2	BA	1	BGC	O5-C5-C6-O6
2	DA	1	BGC	O5-C5-C6-O6
2	EA	1	BGC	O5-C5-C6-O6
2	GA	1	BGC	O5-C5-C6-O6
2	IA	1	BGC	O5-C5-C6-O6
2	LA	1	BGC	O5-C5-C6-O6
2	m	1	BGC	O5-C5-C6-O6
2	q	1	BGC	O5-C5-C6-O6
2	s	1	BGC	O5-C5-C6-O6
2	t	1	BGC	O5-C5-C6-O6

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	1	1	BGC	O5-C5-C6-O6
2	b	1	BGC	O5-C5-C6-O6
2	d	1	BGC	O5-C5-C6-O6
2	f	1	BGC	O5-C5-C6-O6
2	i	1	BGC	O5-C5-C6-O6
2	w	1	BGC	O5-C5-C6-O6
2	z	1	BGC	O5-C5-C6-O6
2	8	1	BGC	O5-C5-C6-O6
2	FA	1	BGC	O5-C5-C6-O6
2	o	1	BGC	O5-C5-C6-O6
2	n	1	BGC	O5-C5-C6-O6
2	9	1	BGC	O5-C5-C6-O6
2	e	1	BGC	O5-C5-C6-O6
2	0	1	BGC	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.































































































































































## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19943. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 208




Y Index: 208




Z Index: 208


### 6.2.2 Raw map



X Index: 208



Y Index: 208




Z Index: 208

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 198




Y Index: 204




Z Index: 236


### 6.3.2 Raw map



X Index: 198



Y Index: 202




Z Index: 223


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 262 nm<sup>3</sup>; this corresponds to an approximate mass of 236 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.327 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.327 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.06	-	-
Author-provided FSC curve	3.06	3.48	3.09
Unmasked-calculated*	3.56	4.05	3.64


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.56 differs from the reported value 3.06 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19943 and PDB model 9ESM. Per-residue inclusion information can be found in section 3 on page 10.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary



















































































The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7710	 0.5170
0	 0.3480	 0.3080
1	 0.3480	 0.4290
2	 0.3040	 0.2930
3	 0.2170	 0.3040
4	 0.3040	 0.4060
5	 0.2610	 0.3980
6	 0.2610	 0.4410
7	 0.3910	 0.4200
8	 0.3910	 0.3530
9	 0.2170	 0.3380
A	 0.7330	 0.5090
AA	 0.3480	 0.2840
B	 0.7430	 0.5050
BA	 0.3040	 0.2540
C	 0.7950	 0.5290
CA	 0.3040	 0.4240
D	 0.7210	 0.4870
DA	 0.2610	 0.4110
E	 0.7810	 0.5080
EA	 0.2610	 0.3890
F	 0.8090	 0.5350
FA	 0.3910	 0.3660
G	 0.6780	 0.4880
GA	 0.3480	 0.3130
H	 0.7890	 0.5220
HA	 0.3480	 0.4310
I	 0.8430	 0.5440
IA	 0.3040	 0.3920
J	 0.8400	 0.5520
JA	 0.2170	 0.3020
K	 0.8370	 0.5520
KA	 0.3910	 0.3210
L	 0.8360	 0.5450
LA	 0.3480	 0.2550



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
M	 0.8370	 0.5350
MA	 0.2170	 0.2090
N	 0.8150	 0.5280
O	 0.8120	 0.5320
P	 0.8280	 0.5420
Q	 0.8230	 0.5490
R	 0.8640	 0.5540
S	 0.8030	 0.5200
T	 0.7780	 0.5250
U	 0.7940	 0.5220
V	 0.7640	 0.4990
W	 0.8060	 0.5310
X	 0.7270	 0.4870
Y	 0.6840	 0.4800
Z	 0.2610	 0.2900
a	 0.2610	 0.4070
b	 0.1740	 0.2850
c	 0.2170	 0.4260
d	 0.2170	 0.3820
e	 0.3040	 0.2060
f	 0.0870	 0.3640
g	 0.2170	 0.2710
h	 0.2170	 0.3660
i	 0.1740	 0.3190
j	 0.2610	 0.3850
k	 0.1740	 0.3500
l	 0.0000	 0.3020
m	 0.2170	 0.2110
n	 0.2170	 0.3640
o	 0.3040	 0.4040
p	 0.3040	 0.3130
q	 0.3910	 0.3950
r	 0.3040	 0.3940
s	 0.3040	 0.3750
t	 0.2610	 0.2020
u	 0.2610	 0.3480
v	 0.2170	 0.4590
w	 0.3480	 0.2660
x	 0.3040	 0.2480
y	 0.1740	 0.2510
z	 0.3040	 0.3020