



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 18, 2024 – 12:17 PM EDT

PDB ID : 3WF1
Title : Crystal structure of human beta-galactosidase in complex with 6S-NBI-GJ
Authors : Suzuki, H.; Ohto, U.; Shimizu, T.
Deposited on : 2013-07-16
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	678	 2% 83% 6% 11%
1	B	678	 2% 80% 9% 11%
1	C	678	 2% 80% 8% 11%
1	D	678	 3% 81% 8% 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	6GJ	B	710	-	-	X	-

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 21271 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	605	4849	3144	805	882	18	0	8	0
1	B	605	4831	3137	798	879	17	0	4	0
1	C	603	4815	3126	792	880	17	0	6	0
1	D	603	4808	3120	791	880	17	0	5	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLU	-	expression tag	UNP P16278
A	1	ALA	-	expression tag	UNP P16278
A	2	GLU	-	expression tag	UNP P16278
A	3	ALA	-	expression tag	UNP P16278
A	4	TYR	-	expression tag	UNP P16278
A	5	VAL	-	expression tag	UNP P16278
A	6	GLU	-	expression tag	UNP P16278
A	7	PHE	-	expression tag	UNP P16278
A	8	HIS	-	expression tag	UNP P16278
A	9	HIS	-	expression tag	UNP P16278
A	10	HIS	-	expression tag	UNP P16278
A	11	HIS	-	expression tag	UNP P16278
A	12	HIS	-	expression tag	UNP P16278
A	13	HIS	-	expression tag	UNP P16278
A	14	ASP	-	expression tag	UNP P16278
A	15	TYR	-	expression tag	UNP P16278
A	16	LYS	-	expression tag	UNP P16278
A	17	ASP	-	expression tag	UNP P16278
A	18	ASP	-	expression tag	UNP P16278
A	19	ASP	-	expression tag	UNP P16278
A	20	ASP	-	expression tag	UNP P16278

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	LYS	-	expression tag	UNP P16278
A	22	THR	-	expression tag	UNP P16278
A	23	SER	-	expression tag	UNP P16278
B	0	GLU	-	expression tag	UNP P16278
B	1	ALA	-	expression tag	UNP P16278
B	2	GLU	-	expression tag	UNP P16278
B	3	ALA	-	expression tag	UNP P16278
B	4	TYR	-	expression tag	UNP P16278
B	5	VAL	-	expression tag	UNP P16278
B	6	GLU	-	expression tag	UNP P16278
B	7	PHE	-	expression tag	UNP P16278
B	8	HIS	-	expression tag	UNP P16278
B	9	HIS	-	expression tag	UNP P16278
B	10	HIS	-	expression tag	UNP P16278
B	11	HIS	-	expression tag	UNP P16278
B	12	HIS	-	expression tag	UNP P16278
B	13	HIS	-	expression tag	UNP P16278
B	14	ASP	-	expression tag	UNP P16278
B	15	TYR	-	expression tag	UNP P16278
B	16	LYS	-	expression tag	UNP P16278
B	17	ASP	-	expression tag	UNP P16278
B	18	ASP	-	expression tag	UNP P16278
B	19	ASP	-	expression tag	UNP P16278
B	20	ASP	-	expression tag	UNP P16278
B	21	LYS	-	expression tag	UNP P16278
B	22	THR	-	expression tag	UNP P16278
B	23	SER	-	expression tag	UNP P16278
C	0	GLU	-	expression tag	UNP P16278
C	1	ALA	-	expression tag	UNP P16278
C	2	GLU	-	expression tag	UNP P16278
C	3	ALA	-	expression tag	UNP P16278
C	4	TYR	-	expression tag	UNP P16278
C	5	VAL	-	expression tag	UNP P16278
C	6	GLU	-	expression tag	UNP P16278
C	7	PHE	-	expression tag	UNP P16278
C	8	HIS	-	expression tag	UNP P16278
C	9	HIS	-	expression tag	UNP P16278
C	10	HIS	-	expression tag	UNP P16278
C	11	HIS	-	expression tag	UNP P16278
C	12	HIS	-	expression tag	UNP P16278
C	13	HIS	-	expression tag	UNP P16278
C	14	ASP	-	expression tag	UNP P16278

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	15	TYR	-	expression tag	UNP P16278
C	16	LYS	-	expression tag	UNP P16278
C	17	ASP	-	expression tag	UNP P16278
C	18	ASP	-	expression tag	UNP P16278
C	19	ASP	-	expression tag	UNP P16278
C	20	ASP	-	expression tag	UNP P16278
C	21	LYS	-	expression tag	UNP P16278
C	22	THR	-	expression tag	UNP P16278
C	23	SER	-	expression tag	UNP P16278
D	0	GLU	-	expression tag	UNP P16278
D	1	ALA	-	expression tag	UNP P16278
D	2	GLU	-	expression tag	UNP P16278
D	3	ALA	-	expression tag	UNP P16278
D	4	TYR	-	expression tag	UNP P16278
D	5	VAL	-	expression tag	UNP P16278
D	6	GLU	-	expression tag	UNP P16278
D	7	PHE	-	expression tag	UNP P16278
D	8	HIS	-	expression tag	UNP P16278
D	9	HIS	-	expression tag	UNP P16278
D	10	HIS	-	expression tag	UNP P16278
D	11	HIS	-	expression tag	UNP P16278
D	12	HIS	-	expression tag	UNP P16278
D	13	HIS	-	expression tag	UNP P16278
D	14	ASP	-	expression tag	UNP P16278
D	15	TYR	-	expression tag	UNP P16278
D	16	LYS	-	expression tag	UNP P16278
D	17	ASP	-	expression tag	UNP P16278
D	18	ASP	-	expression tag	UNP P16278
D	19	ASP	-	expression tag	UNP P16278
D	20	ASP	-	expression tag	UNP P16278
D	21	LYS	-	expression tag	UNP P16278
D	22	THR	-	expression tag	UNP P16278
D	23	SER	-	expression tag	UNP P16278

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	C	1	Total 14	8	1	5	0	0
2	C	1	Total 14	8	1	5	0	0
2	C	1	Total 14	8	1	5	0	0
2	C	1	Total 14	8	1	5	0	0
2	D	1	Total 14	8	1	5	0	0
2	D	1	Total 14	8	1	5	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	B	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		
3	D	1	Total	Cl	0	0
			1	1		

- Molecule 4 is (3E,5S,6R,7S,8S,8aS)-3-(butylimino)hexahydro[1,3]thiazolo[3,4-a]pyridine-5,6,7,8-tetrol (three-letter code: 6GJ) (formula: C₁₁H₂₀N₂O₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			18	11	2	4	1		
4	B	1	Total	C	N	O	S	0	0
			18	11	2	4	1		
4	C	1	Total	C	N	O	S	0	0
			18	11	2	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	D	1	18	11	2	4	1	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	B	1	5	4	1	0	0
5	B	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	D	1	5	4	1	0	0
5	D	1	5	4	1	0	0

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	414	Total O 414 414	0	0
7	B	446	Total O 446 446	0	0
7	C	379	Total O 379 379	0	0
7	D	357	Total O 357 357	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-galactosidase




- Molecule 1: Beta-galactosidase





- Molecule 1: Beta-galactosidase





● Molecule 1: Beta-galactosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.91Å 116.01Å 140.57Å 90.00° 92.28° 90.00°	Depositor
Resolution (Å)	25.90 – 2.00 25.90 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.4 (25.90-2.00) 97.5 (25.90-2.00)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.31 (at 1.99Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.186 , 0.232 0.194 , 0.238	Depositor DCC
R_{free} test set	10030 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	25.3	Xtrriage
Anisotropy	0.094	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.054 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21271	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 6GJ, CL, EDO, SO4, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	0/5041	0.81	4/6873 (0.1%)
1	B	0.75	0/5002	0.82	9/6822 (0.1%)
1	C	0.70	0/4995	0.79	2/6814 (0.0%)
1	D	0.69	0/4981	0.78	2/6796 (0.0%)
All	All	0.72	0/20019	0.80	17/27305 (0.1%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	256	ARG	NE-CZ-NH2	6.63	123.62	120.30
1	B	256	ARG	NE-CZ-NH1	-6.54	117.03	120.30
1	B	256	ARG	NE-CZ-NH2	6.23	123.42	120.30
1	B	49	ARG	CG-CD-NE	-5.76	99.69	111.80
1	C	491	ASP	CB-CG-OD1	5.74	123.46	118.30
1	A	256	ARG	NE-CZ-NH1	-5.44	117.58	120.30
1	D	49	ARG	CG-CD-NE	-5.42	100.43	111.80
1	B	49	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	B	491	ASP	CB-CG-OD2	-5.37	113.47	118.30
1	C	49	ARG	CG-CD-NE	-5.37	100.53	111.80
1	B	208	ARG	NE-CZ-NH1	5.31	122.95	120.30
1	A	390	ASP	CB-CG-OD1	5.18	122.96	118.30
1	D	241	ASP	CB-CG-OD1	5.17	122.95	118.30
1	B	256	ARG	CG-CD-NE	-5.14	101.01	111.80
1	A	101	ASP	CB-CG-OD1	5.12	122.91	118.30
1	B	568	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	208	ARG	NE-CZ-NH2	-5.09	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4849	0	4723	22	0
1	B	4831	0	4701	39	0
1	C	4815	0	4688	27	0
1	D	4808	0	4682	40	0
2	A	56	0	50	0	0
2	B	56	0	51	0	0
2	C	56	0	52	0	0
2	D	56	0	52	3	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	18	0	20	1	0
4	B	18	0	20	7	0
4	C	18	0	19	0	0
4	D	18	0	20	0	0
5	A	10	0	0	0	0
5	B	10	0	0	0	0
5	C	10	0	0	0	0
5	D	10	0	0	0	0
6	A	8	0	12	0	0
6	B	8	0	12	3	0
6	C	8	0	12	0	0
6	D	8	0	12	0	0
7	A	414	0	0	5	0
7	B	446	0	0	7	0
7	C	379	0	0	1	0
7	D	357	0	0	11	0
All	All	21271	0	19126	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:259:GLU:HB2	7:D:1103:HOH:O	1.64	0.96
1:D:555:ASN:HB2	2:D:704:NAG:O5	1.70	0.90
1:B:437:ASN:HD21	1:B:458:ASN:H	1.15	0.88
1:A:327:GLN:HE22	1:A:484:ASN:HD21	1.29	0.81
1:A:437:ASN:HD21	1:A:458:ASN:H	1.29	0.80
1:D:437:ASN:HD21	1:D:458:ASN:H	1.33	0.75
1:B:382:LEU:HD23	1:B:524:LEU:HD12	1.73	0.70
4:B:710:6GJ:H6	4:B:710:6GJ:O1	1.91	0.69
4:B:710:6GJ:O1	4:B:710:6GJ:C9	2.41	0.69
1:B:327:GLN:HE22	1:B:484:ASN:HD21	1.40	0.69
1:C:437:ASN:HD21	1:C:458:ASN:H	1.41	0.69
1:D:426:CYS:SG	7:D:1101:HOH:O	2.50	0.68
1:A:105:GLU:O	1:A:109[A]:ARG:HG3	1.93	0.68
1:C:615:THR:HG22	7:C:904:HOH:O	1.93	0.67
1:C:327:GLN:HE22	1:C:484:ASN:HD21	1.42	0.65
1:A:112:HIS:HD2	7:A:1048:HOH:O	1.79	0.64
1:B:109[A]:ARG:NH1	1:B:113:GLU:OE2	2.30	0.63
1:D:112:HIS:HD2	7:D:1104:HOH:O	1.80	0.63
1:B:273:TRP:CZ3	4:B:710:6GJ:S6	2.94	0.60
1:B:273:TRP:CH2	4:B:710:6GJ:S6	2.97	0.57
1:D:327:GLN:HE22	1:D:484:ASN:HD21	1.51	0.57
1:D:555:ASN:CB	2:D:704:NAG:O5	2.50	0.56
1:A:234[B]:GLN:HE21	1:A:235:GLY:N	2.04	0.55
1:D:255:GLN:HG2	7:D:1103:HOH:O	2.07	0.55
1:A:382:LEU:HD23	1:A:524:LEU:HD12	1.89	0.55
1:C:318:ASN:HD21	1:C:590:ARG:HH21	1.54	0.54
1:C:83:TYR:CE2	1:C:128:ALA:HB2	2.43	0.53
1:C:35:ASP:OD2	1:C:38:ARG:HB2	2.09	0.53
1:A:318:ASN:HD21	1:A:590:ARG:HH21	1.57	0.52
1:D:426:CYS:CB	7:D:1101:HOH:O	2.58	0.51
1:C:281:HIS:CE1	1:C:644:ILE:HD12	2.46	0.51
1:B:109[A]:ARG:NE	7:B:1086:HOH:O	2.44	0.50
1:C:523:HIS:CE1	1:C:527:TRP:CZ2	2.99	0.50
1:D:437:ASN:ND2	1:D:458:ASN:H	2.07	0.50
1:D:553:MET:CE	7:D:1116:HOH:O	2.60	0.50
1:B:106:TYR:HA	1:B:109[B]:ARG:HE	1.75	0.50
1:B:243:GLY:H	6:B:708:EDO:C2	2.25	0.50
1:A:327:GLN:HE22	1:A:484:ASN:ND2	2.05	0.50
1:A:598:GLN:NE2	7:A:1214:HOH:O	2.45	0.50
1:B:397:PRO:HD2	1:D:527:TRP:CD2	2.47	0.49
1:A:275:ASP:HB2	7:A:1179:HOH:O	2.12	0.49
1:B:629:ASP:O	1:B:631:PRO:HD3	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:184:GLN:HB2	1:D:218:PHE:CZ	2.48	0.49
1:D:30:ARG:HB3	1:D:174:TYR:CE2	2.48	0.49
1:D:112:HIS:CD2	7:D:1104:HOH:O	2.62	0.48
1:B:318:ASN:HD21	1:B:590:ARG:HE	1.60	0.48
1:D:320:ALA:H	1:D:484:ASN:HD22	1.60	0.48
1:A:644:ILE:HD12	7:A:1097:HOH:O	2.13	0.48
4:B:710:6GJ:H5	4:B:710:6GJ:C1	2.44	0.48
1:D:523:HIS:HA	7:D:1116:HOH:O	2.14	0.48
1:B:273:TRP:N	7:B:1155:HOH:O	2.46	0.48
1:B:553:MET:SD	1:B:617:THR:HG23	2.54	0.48
4:B:710:6GJ:C9	4:B:710:6GJ:C1	2.92	0.47
1:C:524:LEU:HD21	1:C:551:PHE:CD1	2.49	0.47
1:D:424:GLN:HE22	1:D:502:SER:HB2	1.78	0.47
1:A:310:GLY:HA3	1:A:331:TYR:O	2.15	0.47
1:D:527:TRP:HA	1:D:527:TRP:CE3	2.49	0.47
1:B:268:GLU:OE1	4:B:710:6GJ:H1	2.13	0.47
1:D:430:ALA:CB	7:D:1101:HOH:O	2.62	0.47
1:C:352[A]:ASN:OD1	1:C:355:GLN:NE2	2.47	0.47
1:B:318:ASN:ND2	1:B:590:ARG:HE	2.14	0.46
1:B:88:PHE:O	1:B:102:HIS:HD2	1.96	0.46
1:A:397:PRO:HD2	1:C:527:TRP:CG	2.50	0.46
1:B:170:LYS:N	1:B:171:PRO:HD2	2.31	0.46
1:D:91:PRO:HD2	1:D:95:GLN:O	2.15	0.46
1:D:318:ASN:HD21	1:D:590:ARG:HH21	1.62	0.46
1:D:551:PHE:HA	1:D:618:VAL:O	2.16	0.46
1:A:381:LYS:HB2	1:A:552:TYR:CE2	2.52	0.45
1:C:598:GLN:HA	1:C:644:ILE:HA	1.99	0.45
1:B:572[A]:GLN:HG3	1:B:637:THR:HB	1.97	0.45
1:B:243:GLY:H	6:B:708:EDO:H21	1.80	0.45
1:C:242:PHE:O	1:C:269:PHE:HA	2.16	0.45
1:D:440:HIS:HA	1:D:441:ASP:HA	1.79	0.45
1:D:62:ARG:HA	1:D:65:TRP:CD2	2.51	0.45
1:D:221:ASP:O	1:D:240:VAL:HA	2.17	0.44
1:B:327:GLN:HE22	1:B:484:ASN:ND2	2.13	0.44
1:C:91:PRO:HD2	1:C:95:GLN:O	2.17	0.44
1:C:507:THR:O	1:C:508:ASP:HB2	2.17	0.44
1:C:309:ILE:HB	1:C:337:LEU:HB2	1.99	0.44
1:B:318:ASN:HD21	1:B:590:ARG:HH21	1.66	0.44
1:C:221:ASP:O	1:C:240:VAL:HA	2.18	0.43
1:A:305:LEU:HD12	1:A:305:LEU:N	2.32	0.43
1:A:112:HIS:CD2	7:A:1048:HOH:O	2.63	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:381:LYS:HB2	1:B:552:TYR:CE2	2.54	0.43
1:B:310:GLY:HA3	1:B:331:TYR:O	2.19	0.43
1:D:253:LEU:HD23	1:D:253:LEU:HA	1.92	0.43
1:D:430:ALA:N	7:D:1101:HOH:O	2.51	0.43
1:B:95:GLN:HG2	7:B:1181:HOH:O	2.19	0.43
1:A:598:GLN:HA	1:A:644:ILE:HA	2.01	0.43
1:B:321:ASN:ND2	1:B:327:GLN:HE21	2.17	0.42
1:B:440:HIS:HA	1:B:441:ASP:HA	1.78	0.42
1:A:273:TRP:CH2	4:A:706:6GJ:S6	3.12	0.42
1:B:299:ARG:HD3	7:B:1045:HOH:O	2.18	0.42
1:C:29:GLN:HE21	1:C:29:GLN:HA	1.84	0.42
1:B:190:GLY:HA3	1:B:227:PHE:O	2.19	0.42
1:B:383:LYS:NZ	1:D:100:GLU:OE2	2.51	0.42
1:D:424:GLN:HE22	1:D:502:SER:CB	2.33	0.42
1:C:76:GLY:HA3	1:C:360:VAL:HG22	2.01	0.42
1:D:62:ARG:HA	1:D:65:TRP:CG	2.54	0.42
2:D:701:NAG:O6	2:D:701:NAG:O4	2.32	0.42
1:A:399:LYS:HE2	1:C:528:GLY:O	2.20	0.42
1:A:52:SER:HA	1:A:79:ALA:O	2.20	0.41
1:B:95:GLN:NE2	7:B:1083:HOH:O	2.54	0.41
1:B:555:ASN:HA	1:B:614:ASN:O	2.21	0.41
1:D:318:ASN:HD21	1:D:590:ARG:HE	1.68	0.41
1:D:321:ASN:ND2	1:D:327:GLN:HE21	2.18	0.41
1:D:430:ALA:HB2	7:D:1101:HOH:O	2.19	0.41
1:D:592:TRP:CE2	1:D:595:ARG:HG3	2.55	0.41
1:B:205:LYS:HD2	7:B:1187:HOH:O	2.20	0.41
1:B:579:GLY:HA3	1:B:619:LEU:O	2.21	0.41
1:C:49:ARG:HB2	1:C:302:SER:OG	2.21	0.41
1:C:122:PRO:HD2	1:C:184:GLN:O	2.21	0.41
1:C:174:TYR:HA	1:C:178:GLY:O	2.21	0.41
1:B:125:TYR:CE2	1:B:148:ARG:CZ	3.04	0.41
1:A:564:ASP:O	1:A:567:GLN:HG3	2.21	0.41
1:B:598:GLN:HA	1:B:644:ILE:HA	2.03	0.41
1:D:64:TYR:O	1:D:68:ARG:HG2	2.20	0.41
1:D:72:MET:HB3	1:D:77:LEU:HD12	2.03	0.41
1:B:275:ASP:HB2	7:B:1218:HOH:O	2.20	0.41
1:C:555:ASN:HA	1:C:614:ASN:O	2.21	0.41
1:D:241:ASP:HB2	1:D:268:GLU:HB2	2.03	0.41
1:A:415:PHE:CD1	1:A:415:PHE:N	2.89	0.40
1:B:243:GLY:N	6:B:708:EDO:H22	2.35	0.40
1:D:399:LYS:HE3	1:D:510:THR:HG23	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:TYR:HA	1:B:178:GLY:O	2.22	0.40
1:C:592:TRP:CE2	1:C:595:ARG:HG3	2.56	0.40
1:C:62:ARG:HA	1:C:65:TRP:CD2	2.57	0.40
1:C:150:SER:OG	1:C:196:ASP:OD2	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	609/678 (90%)	587 (96%)	20 (3%)	2 (0%)	41	37
1	B	605/678 (89%)	585 (97%)	19 (3%)	1 (0%)	47	44
1	C	605/678 (89%)	584 (96%)	20 (3%)	1 (0%)	47	44
1	D	604/678 (89%)	579 (96%)	25 (4%)	0	100	100
All	All	2423/2712 (89%)	2335 (96%)	84 (4%)	4 (0%)	47	44

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	611	SER
1	A	628	SER
1	C	503	SER
1	B	630	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	526/585 (90%)	520 (99%)	6 (1%)	73	78
1	B	522/585 (89%)	514 (98%)	8 (2%)	65	69
1	C	522/585 (89%)	507 (97%)	15 (3%)	42	43
1	D	521/585 (89%)	509 (98%)	12 (2%)	50	53
All	All	2091/2340 (89%)	2050 (98%)	41 (2%)	59	58

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38[A]	ARG
1	A	38[B]	ARG
1	A	186	GLU
1	A	360	VAL
1	A	553	MET
1	A	605	GLN
1	B	40	SER
1	B	47	PRO
1	B	49	ARG
1	B	131	GLU
1	B	234	GLN
1	B	274	LEU
1	B	605	GLN
1	B	628	SER
1	C	29	GLN
1	C	35	ASP
1	C	40	SER
1	C	49	ARG
1	C	150	SER
1	C	186	GLU
1	C	274	LEU
1	C	359	LYS
1	C	420	THR
1	C	459[A]	ASN
1	C	459[B]	ASN
1	C	466	THR
1	C	572[A]	GLN
1	C	572[B]	GLN
1	C	646	SER
1	D	29	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	38	ARG
1	D	49	ARG
1	D	160	LYS
1	D	186	GLU
1	D	274	LEU
1	D	359	LYS
1	D	424	GLN
1	D	527	TRP
1	D	605	GLN
1	D	628	SER
1	D	647	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	112	HIS
1	A	318	ASN
1	A	321	ASN
1	A	355	GLN
1	A	437	ASN
1	A	484	ASN
1	A	523	HIS
1	B	102	HIS
1	B	318	ASN
1	B	321	ASN
1	B	355	GLN
1	B	437	ASN
1	B	484	ASN
1	B	529	HIS
1	C	29	GLN
1	C	279	GLN
1	C	318	ASN
1	C	321	ASN
1	C	355	GLN
1	C	437	ASN
1	C	484	ASN
1	C	523	HIS
1	D	102	HIS
1	D	204	GLN
1	D	279	GLN
1	D	318	ASN
1	D	321	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	355	GLN
1	D	424	GLN
1	D	437	ASN
1	D	484	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 4 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	703	1	14,14,15	0.48	0	17,19,21	1.26	2 (11%)
6	EDO	C	709	-	3,3,3	0.38	0	2,2,2	0.80	0
6	EDO	D	708	-	3,3,3	0.12	0	2,2,2	1.16	0
5	SO4	C	706	-	4,4,4	0.47	0	6,6,6	0.29	0
2	NAG	B	704	1	14,14,15	0.57	0	17,19,21	0.95	1 (5%)
2	NAG	B	703	1	14,14,15	0.70	0	17,19,21	2.17	8 (47%)
2	NAG	A	701	1	14,14,15	0.46	0	17,19,21	1.39	3 (17%)
2	NAG	C	701	1	14,14,15	0.30	0	17,19,21	0.56	0
4	6GJ	C	705	-	18,19,19	1.76	4 (22%)	15,27,27	4.38	6 (40%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	702	1	14,14,15	0.52	0	17,19,21	1.47	1 (5%)
5	SO4	D	709	-	4,4,4	0.43	0	6,6,6	0.41	0
2	NAG	D	704	1	14,14,15	0.60	0	17,19,21	2.16	3 (17%)
2	NAG	A	704	1	14,14,15	0.56	0	17,19,21	0.83	0
6	EDO	D	707	-	3,3,3	0.44	0	2,2,2	0.69	0
6	EDO	B	708	-	3,3,3	0.45	0	2,2,2	0.24	0
4	6GJ	A	706	-	18,19,19	1.54	3 (16%)	15,27,27	4.52	7 (46%)
5	SO4	C	707	-	4,4,4	0.40	0	6,6,6	0.30	0
4	6GJ	D	702	-	18,19,19	1.72	4 (22%)	15,27,27	4.37	3 (20%)
5	SO4	A	708	-	4,4,4	0.56	0	6,6,6	0.37	0
5	SO4	D	710	-	4,4,4	0.44	0	6,6,6	0.61	0
6	EDO	B	709	-	3,3,3	0.47	0	2,2,2	0.56	0
5	SO4	B	707	-	4,4,4	0.47	0	6,6,6	0.32	0
2	NAG	D	705	1	14,14,15	0.74	0	17,19,21	1.27	2 (11%)
2	NAG	B	702	1	14,14,15	1.05	0	17,19,21	2.19	6 (35%)
5	SO4	B	706	-	4,4,4	0.48	0	6,6,6	0.30	0
2	NAG	C	703	1	14,14,15	0.49	0	17,19,21	1.08	2 (11%)
2	NAG	D	701	1	14,14,15	0.94	1 (7%)	17,19,21	1.59	5 (29%)
6	EDO	A	710	-	3,3,3	0.44	0	2,2,2	0.88	0
2	NAG	A	702	1	14,14,15	1.05	1 (7%)	17,19,21	2.94	7 (41%)
5	SO4	A	707	-	4,4,4	0.53	0	6,6,6	0.34	0
4	6GJ	B	710	-	18,19,19	1.55	3 (16%)	15,27,27	2.83	5 (33%)
6	EDO	A	709	-	3,3,3	0.24	0	2,2,2	1.29	0
2	NAG	C	704	1	14,14,15	0.66	0	17,19,21	0.95	1 (5%)
6	EDO	C	710	-	3,3,3	0.50	0	2,2,2	1.15	0
2	NAG	A	703	1	14,14,15	1.16	1 (7%)	17,19,21	2.45	8 (47%)
2	NAG	B	701	1	14,14,15	0.57	0	17,19,21	1.49	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	703	1	-	0/6/23/26	0/1/1/1
6	EDO	C	709	-	-	1/1/1/1	-
6	EDO	D	708	-	-	0/1/1/1	-
2	NAG	B	704	1	-	0/6/23/26	0/1/1/1
2	NAG	B	703	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	701	1	-	1/6/23/26	0/1/1/1
2	NAG	C	701	1	-	5/6/23/26	0/1/1/1
4	6GJ	C	705	-	-	3/5/38/38	0/2/2/2
2	NAG	C	702	1	-	0/6/23/26	0/1/1/1
2	NAG	D	704	1	-	2/6/23/26	0/1/1/1
2	NAG	A	704	1	-	0/6/23/26	0/1/1/1
6	EDO	D	707	-	-	1/1/1/1	-
6	EDO	B	708	-	-	0/1/1/1	-
4	6GJ	A	706	-	-	4/5/38/38	0/2/2/2
4	6GJ	D	702	-	-	3/5/38/38	0/2/2/2
6	EDO	B	709	-	-	0/1/1/1	-
2	NAG	D	705	1	-	0/6/23/26	0/1/1/1
2	NAG	B	702	1	-	2/6/23/26	0/1/1/1
2	NAG	C	703	1	-	0/6/23/26	0/1/1/1
2	NAG	D	701	1	-	1/6/23/26	0/1/1/1
6	EDO	A	710	-	-	1/1/1/1	-
2	NAG	A	702	1	-	2/6/23/26	0/1/1/1
4	6GJ	B	710	-	-	3/5/38/38	0/2/2/2
6	EDO	A	709	-	-	1/1/1/1	-
2	NAG	C	704	1	-	0/6/23/26	0/1/1/1
6	EDO	C	710	-	-	1/1/1/1	-
2	NAG	A	703	1	-	0/6/23/26	0/1/1/1
2	NAG	B	701	1	-	1/6/23/26	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	702	6GJ	C7-S6	-4.97	1.67	1.75
4	C	705	6GJ	C7-S6	-4.67	1.68	1.75
4	B	710	6GJ	C7-N8	3.87	1.32	1.26
4	A	706	6GJ	C7-S6	-3.77	1.69	1.75
4	C	705	6GJ	O1-C1	3.24	1.44	1.40
4	D	702	6GJ	O1-C1	3.07	1.44	1.40
4	B	710	6GJ	C6-S6	-3.06	1.74	1.81
4	D	702	6GJ	C7-N8	3.04	1.31	1.26
4	B	710	6GJ	C7-S6	-2.79	1.71	1.75
4	A	706	6GJ	O1-C1	2.76	1.44	1.40
4	C	705	6GJ	C6-S6	-2.72	1.74	1.81
2	A	703	NAG	C2-N2	2.67	1.50	1.46
4	A	706	6GJ	C7-N8	2.65	1.30	1.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	705	6GJ	C7-N8	2.56	1.30	1.26
2	A	702	NAG	O3-C3	-2.53	1.36	1.43
2	D	701	NAG	C1-C2	2.52	1.55	1.52
4	D	702	6GJ	C6-S6	-2.40	1.75	1.81

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	702	6GJ	C9-N8-C7	15.21	141.54	117.83
4	A	706	6GJ	C9-N8-C7	14.24	140.03	117.83
4	C	705	6GJ	C9-N8-C7	13.81	139.37	117.83
2	A	702	NAG	C1-O5-C5	9.05	124.32	112.19
4	A	706	6GJ	C3-C2-C1	7.04	120.74	109.01
4	C	705	6GJ	C3-C2-C1	6.86	120.45	109.01
4	B	710	6GJ	C9-N8-C7	6.72	128.31	117.83
2	D	704	NAG	O5-C1-C2	6.38	121.16	111.29
4	B	710	6GJ	O1-C1-N5	-5.37	99.87	111.40
2	A	702	NAG	C6-C5-C4	-5.15	100.38	113.02
2	A	703	NAG	O5-C1-C2	-5.04	103.50	111.29
2	D	704	NAG	C1-O5-C5	4.93	118.79	112.19
4	D	702	6GJ	O1-C1-N5	-4.91	100.85	111.40
4	B	710	6GJ	C10-C9-N8	4.88	119.31	110.67
2	B	702	NAG	C1-O5-C5	4.56	118.30	112.19
2	C	702	NAG	C1-O5-C5	4.44	118.14	112.19
4	D	702	6GJ	C5-C6-S6	-4.25	98.59	106.31
4	C	705	6GJ	O2-C2-C3	4.15	120.15	110.38
2	B	702	NAG	O6-C6-C5	-4.10	97.37	111.33
2	B	701	NAG	C1-O5-C5	3.97	117.50	112.19
2	A	703	NAG	O7-C7-C8	-3.86	115.18	122.05
2	B	703	NAG	O5-C1-C2	-3.75	105.49	111.29
2	A	703	NAG	O3-C3-C4	-3.71	101.64	110.38
2	A	703	NAG	C8-C7-N2	3.56	122.01	116.12
2	A	703	NAG	O3-C3-C2	3.54	116.75	109.40
4	A	706	6GJ	O1-C1-N5	-3.54	103.81	111.40
2	B	703	NAG	C1-O5-C5	3.53	116.92	112.19
2	B	703	NAG	C4-C3-C2	-3.50	105.89	111.02
4	C	705	6GJ	O1-C1-N5	-3.43	104.04	111.40
2	B	702	NAG	C6-C5-C4	-3.42	104.63	113.02
4	A	706	6GJ	C5-C6-S6	-3.24	100.42	106.31
2	A	702	NAG	O6-C6-C5	-3.17	100.52	111.33
4	B	710	6GJ	C3-C4-C5	-3.17	106.01	111.37
2	D	705	NAG	O7-C7-C8	-3.06	116.61	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	703	NAG	C1-C2-N2	3.05	115.23	110.43
4	A	706	6GJ	C3-C4-C5	-2.91	106.45	111.37
4	A	706	6GJ	O2-C2-C3	2.91	117.23	110.38
2	B	702	NAG	C4-C3-C2	-2.86	106.82	111.02
4	C	705	6GJ	C5-C6-S6	-2.82	101.19	106.31
2	B	702	NAG	O3-C3-C4	-2.81	103.76	110.38
2	A	701	NAG	C1-C2-N2	-2.76	106.08	110.43
2	A	702	NAG	C1-C2-N2	-2.74	106.12	110.43
2	B	701	NAG	O6-C6-C5	-2.72	102.08	111.33
2	C	703	NAG	C1-O5-C5	2.70	115.81	112.19
2	B	703	NAG	C6-C5-C4	-2.64	106.53	113.02
2	B	703	NAG	O3-C3-C4	-2.57	104.31	110.38
2	D	701	NAG	O5-C5-C6	2.55	112.63	107.66
2	B	704	NAG	C1-C2-N2	-2.53	106.44	110.43
2	A	702	NAG	O4-C4-C5	-2.53	103.09	109.32
2	A	702	NAG	O5-C5-C4	2.52	116.95	110.83
2	D	701	NAG	O5-C1-C2	2.45	115.09	111.29
2	D	705	NAG	C8-C7-N2	2.45	120.18	116.12
2	D	703	NAG	O5-C5-C6	2.45	112.43	107.66
2	A	703	NAG	C4-C3-C2	-2.42	107.47	111.02
2	A	701	NAG	O6-C6-C5	-2.40	103.16	111.33
4	A	706	6GJ	O4-C4-C3	2.35	115.92	110.38
2	A	703	NAG	C1-O5-C5	2.34	115.32	112.19
2	B	703	NAG	O7-C7-N2	2.33	126.11	121.98
2	D	701	NAG	O5-C5-C4	-2.29	105.27	110.83
4	C	705	6GJ	C10-C9-N8	-2.27	106.65	110.67
4	B	710	6GJ	C5-C6-S6	-2.25	102.21	106.31
2	A	703	NAG	C1-C2-N2	2.21	113.92	110.43
2	A	701	NAG	O3-C3-C2	-2.21	104.81	109.40
2	A	702	NAG	O3-C3-C4	-2.19	105.20	110.38
2	C	704	NAG	O4-C4-C3	-2.17	105.26	110.38
2	D	701	NAG	C1-C2-N2	2.16	113.84	110.43
2	D	703	NAG	C2-N2-C7	-2.13	120.04	122.90
2	D	704	NAG	O7-C7-C8	-2.08	118.35	122.05
2	B	702	NAG	C1-C2-N2	-2.06	107.18	110.43
2	C	703	NAG	O3-C3-C2	-2.06	105.13	109.40
2	B	703	NAG	O7-C7-C8	-2.03	118.44	122.05
2	D	701	NAG	O7-C7-C8	-2.02	118.46	122.05

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	701	NAG	C1-C2-N2-C7
4	A	706	6GJ	N5-C7-N8-C9
4	A	706	6GJ	S6-C7-N8-C9
4	B	710	6GJ	N5-C7-N8-C9
4	B	710	6GJ	S6-C7-N8-C9
4	C	705	6GJ	N5-C7-N8-C9
4	C	705	6GJ	S6-C7-N8-C9
4	D	702	6GJ	N5-C7-N8-C9
4	D	702	6GJ	S6-C7-N8-C9
2	D	704	NAG	C4-C5-C6-O6
2	B	703	NAG	O5-C5-C6-O6
2	B	702	NAG	C4-C5-C6-O6
2	A	702	NAG	C4-C5-C6-O6
2	D	704	NAG	O5-C5-C6-O6
2	B	702	NAG	O5-C5-C6-O6
2	C	701	NAG	C8-C7-N2-C2
4	B	710	6GJ	C9-C10-C11-C12
4	D	702	6GJ	C11-C10-C9-N8
2	D	701	NAG	O5-C5-C6-O6
6	C	709	EDO	O1-C1-C2-O2
6	C	710	EDO	O1-C1-C2-O2
6	D	707	EDO	O1-C1-C2-O2
2	A	702	NAG	O5-C5-C6-O6
2	C	701	NAG	O7-C7-N2-C2
6	A	710	EDO	O1-C1-C2-O2
4	A	706	6GJ	C11-C10-C9-N8
4	A	706	6GJ	C9-C10-C11-C12
4	C	705	6GJ	C11-C10-C9-N8
2	B	703	NAG	C4-C5-C6-O6
2	C	701	NAG	C3-C2-N2-C7
2	B	701	NAG	C4-C5-C6-O6
6	A	709	EDO	O1-C1-C2-O2
2	A	701	NAG	C4-C5-C6-O6
2	C	701	NAG	C4-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	704	NAG	2	0
6	B	708	EDO	3	0
4	A	706	6GJ	1	0
2	D	701	NAG	1	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	710	6GJ	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	605/678 (89%)	-0.13	12 (1%) 65 63	17, 25, 41, 91	0
1	B	605/678 (89%)	-0.22	13 (2%) 63 62	17, 24, 41, 87	0
1	C	603/678 (88%)	-0.09	12 (1%) 65 63	17, 27, 50, 77	0
1	D	603/678 (88%)	-0.02	22 (3%) 42 42	18, 28, 52, 87	0
All	All	2416/2712 (89%)	-0.11	59 (2%) 59 57	17, 26, 46, 91	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	647	SER	7.1
1	D	528	GLY	6.8
1	D	527	TRP	6.1
1	C	527	TRP	5.8
1	D	29	GLN	5.4
1	D	526	GLY	5.2
1	D	629	ASP	5.2
1	A	645	GLY	5.0
1	C	525	GLY	4.9
1	D	647	SER	4.6
1	A	628	SER	4.4
1	A	646	SER	4.2
1	A	29	GLN	4.1
1	B	29	GLN	4.0
1	B	611	SER	4.0
1	A	629	ASP	4.0
1	C	647	SER	3.8
1	C	29	GLN	3.8
1	A	647	SER	3.7
1	B	31	MET	3.6
1	D	646	SER	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	627	SER	3.3
1	B	628	SER	3.2
1	B	629	ASP	3.2
1	B	646	SER	3.2
1	D	627	SER	3.2
1	D	545	ASN	3.0
1	D	359	LYS	3.0
1	C	31	MET	3.0
1	C	359	LYS	3.0
1	A	644	ILE	3.0
1	A	359	LYS	3.0
1	D	427	SER	2.9
1	D	628	SER	2.9
1	B	488	TYR	2.8
1	B	644	ILE	2.8
1	D	488	TYR	2.8
1	B	645	GLY	2.6
1	D	631	PRO	2.4
1	A	627	SER	2.4
1	C	488	TYR	2.4
1	D	459	ASN	2.3
1	D	632	GLU	2.3
1	D	390	ASP	2.3
1	D	426	CYS	2.3
1	D	428	ASN	2.3
1	D	623	TRP	2.2
1	A	109[A]	ARG	2.2
1	C	476	LEU	2.1
1	A	31	MET	2.1
1	B	359	LYS	2.1
1	D	425	ASP	2.1
1	C	427	SER	2.1
1	C	502	SER	2.1
1	C	646	SER	2.1
1	A	631	PRO	2.1
1	B	282	SER	2.0
1	D	234	GLN	2.0
1	C	426	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	D	704	14/15	0.57	0.38	75,85,89,91	0
2	NAG	D	701	14/15	0.64	0.36	69,76,92,92	0
2	NAG	C	701	14/15	0.75	0.39	79,88,98,103	0
2	NAG	B	703	14/15	0.76	0.20	36,43,57,61	0
2	NAG	A	703	14/15	0.78	0.18	36,41,51,52	0
6	EDO	C	710	4/4	0.81	0.20	31,31,35,42	0
2	NAG	C	702	14/15	0.82	0.23	40,47,54,58	0
4	6GJ	A	706	18/18	0.84	0.19	20,31,63,64	0
6	EDO	B	708	4/4	0.84	0.15	37,43,43,45	0
2	NAG	D	703	14/15	0.84	0.19	41,44,51,53	0
5	SO4	D	709	5/5	0.85	0.28	67,70,74,74	0
2	NAG	B	704	14/15	0.85	0.25	46,49,52,58	0
4	6GJ	D	702	18/18	0.85	0.17	24,31,56,57	0
2	NAG	C	703	14/15	0.86	0.20	35,46,49,50	0
4	6GJ	C	705	18/18	0.86	0.16	23,31,54,54	0
2	NAG	A	704	14/15	0.86	0.34	49,55,63,67	0
5	SO4	A	707	5/5	0.87	0.29	60,60,63,63	0
6	EDO	A	710	4/4	0.87	0.19	29,31,32,40	0
4	6GJ	B	710	18/18	0.88	0.17	19,26,59,61	0
6	EDO	D	707	4/4	0.88	0.18	28,33,36,37	0
2	NAG	A	702	14/15	0.90	0.15	24,30,35,35	0
6	EDO	C	709	4/4	0.90	0.24	29,35,36,39	0
6	EDO	A	709	4/4	0.91	0.14	44,48,49,54	0
2	NAG	B	701	14/15	0.91	0.10	21,28,36,36	0
6	EDO	B	709	4/4	0.92	0.14	28,29,31,33	0
2	NAG	C	704	14/15	0.92	0.10	25,31,33,36	0
6	EDO	D	708	4/4	0.92	0.13	38,40,43,45	0
2	NAG	B	702	14/15	0.93	0.10	25,28,32,35	0
2	NAG	D	705	14/15	0.93	0.10	27,31,34,36	0
2	NAG	A	701	14/15	0.94	0.09	23,27,32,41	0
5	SO4	C	707	5/5	0.95	0.20	44,52,54,56	0
5	SO4	C	706	5/5	0.95	0.23	61,62,64,65	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	SO4	B	707	5/5	0.96	0.13	31,39,44,44	0
5	SO4	B	706	5/5	0.96	0.23	64,67,70,71	0
5	SO4	A	708	5/5	0.97	0.13	38,47,49,52	0
5	SO4	D	710	5/5	0.97	0.17	52,53,54,54	0
3	CL	D	706	1/1	0.99	0.10	21,21,21,21	0
3	CL	B	705	1/1	0.99	0.05	20,20,20,20	0
3	CL	C	708	1/1	0.99	0.09	22,22,22,22	0
3	CL	A	705	1/1	1.00	0.05	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 6GJ D 702:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 6GJ C 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.